

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: July 1, 2011**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
07/01/2010	217.0	608,241	87.5%	92.1	223,957	87.1%	832,198	87.4%
07/01/2011	212.2	499,228	71.8%	88.6	164,442	63.9%	663,670	69.7%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
06/30/2011	93	594	0.00	88	167	0.05	761
MTD		16,843	0.69		12,320	0.51	29,163

STREAM FLOWS

Gauging Station	06/30/2011 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	60	1,783
NRTT : Nueces River at Tilden, Texas	0	0
FRTT : Frio River at Tilden, Texas	0	0
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	2	127
Release from Choke Canyon Reservoir	58	1,727
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	230	9,421
NCAT : Nueces River at Calallen, Texas	0	242
RBP : Rincon Bayou Pipeline	0	996
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	2	167

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 25,333 Salinity Relief Credit : 0 Effective:	25,333
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	502
Return Flow Credit (Effective: 06/01/2011)	500
Passthru Target: 25,333 Reservoir Inflow: 167 Comment: The remainder of the banked 3000 AF from May 2010 has been delivered as of June 22, 2011.	167
Estuary Inflows (NCAT + RBP)	1,239
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	June 2011		Elevation (Ft)	
				Allocation	Remaining	Full	07/01/2011
06/30/2011	137	4,083	24,005	4,100	17	44.0	36.9

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: July 2, 2011**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
07/02/2010	217.1	610,411	87.8%	92.4	228,710	88.9%	839,121	88.1%
07/02/2011	212.2	498,166	71.7%	88.6	163,965	63.7%	662,131	69.5%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
07/01/2011	96	631	0.00	92	269	0.00	900
MTD		631	0.00		269	0.00	900

STREAM FLOWS

Gauging Station	07/01/2011 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	58	58
NRTT : Nueces River at Tilden, Texas	0	0
FRTT : Frio River at Tilden, Texas	0	0
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	3	3
Release from Choke Canyon Reservoir	58	58
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	228	228
NCAT : Nueces River at Calallen, Texas	0	0
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	0	0

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 4,500 Salinity Relief Credit : 0 Effective:	4,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	242
Return Flow Credit (Effective: 07/01/2011)	500
Passthru Target: 4,500 Reservoir Inflow: 0 Comment: The remainder of the banked 3000 AF from May 2010 has been delivered as of June 22, 2011.	0
Estuary Inflows (NCAT + RBP)	0
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	July 2011		Elevation (Ft)	
				Allocation	Remaining	Full	07/02/2011
07/01/2011	137	137	24,142	4,100	3,963	44.0	36.8

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: July 3, 2011**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
07/03/2010	217.2	612,098	88.0%	92.7	233,136	90.6%	845,234	88.7%
07/03/2011	212.2	497,952	71.6%	88.5	163,329	63.5%	661,281	69.4%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
07/02/2011	96	321	0.00	96	425	0.00	746
MTD		952	0.00		694	0.00	1,646

STREAM FLOWS

Gauging Station	07/02/2011 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	58	115
NRTT : Nueces River at Tilden, Texas	0	0
FRTT : Frio River at Tilden, Texas	0	0
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	3	5
Release from Choke Canyon Reservoir	58	115
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	230	459
NCAT : Nueces River at Calallen, Texas	0	0
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	0	0

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 4,500 Salinity Relief Credit : 0 Effective:	4,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	242
Return Flow Credit (Effective: 07/01/2011)	500
Passthru Target: 4,500 Reservoir Inflow: 0 Comment: The remainder of the banked 3000 AF from May 2010 has been delivered as of June 22, 2011.	0
Estuary Inflows (NCAT + RBP)	0
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	July 2011		Elevation (Ft)	
				Allocation	Remaining	Full	07/03/2011
07/02/2011	137	275	24,280	4,100	3,825	44.0	36.8

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: July 4, 2011**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
07/04/2010	217.2	611,375	87.9%	92.8	235,625	91.6%	847,000	88.9%
07/04/2011	212.2	498,166	71.7%	88.5	162,378	63.1%	660,544	69.3%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
07/03/2011	98	519	0.00	98	341	0.00	860
MTD		1,471	0.00		1,035	0.00	2,506

STREAM FLOWS

Gauging Station	07/03/2011 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	58	173
NRTT : Nueces River at Tilden, Texas	0	0
FRTT : Frio River at Tilden, Texas	0	0
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	2	8
Release from Choke Canyon Reservoir	58	173
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	230	689
NCAT : Nueces River at Calallen, Texas	0	0
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	0	0

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 4,500 Salinity Relief Credit : 0 Effective:	4,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	242
Return Flow Credit (Effective: 07/01/2011)	500
Passthru Target: 4,500 Reservoir Inflow: 0 Comment: The remainder of the banked 3000 AF from May 2010 has been delivered as of June 22, 2011.	0
Estuary Inflows (NCAT + RBP)	0
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	July 2011		Elevation (Ft)	
				Allocation	Remaining	Full	07/04/2011
07/03/2011	138	412	24,417	4,100	3,688	44.0	36.8

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: July 5, 2011**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
07/05/2010	217.2	611,857	88.0%	92.9	237,586	92.4%	849,443	89.2%
07/05/2011	212.1	497,525	71.6%	88.4	161,745	62.9%	659,270	69.2%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
07/04/2011	97	531	0.00	96	350	0.00	881
MTD		2,002	0.00		1,385	0.00	3,387

STREAM FLOWS

Gauging Station	07/04/2011 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	56	228
NRIT : Nueces River at Tilden, Texas	0	0
FRIT : Frio River at Tilden, Texas	0	0
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	0	8
Release from Choke Canyon Reservoir	58	230
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	242	931
NCAT : Nueces River at Calallen, Texas	0	0
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: NRIT+FRIT+SMTT+ARWT	0	0

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 4,500 Salinity Relief Credit : 0 Effective:	4,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	242
Return Flow Credit (Effective: 07/01/2011)	500
Passthru Target: 4,500 Reservoir Inflow: 0 Comment: The remainder of the banked 3000 AF from May 2010 has been delivered as of June 22, 2011.	0
Estuary Inflows (NCAT + RBP)	0
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	July 2011		Elevation (Ft)	
				Allocation	Remaining	Full	07/05/2011
07/04/2011	138	550	24,555	4,100	3,550	44.0	36.8

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: July 6, 2011**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
07/06/2010	217.2	612,823	88.1%	93.0	239,372	93.0%	852,195	89.5%
07/06/2011	212.1	496,037	71.3%	88.4	161,271	62.7%	657,308	69.0%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
07/05/2011	98	555	0.00	98	386	0.00	941
MTD		2,557	0.00		1,771	0.00	4,328

STREAM FLOWS

Gauging Station	07/05/2011 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	58	286
NRTT : Nueces River at Tilden, Texas	0	0
FRTT : Frio River at Tilden, Texas	0	0
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	2	12
Release from Choke Canyon Reservoir	58	288
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	288	1,219
NCAT : Nueces River at Calallen, Texas	0	0
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	0	2

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 4,500 Salinity Relief Credit : 0 Effective:	4,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	242
Return Flow Credit (Effective: 07/01/2011)	500
Passthru Target: 4,500 Reservoir Inflow: 2 Comment: The remainder of the banked 3000 AF from May 2010 has been delivered as of June 22, 2011.	2
Estuary Inflows (NCAT + RBP)	0
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	July 2011		Elevation (Ft)	
				Allocation	Remaining	Full	07/06/2011
07/05/2011	138	688	24,693	4,100	3,412	44.0	36.6

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: July 7, 2011**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
07/07/2010	217.2	612,823	88.1%	93.1	240,983	93.7%	853,806	89.6%
07/07/2011	212.1	496,037	71.3%	88.4	160,640	62.4%	656,677	68.9%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
07/06/2011	98	543	0.00	98	432	0.00	975
MTD		3,100	0.00		2,203	0.00	5,303

STREAM FLOWS

Gauging Station	07/06/2011 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	58	343
NRTT : Nueces River at Tilden, Texas	0	0
FRTT : Frio River at Tilden, Texas	0	0
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	2	14
Release from Choke Canyon Reservoir	58	345
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	331	1,550
NCAT : Nueces River at Calallen, Texas	0	0
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	0	2

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 4,500 Salinity Relief Credit : 0 Effective:	4,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	242
Return Flow Credit (Effective: 07/01/2011)	500
Passthru Target: 4,500 Reservoir Inflow: 2 Comment: The remainder of the banked 3000 AF from May 2010 has been delivered as of June 22, 2011.	2
Estuary Inflows (NCAT + RBP)	0
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	July 2011		Elevation (Ft)	
				Allocation	Remaining	Full	07/07/2011
07/06/2011	138	826	24,831	4,100	3,274	44.0	36.6

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: July 8, 2011**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
07/08/2010	217.2	611,857	88.0%	93.2	242,597	94.3%	854,454	89.7%
07/08/2011	212.1	496,037	71.3%	88.3	159,852	62.1%	655,889	68.9%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
07/07/2011	98	604	0.00	97	385	0.00	989
MTD		3,704	0.00		2,588	0.00	6,292

STREAM FLOWS

Gauging Station	07/07/2011 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	58	401
NRTT : Nueces River at Tilden, Texas	0	0
FRTT : Frio River at Tilden, Texas	0	0
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	2	16
Release from Choke Canyon Reservoir	58	403
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	333	1,884
NCAT : Nueces River at Calallen, Texas	0	0
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	0	2

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 4,500 Salinity Relief Credit : 0 Effective:	4,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	242
Return Flow Credit (Effective: 07/01/2011)	500
Passthru Target: 4,500 Reservoir Inflow: 2 Comment:	2
Estuary Inflows (NCAT + RBP)	0
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	July 2011		Elevation (Ft)	
				Allocation	Remaining	Full	07/08/2011
07/07/2011	138	964	24,969	4,100	3,136	44.0	36.6

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: July 9, 2011**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
07/09/2010	217.3	614,040	88.3%	93.3	245,294	95.3%	859,334	90.2%
07/09/2011	212.0	494,770	71.2%	88.3	159,224	61.9%	653,994	68.7%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
07/08/2011	99	628	0.00	99	412	0.00	1,040
MTD		4,332	0.00		3,000	0.00	7,332

STREAM FLOWS

Gauging Station	07/08/2011 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	58	459
NRTT : Nueces River at Tilden, Texas	0	0
FRTT : Frio River at Tilden, Texas	0	0
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	2	18
Release from Choke Canyon Reservoir	58	461
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	331	2,215
NCAT : Nueces River at Calallen, Texas	0	0
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	0	2

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 4,500 Salinity Relief Credit : 0 Effective:	4,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	242
Return Flow Credit (Effective: 07/01/2011)	500
Passthru Target: 4,500 Reservoir Inflow: 2 Comment:	2
Estuary Inflows (NCAT + RBP)	0
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	July 2011		Elevation (Ft)	
				Allocation	Remaining	Full	07/09/2011
07/08/2011	138	1,102	25,107	4,100	2,998	44.0	36.5

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: July 10, 2011**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
07/10/2010	217.4	617,690	88.8%	93.4	247,096	96.0%	864,786	90.8%
07/10/2011	211.9	493,292	70.9%	88.2	158,440	61.6%	651,732	68.4%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
07/09/2011	99	615	0.00	98	447	0.00	1,062
MTD		4,947	0.00		3,447	0.00	8,394

STREAM FLOWS

Gauging Station	07/09/2011 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	56	514
NRIT : Nueces River at Tilden, Texas	0	0
FRIT : Frio River at Tilden, Texas	0	0
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	2	19
Release from Choke Canyon Reservoir	58	518
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	331	2,547
NCAT : Nueces River at Calallen, Texas	0	0
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: NRIT+FRIT+SMTT+ARWT	2	4

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 4,500 Salinity Relief Credit : 0 Effective:	4,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	242
Return Flow Credit (Effective: 07/01/2011)	500
Passthru Target: 4,500 Reservoir Inflow: 4 Comment:	4
Estuary Inflows (NCAT + RBP)	0
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	July 2011		Elevation (Ft)	
				Allocation	Remaining	Full	07/10/2011
07/09/2011	138	1,240	25,245	4,100	2,860	44.0	36.5

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: July 11, 2011**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
07/11/2010	217.4	616,960	88.7%	93.5	248,180	96.5%	865,140	90.8%
07/11/2011	211.9	492,869	70.9%	88.2	158,126	61.5%	650,995	68.3%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
07/10/2011	96	590	0.00	98	337	0.01	927
MTD		5,537	0.00		3,784	0.01	9,321

STREAM FLOWS

Gauging Station	07/10/2011 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	56	570
NRIT : Nueces River at Tilden, Texas	0	0
FRIT : Frio River at Tilden, Texas	0	0
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	2	21
Release from Choke Canyon Reservoir	58	576
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	331	2,878
NCAT : Nueces River at Calallen, Texas	0	0
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: NRIT+FRIT+SMTT+ARWT	2	6

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 4,500 Salinity Relief Credit : 0 Effective:	4,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	242
Return Flow Credit (Effective: 07/01/2011)	500
Passthru Target: 4,500 Reservoir Inflow: 6 Comment:	6
Estuary Inflows (NCAT + RBP)	0
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	July 2011		Elevation (Ft)	
				Allocation	Remaining	Full	07/11/2011
07/10/2011	138	1,378	25,383	4,100	2,722	44.0	36.5

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: July 12, 2011**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
07/12/2010	217.3	615,501	88.5%	93.5	248,722	96.7%	864,223	90.7%
07/12/2011	211.9	492,025	70.8%	88.1	157,032	61.0%	649,057	68.1%
Weather Related Information								
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
07/11/2011	100	626	0.00	98	491	0.00	1,117	
MTD		6,163	0.00		4,275	0.01	10,438	

STREAM FLOWS

Gauging Station	07/11/2011 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	60	629
NRTT : Nueces River at Tilden, Texas	0	0
FRTT : Frio River at Tilden, Texas	0	0
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	2	23
Release from Choke Canyon Reservoir	58	633
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	330	3,208
NCAT : Nueces River at Calallen, Texas	1	1
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	2	8

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 4,500 Salinity Relief Credit : 0 Effective:	4,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	242
Return Flow Credit (Effective: 07/01/2011)	500
Passthru Target: 4,500 Reservoir Inflow: 8 Comment:	8
Estuary Inflows (NCAT + RBP)	1
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	July 2011		Elevation (Ft)	
				Allocation	Remaining	Full	07/12/2011
07/11/2011	138	1,516	25,521	4,100	2,584	44.0	36.4

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: July 13, 2011**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
07/13/2010	217.3	613,797	88.3%	93.6	249,807	97.1%	863,604	90.7%
07/13/2011	211.9	491,813	70.7%	88.1	156,565	60.9%	648,378	68.1%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
07/12/2011	99	626	0.00	99	426	0.00	1,052
MTD		6,789	0.00		4,701	0.01	11,490

STREAM FLOWS

Gauging Station	07/12/2011 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	60	689
NRTT : Nueces River at Tilden, Texas	0	0
FRTT : Frio River at Tilden, Texas	0	0
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	1	24
Release from Choke Canyon Reservoir	58	691
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	322	3,529
NCAT : Nueces River at Calallen, Texas	16	17
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	2	10

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 4,500 Salinity Relief Credit : 0 Effective:	4,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	242
Return Flow Credit (Effective: 07/01/2011)	500
Passthru Target: 4,500 Reservoir Inflow: 10 Comment:	10
Estuary Inflows (NCAT + RBP)	17
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	July 2011		Elevation (Ft)	
				Allocation	Remaining	Full	07/13/2011
07/12/2011	138	1,654	25,658	4,100	2,446	44.0	36.3

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: July 14, 2011**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
07/14/2010	217.2	613,067	88.2%	93.8	253,071	98.4%	866,138	90.9%
07/14/2011	211.8	490,757	70.6%	88.0	155,479	60.4%	646,236	67.8%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
07/13/2011	100	797	0.00	97	431	0.00	1,228
MTD		7,586	0.00		5,132	0.01	12,718

STREAM FLOWS

Gauging Station	07/13/2011 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	60	748
NRTT : Nueces River at Tilden, Texas	0	0
FRTT : Frio River at Tilden, Texas	0	0
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	1	25
Release from Choke Canyon Reservoir	58	748
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	312	3,841
NCAT : Nueces River at Calallen, Texas	7	25
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	2	12

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 4,500 Salinity Relief Credit : 0 Effective:	4,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	242
Return Flow Credit (Effective: 07/01/2011)	500
Passthru Target: 4,500 Reservoir Inflow: 12 Comment:	12
Estuary Inflows (NCAT + RBP)	25
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	July 2011		Elevation (Ft)	
				Allocation	Remaining	Full	07/14/2011
07/13/2011	138	1,792	25,797	4,100	2,308	44.0	36.3

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: July 15, 2011**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
07/15/2010	217.3	613,797	88.3%	93.8	253,617	98.6%	867,414	91.1%
07/15/2011	211.8	489,917	70.5%	88.0	155,016	60.3%	644,933	67.7%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
07/14/2011	102	711	0.00	99	430	0.00	1,141
MTD		8,297	0.00		5,562	0.01	13,859

STREAM FLOWS

Gauging Station	07/14/2011 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	60	808
NRTT : Nueces River at Tilden, Texas	0	0
FRTT : Frio River at Tilden, Texas	0	0
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	1	27
Release from Choke Canyon Reservoir	58	806
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	312	4,153
NCAT : Nueces River at Calallen, Texas	5	30
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	2	14

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 4,500 Salinity Relief Credit : 0 Effective:	4,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	242
Return Flow Credit (Effective: 07/01/2011)	500
Passthru Target: 4,500 Reservoir Inflow: 14 Comment:	14
Estuary Inflows (NCAT + RBP)	30
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	July 2011		Elevation (Ft)	
				Allocation	Remaining	Full	07/15/2011
07/14/2011	138	1,930	25,934	4,100	2,170	44.0	36.3

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: July 16, 2011**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
07/16/2010	217.2	613,310	88.2%	93.8	253,253	98.4%	866,563	91.0%
07/16/2011	211.8	489,291	70.4%	88.0	154,248	60.0%	643,539	67.6%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
07/15/2011	100	759	0.00	100	465	0.00	1,224
MTD		9,056	0.00		6,027	0.01	15,083

STREAM FLOWS

Gauging Station	07/15/2011 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	58	865
NRTT : Nueces River at Tilden, Texas	0	0
FRTT : Frio River at Tilden, Texas	0	0
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	1	28
Release from Choke Canyon Reservoir	58	863
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	316	4,468
NCAT : Nueces River at Calallen, Texas	1	30
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	0	14

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 4,500 Salinity Relief Credit : 0 Effective:	4,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	242
Return Flow Credit (Effective: 07/01/2011)	500
Passthru Target: 4,500 Reservoir Inflow: 14 Comment:	14
Estuary Inflows (NCAT + RBP)	30
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	July 2011		Elevation (Ft)	
				Allocation	Remaining	Full	07/16/2011
07/15/2011	138	2,068	26,072	4,100	2,032	44.0	36.2

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: July 17, 2011**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
07/17/2010	217.2	612,580	88.1%	93.8	253,253	98.4%	865,833	90.9%
07/17/2011	211.8	489,917	70.5%	87.9	154,094	59.9%	644,011	67.6%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
07/16/2011	99	600	0.00	99	429	0.00	1,029
MTD		9,656	0.00		6,456	0.01	16,112

STREAM FLOWS

Gauging Station	07/16/2011 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	60	925
NRTT : Nueces River at Tilden, Texas	0	0
FRTT : Frio River at Tilden, Texas	0	0
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	1	29
Release from Choke Canyon Reservoir	58	921
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	316	4,784
NCAT : Nueces River at Calallen, Texas	0	30
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	2	16

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 4,500 Salinity Relief Credit : 0 Effective:	4,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	242
Return Flow Credit (Effective: 07/01/2011)	500
Passthru Target: 4,500 Reservoir Inflow: 16 Comment:	16
Estuary Inflows (NCAT + RBP)	30
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	July 2011		Elevation (Ft)	
				Allocation	Remaining	Full	07/17/2011
07/16/2011	138	2,206	26,210	4,100	1,894	44.0	36.2

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: July 18, 2011**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
07/18/2010	217.2	612,098	88.0%	93.8	252,708	98.2%	864,806	90.8%
07/18/2011	211.8	489,291	70.4%	87.9	153,328	59.6%	642,619	67.5%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
07/17/2011	99	551	0.00	97	374	0.00	925
MTD		10,207	0.00		6,830	0.01	17,037

STREAM FLOWS

Gauging Station	07/17/2011 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	60	985
NRTT : Nueces River at Tilden, Texas	0	0
FRTT : Frio River at Tilden, Texas	0	0
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	1	30
Release from Choke Canyon Reservoir	58	979
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	318	5,101
NCAT : Nueces River at Calallen, Texas	3	33
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	2	18

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 4,500 Salinity Relief Credit : 0 Effective:	4,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	242
Return Flow Credit (Effective: 07/01/2011)	500
Passthru Target: 4,500 Reservoir Inflow: 18 Comment:	18
Estuary Inflows (NCAT + RBP)	33
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	July 2011		Elevation (Ft)	
				Allocation	Remaining	Full	07/18/2011
07/17/2011	138	2,343	26,348	4,100	1,757	44.0	36.2

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: July 19, 2011**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
07/19/2010	217.1	611,134	87.9%	93.7	252,345	98.1%	863,479	90.7%
07/19/2011	211.7	487,824	70.2%	87.9	152,717	59.4%	640,541	67.2%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
07/18/2011	101	550	0.00	101	418	0.00	968
MTD		10,757	0.00		7,248	0.01	18,005

STREAM FLOWS

Gauging Station	07/18/2011 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	60	1,044
NRIT : Nueces River at Tilden, Texas	0	0
FRIT : Frio River at Tilden, Texas	0	0
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	1	32
Release from Choke Canyon Reservoir	58	1,036
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	320	5,421
NCAT : Nueces River at Calallen, Texas	2	35
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	2	20

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 4,500 Salinity Relief Credit : 0 Effective:	4,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	242
Return Flow Credit (Effective: 07/01/2011)	500
Passthru Target: 4,500 Reservoir Inflow: 20 Comment:	20
Estuary Inflows (NCAT + RBP)	35
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	July 2011		Elevation (Ft)	
				Allocation	Remaining	Full	07/19/2011
07/18/2011	138	2,481	26,486	4,100	1,619	44.0	36.1

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: July 20, 2011**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
07/20/2010	217.2	611,857	88.0%	93.7	251,982	97.9%	863,839	90.7%
07/20/2011	211.7	487,824	70.2%	87.8	151,651	58.9%	639,475	67.1%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
07/19/2011	99	452	0.00	100	407	0.00	859
MTD		11,209	0.00		7,655	0.01	18,864

STREAM FLOWS

Gauging Station	07/19/2011 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	60	1,104
NRTT : Nueces River at Tilden, Texas	0	0
FRTT : Frio River at Tilden, Texas	0	0
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	1	33
Release from Choke Canyon Reservoir	58	1,094
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	320	5,741
NCAT : Nueces River at Calallen, Texas	0	35
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	2	22

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 4,500 Salinity Relief Credit : 0 Effective:	4,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	242
Return Flow Credit (Effective: 07/01/2011)	500
Passthru Target: 4,500 Reservoir Inflow: 22 Comment:	22
Estuary Inflows (NCAT + RBP)	35
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	July 2011		Elevation (Ft)	
				Allocation	Remaining	Full	07/20/2011
07/19/2011	138	2,619	26,624	4,100	1,481	44.0	36.1

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: July 21, 2011**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
07/21/2010	217.2	611,375	87.9%	93.7	251,619	97.8%	862,994	90.6%
07/21/2011	211.6	486,345	70.0%	87.8	151,195	58.8%	637,540	66.9%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
07/20/2011	101	610	0.00	101	469	0.00	1,079
MTD		11,819	0.00		8,124	0.01	19,943

STREAM FLOWS

Gauging Station	07/20/2011 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	60	1,163
NRTT : Nueces River at Tilden, Texas	0	0
FRTT : Frio River at Tilden, Texas	0	0
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	1	34
Release from Choke Canyon Reservoir	58	1,151
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	318	6,058
NCAT : Nueces River at Calallen, Texas	0	35
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	2	24

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 4,500 Salinity Relief Credit : 0 Effective:	4,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	242
Return Flow Credit (Effective: 07/01/2011)	500
Passthru Target: 4,500 Reservoir Inflow: 24 Comment:	24
Estuary Inflows (NCAT + RBP)	35
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	July 2011		Elevation (Ft)	
				Allocation	Remaining	Full	07/21/2011
07/20/2011	138	2,756	26,761	4,100	1,344	44.0	36.1

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: July 22, 2011**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
07/22/2010	217.2	612,098	88.0%	93.7	251,256	97.7%	863,354	90.6%
07/22/2011	211.5	484,672	69.7%	87.7	150,135	58.4%	634,807	66.6%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
07/21/2011	97	573	0.00	97	387	0.00	960
MTD		12,392	0.00		8,511	0.01	20,903

STREAM FLOWS

Gauging Station	07/21/2011 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	58	1,221
NRIT : Nueces River at Tilden, Texas	0	0
FRIT : Frio River at Tilden, Texas	0	0
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	1	36
Release from Choke Canyon Reservoir	58	1,209
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	318	6,376
NCAT : Nueces River at Calallen, Texas	0	35
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	0	24

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 4,500 Salinity Relief Credit : 0 Effective:	4,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	242
Return Flow Credit (Effective: 07/01/2011)	500
Passthru Target: 4,500 Reservoir Inflow: 24 Comment:	24
Estuary Inflows (NCAT + RBP)	35
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	July 2011		Elevation (Ft)	
				Allocation	Remaining	Full	07/22/2011
07/21/2011	138	2,894	26,899	4,100	1,206	44.0	36.1

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: July 23, 2011**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
07/23/2010	217.2	611,616	88.0%	93.7	251,256	97.7%	862,872	90.6%
07/23/2011	211.5	484,672	69.7%	87.7	150,135	58.4%	634,807	66.6%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
07/22/2011	100	634	0.00	98	396	0.00	1,030
MTD		13,026	0.00		8,907	0.01	21,933

STREAM FLOWS

Gauging Station	07/22/2011 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	119	1,340
NRIT : Nueces River at Tilden, Texas	157	157
FRIT : Frio River at Tilden, Texas	7	7
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	1	37
Release from Choke Canyon Reservoir	58	1,266
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	320	6,695
NCAT : Nueces River at Calallen, Texas	0	35
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	69	92

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 4,500 Salinity Relief Credit : 0 Effective:	4,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	242
Return Flow Credit (Effective: 07/01/2011)	500
Passthru Target: 4,500 Reservoir Inflow: 92 Comment:	92
Estuary Inflows (NCAT + RBP)	35
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	July 2011		Elevation (Ft)	
				Allocation	Remaining	Full	07/23/2011
07/22/2011	137	3,032	27,036	4,100	1,068	44.0	36.0

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: July 24, 2011**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
07/24/2010	217.2	611,616	88.0%	93.7	251,075	97.6%	862,691	90.6%
07/24/2011	211.6	485,090	69.8%	87.6	149,380	58.1%	634,470	66.6%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
07/23/2011	100	671	0.00	99	483	0.00	1,154
MTD		13,697	0.00		9,390	0.01	23,087

STREAM FLOWS

Gauging Station	07/23/2011 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	135	1,475
NRTT : Nueces River at Tilden, Texas	113	270
FRTT : Frio River at Tilden, Texas	0	7
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	1	39
Release from Choke Canyon Reservoir	58	1,324
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	322	7,017
NCAT : Nueces River at Calallen, Texas	0	35
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	77	170

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 4,500 Salinity Relief Credit : 0 Effective:	4,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	242
Return Flow Credit (Effective: 07/01/2011)	500
Passthru Target: 4,500 Reservoir Inflow: 170 Comment:	170
Estuary Inflows (NCAT + RBP)	35
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	July 2011		Elevation (Ft)	
				Allocation	Remaining	Full	07/24/2011
07/23/2011	138	3,169	27,174	4,100	931	44.0	36.0

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: July 25, 2011**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
07/25/2010	217.1	610,411	87.8%	93.6	250,713	97.5%	861,124	90.4%
07/25/2011	211.5	484,672	69.7%	87.6	148,778	57.8%	633,450	66.5%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
07/24/2011	101	621	0.00	100	447	0.00	1,068
MTD		14,318	0.00		9,837	0.01	24,155

STREAM FLOWS

Gauging Station	07/24/2011 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	143	1,618
NRTT : Nueces River at Tilden, Texas	30	300
FRTT : Frio River at Tilden, Texas	0	7
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	1	40
Release from Choke Canyon Reservoir	58	1,382
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	339	7,356
NCAT : Nueces River at Calallen, Texas	0	35
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	85	255

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 4,500 Salinity Relief Credit : 0 Effective:	4,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	242
Return Flow Credit (Effective: 07/01/2011)	500
Passthru Target: 4,500 Reservoir Inflow: 255 Comment:	255
Estuary Inflows (NCAT + RBP)	35
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	July 2011		Elevation (Ft)	
				Allocation	Remaining	Full	07/25/2011
07/24/2011	138	3,307	27,311	4,100	793	44.0	36.0

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: July 26, 2011**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
07/26/2010	217.1	609,929	87.7%	93.6	250,169	97.2%	860,098	90.3%
07/26/2011	211.5	483,001	69.5%	87.5	148,027	57.5%	631,028	66.2%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
07/25/2011	101	669	0.00	101	454	0.00	1,123
MTD		14,987	0.00		10,291	0.01	25,278

STREAM FLOWS

Gauging Station	07/25/2011 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	97	1,715
NRIT : Nueces River at Tilden, Texas	6	306
FRIT : Frio River at Tilden, Texas	0	7
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	1	41
Release from Choke Canyon Reservoir	58	1,439
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	369	7,726
NCAT : Nueces River at Calallen, Texas	0	35
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	40	295

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 4,500 Salinity Relief Credit : 0 Effective:	4,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	242
Return Flow Credit (Effective: 07/01/2011)	500
Passthru Target: 4,500 Reservoir Inflow: 295 Comment:	295
Estuary Inflows (NCAT + RBP)	35
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	July 2011		Elevation (Ft)	
				Allocation	Remaining	Full	07/26/2011
07/25/2011	138	3,444	27,449	4,100	656	44.0	36.0

Report Generated: 07/26/2011 at 8:18:07 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: July 27, 2011**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
07/27/2010	217.1	609,688	87.7%	93.6	249,988	97.2%	859,676	90.3%
07/27/2011	211.4	481,956	69.3%	87.5	147,877	57.5%	629,833	66.1%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
07/26/2011	102	693	0.00	101	419	0.00	1,112
MTD		15,680	0.00		10,710	0.01	26,390

STREAM FLOWS

Gauging Station	07/26/2011 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	71	1,787
NRTT : Nueces River at Tilden, Texas	1	306
FRTT : Frio River at Tilden, Texas	0	7
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	1	42
Release from Choke Canyon Reservoir	58	1,497
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	353	8,079
NCAT : Nueces River at Calallen, Texas	0	35
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	14	309

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 4,500 Salinity Relief Credit : 0 Effective:	4,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	242
Return Flow Credit (Effective: 07/01/2011)	500
Passthru Target: 4,500 Reservoir Inflow: 309 Comment:	309
Estuary Inflows (NCAT + RBP)	35
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	July 2011		Elevation (Ft)	
				Allocation	Remaining	Full	07/27/2011
07/26/2011	137	3,582	27,586	4,100	518	44.0	35.9

Report Generated: 07/27/2011 at 8:34:41 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: July 28, 2011**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
07/28/2010	217.1	609,206	87.6%	93.5	248,722	96.7%	857,928	90.1%
07/28/2011	211.4	481,749	69.3%	87.5	147,129	57.2%	628,878	66.0%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
07/27/2011	102	644	0.00	101	435	0.00	1,079
MTD		16,324	0.00		11,145	0.01	27,469

STREAM FLOWS

Gauging Station	07/27/2011 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	64	1,850
NRTT : Nueces River at Tilden, Texas	0	307
FRTT : Frio River at Tilden, Texas	0	7
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	1	43
Release from Choke Canyon Reservoir	58	1,554
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	357	8,436
NCAT : Nueces River at Calallen, Texas	0	35
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	6	314

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 4,500 Salinity Relief Credit : 0 Effective:	4,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	242
Return Flow Credit (Effective: 07/01/2011)	500
Passthru Target: 4,500 Reservoir Inflow: 314 Comment:	314
Estuary Inflows (NCAT + RBP)	35
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	July 2011		Elevation (Ft)	
				Allocation	Remaining	Full	07/28/2011
07/27/2011	138	3,719	27,724	4,100	381	44.0	35.9

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: July 29, 2011**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
07/29/2010	217.1	609,206	87.6%	93.6	250,169	97.2%	859,375	90.2%
07/29/2011	211.4	481,749	69.3%	87.5	146,830	57.1%	628,579	66.0%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
07/28/2011	100	692	0.00	99	487	0.00	1,179
MTD		17,016	0.00		11,632	0.01	28,648

STREAM FLOWS

Gauging Station	07/28/2011 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	58	1,908
NRTT : Nueces River at Tilden, Texas	0	307
FRTT : Frio River at Tilden, Texas	0	7
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	1	45
Release from Choke Canyon Reservoir	58	1,612
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	367	8,803
NCAT : Nueces River at Calallen, Texas	0	35
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	0	314

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 4,500 Salinity Relief Credit : 0 Effective:	4,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	242
Return Flow Credit (Effective: 07/01/2011)	500
Passthru Target: 4,500 Reservoir Inflow: 314 Comment:	314
Estuary Inflows (NCAT + RBP)	35
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	July 2011		Elevation (Ft)	
				Allocation	Remaining	Full	07/29/2011
07/28/2011	138	3,857	27,862	4,100	243	44.0	35.8

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: July 30, 2011**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
07/30/2010	217.0	608,723	87.6%	93.6	249,445	97.0%	858,168	90.1%
07/30/2011	211.3	479,890	69.0%	87.4	145,788	56.7%	625,678	65.7%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
07/29/2011	98	546	0.02	96	303	0.03	849
MTD		17,562	0.02		11,935	0.04	29,497

STREAM FLOWS

Gauging Station	07/29/2011 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	58	1,965
NRTT : Nueces River at Tilden, Texas	0	307
FRTT : Frio River at Tilden, Texas	0	7
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	1	46
Release from Choke Canyon Reservoir	58	1,669
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	306	9,109
NCAT : Nueces River at Calallen, Texas	7	42
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	0	314

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 4,500 Salinity Relief Credit : 0 Effective:	4,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	242
Return Flow Credit (Effective: 07/01/2011)	500
Passthru Target: 4,500 Reservoir Inflow: 314 Comment:	314
Estuary Inflows (NCAT + RBP)	42
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	July 2011		Elevation (Ft)	
				Allocation	Remaining	Full	07/30/2011
07/29/2011	137	3,994	27,999	4,100	106	44.0	35.8

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: July 31, 2011**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
07/31/2010	217.0	608,000	87.4%	93.6	249,264	96.9%	857,264	90.0%
07/31/2011	211.3	480,716	69.1%	87.4	145,491	56.6%	626,207	65.7%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
07/30/2011	97	546	0.01	96	363	0.00	909
MTD		18,108	0.03		12,298	0.04	30,406

STREAM FLOWS

Gauging Station	07/30/2011 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	56	2,021
NRIT : Nueces River at Tilden, Texas	0	307
FRIT : Frio River at Tilden, Texas	0	7
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	1	47
Release from Choke Canyon Reservoir	58	1,727
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	326	9,435
NCAT : Nueces River at Calallen, Texas	26	68
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: NRIT+FRIT+SMTT+ARWT	1	316

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 4,500 Salinity Relief Credit : 0 Effective:	4,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	242
Return Flow Credit (Effective: 07/01/2011)	500
Passthru Target: 4,500 Reservoir Inflow: 316 Comment:	316
Estuary Inflows (NCAT + RBP)	68
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	July 2011		Elevation (Ft)	
				Allocation	Remaining	Full	07/31/2011
07/30/2011	137	4,131	28,136	4,100	-31	44.0	35.8