

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: October 1, 2011**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
10/01/2010	216.4	593,605	85.4%	93.7	251,619	97.8%	845,224	88.7%
10/01/2011	209.7	446,166	64.2%	84.7	109,746	42.7%	555,912	58.4%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
09/30/2011	90	490	0.00	93	194	0.00	684
MTD		13,761	1.72		8,613	1.97	22,374

STREAM FLOWS

Gauging Station	09/30/2011 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	58	2,090
NRTT : Nueces River at Tilden, Texas	0	0
FRTT : Frio River at Tilden, Texas	0	1
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	1	363
Release from Choke Canyon Reservoir	58	1,826
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	304	11,725
NCAT : Nueces River at Calallen, Texas	0	513
RBP : Rincon Bayou Pipeline	0	97
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	0	273

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 11,500 Salinity Relief Credit : 0 Effective:	11,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	184
Return Flow Credit (Effective: 09/01/2011)	500
Passthru Target: 11,500 Reservoir Inflow: 273 Comment:	273
Estuary Inflows (NCAT + RBP)	610
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	September 2011		Elevation (Ft)	
				Allocation	Remaining	Full	10/01/2011
09/30/2011	72	2,171	34,302	4,100	1,929	44.0	33.1

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: October 2, 2011**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
10/02/2010	216.4	592,657	85.2%	93.7	251,438	97.7%	844,095	88.6%
10/02/2011	209.6	445,762	64.1%	84.7	109,132	42.4%	554,894	58.3%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
10/01/2011	90	350	0.00	93	257	0.00	607
MTD		350	0.00		257	0.00	607

STREAM FLOWS

Gauging Station	10/01/2011 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	58	58
NRTT : Nueces River at Tilden, Texas	0	0
FRTT : Frio River at Tilden, Texas	0	0
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	1	1
Release from Choke Canyon Reservoir	58	58
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	298	298
NCAT : Nueces River at Calallen, Texas	8	8
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	0	0

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 9,000 Salinity Relief Credit : 0 Effective:	9,000
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	610
Return Flow Credit (Effective: 10/01/2011)	500
Passthru Target: 9,000 Reservoir Inflow: 0 Comment:	0
Estuary Inflows (NCAT + RBP)	8
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	October 2011		Elevation (Ft)	
				Allocation	Remaining	Full	10/02/2011
10/01/2011	72	72	34,374	3,050	2,978	44.0	33.1

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: October 3, 2011**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
10/03/2010	216.4	592,420	85.2%	93.6	250,713	97.5%	843,133	88.5%
10/03/2011	209.6	445,560	64.1%	84.6	108,641	42.2%	554,201	58.2%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
10/02/2011	87	467	0.00	86	242	0.00	709
MTD		817	0.00		499	0.00	1,316

STREAM FLOWS

Gauging Station	10/02/2011 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	58	115
NRTT : Nueces River at Tilden, Texas	0	0
FRTT : Frio River at Tilden, Texas	0	0
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	1	2
Release from Choke Canyon Reservoir	58	115
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	286	584
NCAT : Nueces River at Calallen, Texas	24	32
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	0	0

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 9,000 Salinity Relief Credit : 0 Effective:	9,000
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	610
Return Flow Credit (Effective: 10/01/2011)	500
Passthru Target: 9,000 Reservoir Inflow: 0 Comment:	0
Estuary Inflows (NCAT + RBP)	32
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	October 2011		Elevation (Ft)	
				Allocation	Remaining	Full	10/03/2011
10/02/2011	72	144	34,446	3,050	2,906	44.0	33.1

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: October 4, 2011**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
10/04/2010	216.3	591,711	85.1%	93.6	250,169	97.2%	841,880	88.4%
10/04/2011	209.6	445,358	64.1%	84.6	107,787	41.9%	553,145	58.1%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
10/03/2011	86	397	0.00	85	270	0.00	667
MTD		1,214	0.00		769	0.00	1,983

STREAM FLOWS

Gauging Station	10/03/2011 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	58	173
NRTT : Nueces River at Tilden, Texas	0	0
FRTT : Frio River at Tilden, Texas	0	0
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	1	4
Release from Choke Canyon Reservoir	58	173
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	266	850
NCAT : Nueces River at Calallen, Texas	18	50
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	0	0

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 9,000 Salinity Relief Credit : 0 Effective:	9,000
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	610
Return Flow Credit (Effective: 10/01/2011)	500
Passthru Target: 9,000 Reservoir Inflow: 0 Comment:	0
Estuary Inflows (NCAT + RBP)	50
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	October 2011		Elevation (Ft)	
				Allocation	Remaining	Full	10/04/2011
10/03/2011	72	216	34,518	3,050	2,834	44.0	33.0

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: October 5, 2011**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
10/05/2010	216.4	592,657	85.2%	93.7	251,801	97.9%	844,458	88.7%
10/05/2011	209.6	444,757	64.0%	84.5	107,300	41.7%	552,057	58.0%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
10/04/2011	87	350	0.00	88	219	0.00	569
MTD		1,564	0.00		988	0.00	2,552

STREAM FLOWS

Gauging Station	10/04/2011 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	58	230
NRTT : Nueces River at Tilden, Texas	0	0
FRTT : Frio River at Tilden, Texas	0	0
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	1	5
Release from Choke Canyon Reservoir	58	230
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	268	1,118
NCAT : Nueces River at Calallen, Texas	2	52
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	0	0

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 9,000 Salinity Relief Credit : 0 Effective:	9,000
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	610
Return Flow Credit (Effective: 10/01/2011)	500
Passthru Target: 9,000 Reservoir Inflow: 0 Comment:	0
Estuary Inflows (NCAT + RBP)	52
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	October 2011		Elevation (Ft)	
				Allocation	Remaining	Full	10/05/2011
10/04/2011	72	288	34,589	3,050	2,762	44.0	33.0

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: October 6, 2011**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
10/06/2010	216.3	591,474	85.1%	93.7	251,256	97.7%	842,730	88.5%
10/06/2011	209.6	444,158	63.9%	84.4	106,331	41.3%	550,489	57.8%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
10/05/2011	89	361	0.00	88	225	0.00	586
MTD		1,925	0.00		1,213	0.00	3,138

STREAM FLOWS

Gauging Station	10/05/2011 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	58	288
NRTT : Nueces River at Tilden, Texas	0	0
FRTT : Frio River at Tilden, Texas	0	0
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	1	6
Release from Choke Canyon Reservoir	58	288
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	262	1,380
NCAT : Nueces River at Calallen, Texas	2	54
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	0	0

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 9,000 Salinity Relief Credit : 0 Effective:	9,000
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	610
Return Flow Credit (Effective: 10/01/2011)	500
Passthru Target: 9,000 Reservoir Inflow: 0 Comment:	0
Estuary Inflows (NCAT + RBP)	54
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	October 2011		Elevation (Ft)	
				Allocation	Remaining	Full	10/06/2011
10/05/2011	72	360	34,661	3,050	2,690	44.0	33.0

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: October 7, 2011**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
10/07/2010	216.2	589,091	84.7%	93.7	250,894	97.5%	839,985	88.2%
10/07/2011	209.5	443,558	63.8%	84.4	105,728	41.1%	549,286	57.7%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
10/06/2011	92	349	0.00	91	245	0.00	594
MTD		2,274	0.00		1,458	0.00	3,732

STREAM FLOWS

Gauging Station	10/06/2011 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	58	345
NRTT : Nueces River at Tilden, Texas	0	0
FRTT : Frio River at Tilden, Texas	0	0
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	1	7
Release from Choke Canyon Reservoir	58	345
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	262	1,642
NCAT : Nueces River at Calallen, Texas	3	56
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	0	0

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 9,000 Salinity Relief Credit : 0 Effective:	9,000
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	610
Return Flow Credit (Effective: 10/01/2011)	500
Passthru Target: 9,000 Reservoir Inflow: 0 Comment:	0
Estuary Inflows (NCAT + RBP)	56
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	October 2011		Elevation (Ft)	
				Allocation	Remaining	Full	10/07/2011
10/06/2011	70	429	34,731	3,050	2,621	44.0	32.9

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: October 8, 2011**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
10/08/2010	216.2	588,852	84.7%	93.6	250,350	97.3%	839,202	88.1%
10/08/2011	209.5	442,760	63.7%	84.4	106,331	41.3%	549,091	57.6%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
10/07/2011	92	442	0.00	92	260	0.04	702
MTD		2,716	0.00		1,718	0.04	4,434

STREAM FLOWS

Gauging Station	10/07/2011 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	58	403
NRTT : Nueces River at Tilden, Texas	0	0
FRTT : Frio River at Tilden, Texas	0	0
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	1	8
Release from Choke Canyon Reservoir	58	403
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	252	1,894
NCAT : Nueces River at Calallen, Texas	22	78
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	0	0

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 9,000 Salinity Relief Credit : 0 Effective:	9,000
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	610
Return Flow Credit (Effective: 10/01/2011)	500
Passthru Target: 9,000 Reservoir Inflow: 0 Comment:	0
Estuary Inflows (NCAT + RBP)	78
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	October 2011		Elevation (Ft)	
				Allocation	Remaining	Full	10/08/2011
10/07/2011	72	502	34,803	3,050	2,548	44.0	32.9

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: October 9, 2011**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
10/09/2010	216.3	590,046	84.9%	93.6	249,988	97.2%	840,034	88.2%
10/09/2011	209.6	444,956	64.0%	84.5	107,422	41.8%	552,378	58.0%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
10/08/2011	85	501	0.92	88	212	0.31	713
MTD		3,217	0.92		1,930	0.35	5,147

STREAM FLOWS

Gauging Station	10/08/2011 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	56	459
NRIT : Nueces River at Tilden, Texas	0	0
FRIT : Frio River at Tilden, Texas	0	0
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	1	9
Release from Choke Canyon Reservoir	58	461
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	232	2,126
NCAT : Nueces River at Calallen, Texas	12	90
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: NRIT+FRIT+SMTT+ARWT	1	1

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 9,000 Salinity Relief Credit : 0 Effective:	9,000
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	610
Return Flow Credit (Effective: 10/01/2011)	500
Passthru Target: 9,000 Reservoir Inflow: 1 Comment:	1
Estuary Inflows (NCAT + RBP)	90
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	October 2011		Elevation (Ft)	
				Allocation	Remaining	Full	10/09/2011
10/08/2011	72	574	34,875	3,050	2,476	44.0	32.9

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: October 10, 2011**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
10/10/2010	216.2	589,091	84.7%	93.6	249,626	97.0%	838,717	88.1%
10/10/2011	209.6	445,964	64.1%	84.5	107,057	41.6%	553,021	58.1%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
10/09/2011	68	93	0.74	72	155	1.08	248
MTD		3,310	1.66		2,085	1.43	5,395

STREAM FLOWS

Gauging Station	10/09/2011 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	69	528
NRTT : Nueces River at Tilden, Texas	0	0
FRTT : Frio River at Tilden, Texas	5	5
SMTT : San Miguel Creek at Tilden, Texas	177	177
ARWT : Atascosa River at Whitsett, Texas	8	18
Release from Choke Canyon Reservoir	58	518
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	244	2,370
NCAT : Nueces River at Calallen, Texas	38	127
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	193	194

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 9,000 Salinity Relief Credit : 0 Effective:	9,000
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	610
Return Flow Credit (Effective: 10/01/2011)	500
Passthru Target: 9,000 Reservoir Inflow: 194 Comment:	194
Estuary Inflows (NCAT + RBP)	127
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	October 2011		Elevation (Ft)	
				Allocation	Remaining	Full	10/10/2011
10/09/2011	72	646	34,947	3,050	2,404	44.0	32.9

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: October 11, 2011**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
10/11/2010	216.2	589,091	84.7%	93.6	249,264	96.9%	838,355	88.0%
10/11/2011	209.7	446,974	64.3%	84.5	106,815	41.5%	553,789	58.1%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
10/10/2011	79	175	0.00	83	113	0.00	288
MTD		3,485	1.66		2,198	1.43	5,683

STREAM FLOWS

Gauging Station	10/10/2011 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	107	635
NRTT : Nueces River at Tilden, Texas	0	0
FRTT : Frio River at Tilden, Texas	50	54
SMTT : San Miguel Creek at Tilden, Texas	659	836
ARWT : Atascosa River at Whitsett, Texas	435	453
Release from Choke Canyon Reservoir	58	576
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	216	2,586
NCAT : Nueces River at Calallen, Texas	64	191
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	758	952

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 9,000 Salinity Relief Credit : 0 Effective:	9,000
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	610
Return Flow Credit (Effective: 10/01/2011)	500
Passthru Target: 9,000 Reservoir Inflow: 952 Comment:	952
Estuary Inflows (NCAT + RBP)	191
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	October 2011		Elevation (Ft)	
				Allocation	Remaining	Full	10/11/2011
10/10/2011	70	716	35,017	3,050	2,334	44.0	32.9

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: October 12, 2011**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
10/12/2010	216.2	588,140	84.6%	93.6	249,264	96.9%	837,404	87.9%
10/12/2011	209.7	447,376	64.3%	84.5	106,573	41.4%	553,949	58.2%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
10/11/2011	84	246	0.00	84	134	0.00	380
MTD		3,731	1.66		2,332	1.43	6,063

STREAM FLOWS

Gauging Station	10/11/2011 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	607	1,243
NRTT : Nueces River at Tilden, Texas	0	0
FRTT : Frio River at Tilden, Texas	14	68
SMTT : San Miguel Creek at Tilden, Texas	220	1,056
ARWT : Atascosa River at Whitsett, Texas	635	1,088
Release from Choke Canyon Reservoir	58	633
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	165	2,751
NCAT : Nueces River at Calallen, Texas	67	259
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	784	1,736

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 9,000 Salinity Relief Credit : 0 Effective:	9,000
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	610
Return Flow Credit (Effective: 10/01/2011)	500
Passthru Target: 9,000 Reservoir Inflow: 1,736 Comment:	1,736
Estuary Inflows (NCAT + RBP)	259
PassThru Surplus / -Deficit:	-368

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	October 2011		Elevation (Ft)	
				Allocation	Remaining	Full	10/12/2011
10/11/2011	73	789	35,090	3,050	2,261	44.0	32.9

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: October 13, 2011**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
10/13/2010	216.2	588,140	84.6%	93.5	248,903	96.8%	837,043	87.9%
10/13/2011	209.6	445,964	64.1%	84.5	107,057	41.6%	553,021	58.1%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
10/12/2011	90	245	0.00	92	198	0.00	443
MTD		3,976	1.66		2,530	1.43	6,506

STREAM FLOWS

Gauging Station	10/12/2011 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	496	1,739
NRTT : Nueces River at Tilden, Texas	0	0
FRTT : Frio River at Tilden, Texas	2	70
SMTT : San Miguel Creek at Tilden, Texas	56	1,112
ARWT : Atascosa River at Whitsett, Texas	145	1,233
Release from Choke Canyon Reservoir	58	691
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	163	2,914
NCAT : Nueces River at Calallen, Texas	36	294
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	496	2,233

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 9,000 Salinity Relief Credit : 0 Effective:	9,000
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	610
Return Flow Credit (Effective: 10/01/2011)	500
Passthru Target: 9,000 Reservoir Inflow: 2,233 Comment:	2,233
Estuary Inflows (NCAT + RBP)	294
PassThru Surplus / -Deficit:	-828

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	October 2011		Elevation (Ft)	
				Allocation	Remaining	Full	10/13/2011
10/12/2011	73	862	35,164	3,050	2,188	44.0	32.9

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: October 14, 2011**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
10/14/2010	216.1	586,249	84.3%	93.5	248,903	96.8%	835,152	87.7%
10/14/2011	209.7	446,772	64.3%	84.5	106,694	41.5%	553,466	58.1%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
10/13/2011	88	386	0.00	88	212	0.00	598
MTD		4,362	1.66		2,742	1.43	7,104

STREAM FLOWS

Gauging Station	10/13/2011 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	187	1,925
NRIT : Nueces River at Tilden, Texas	0	0
FRIT : Frio River at Tilden, Texas	1	71
SMTT : San Miguel Creek at Tilden, Texas	17	1,129
ARWT : Atascosa River at Whitsett, Texas	62	1,294
Release from Choke Canyon Reservoir	58	748
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	167	3,081
NCAT : Nueces River at Calallen, Texas	11	306
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	147	2,380

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 9,000 Salinity Relief Credit : 0 Effective:	9,000
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	610
Return Flow Credit (Effective: 10/01/2011)	500
Passthru Target: 9,000 Reservoir Inflow: 2,380 Comment:	2,380
Estuary Inflows (NCAT + RBP)	306
PassThru Surplus / -Deficit:	-964

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	October 2011		Elevation (Ft)	
				Allocation	Remaining	Full	10/14/2011
10/13/2011	73	935	35,237	3,050	2,115	44.0	32.9

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: October 15, 2011**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
10/15/2010	216.1	587,195	84.5%	93.5	248,180	96.5%	835,375	87.7%
10/15/2011	209.7	446,368	64.2%	84.5	106,573	41.4%	552,941	58.0%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
10/14/2011	87	304	0.00	86	247	0.00	551
MTD		4,666	1.66		2,989	1.43	7,655

STREAM FLOWS

Gauging Station	10/14/2011 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	117	2,043
NRTT : Nueces River at Tilden, Texas	0	0
FRTT : Frio River at Tilden, Texas	0	71
SMTT : San Miguel Creek at Tilden, Texas	9	1,137
ARWT : Atascosa River at Whitsett, Texas	36	1,330
Release from Choke Canyon Reservoir	58	806
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	183	3,263
NCAT : Nueces River at Calallen, Texas	6	312
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	68	2,448

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 9,000 Salinity Relief Credit : 0 Effective:	9,000
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	610
Return Flow Credit (Effective: 10/01/2011)	500
Passthru Target: 9,000 Reservoir Inflow: 2,448 Comment:	2,448
Estuary Inflows (NCAT + RBP)	312
PassThru Surplus / -Deficit:	-1,027

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	October 2011		Elevation (Ft)	
				Allocation	Remaining	Full	10/15/2011
10/14/2011	73	1,008	35,310	3,050	2,042	44.0	33.0

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: October 16, 2011**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
10/16/2010	216.1	585,781	84.3%	93.5	247,457	96.2%	833,238	87.5%
10/16/2011	209.6	445,964	64.1%	84.4	105,608	41.1%	551,572	57.9%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
10/15/2011	87	268	0.00	86	119	0.00	387
MTD		4,934	1.66		3,108	1.43	8,042

STREAM FLOWS

Gauging Station	10/15/2011 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	89	2,132
NRTT : Nueces River at Tilden, Texas	0	0
FRTT : Frio River at Tilden, Texas	0	71
SMTT : San Miguel Creek at Tilden, Texas	5	1,143
ARWT : Atascosa River at Whitsett, Texas	19	1,349
Release from Choke Canyon Reservoir	58	863
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	181	3,444
NCAT : Nueces River at Calallen, Texas	22	333
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	37	2,485

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 9,000 Salinity Relief Credit : 0 Effective:	9,000
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	610
Return Flow Credit (Effective: 10/01/2011)	500
Passthru Target: 9,000 Reservoir Inflow: 2,485 Comment:	2,485
Estuary Inflows (NCAT + RBP)	333
PassThru Surplus / -Deficit:	-1,042

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	October 2011		Elevation (Ft)	
				Allocation	Remaining	Full	10/16/2011
10/15/2011	68	1,076	35,378	3,050	1,974	44.0	33.0

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: October 17, 2011**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
10/17/2010	216.1	586,249	84.3%	93.4	247,096	96.0%	833,345	87.5%
10/17/2011	209.6	445,762	64.1%	84.4	106,090	41.2%	551,852	57.9%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
10/16/2011	86	257	0.00	87	190	0.00	447
MTD		5,191	1.66		3,298	1.43	8,489

STREAM FLOWS

Gauging Station	10/16/2011 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	75	2,207
NRTT : Nueces River at Tilden, Texas	0	0
FRTT : Frio River at Tilden, Texas	0	71
SMTT : San Miguel Creek at Tilden, Texas	3	1,146
ARWT : Atascosa River at Whitsett, Texas	12	1,360
Release from Choke Canyon Reservoir	58	921
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	183	3,627
NCAT : Nueces River at Calallen, Texas	18	351
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	21	2,506

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 9,000 Salinity Relief Credit : 0 Effective:	9,000
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	610
Return Flow Credit (Effective: 10/01/2011)	500
Passthru Target: 9,000 Reservoir Inflow: 2,506 Comment:	2,506
Estuary Inflows (NCAT + RBP)	351
PassThru Surplus / -Deficit:	-1,045

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	October 2011		Elevation (Ft)	
				Allocation	Remaining	Full	10/17/2011
10/16/2011	73	1,149	35,451	3,050	1,901	44.0	33.0

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: October 18, 2011**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
10/18/2010	216.0	584,141	84.0%	93.4	246,735	95.9%	830,876	87.2%
10/18/2011	209.7	446,368	64.2%	84.3	104,648	40.7%	551,016	57.8%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
10/17/2011	91	350	0.00	92	202	0.00	552
MTD		5,541	1.66		3,500	1.43	9,041

STREAM FLOWS

Gauging Station	10/17/2011 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	67	2,275
NRTT : Nueces River at Tilden, Texas	0	0
FRTT : Frio River at Tilden, Texas	135	206
SMTT : San Miguel Creek at Tilden, Texas	1	1,147
ARWT : Atascosa River at Whitsett, Texas	9	1,369
Release from Choke Canyon Reservoir	58	979
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	183	3,809
NCAT : Nueces River at Calallen, Texas	3	354
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	146	2,652

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 9,000 Salinity Relief Credit : 0 Effective:	9,000
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	610
Return Flow Credit (Effective: 10/01/2011)	500
Passthru Target: 9,000 Reservoir Inflow: 2,652 Comment:	2,652
Estuary Inflows (NCAT + RBP)	354
PassThru Surplus / -Deficit:	-1,189

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	October 2011		Elevation (Ft)	
				Allocation	Remaining	Full	10/18/2011
10/17/2011	73	1,222	35,524	3,050	1,828	44.0	33.0

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: October 19, 2011**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
10/19/2010	216.1	585,546	84.2%	93.4	246,555	95.8%	832,101	87.4%
10/19/2011	209.6	445,762	64.1%	84.2	104,051	40.4%	549,813	57.7%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
10/18/2011	76	525	0.00	75	347	0.00	872
MTD		6,066	1.66		3,847	1.43	9,913

STREAM FLOWS

Gauging Station	10/18/2011 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	60	2,334
NRTT : Nueces River at Tilden, Texas	163	163
FRTT : Frio River at Tilden, Texas	69	276
SMTT : San Miguel Creek at Tilden, Texas	1	1,148
ARWT : Atascosa River at Whitsett, Texas	7	1,376
Release from Choke Canyon Reservoir	58	1,036
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	179	3,988
NCAT : Nueces River at Calallen, Texas	0	354
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	72	2,724

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 9,000 Salinity Relief Credit : 0 Effective:	9,000
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	610
Return Flow Credit (Effective: 10/01/2011)	500
Passthru Target: 9,000 Reservoir Inflow: 2,724 Comment:	2,724
Estuary Inflows (NCAT + RBP)	354
PassThru Surplus / -Deficit:	-1,260

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	October 2011		Elevation (Ft)	
				Allocation	Remaining	Full	10/19/2011
10/18/2011	73	1,295	35,597	3,050	1,755	44.0	33.1

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: October 20, 2011**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
10/20/2010	216.1	585,078	84.2%	93.4	246,195	95.7%	831,273	87.3%
10/20/2011	209.6	445,964	64.1%	84.2	103,694	40.3%	549,658	57.7%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
10/19/2011	74	327	0.00	74	284	0.00	611
MTD		6,393	1.66		4,131	1.43	10,524

STREAM FLOWS

Gauging Station	10/19/2011 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	60	2,394
NRTT : Nueces River at Tilden, Texas	856	1,019
FRTT : Frio River at Tilden, Texas	40	315
SMTT : San Miguel Creek at Tilden, Texas	0	1,148
ARWT : Atascosa River at Whitsett, Texas	5	1,381
Release from Choke Canyon Reservoir	58	1,094
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	181	4,169
NCAT : Nueces River at Calallen, Texas	0	354
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	42	2,766

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 9,000 Salinity Relief Credit : 0 Effective:	9,000
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	610
Return Flow Credit (Effective: 10/01/2011)	500
Passthru Target: 9,000 Reservoir Inflow: 2,766 Comment:	2,766
Estuary Inflows (NCAT + RBP)	354
PassThru Surplus / -Deficit:	-1,302

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	October 2011		Elevation (Ft)	
				Allocation	Remaining	Full	10/20/2011
10/19/2011	72	1,367	35,669	3,050	1,683	44.0	33.0

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: October 21, 2011**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
10/21/2010	216.0	584,141	84.0%	93.4	245,834	95.6%	829,975	87.1%
10/21/2011	209.6	444,757	64.0%	84.1	102,745	39.9%	547,502	57.5%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
10/20/2011	83	315	0.00	83	200	0.00	515
MTD		6,708	1.66		4,331	1.43	11,039

STREAM FLOWS

Gauging Station	10/20/2011 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	187	2,581
NRTT : Nueces River at Tilden, Texas	1,122	2,140
FRTT : Frio River at Tilden, Texas	24	339
SMTT : San Miguel Creek at Tilden, Texas	0	1,148
ARWT : Atascosa River at Whitsett, Texas	4	1,385
Release from Choke Canyon Reservoir	58	1,151
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	195	4,363
NCAT : Nueces River at Calallen, Texas	0	354
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	153	2,919

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 9,000 Salinity Relief Credit : 0 Effective:	9,000
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	610
Return Flow Credit (Effective: 10/01/2011)	500
Passthru Target: 9,000 Reservoir Inflow: 2,919 Comment:	2,919
Estuary Inflows (NCAT + RBP)	354
PassThru Surplus / -Deficit:	-1,455

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	October 2011		Elevation (Ft)	
				Allocation	Remaining	Full	10/21/2011
10/20/2011	73	1,440	35,742	3,050	1,610	44.0	33.0

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: October 22, 2011**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
10/22/2010	216.0	583,198	83.9%	93.4	245,474	95.4%	828,672	87.0%
10/22/2011	209.6	445,156	64.0%	84.2	103,101	40.1%	548,257	57.6%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
10/21/2011	86	315	0.00	87	221	0.00	536
MTD		7,023	1.66		4,552	1.43	11,575

STREAM FLOWS

Gauging Station	10/21/2011 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	957	3,537
NRTT : Nueces River at Tilden, Texas	1,237	3,377
FRTT : Frio River at Tilden, Texas	15	354
SMTT : San Miguel Creek at Tilden, Texas	0	1,148
ARWT : Atascosa River at Whitsett, Texas	4	1,389
Release from Choke Canyon Reservoir	58	1,209
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	214	4,577
NCAT : Nueces River at Calallen, Texas	0	354
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	914	3,834

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 9,000 Salinity Relief Credit : 0 Effective:	9,000
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	610
Return Flow Credit (Effective: 10/01/2011)	500
Passthru Target: 9,000 Reservoir Inflow: 3,834 Comment:	3,834
Estuary Inflows (NCAT + RBP)	354
PassThru Surplus / -Deficit:	-2,370

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	October 2011		Elevation (Ft)	
				Allocation	Remaining	Full	10/22/2011
10/21/2011	73	1,513	35,814	3,050	1,537	44.0	33.0

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: October 23, 2011**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
10/23/2010	215.9	582,489	83.8%	93.3	244,394	95.0%	826,883	86.8%
10/23/2011	209.5	443,359	63.8%	84.2	103,694	40.3%	547,053	57.4%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
10/22/2011	87	350	0.00	87	236	0.00	586
MTD		7,373	1.66		4,788	1.43	12,161

STREAM FLOWS

Gauging Station	10/22/2011 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	1,167	4,704
NRIT : Nueces River at Tilden, Texas	1,235	4,611
FRIT : Frio River at Tilden, Texas	17	371
SMTT : San Miguel Creek at Tilden, Texas	0	1,148
ARWT : Atascosa River at Whitsett, Texas	4	1,393
Release from Choke Canyon Reservoir	58	1,266
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	214	4,792
NCAT : Nueces River at Calallen, Texas	0	354
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	1,126	4,960

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 9,000 Salinity Relief Credit : 0 Effective:	9,000
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	610
Return Flow Credit (Effective: 10/01/2011)	500
Passthru Target: 9,000 Reservoir Inflow: 4,960 Comment:	4,960
Estuary Inflows (NCAT + RBP)	354
PassThru Surplus / -Deficit:	-3,496

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	October 2011		Elevation (Ft)	
				Allocation	Remaining	Full	10/23/2011
10/22/2011	73	1,586	35,887	3,050	1,464	44.0	33.0

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: October 24, 2011**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
10/24/2010	215.9	582,252	83.7%	93.3	244,394	95.0%	826,646	86.8%
10/24/2011	209.5	443,758	63.8%	84.3	104,171	40.5%	547,929	57.5%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
10/23/2011	89	245	0.00	89	208	0.00	453
MTD		7,618	1.66		4,996	1.43	12,614

STREAM FLOWS

Gauging Station	10/23/2011 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	1,207	5,911
NRTT : Nueces River at Tilden, Texas	707	5,318
FRTT : Frio River at Tilden, Texas	6	377
SMTT : San Miguel Creek at Tilden, Texas	0	1,148
ARWT : Atascosa River at Whitsett, Texas	3	1,396
Release from Choke Canyon Reservoir	58	1,324
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	218	5,010
NCAT : Nueces River at Calallen, Texas	0	354
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	1,155	6,115

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 9,000 Salinity Relief Credit : 0 Effective:	9,000
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	610
Return Flow Credit (Effective: 10/01/2011)	500
Passthru Target: 9,000 Reservoir Inflow: 6,115 Comment:	6,115
Estuary Inflows (NCAT + RBP)	354
PassThru Surplus / -Deficit:	-4,651

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	October 2011		Elevation (Ft)	
				Allocation	Remaining	Full	10/24/2011
10/23/2011	73	1,659	35,960	3,050	1,391	44.0	32.9

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: October 25, 2011**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
10/25/2010	215.9	581,309	83.6%	93.2	243,495	94.6%	824,804	86.6%
10/25/2011	209.5	442,959	63.7%	84.3	104,409	40.6%	547,368	57.5%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
10/24/2011	88	326	0.00	88	195	0.00	521
MTD		7,944	1.66		5,191	1.43	13,135

STREAM FLOWS

Gauging Station	10/24/2011 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	748	6,660
NRTT : Nueces River at Tilden, Texas	312	5,630
FRTT : Frio River at Tilden, Texas	4	381
SMTT : San Miguel Creek at Tilden, Texas	0	1,148
ARWT : Atascosa River at Whitsett, Texas	3	1,399
Release from Choke Canyon Reservoir	58	1,382
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	228	5,238
NCAT : Nueces River at Calallen, Texas	0	354
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	695	6,810

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 9,000 Salinity Relief Credit : 0 Effective:	9,000
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	610
Return Flow Credit (Effective: 10/01/2011)	500
Passthru Target: 9,000 Reservoir Inflow: 6,810 Comment:	6,810
Estuary Inflows (NCAT + RBP)	354
PassThru Surplus / -Deficit:	-5,346

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	October 2011		Elevation (Ft)	
				Allocation	Remaining	Full	10/25/2011
10/24/2011	73	1,732	36,033	3,050	1,318	44.0	32.8

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: October 26, 2011**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
10/26/2010	215.9	580,372	83.5%	93.3	243,854	94.8%	824,226	86.5%
10/26/2011	209.5	442,360	63.6%	84.2	104,051	40.4%	546,411	57.4%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
10/25/2011	87	349	0.00	88	194	0.00	543
MTD		8,293	1.66		5,385	1.43	13,678

STREAM FLOWS

Gauging Station	10/25/2011 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	322	6,981
NRTT : Nueces River at Tilden, Texas	193	5,822
FRTT : Frio River at Tilden, Texas	3	384
SMTT : San Miguel Creek at Tilden, Texas	0	1,148
ARWT : Atascosa River at Whitsett, Texas	3	1,402
Release from Choke Canyon Reservoir	58	1,439
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	246	5,485
NCAT : Nueces River at Calallen, Texas	0	354
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	267	7,076

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 9,000 Salinity Relief Credit : 0 Effective:	9,000
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	610
Return Flow Credit (Effective: 10/01/2011)	500
Passthru Target: 9,000 Reservoir Inflow: 7,076 Comment:	7,076
Estuary Inflows (NCAT + RBP)	354
PassThru Surplus / -Deficit:	-5,612

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	October 2011		Elevation (Ft)	
				Allocation	Remaining	Full	10/26/2011
10/25/2011	73	1,805	36,107	3,050	1,245	44.0	32.8

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: October 27, 2011**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
10/27/2010	216.0	583,671	83.9%	93.3	243,675	94.7%	827,346	86.9%
10/27/2011	209.5	443,159	63.7%	84.2	104,051	40.4%	547,210	57.4%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
10/26/2011	88	326	0.00	89	236	0.00	562
MTD		8,619	1.66		5,621	1.43	14,240

STREAM FLOWS

Gauging Station	10/26/2011 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	206	7,188
NRTT : Nueces River at Tilden, Texas	135	5,957
FRTT : Frio River at Tilden, Texas	2	385
SMTT : San Miguel Creek at Tilden, Texas	0	1,148
ARWT : Atascosa River at Whitsett, Texas	3	1,405
Release from Choke Canyon Reservoir	58	1,497
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	236	5,721
NCAT : Nueces River at Calallen, Texas	0	354
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	150	7,227

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 9,000 Salinity Relief Credit : 0 Effective:	9,000
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	610
Return Flow Credit (Effective: 10/01/2011)	500
Passthru Target: 9,000 Reservoir Inflow: 7,227 Comment:	7,227
Estuary Inflows (NCAT + RBP)	354
PassThru Surplus / -Deficit:	-5,763

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	October 2011		Elevation (Ft)	
				Allocation	Remaining	Full	10/27/2011
10/26/2011	73	1,878	36,180	3,050	1,172	44.0	32.7

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: October 28, 2011**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
10/28/2010	215.8	579,669	83.4%	93.3	243,854	94.8%	823,523	86.5%
10/28/2011	209.4	441,761	63.5%	84.3	104,768	40.7%	546,529	57.4%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
10/27/2011	88	360	0.00	90	314	0.02	674
MTD		8,979	1.66		5,935	1.45	14,914

STREAM FLOWS

Gauging Station	10/27/2011 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	161	7,348
NRTT : Nueces River at Tilden, Texas	91	6,049
FRTT : Frio River at Tilden, Texas	1	386
SMTT : San Miguel Creek at Tilden, Texas	0	1,148
ARWT : Atascosa River at Whitsett, Texas	3	1,407
Release from Choke Canyon Reservoir	58	1,554
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	222	5,943
NCAT : Nueces River at Calallen, Texas	6	360
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	104	7,331

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 9,000 Salinity Relief Credit : 0 Effective:	9,000
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	610
Return Flow Credit (Effective: 10/01/2011)	500
Passthru Target: 9,000 Reservoir Inflow: 7,331 Comment:	7,331
Estuary Inflows (NCAT + RBP)	360
PassThru Surplus / -Deficit:	-5,861

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	October 2011		Elevation (Ft)	
				Allocation	Remaining	Full	10/28/2011
10/27/2011	73	1,951	36,253	3,050	1,099	44.0	32.7

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: October 29, 2011**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
10/29/2010	215.9	580,372	83.5%	93.2	243,315	94.6%	823,687	86.5%
10/29/2011	209.4	441,162	63.5%	84.2	103,219	40.1%	544,381	57.2%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
10/28/2011	67	290	0.00	68	200	0.00	490
MTD		9,269	1.66		6,135	1.45	15,404

STREAM FLOWS

Gauging Station	10/28/2011 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	127	7,476
NRTT : Nueces River at Tilden, Texas	64	6,112
FRTT : Frio River at Tilden, Texas	1	387
SMTT : San Miguel Creek at Tilden, Texas	0	1,148
ARWT : Atascosa River at Whitsett, Texas	2	1,409
Release from Choke Canyon Reservoir	58	1,612
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	212	6,155
NCAT : Nueces River at Calallen, Texas	6	366
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	70	7,401

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 9,000 Salinity Relief Credit : 0 Effective:	9,000
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	610
Return Flow Credit (Effective: 10/01/2011)	500
Passthru Target: 9,000 Reservoir Inflow: 7,401 Comment:	7,401
Estuary Inflows (NCAT + RBP)	366
PassThru Surplus / -Deficit:	-5,925

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	October 2011		Elevation (Ft)	
				Allocation	Remaining	Full	10/29/2011
10/28/2011	73	2,024	36,326	3,050	1,026	44.0	32.7

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: October 30, 2011**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
10/30/2010	215.8	579,435	83.3%	93.2	242,059	94.1%	821,494	86.2%
10/30/2011	209.4	441,362	63.5%	84.1	102,864	40.0%	544,226	57.1%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
10/29/2011	68	174	0.00	69	165	0.00	339
MTD		9,443	1.66		6,300	1.45	15,743

STREAM FLOWS

Gauging Station	10/29/2011 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	111	7,587
NRTT : Nueces River at Tilden, Texas	48	6,160
FRTT : Frio River at Tilden, Texas	0	387
SMTT : San Miguel Creek at Tilden, Texas	0	1,148
ARWT : Atascosa River at Whitsett, Texas	2	1,412
Release from Choke Canyon Reservoir	58	1,669
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	191	6,346
NCAT : Nueces River at Calallen, Texas	22	388
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	54	7,455

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 9,000 Salinity Relief Credit : 0 Effective:	9,000
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	610
Return Flow Credit (Effective: 10/01/2011)	500
Passthru Target: 9,000 Reservoir Inflow: 7,455 Comment:	7,455
Estuary Inflows (NCAT + RBP)	388
PassThru Surplus / -Deficit:	-5,957

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	October 2011		Elevation (Ft)	
				Allocation	Remaining	Full	10/30/2011
10/29/2011	73	2,098	36,399	3,050	952	44.0	32.7

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: October 31, 2011**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
10/31/2010	215.8	579,904	83.4%	93.1	241,700	94.0%	821,604	86.3%
10/31/2011	209.4	440,570	63.4%	84.1	102,509	39.8%	543,079	57.0%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
10/30/2011	77	197	0.00	78	69	0.00	266
MTD		9,640	1.66		6,369	1.45	16,009

STREAM FLOWS

Gauging Station	10/30/2011 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	99	7,686
NRTT : Nueces River at Tilden, Texas	36	6,196
FRTT : Frio River at Tilden, Texas	0	387
SMTT : San Miguel Creek at Tilden, Texas	0	1,148
ARWT : Atascosa River at Whitsett, Texas	2	1,414
Release from Choke Canyon Reservoir	58	1,727
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	187	6,533
NCAT : Nueces River at Calallen, Texas	32	420
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	42	7,497

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 9,000 Salinity Relief Credit : 0 Effective:	9,000
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	610
Return Flow Credit (Effective: 10/01/2011)	500
Passthru Target: 9,000 Reservoir Inflow: 7,497 Comment:	7,497
Estuary Inflows (NCAT + RBP)	420
PassThru Surplus / -Deficit:	-5,967

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	October 2011		Elevation (Ft)	
				Allocation	Remaining	Full	10/31/2011
10/30/2011	73	2,171	36,472	3,050	879	44.0	32.7