

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: November 1, 2011**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
11/01/2010	215.8	579,435	83.3%	93.1	241,341	93.8%	820,776	86.2%
11/01/2011	209.4	440,965	63.4%	84.1	102,155	39.7%	543,120	57.0%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
10/31/2011	79	267	0.00	81	130	0.00	397
MTD		9,907	1.66		6,499	1.45	16,406

STREAM FLOWS

Gauging Station	10/31/2011 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	99	7,785
NRTT : Nueces River at Tilden, Texas	28	6,223
FRTT : Frio River at Tilden, Texas	0	387
SMTT : San Miguel Creek at Tilden, Texas	0	1,148
ARWT : Atascosa River at Whitsett, Texas	2	1,416
Release from Choke Canyon Reservoir	67	1,794
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	199	6,731
NCAT : Nueces River at Calallen, Texas	15	434
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	32	7,529

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 9,000 Salinity Relief Credit : 0 Effective:	9,000
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	610
Return Flow Credit (Effective: 10/01/2011)	500
Passthru Target: 9,000 Reservoir Inflow: 7,529 Comment:	7,529
Estuary Inflows (NCAT + RBP)	434
PassThru Surplus / -Deficit:	-5,984

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	October 2011		Elevation (Ft)	
				Allocation	Remaining	Full	11/01/2011
10/31/2011	73	2,243	36,545	3,050	807	44.0	32.6

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: November 2, 2011**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
11/02/2010	215.8	578,967	83.3%	93.2	241,879	94.0%	820,846	86.2%
11/02/2011	209.4	440,372	63.3%	84.0	101,567	39.5%	541,939	56.9%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
11/01/2011	82	209	0.00	83	171	0.00	380
MTD		209	0.00		171	0.00	380

STREAM FLOWS

Gauging Station	11/01/2011 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	103	103
NRTT : Nueces River at Tilden, Texas	16	16
FRTT : Frio River at Tilden, Texas	0	0
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	2	2
Release from Choke Canyon Reservoir	75	75
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	288	288
NCAT : Nueces River at Calallen, Texas	0	0
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	28	28

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 4,000 Salinity Relief Credit : 0 Effective:	4,000
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	-5,984
Return Flow Credit (Effective:)	0
Passthru Target: 4,000 Reservoir Inflow: 28 Comment:	28
Estuary Inflows (NCAT + RBP)	0
PassThru Surplus / -Deficit:	-6,011

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	November 2011		Elevation (Ft)	
				Allocation	Remaining	Full	11/02/2011
11/01/2011	71	71	36,616	3,050	2,979	44.0	32.5

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: November 3, 2011**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
11/03/2010	215.8	579,435	83.3%	93.2	242,238	94.2%	821,673	86.3%
11/03/2011	209.3	438,388	63.1%	84.0	101,215	39.3%	539,603	56.6%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
11/02/2011	88	370	0.03	87	218	0.05	588
MTD		579	0.03		389	0.05	968

STREAM FLOWS

Gauging Station	11/02/2011 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	77	181
NRTT : Nueces River at Tilden, Texas	10	26
FRTT : Frio River at Tilden, Texas	0	0
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	2	4
Release from Choke Canyon Reservoir	58	133
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	320	607
NCAT : Nueces River at Calallen, Texas	0	1
RBP : Rincon Bayou Pipeline	44	44
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	20	48

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 4,000 Salinity Relief Credit : 0 Effective:	4,000
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	-5,984
Return Flow Credit (Effective:)	0
Passthru Target: 4,000 Reservoir Inflow: 48 Comment:	48
Estuary Inflows (NCAT + RBP)	44
PassThru Surplus / -Deficit:	-5,987

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	November 2011		Elevation (Ft)	
				Allocation	Remaining	Full	11/03/2011
11/02/2011	71	143	36,688	3,050	2,907	44.0	32.5

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: November 4, 2011**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
11/04/2010	215.7	576,392	82.9%	93.2	242,417	94.2%	818,809	86.0%
11/04/2011	209.3	438,588	63.1%	84.0	100,981	39.3%	539,569	56.6%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
11/03/2011	65	266	0.00	65	232	0.00	498
MTD		845	0.03		621	0.05	1,466

STREAM FLOWS

Gauging Station	11/03/2011 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	75	256
NRTT : Nueces River at Tilden, Texas	4	30
FRTT : Frio River at Tilden, Texas	0	0
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	2	7
Release from Choke Canyon Reservoir	58	191
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	326	933
NCAT : Nueces River at Calallen, Texas	6	6
RBP : Rincon Bayou Pipeline	77	121
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	18	66

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 4,000 Salinity Relief Credit : 0 Effective:	4,000
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	-5,984
Return Flow Credit (Effective:)	0
Passthru Target: 4,000 Reservoir Inflow: 66 Comment: 2000 AF of the October 2011 deficit is being delivered. 3984 AF remain banked for future use.	66
Estuary Inflows (NCAT + RBP)	127
PassThru Surplus / -Deficit:	-5,922

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	November 2011		Elevation (Ft)	
				Allocation	Remaining	Full	11/04/2011
11/03/2011	71	214	36,758	3,050	2,836	44.0	32.6

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: November 5, 2011**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
11/05/2010	215.6	575,455	82.8%	93.4	245,654	95.5%	821,109	86.2%
11/05/2011	209.3	438,588	63.1%	83.9	100,280	39.0%	538,868	56.6%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
11/04/2011	67	208	0.00	68	129	0.00	337
MTD		1,053	0.03		750	0.05	1,803

STREAM FLOWS

Gauging Station	11/04/2011 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	71	328
NRTT : Nueces River at Tilden, Texas	4	34
FRTT : Frio River at Tilden, Texas	0	0
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	2	9
Release from Choke Canyon Reservoir	58	248
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	335	1,268
NCAT : Nueces River at Calallen, Texas	0	6
RBP : Rincon Bayou Pipeline	109	230
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	14	79

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 4,000 Salinity Relief Credit : 0 Effective:	4,000
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	-5,984
Return Flow Credit (Effective:)	0
Passthru Target: 4,000 Reservoir Inflow: 79 Comment: 2000 AF of the October 2011 deficit is being delivered. 3984 AF remain banked for future use.	79
Estuary Inflows (NCAT + RBP)	236
PassThru Surplus / -Deficit:	-5,827

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	November 2011		Elevation (Ft)	
				Allocation	Remaining	Full	11/05/2011
11/04/2011	71	285	36,829	3,050	2,765	44.0	32.4

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: November 6, 2011**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
11/06/2010	215.7	575,689	82.8%	93.3	244,754	95.1%	820,443	86.1%
11/06/2011	209.2	436,993	62.9%	83.8	99,235	38.6%	536,228	56.3%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
11/05/2011	74	104	0.00	75	88	0.00	192
MTD		1,157	0.03		838	0.05	1,995

STREAM FLOWS

Gauging Station	11/05/2011 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	67	395
NRIT : Nueces River at Tilden, Texas	1	35
FRIT : Frio River at Tilden, Texas	0	0
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	2	11
Release from Choke Canyon Reservoir	58	306
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	326	1,594
NCAT : Nueces River at Calallen, Texas	0	6
RBP : Rincon Bayou Pipeline	109	339
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	10	89

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 4,000 Salinity Relief Credit : 0 Effective:	4,000
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	-5,984
Return Flow Credit (Effective:)	0
Passthru Target: 4,000 Reservoir Inflow: 89 Comment: 2000 AF of the October 2011 deficit is being delivered. 3984 AF remain banked for future use.	89
Estuary Inflows (NCAT + RBP)	346
PassThru Surplus / -Deficit:	-5,728

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	November 2011		Elevation (Ft)	
				Allocation	Remaining	Full	11/06/2011
11/05/2011	71	356	36,901	3,050	2,694	44.0	32.4

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: November 7, 2011**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
11/07/2010	215.6	574,752	82.7%	93.3	244,394	95.0%	819,146	86.0%
11/07/2011	209.2	436,203	62.7%	83.8	98,888	38.4%	535,091	56.2%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
11/06/2011	80	162	0.00	81	114	0.00	276
MTD		1,319	0.03		952	0.05	2,271

STREAM FLOWS

Gauging Station	11/06/2011 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	67	463
NRTT : Nueces River at Tilden, Texas	0	35
FRTT : Frio River at Tilden, Texas	0	0
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	2	13
Release from Choke Canyon Reservoir	58	363
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	320	1,914
NCAT : Nueces River at Calallen, Texas	0	6
RBP : Rincon Bayou Pipeline	109	449
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	10	99

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 4,000 Salinity Relief Credit : 0 Effective:	4,000
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	-5,984
Return Flow Credit (Effective:)	0
Passthru Target: 4,000 Reservoir Inflow: 99 Comment: 2000 AF of the October 2011 deficit is being delivered. 3984 AF remain banked for future use.	99
Estuary Inflows (NCAT + RBP)	455
PassThru Surplus / -Deficit:	-5,629

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	November 2011		Elevation (Ft)	
				Allocation	Remaining	Full	11/07/2011
11/06/2011	71	427	36,972	3,050	2,623	44.0	32.4

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: November 8, 2011**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
11/08/2010	215.6	573,815	82.5%	93.3	243,854	94.8%	817,669	85.8%
11/08/2011	209.2	436,400	62.8%	83.8	99,119	38.5%	535,519	56.2%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
11/07/2011	83	242	0.00	85	175	0.00	417
MTD		1,561	0.03		1,127	0.05	2,688

STREAM FLOWS

Gauging Station	11/07/2011 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	67	530
NRTT : Nueces River at Tilden, Texas	0	35
FRTT : Frio River at Tilden, Texas	0	0
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	2	15
Release from Choke Canyon Reservoir	58	421
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	318	2,231
NCAT : Nueces River at Calallen, Texas	0	6
RBP : Rincon Bayou Pipeline	105	554
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	10	109

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 4,000 Salinity Relief Credit : 0 Effective:	4,000
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	-5,984
Return Flow Credit (Effective:)	0
Passthru Target: 4,000 Reservoir Inflow: 109 Comment: 2000 AF of the October 2011 deficit is being delivered. 3984 AF remain banked for future use.	109
Estuary Inflows (NCAT + RBP)	560
PassThru Surplus / -Deficit:	-5,533

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	November 2011		Elevation (Ft)	
				Allocation	Remaining	Full	11/08/2011
11/07/2011	71	498	37,043	3,050	2,552	44.0	32.3

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: November 9, 2011**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
11/09/2010	215.6	575,221	82.7%	93.2	243,495	94.6%	818,716	86.0%
11/09/2011	209.2	436,400	62.8%	83.8	99,119	38.5%	535,519	56.2%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
11/08/2011	79	265	0.00	84	155	0.00	420
MTD		1,826	0.03		1,282	0.05	3,108

STREAM FLOWS

Gauging Station	11/08/2011 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	67	597
NRTT : Nueces River at Tilden, Texas	0	36
FRTT : Frio River at Tilden, Texas	0	0
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	2	17
Release from Choke Canyon Reservoir	58	478
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	328	2,571
NCAT : Nueces River at Calallen, Texas	0	6
RBP : Rincon Bayou Pipeline	105	659
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	10	119

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 4,000 Salinity Relief Credit : 0 Effective:	4,000
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	-5,984
Return Flow Credit (Effective:)	0
Passthru Target: 4,000 Reservoir Inflow: 119 Comment: 2000 AF of the October 2011 deficit is being delivered. 3984 AF remain banked for future use.	119
Estuary Inflows (NCAT + RBP)	665
PassThru Surplus / -Deficit:	-5,438

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	November 2011		Elevation (Ft)	
				Allocation	Remaining	Full	11/09/2011
11/08/2011	71	570	37,114	3,050	2,480	44.0	32.2

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: November 10, 2011**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
11/10/2010	215.6	573,347	82.5%	93.2	243,136	94.5%	816,483	85.7%
11/10/2011	209.1	435,808	62.7%	83.7	98,196	38.2%	534,004	56.1%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
11/09/2011	63	196	0.02	64	147	0.08	343
MTD		2,022	0.05		1,429	0.13	3,451

STREAM FLOWS

Gauging Station	11/09/2011 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	67	665
NRTT : Nueces River at Tilden, Texas	0	36
FRTT : Frio River at Tilden, Texas	0	0
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	2	20
Release from Choke Canyon Reservoir	58	536
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	326	2,896
NCAT : Nueces River at Calallen, Texas	0	6
RBP : Rincon Bayou Pipeline	81	740
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	10	129

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 4,000 Salinity Relief Credit : 0 Effective:	4,000
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	-5,984
Return Flow Credit (Effective:)	0
Passthru Target: 4,000 Reservoir Inflow: 129 Comment: 2000 AF of the October 2011 deficit is being delivered. 3984 AF remain banked for future use.	129
Estuary Inflows (NCAT + RBP)	746
PassThru Surplus / -Deficit:	-5,367

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	November 2011		Elevation (Ft)	
				Allocation	Remaining	Full	11/10/2011
11/09/2011	71	641	37,186	3,050	2,409	44.0	32.2

Report Generated: 11/10/2011 at 9:10:42 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: November 11, 2011**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
11/11/2010	215.6	573,581	82.5%	93.2	243,315	94.6%	816,896	85.8%
11/11/2011	209.1	435,808	62.7%	83.7	97,622	37.9%	533,430	56.0%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
11/10/2011	65	173	0.00	66	154	0.00	327
MTD		2,195	0.05		1,583	0.13	3,778

STREAM FLOWS

Gauging Station	11/10/2011 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	67	732
NRTT : Nueces River at Tilden, Texas	0	36
FRTT : Frio River at Tilden, Texas	0	0
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	2	22
Release from Choke Canyon Reservoir	58	594
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	326	3,222
NCAT : Nueces River at Calallen, Texas	0	6
RBP : Rincon Bayou Pipeline	107	848
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	10	139

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 4,000 Salinity Relief Credit : 0 Effective:	4,000
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	-5,984
Return Flow Credit (Effective:)	0
Passthru Target: 4,000 Reservoir Inflow: 139 Comment: 2000 AF of the October 2011 deficit is being delivered. 3984 AF remain banked for future use.	139
Estuary Inflows (NCAT + RBP)	854
PassThru Surplus / -Deficit:	-5,269

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	November 2011		Elevation (Ft)	
				Allocation	Remaining	Full	11/11/2011
11/10/2011	71	712	37,257	3,050	2,338	44.0	32.2

Report Generated: 11/11/2011 at 8:30:17 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: November 12, 2011**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
11/12/2010	215.5	572,410	82.3%	93.2	243,315	94.6%	815,725	85.6%
11/12/2011	209.1	435,019	62.6%	83.7	97,164	37.8%	532,183	55.9%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
11/11/2011	66	196	0.00	71	120	0.00	316
MTD		2,391	0.05		1,703	0.13	4,094

STREAM FLOWS

Gauging Station	11/11/2011 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	66	798
NRTT : Nueces River at Tilden, Texas	0	36
FRTT : Frio River at Tilden, Texas	0	0
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	2	25
Release from Choke Canyon Reservoir	58	651
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	322	3,543
NCAT : Nueces River at Calallen, Texas	0	6
RBP : Rincon Bayou Pipeline	103	951
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	8	147

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 4,000 Salinity Relief Credit : 0 Effective:	4,000
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	-5,984
Return Flow Credit (Effective:)	0
Passthru Target: 4,000 Reservoir Inflow: 147 Comment: 2000 AF of the October 2011 deficit is being delivered. 3984 AF remain banked for future use.	147
Estuary Inflows (NCAT + RBP)	957
PassThru Surplus / -Deficit:	-5,174

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	November 2011		Elevation (Ft)	
				Allocation	Remaining	Full	11/12/2011
11/11/2011	71	783	37,328	3,050	2,267	44.0	32.1

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: November 13, 2011**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
11/13/2010	215.5	572,879	82.4%	93.3	244,574	95.1%	817,453	85.8%
11/13/2011	209.1	435,216	62.6%	83.6	96,935	37.7%	532,151	55.9%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
11/12/2011	80	173	0.00	81	126	0.00	299
MTD		2,564	0.05		1,829	0.13	4,393

STREAM FLOWS

Gauging Station	11/12/2011 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	67	865
NRTT : Nueces River at Tilden, Texas	0	36
FRTT : Frio River at Tilden, Texas	0	0
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	2	27
Release from Choke Canyon Reservoir	58	709
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	316	3,859
NCAT : Nueces River at Calallen, Texas	0	6
RBP : Rincon Bayou Pipeline	105	1,056
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	10	157

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 4,000 Salinity Relief Credit : 0 Effective:	4,000
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	-5,984
Return Flow Credit (Effective:)	0
Passthru Target: 4,000 Reservoir Inflow: 157 Comment: 2000 AF of the October 2011 deficit is being delivered. 3984 AF remain banked for future use.	157
Estuary Inflows (NCAT + RBP)	1,062
PassThru Surplus / -Deficit:	-5,079

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	November 2011		Elevation (Ft)	
				Allocation	Remaining	Full	11/13/2011
11/12/2011	71	854	37,399	3,050	2,196	44.0	32.1

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: November 14, 2011**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
11/14/2010	215.5	572,410	82.3%	93.2	243,495	94.6%	815,905	85.7%
11/14/2011	209.1	435,413	62.6%	83.6	96,821	37.6%	532,234	55.9%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
11/13/2011	85	231	0.00	88	126	0.00	357
MTD		2,795	0.05		1,955	0.13	4,750

STREAM FLOWS

Gauging Station	11/13/2011 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	67	933
NRTT : Nueces River at Tilden, Texas	0	36
FRTT : Frio River at Tilden, Texas	0	0
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	3	30
Release from Choke Canyon Reservoir	58	766
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	312	4,170
NCAT : Nueces River at Calallen, Texas	0	6
RBP : Rincon Bayou Pipeline	103	1,159
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	10	167

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 4,000 Salinity Relief Credit : 0 Effective:	4,000
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	-5,984
Return Flow Credit (Effective:)	0
Passthru Target: 4,000 Reservoir Inflow: 167 Comment: 2000 AF of the October 2011 deficit is being delivered. 3984 AF remain banked for future use.	167
Estuary Inflows (NCAT + RBP)	1,165
PassThru Surplus / -Deficit:	-4,985

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	November 2011		Elevation (Ft)	
				Allocation	Remaining	Full	11/14/2011
11/13/2011	71	926	37,470	3,050	2,124	44.0	32.1

Report Generated: 11/14/2011 at 8:30:03 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: November 15, 2011**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
11/15/2010	215.5	572,644	82.4%	93.2	242,776	94.4%	815,420	85.6%
11/15/2011	209.0	433,834	62.4%	83.6	96,025	37.3%	529,859	55.6%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
11/14/2011	82	161	0.02	84	119	0.00	280
MTD		2,956	0.07		2,074	0.13	5,030

STREAM FLOWS

Gauging Station	11/14/2011 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	64	996
NRTT : Nueces River at Tilden, Texas	0	36
FRTT : Frio River at Tilden, Texas	0	0
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	3	32
Release from Choke Canyon Reservoir	58	824
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	306	4,476
NCAT : Nueces River at Calallen, Texas	0	6
RBP : Rincon Bayou Pipeline	103	1,262
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	6	173

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 4,000 Salinity Relief Credit : 0 Effective:	4,000
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	-5,984
Return Flow Credit (Effective:)	0
Passthru Target: 4,000 Reservoir Inflow: 173 Comment: 2000 AF of the October 2011 deficit is being delivered. 3984 AF remain banked for future use.	173
Estuary Inflows (NCAT + RBP)	1,269
PassThru Surplus / -Deficit:	-4,888

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	November 2011		Elevation (Ft)	
				Allocation	Remaining	Full	11/15/2011
11/14/2011	71	997	37,542	3,050	2,053	44.0	32.1

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: November 16, 2011**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
11/16/2010	215.4	570,785	82.1%	92.9	237,050	92.1%	807,835	84.8%
11/16/2011	209.0	433,439	62.3%	83.6	96,025	37.3%	529,464	55.6%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
11/15/2011	75	127	0.06	79	139	0.12	266
MTD		3,083	0.13		2,213	0.25	5,296

STREAM FLOWS

Gauging Station	11/15/2011 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	62	1,058
NRTT : Nueces River at Tilden, Texas	0	36
FRTT : Frio River at Tilden, Texas	0	0
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	3	35
Release from Choke Canyon Reservoir	58	881
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	312	4,788
NCAT : Nueces River at Calallen, Texas	0	6
RBP : Rincon Bayou Pipeline	99	1,362
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	4	177

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 4,000 Salinity Relief Credit : 0 Effective:	4,000
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	-5,984
Return Flow Credit (Effective:)	0
Passthru Target: 4,000 Reservoir Inflow: 177 Comment: 2000 AF of the October 2011 deficit is being delivered. 3984 AF remain banked for future use.	177
Estuary Inflows (NCAT + RBP)	1,368
PassThru Surplus / -Deficit:	-4,793

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	November 2011		Elevation (Ft)	
				Allocation	Remaining	Full	11/16/2011
11/15/2011	72	1,069	37,613	3,050	1,981	44.0	32.0

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: November 17, 2011**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
11/17/2010	215.5	571,249	82.2%	92.8	235,803	91.7%	807,052	84.7%
11/17/2011	209.0	433,834	62.4%	83.5	95,912	37.3%	529,746	55.6%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
11/16/2011	82	265	0.00	87	205	0.00	470
MTD		3,348	0.13		2,418	0.25	5,766

STREAM FLOWS

Gauging Station	11/16/2011 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	66	1,124
NRTT : Nueces River at Tilden, Texas	0	36
FRTT : Frio River at Tilden, Texas	0	0
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	3	38
Release from Choke Canyon Reservoir	58	939
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	308	5,095
NCAT : Nueces River at Calallen, Texas	1	7
RBP : Rincon Bayou Pipeline	107	1,469
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	8	185

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 4,000 Salinity Relief Credit : 0 Effective:	4,000
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	-5,984
Return Flow Credit (Effective:)	0
Passthru Target: 4,000 Reservoir Inflow: 185 Comment: 2000 AF of the October 2011 deficit is being delivered. 3984 AF remain banked for future use.	185
Estuary Inflows (NCAT + RBP)	1,476
PassThru Surplus / -Deficit:	-4,693

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	November 2011		Elevation (Ft)	
				Allocation	Remaining	Full	11/17/2011
11/16/2011	72	1,140	37,685	3,050	1,910	44.0	32.0

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: November 18, 2011**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
11/18/2010	215.4	570,090	82.0%	92.9	236,872	92.1%	806,962	84.7%
11/18/2011	209.1	434,229	62.5%	83.5	95,233	37.0%	529,462	55.6%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
11/17/2011	64	173	0.00	68	184	0.00	357
MTD		3,521	0.13		2,602	0.25	6,123

STREAM FLOWS

Gauging Station	11/17/2011 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	62	1,185
NRTT : Nueces River at Tilden, Texas	0	36
FRTT : Frio River at Tilden, Texas	0	0
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	3	40
Release from Choke Canyon Reservoir	58	996
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	306	5,401
NCAT : Nueces River at Calallen, Texas	0	7
RBP : Rincon Bayou Pipeline	105	1,574
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	4	189

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 4,000 Salinity Relief Credit : 0 Effective:	4,000
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	-5,984
Return Flow Credit (Effective:)	0
Passthru Target: 4,000 Reservoir Inflow: 189 Comment: 2000 AF of the October 2011 deficit is being delivered. 3984 AF remain banked for future use.	189
Estuary Inflows (NCAT + RBP)	1,581
PassThru Surplus / -Deficit:	-4,592

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	November 2011		Elevation (Ft)	
				Allocation	Remaining	Full	11/18/2011
11/17/2011	72	1,212	37,757	3,050	1,838	44.0	32.0

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: November 19, 2011**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
11/19/2010	215.5	571,712	82.2%	92.8	235,269	91.5%	806,981	84.7%
11/19/2011	209.0	433,439	62.3%	83.4	94,782	36.8%	528,221	55.5%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
11/18/2011	75	81	0.00	77	125	0.00	206
MTD		3,602	0.13		2,727	0.25	6,329

STREAM FLOWS

Gauging Station	11/18/2011 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	62	1,247
NRTT : Nueces River at Tilden, Texas	0	36
FRTT : Frio River at Tilden, Texas	0	0
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	3	43
Release from Choke Canyon Reservoir	58	1,054
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	288	5,689
NCAT : Nueces River at Calallen, Texas	0	7
RBP : Rincon Bayou Pipeline	107	1,681
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	4	193

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 4,000 Salinity Relief Credit : 0 Effective:	4,000
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	-5,984
Return Flow Credit (Effective:)	0
Passthru Target: 4,000 Reservoir Inflow: 193 Comment: 2000 AF of the October 2011 deficit is being delivered. 3984 AF remain banked for future use.	193
Estuary Inflows (NCAT + RBP)	1,688
PassThru Surplus / -Deficit:	-4,489

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	November 2011		Elevation (Ft)	
				Allocation	Remaining	Full	11/19/2011
11/18/2011	72	1,283	37,828	3,050	1,767	44.0	32.0

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: November 20, 2011**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
11/20/2010	215.4	570,553	82.1%	92.8	234,735	91.2%	805,288	84.5%
11/20/2011	209.0	432,650	62.2%	83.4	94,557	36.8%	527,207	55.3%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
11/19/2011	89	230	0.00	91	144	0.00	374
MTD		3,832	0.13		2,871	0.25	6,703

STREAM FLOWS

Gauging Station	11/19/2011 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	62	1,308
NRTT : Nueces River at Tilden, Texas	0	36
FRTT : Frio River at Tilden, Texas	0	0
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	3	46
Release from Choke Canyon Reservoir	58	1,112
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	258	5,947
NCAT : Nueces River at Calallen, Texas	3	10
RBP : Rincon Bayou Pipeline	105	1,787
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	4	197

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 4,000 Salinity Relief Credit : 0 Effective:	4,000
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	-5,984
Return Flow Credit (Effective:)	0
Passthru Target: 4,000 Reservoir Inflow: 197 Comment: 2000 AF of the October 2011 deficit is being delivered. 3984 AF remain banked for future use.	197
Estuary Inflows (NCAT + RBP)	1,796
PassThru Surplus / -Deficit:	-4,384

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	November 2011		Elevation (Ft)	
				Allocation	Remaining	Full	11/20/2011
11/19/2011	72	1,355	37,900	3,050	1,695	44.0	32.0

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: November 21, 2011**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
11/21/2010	215.4	568,930	81.8%	92.7	234,024	91.0%	802,954	84.3%
11/21/2011	209.0	433,242	62.3%	83.4	93,772	36.5%	527,014	55.3%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
11/20/2011	87	172	0.00	87	143	0.00	315
MTD		4,004	0.13		3,014	0.25	7,018

STREAM FLOWS

Gauging Station	11/20/2011 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	62	1,370
NRTT : Nueces River at Tilden, Texas	0	36
FRTT : Frio River at Tilden, Texas	0	0
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	3	49
Release from Choke Canyon Reservoir	58	1,169
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	222	6,169
NCAT : Nueces River at Calallen, Texas	7	16
RBP : Rincon Bayou Pipeline	105	1,892
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	4	200

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 4,000 Salinity Relief Credit : 0 Effective:	4,000
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	-5,984
Return Flow Credit (Effective:)	0
Passthru Target: 4,000 Reservoir Inflow: 200 Comment: 2000 AF of the October 2011 deficit is being delivered. 3984 AF remain banked for future use.	200
Estuary Inflows (NCAT + RBP)	1,908
PassThru Surplus / -Deficit:	-4,276

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	November 2011		Elevation (Ft)	
				Allocation	Remaining	Full	11/21/2011
11/20/2011	72	1,426	37,971	3,050	1,624	44.0	31.9

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: November 22, 2011**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
11/22/2010	215.4	568,930	81.8%	92.7	233,846	90.9%	802,776	84.3%
11/22/2011	209.1	434,426	62.5%	83.4	94,557	36.8%	528,983	55.5%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
11/21/2011	83	161	0.00	84	98	0.00	259
MTD		4,165	0.13		3,112	0.25	7,277

STREAM FLOWS

Gauging Station	11/21/2011 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	62	1,431
NRTT : Nueces River at Tilden, Texas	0	36
FRTT : Frio River at Tilden, Texas	0	0
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	3	52
Release from Choke Canyon Reservoir	58	1,227
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	181	6,350
NCAT : Nueces River at Calallen, Texas	0	17
RBP : Rincon Bayou Pipeline	105	1,997
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	4	204

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 4,000 Salinity Relief Credit : 0 Effective:	4,000
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	-5,984
Return Flow Credit (Effective:)	0
Passthru Target: 4,000 Reservoir Inflow: 204 Comment: 2000 AF of the October 2011 deficit is being delivered. 3984 AF remain banked for future use.	204
Estuary Inflows (NCAT + RBP)	2,013
PassThru Surplus / -Deficit:	-4,175

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	November 2011		Elevation (Ft)	
				Allocation	Remaining	Full	11/22/2011
11/21/2011	71	1,498	38,043	3,050	1,552	44.0	31.8

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: November 23, 2011**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
11/23/2010	215.4	569,394	81.9%	92.8	234,735	91.2%	804,129	84.4%
11/23/2011	209.0	433,045	62.3%	83.4	94,108	36.6%	527,153	55.3%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
11/22/2011	80	299	0.00	80	163	0.00	462
MTD		4,464	0.13		3,275	0.25	7,739

STREAM FLOWS

Gauging Station	11/22/2011 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	62	1,493
NRTT : Nueces River at Tilden, Texas	0	36
FRTT : Frio River at Tilden, Texas	0	0
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	4	56
Release from Choke Canyon Reservoir	58	1,284
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	189	6,539
NCAT : Nueces River at Calallen, Texas	0	17
RBP : Rincon Bayou Pipeline	34	2,031
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	4	208

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 4,000 Salinity Relief Credit : 0 Effective:	4,000
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	-5,984
Return Flow Credit (Effective:)	0
Passthru Target: 4,000 Reservoir Inflow: 208 Comment: 2000 AF of the October 2011 deficit is being delivered. 3984 AF remain banked for future use.	208
Estuary Inflows (NCAT + RBP)	2,047
PassThru Surplus / -Deficit:	-4,145

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	November 2011		Elevation (Ft)	
				Allocation	Remaining	Full	11/23/2011
11/22/2011	71	1,569	38,114	3,050	1,481	44.0	31.8

Report Generated: 11/23/2011 at 8:03:54 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: November 24, 2011**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
11/24/2010	215.4	569,162	81.9%	92.7	233,846	90.9%	803,008	84.3%
11/24/2011	209.0	433,045	62.3%	83.4	93,996	36.5%	527,041	55.3%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
11/23/2011	71	172	0.00	80	117	0.00	289
MTD		4,636	0.13		3,392	0.25	8,028

STREAM FLOWS

Gauging Station	11/23/2011 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	62	1,554
NRTT : Nueces River at Tilden, Texas	0	36
FRTT : Frio River at Tilden, Texas	0	0
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	4	60
Release from Choke Canyon Reservoir	58	1,342
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	187	6,725
NCAT : Nueces River at Calallen, Texas	0	17
RBP : Rincon Bayou Pipeline	0	2,031
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	4	212

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 4,000 Salinity Relief Credit : 0 Effective:	4,000
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	-5,984
Return Flow Credit (Effective:)	0
Passthru Target: 4,000 Reservoir Inflow: 212 Comment: 3953 AC/FT of the October 2011 deficit remains banked for future use.	212
Estuary Inflows (NCAT + RBP)	2,047
PassThru Surplus / -Deficit:	-4,149

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	November 2011		Elevation (Ft)	
				Allocation	Remaining	Full	11/24/2011
11/23/2011	69	1,638	38,183	3,050	1,412	44.0	31.8

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: November 25, 2011**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
11/25/2010	215.3	567,539	81.6%	92.7	233,669	90.8%	801,208	84.1%
11/25/2011	209.0	433,439	62.3%	83.3	93,661	36.4%	527,100	55.3%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
11/24/2011	76	138	0.00	76	130	0.00	268
MTD		4,774	0.13		3,522	0.25	8,296

STREAM FLOWS

Gauging Station	11/24/2011 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	62	1,616
NRTT : Nueces River at Tilden, Texas	0	36
FRTT : Frio River at Tilden, Texas	0	0
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	3	63
Release from Choke Canyon Reservoir	58	1,399
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	183	6,908
NCAT : Nueces River at Calallen, Texas	11	27
RBP : Rincon Bayou Pipeline	0	2,031
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	4	216

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 4,000 Salinity Relief Credit : 0 Effective:	4,000
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	-5,984
Return Flow Credit (Effective:)	0
Passthru Target: 4,000 Reservoir Inflow: 216 Comment: 3953 AC/FT of the October 2011 deficit remains banked for future use.	216
Estuary Inflows (NCAT + RBP)	2,058
PassThru Surplus / -Deficit:	-4,142

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	November 2011		Elevation (Ft)	
				Allocation	Remaining	Full	11/25/2011
11/24/2011	73	1,711	38,256	3,050	1,339	44.0	31.8

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: November 26, 2011**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
11/26/2010	215.3	567,307	81.6%	92.8	234,735	91.2%	802,042	84.2%
11/26/2011	209.0	433,242	62.3%	83.3	93,103	36.2%	526,345	55.3%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
11/25/2011	81	161	0.00	82	130	0.01	291
MTD		4,935	0.13		3,652	0.26	8,587

STREAM FLOWS

Gauging Station	11/25/2011 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	62	1,677
NRTT : Nueces River at Tilden, Texas	0	36
FRTT : Frio River at Tilden, Texas	0	0
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	3	66
Release from Choke Canyon Reservoir	58	1,457
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	181	7,088
NCAT : Nueces River at Calallen, Texas	50	77
RBP : Rincon Bayou Pipeline	0	2,031
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	4	220

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 4,000 Salinity Relief Credit : 0 Effective:	4,000
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	-5,984
Return Flow Credit (Effective:)	0
Passthru Target: 4,000 Reservoir Inflow: 220 Comment: 3953 AC/FT of the October 2011 deficit remains banked for future use.	220
Estuary Inflows (NCAT + RBP)	2,108
PassThru Surplus / -Deficit:	-4,097

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	November 2011		Elevation (Ft)	
				Allocation	Remaining	Full	11/26/2011
11/25/2011	73	1,784	38,329	3,050	1,266	44.0	31.8

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: November 27, 2011**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
11/27/2010	215.3	567,307	81.6%	92.7	233,846	90.9%	801,153	84.1%
11/27/2011	208.9	431,662	62.1%	82.9	89,258	34.7%	520,920	54.7%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
11/26/2011	70	230	0.00	76	164	0.00	394
MTD		5,165	0.13		3,816	0.26	8,981

STREAM FLOWS

Gauging Station	11/26/2011 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	64	1,741
NRTT : Nueces River at Tilden, Texas	0	36
FRTT : Frio River at Tilden, Texas	0	0
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	3	69
Release from Choke Canyon Reservoir	58	1,515
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	175	7,263
NCAT : Nueces River at Calallen, Texas	36	113
RBP : Rincon Bayou Pipeline	0	2,031
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	6	226

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 4,000 Salinity Relief Credit : 0 Effective:	4,000
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	-5,984
Return Flow Credit (Effective:)	0
Passthru Target: 4,000 Reservoir Inflow: 226 Comment: 3953 AC/FT of the October 2011 deficit remains banked for future use.	226
Estuary Inflows (NCAT + RBP)	2,143
PassThru Surplus / -Deficit:	-4,067

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	November 2011		Elevation (Ft)	
				Allocation	Remaining	Full	11/27/2011
11/26/2011	73	1,857	38,402	3,050	1,193	44.0	31.8

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: November 28, 2011**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
11/28/2010	215.4	569,394	81.9%	92.7	233,313	90.7%	802,707	84.3%
11/28/2011	208.9	430,872	62.0%	83.2	91,773	35.7%	522,645	54.9%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
11/27/2011	58	264	0.00	59	193	0.00	457
MTD		5,429	0.13		4,009	0.26	9,438

STREAM FLOWS

Gauging Station	11/27/2011 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	66	1,806
NRTT : Nueces River at Tilden, Texas	0	36
FRTT : Frio River at Tilden, Texas	0	0
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	3	73
Release from Choke Canyon Reservoir	58	1,572
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	169	7,432
NCAT : Nueces River at Calallen, Texas	24	136
RBP : Rincon Bayou Pipeline	0	2,031
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	8	234

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 4,000 Salinity Relief Credit : 0 Effective:	4,000
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	-5,984
Return Flow Credit (Effective:)	0
Passthru Target: 4,000 Reservoir Inflow: 234 Comment: 3953 AC/FT of the October 2011 deficit remains banked for future use.	234
Estuary Inflows (NCAT + RBP)	2,167
PassThru Surplus / -Deficit:	-4,051

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	November 2011		Elevation (Ft)	
				Allocation	Remaining	Full	11/28/2011
11/27/2011	73	1,930	38,475	3,050	1,120	44.0	31.8

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: November 29, 2011**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
11/29/2010	215.3	566,843	81.5%	92.6	232,426	90.3%	799,269	83.9%
11/29/2011	208.9	430,675	61.9%	83.2	91,663	35.6%	522,338	54.8%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
11/28/2011	69	206	0.00	73	116	0.00	322
MTD		5,635	0.13		4,125	0.26	9,760

STREAM FLOWS

Gauging Station	11/28/2011 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	66	1,872
NRTT : Nueces River at Tilden, Texas	0	36
FRTT : Frio River at Tilden, Texas	0	0
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	3	76
Release from Choke Canyon Reservoir	58	1,630
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	167	7,599
NCAT : Nueces River at Calallen, Texas	44	180
RBP : Rincon Bayou Pipeline	0	2,031
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	8	242

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 4,000 Salinity Relief Credit : 0 Effective:	4,000
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	-5,984
Return Flow Credit (Effective: 11/22/2011)	500
Passthru Target: 4,000 Reservoir Inflow: 242 Comment: 3953 AC/FT of the October 2011 deficit remains banked for future use.	242
Estuary Inflows (NCAT + RBP)	2,211
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	November 2011		Elevation (Ft)	
				Allocation	Remaining	Full	11/29/2011
11/28/2011	73	2,003	38,547	3,050	1,047	44.0	31.6

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: November 30, 2011**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
11/30/2010	215.2	565,684	81.4%	92.7	234,379	91.1%	800,063	84.0%
11/30/2011	208.9	431,070	62.0%	83.1	91,443	35.5%	522,513	54.9%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
11/29/2011	71	275	0.00	75	122	0.00	397
MTD		5,910	0.13		4,247	0.26	10,157

STREAM FLOWS

Gauging Station	11/29/2011 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	67	1,939
NRTT : Nueces River at Tilden, Texas	0	36
FRTT : Frio River at Tilden, Texas	0	0
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	3	79
Release from Choke Canyon Reservoir	58	1,687
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	149	7,747
NCAT : Nueces River at Calallen, Texas	34	214
RBP : Rincon Bayou Pipeline	0	2,031
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	10	252

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 4,000 Salinity Relief Credit : 0 Effective:	4,000
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	-5,984
Return Flow Credit (Effective: 11/22/2011)	500
Passthru Target: 4,000 Reservoir Inflow: 252 Comment: 3953 AC/FT of the October 2011 deficit remains banked for future use.	252
Estuary Inflows (NCAT + RBP)	2,245
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	November 2011		Elevation (Ft)	
				Allocation	Remaining	Full	11/30/2011
11/29/2011	73	2,075	38,620	3,050	975	44.0	31.5