

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: December 1, 2011**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
12/01/2010	215.2	565,452	81.3%	92.6	232,249	90.3%	797,701	83.7%
12/01/2011	208.9	430,675	61.9%	83.1	90,894	35.3%	521,569	54.8%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
11/30/2011	67	126	0.00	69	109	0.00	235
MTD		6,036	0.13		4,356	0.26	10,392

STREAM FLOWS

Gauging Station	11/30/2011 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	67	2,007
NRTT : Nueces River at Tilden, Texas	0	36
FRTT : Frio River at Tilden, Texas	0	0
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	3	82
Release from Choke Canyon Reservoir	58	1,745
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	147	7,894
NCAT : Nueces River at Calallen, Texas	7	221
RBP : Rincon Bayou Pipeline	0	2,031
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	10	262

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 4,000 Salinity Relief Credit : 0 Effective:	4,000
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	-5,984
Return Flow Credit (Effective: 11/22/2011)	500
Passthru Target: 4,000 Reservoir Inflow: 262 Comment: 3953 AC/FT of the October 2011 deficit remains banked for future use.	262
Estuary Inflows (NCAT + RBP)	2,251
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	November 2011		Elevation (Ft)	
				Allocation	Remaining	Full	12/01/2011
11/30/2011	70	2,145	38,690	3,050	905	44.0	31.5

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: December 2, 2011**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
12/02/2010	215.2	565,452	81.3%	92.5	230,831	89.7%	796,283	83.6%
12/02/2011	208.9	430,477	61.9%	83.1	90,456	35.2%	520,933	54.7%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
12/01/2011	80	183	0.00	80	153	0.00	336
MTD		183	0.00		153	0.00	336

STREAM FLOWS

Gauging Station	12/01/2011 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	67	67
NRTT : Nueces River at Tilden, Texas	0	0
FRTT : Frio River at Tilden, Texas	0	0
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	3	3
Release from Choke Canyon Reservoir	58	58
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	135	135
NCAT : Nueces River at Calallen, Texas	1	1
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	10	10

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 4,500 Salinity Relief Credit : 0 Effective:	4,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	221
Return Flow Credit (Effective: 12/01/2011)	500
Passthru Target: 4,500 Reservoir Inflow: 10 Comment: 3953 AC/FT of the October 2011 deficit remains banked for future use.	10
Estuary Inflows (NCAT + RBP)	1
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	December 2011		Elevation (Ft)	
				Allocation	Remaining	Full	12/02/2011
12/01/2011	71	71	38,761	3,050	2,979	44.0	31.5

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: December 3, 2011**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
12/03/2010	215.3	566,611	81.5%	92.5	230,654	89.7%	797,265	83.7%
12/03/2011	208.8	428,708	61.7%	82.9	89,149	34.7%	517,857	54.4%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
12/02/2011	73	126	0.08	77	76	0.00	202
MTD		309	0.08		229	0.00	538

STREAM FLOWS

Gauging Station	12/02/2011 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	69	137
NRTT : Nueces River at Tilden, Texas	0	0
FRTT : Frio River at Tilden, Texas	0	0
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	4	7
Release from Choke Canyon Reservoir	58	115
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	111	246
NCAT : Nueces River at Calallen, Texas	17	18
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	12	22

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 4,500 Salinity Relief Credit : 0 Effective:	4,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	221
Return Flow Credit (Effective: 12/01/2011)	500
Passthru Target: 4,500 Reservoir Inflow: 22 Comment: 3953 AC/FT of the October 2011 deficit remains banked for future use.	22
Estuary Inflows (NCAT + RBP)	18
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	December 2011		Elevation (Ft)	
				Allocation	Remaining	Full	12/03/2011
12/02/2011	71	143	38,832	3,050	2,907	44.0	31.5

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: December 4, 2011**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
12/04/2010	215.1	563,843	81.1%	92.5	230,477	89.6%	794,320	83.4%
12/04/2011	208.8	430,083	61.9%	83.0	89,801	34.9%	519,884	54.6%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
12/03/2011	76	115	0.06	76	127	0.10	242
MTD		424	0.14		356	0.10	780

STREAM FLOWS

Gauging Station	12/03/2011 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	69	206
NRTT : Nueces River at Tilden, Texas	0	0
FRTT : Frio River at Tilden, Texas	0	0
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	4	10
Release from Choke Canyon Reservoir	58	173
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	101	347
NCAT : Nueces River at Calallen, Texas	38	55
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	12	34

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 4,500 Salinity Relief Credit : 0 Effective:	4,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	221
Return Flow Credit (Effective: 12/01/2011)	500
Passthru Target: 4,500 Reservoir Inflow: 34 Comment: 3953 AC/FT of the October 2011 deficit remains banked for future use.	34
Estuary Inflows (NCAT + RBP)	55
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	December 2011		Elevation (Ft)	
				Allocation	Remaining	Full	12/04/2011
12/03/2011	71	214	38,904	3,050	2,836	44.0	31.5

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: December 5, 2011**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
12/05/2010	215.1	563,384	81.0%	92.6	231,540	90.0%	794,924	83.5%
12/05/2011	208.8	428,903	61.7%	82.9	89,258	34.7%	518,161	54.4%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
12/04/2011	69	57	0.14	74	19	0.05	76
MTD		481	0.28		375	0.15	856

STREAM FLOWS

Gauging Station	12/04/2011 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	69	276
NRTT : Nueces River at Tilden, Texas	0	0
FRTT : Frio River at Tilden, Texas	0	0
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	4	14
Release from Choke Canyon Reservoir	58	230
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	107	455
NCAT : Nueces River at Calallen, Texas	24	79
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	12	46

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 4,500 Salinity Relief Credit : 0 Effective:	4,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	221
Return Flow Credit (Effective: 12/01/2011)	500
Passthru Target: 4,500 Reservoir Inflow: 46 Comment: 3953 AC/FT of the October 2011 deficit remains banked for future use.	46
Estuary Inflows (NCAT + RBP)	79
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	December 2011		Elevation (Ft)	
				Allocation	Remaining	Full	12/05/2011
12/04/2011	71	286	38,975	3,050	2,764	44.0	31.5

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: December 6, 2011**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
12/06/2010	215.1	562,693	80.9%	92.5	230,301	89.5%	792,994	83.3%
12/06/2011	208.7	427,927	61.5%	82.9	89,258	34.7%	517,185	54.3%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
12/05/2011	50	46	0.00	51	76	0.00	122
MTD		527	0.28		451	0.15	978

STREAM FLOWS

Gauging Station	12/05/2011 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	69	345
NRTT : Nueces River at Tilden, Texas	0	0
FRTT : Frio River at Tilden, Texas	0	0
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	5	20
Release from Choke Canyon Reservoir	58	288
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	95	550
NCAT : Nueces River at Calallen, Texas	16	95
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	12	58

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 4,500 Salinity Relief Credit : 0 Effective:	4,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	221
Return Flow Credit (Effective: 12/01/2011)	500
Passthru Target: 4,500 Reservoir Inflow: 58 Comment: 3953 AC/FT of the October 2011 deficit remains banked for future use.	58
Estuary Inflows (NCAT + RBP)	95
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	December 2011		Elevation (Ft)	
				Allocation	Remaining	Full	12/06/2011
12/05/2011	71	357	39,047	3,050	2,693	44.0	31.4

Report Generated: 12/06/2011 at 8:42:12 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: December 7, 2011**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
12/07/2010	215.1	563,843	81.1%	92.5	229,593	89.2%	793,436	83.3%
12/07/2011	208.8	428,708	61.7%	83.0	89,583	34.8%	518,291	54.4%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
12/06/2011	48	Pan Froze	0.00	49	70	0.00	70
MTD		527	0.28		521	0.15	1,048

STREAM FLOWS

Gauging Station	12/06/2011 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	67	413
NRTT : Nueces River at Tilden, Texas	0	0
FRTT : Frio River at Tilden, Texas	0	0
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	5	25
Release from Choke Canyon Reservoir	58	345
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	81	631
NCAT : Nueces River at Calallen, Texas	20	115
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	10	67

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 4,500 Salinity Relief Credit : 0 Effective:	4,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	221
Return Flow Credit (Effective: 12/01/2011)	500
Passthru Target: 4,500 Reservoir Inflow: 67 Comment: 3953 AC/FT of the October 2011 deficit remains banked for future use.	67
Estuary Inflows (NCAT + RBP)	115
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	December 2011		Elevation (Ft)	
				Allocation	Remaining	Full	12/07/2011
12/06/2011	71	428	39,118	3,050	2,622	44.0	31.3

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: December 8, 2011**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
12/08/2010	215.0	559,688	80.5%	92.5	230,477	89.6%	790,165	83.0%
12/08/2011	208.7	427,927	61.5%	83.0	89,366	34.7%	517,293	54.3%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
12/07/2011	51	Pan Froze	0.00	53	44	0.00	44
MTD		527	0.28		565	0.15	1,092

STREAM FLOWS

Gauging Station	12/07/2011 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	67	480
NRTT : Nueces River at Tilden, Texas	0	0
FRTT : Frio River at Tilden, Texas	0	0
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	0	25
Release from Choke Canyon Reservoir	58	403
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	169	800
NCAT : Nueces River at Calallen, Texas	17	133
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	10	77

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 4,500 Salinity Relief Credit : 0 Effective:	4,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	221
Return Flow Credit (Effective: 12/01/2011)	500
Passthru Target: 4,500 Reservoir Inflow: 77 Comment: 3953 AC/FT of the October 2011 deficit remains banked for future use.	77
Estuary Inflows (NCAT + RBP)	133
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	December 2011		Elevation (Ft)	
				Allocation	Remaining	Full	12/08/2011
12/07/2011	71	499	39,189	3,050	2,551	44.0	31.2

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: December 9, 2011**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
12/09/2010	215.1	563,384	81.0%	92.4	228,889	89.0%	792,273	83.2%
12/09/2011	208.8	428,318	61.6%	82.9	89,041	34.6%	517,359	54.3%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
12/08/2011	63	251	0.00	64	69	0.00	320
MTD		778	0.28		634	0.15	1,412

STREAM FLOWS

Gauging Station	12/08/2011 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	69	550
NRTT : Nueces River at Tilden, Texas	0	0
FRTT : Frio River at Tilden, Texas	0	0
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	5	30
Release from Choke Canyon Reservoir	58	461
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	167	967
NCAT : Nueces River at Calallen, Texas	10	143
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	12	89

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 4,500 Salinity Relief Credit : 0 Effective:	4,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	221
Return Flow Credit (Effective: 12/01/2011)	500
Passthru Target: 4,500 Reservoir Inflow: 89 Comment: 3953 AC/FT of the October 2011 deficit remains banked for future use.	89
Estuary Inflows (NCAT + RBP)	143
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	December 2011		Elevation (Ft)	
				Allocation	Remaining	Full	12/09/2011
12/08/2011	71	570	39,260	3,050	2,480	44.0	31.2

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: December 10, 2011**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
12/10/2010	215.1	562,229	80.9%	92.4	228,533	88.8%	790,762	83.0%
12/10/2011	208.7	427,147	61.4%	83.0	89,366	34.7%	516,513	54.2%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
12/09/2011	67	114	0.00	70	70	0.00	184
MTD		892	0.28		704	0.15	1,596

STREAM FLOWS

Gauging Station	12/09/2011 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	69	619
NRTT : Nueces River at Tilden, Texas	0	0
FRTT : Frio River at Tilden, Texas	0	0
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	6	35
Release from Choke Canyon Reservoir	58	518
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	167	1,133
NCAT : Nueces River at Calallen, Texas	0	143
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	12	101

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 4,500 Salinity Relief Credit : 0 Effective:	4,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	221
Return Flow Credit (Effective: 12/01/2011)	500
Passthru Target: 4,500 Reservoir Inflow: 101 Comment: 3953 AC/FT of the October 2011 deficit remains banked for future use.	101
Estuary Inflows (NCAT + RBP)	143
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	December 2011		Elevation (Ft)	
				Allocation	Remaining	Full	12/10/2011
12/09/2011	71	641	39,331	3,050	2,409	44.0	31.2

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: December 11, 2011**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
12/11/2010	215.0	560,606	80.6%	92.4	228,357	88.8%	788,963	82.8%
12/11/2011	208.8	428,318	61.6%	83.0	89,366	34.7%	517,684	54.3%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
12/10/2011	53	34	0.47	55	88	0.70	122
MTD		926	0.75		792	0.85	1,718

STREAM FLOWS

Gauging Station	12/10/2011 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	69	689
NRTT : Nueces River at Tilden, Texas	0	0
FRTT : Frio River at Tilden, Texas	0	0
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	6	41
Release from Choke Canyon Reservoir	58	576
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	167	1,300
NCAT : Nueces River at Calallen, Texas	0	143
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	12	113

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 4,500 Salinity Relief Credit : 0 Effective:	4,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	221
Return Flow Credit (Effective: 12/01/2011)	500
Passthru Target: 4,500 Reservoir Inflow: 113 Comment: 3953 AC/FT of the October 2011 deficit remains banked for future use.	113
Estuary Inflows (NCAT + RBP)	143
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	December 2011		Elevation (Ft)	
				Allocation	Remaining	Full	12/11/2011
12/10/2011	71	712	39,402	3,050	2,338	44.0	31.2

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: December 12, 2011**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
12/12/2010	214.9	558,769	80.4%	92.4	228,710	88.9%	787,479	82.7%
12/12/2011	208.8	428,708	61.7%	82.9	89,258	34.7%	517,966	54.4%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
12/11/2011	53	11	0.02	56	13	0.15	24
MTD		937	0.77		805	1.00	1,742

STREAM FLOWS

Gauging Station	12/11/2011 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	71	760
NRTT : Nueces River at Tilden, Texas	0	0
FRTT : Frio River at Tilden, Texas	0	0
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	7	48
Release from Choke Canyon Reservoir	58	633
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	165	1,465
NCAT : Nueces River at Calallen, Texas	0	143
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	14	127

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 4,500 Salinity Relief Credit : 0 Effective:	4,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	221
Return Flow Credit (Effective: 12/01/2011)	500
Passthru Target: 4,500 Reservoir Inflow: 127 Comment: 3953 AC/FT of the October 2011 deficit remains banked for future use.	127
Estuary Inflows (NCAT + RBP)	143
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	December 2011		Elevation (Ft)	
				Allocation	Remaining	Full	12/12/2011
12/11/2011	71	783	39,473	3,050	2,267	44.0	31.2

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: December 13, 2011**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
12/13/2010	215.0	560,606	80.6%	92.4	227,828	88.6%	788,434	82.8%
12/13/2011	208.7	427,927	61.5%	82.9	89,149	34.7%	517,076	54.3%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
12/12/2011	65	11	0.09	68	0	0.11	11
MTD		948	0.86		805	1.11	1,753

STREAM FLOWS

Gauging Station	12/12/2011 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	69	830
NRTT : Nueces River at Tilden, Texas	0	0
FRTT : Frio River at Tilden, Texas	0	0
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	7	55
Release from Choke Canyon Reservoir	58	691
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	165	1,630
NCAT : Nueces River at Calallen, Texas	0	143
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	12	139

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 4,500 Salinity Relief Credit : 0 Effective:	4,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	221
Return Flow Credit (Effective: 12/01/2011)	500
Passthru Target: 4,500 Reservoir Inflow: 139 Comment: 3953 AC/FT of the October 2011 deficit remains banked for future use.	139
Estuary Inflows (NCAT + RBP)	143
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	December 2011		Elevation (Ft)	
				Allocation	Remaining	Full	12/13/2011
12/12/2011	71	854	39,544	3,050	2,196	44.0	31.1

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: December 14, 2011**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
12/14/2010	215.0	559,458	80.5%	92.3	227,299	88.4%	786,757	82.6%
12/14/2011	208.7	427,537	61.5%	82.9	88,501	34.4%	516,038	54.2%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
12/13/2011	76	68	0.02	78	63	0.00	131
MTD		1,016	0.88		868	1.11	1,884

STREAM FLOWS

Gauging Station	12/13/2011 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	69	899
NRTT : Nueces River at Tilden, Texas	0	0
FRTT : Frio River at Tilden, Texas	0	0
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	7	63
Release from Choke Canyon Reservoir	58	748
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	167	1,796
NCAT : Nueces River at Calallen, Texas	0	143
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	12	151

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 4,500 Salinity Relief Credit : 0 Effective:	4,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	221
Return Flow Credit (Effective: 12/01/2011)	500
Passthru Target: 4,500 Reservoir Inflow: 151 Comment: 3953 AC/FT of the October 2011 deficit remains banked for future use.	151
Estuary Inflows (NCAT + RBP)	143
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	December 2011		Elevation (Ft)	
				Allocation	Remaining	Full	12/14/2011
12/13/2011	72	926	39,616	3,050	2,124	44.0	31.1

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: December 15, 2011**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
12/15/2010	215.0	559,458	80.5%	92.3	227,122	88.3%	786,580	82.6%
12/15/2011	208.8	429,098	61.7%	82.9	88,933	34.6%	518,031	54.4%

Weather Related Information								
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
12/14/2011	81	172	0.00	80	95	0.01		267
MTD		1,188	0.88		963	1.12		2,151

STREAM FLOWS

Gauging Station	12/14/2011 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	69	969
NRTT : Nueces River at Tilden, Texas	0	0
FRTT : Frio River at Tilden, Texas	0	0
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	7	70
Release from Choke Canyon Reservoir	58	806
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	111	1,908
NCAT : Nueces River at Calallen, Texas	0	143
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	12	163

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 4,500 Salinity Relief Credit : 0 Effective:	4,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	221
Return Flow Credit (Effective: 12/01/2011)	500
Passthru Target: 4,500 Reservoir Inflow: 163 Comment: 3953 AC/FT of the October 2011 deficit remains banked for future use.	163
Estuary Inflows (NCAT + RBP)	143
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	December 2011		Elevation (Ft)	
				Allocation	Remaining	Full	12/15/2011
12/14/2011	69	996	39,685	3,050	2,054	44.0	31.0

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: December 16, 2011**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
12/16/2010	214.9	558,769	80.4%	92.3	227,299	88.4%	786,068	82.5%
12/16/2011	208.7	426,952	61.4%	82.8	88,178	34.3%	515,130	54.1%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
12/15/2011	76	114	0.01	76	88	0.00	202
MTD		1,302	0.89		1,051	1.12	2,353

STREAM FLOWS

Gauging Station	12/15/2011 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	69	1,038
NRTT : Nueces River at Tilden, Texas	0	0
FRTT : Frio River at Tilden, Texas	0	0
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	7	77
Release from Choke Canyon Reservoir	58	863
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	193	2,100
NCAT : Nueces River at Calallen, Texas	0	143
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	12	175

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 4,500 Salinity Relief Credit : 0 Effective:	4,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	221
Return Flow Credit (Effective: 12/01/2011)	500
Passthru Target: 4,500 Reservoir Inflow: 175 Comment: 3953 AC/FT of the October 2011 deficit remains banked for future use.	175
Estuary Inflows (NCAT + RBP)	143
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	December 2011		Elevation (Ft)	
				Allocation	Remaining	Full	12/16/2011
12/15/2011	72	1,068	39,758	3,050	1,982	44.0	31.0

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: December 17, 2011**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
12/17/2010	214.9	558,540	80.3%	92.4	227,651	88.5%	786,191	82.5%
12/17/2011	208.7	427,342	61.5%	82.9	89,041	34.6%	516,383	54.2%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
12/16/2011	54	103	0.00	54	32	0.00	135
MTD		1,405	0.89		1,083	1.12	2,488

STREAM FLOWS

Gauging Station	12/16/2011 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	69	1,108
NRTT : Nueces River at Tilden, Texas	0	0
FRTT : Frio River at Tilden, Texas	0	0
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	6	83
Release from Choke Canyon Reservoir	58	921
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	191	2,291
NCAT : Nueces River at Calallen, Texas	0	143
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	12	187

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 4,500 Salinity Relief Credit : 0 Effective:	4,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	221
Return Flow Credit (Effective: 12/01/2011)	500
Passthru Target: 4,500 Reservoir Inflow: 187 Comment: 3953 AC/FT of the October 2011 deficit remains banked for future use.	187
Estuary Inflows (NCAT + RBP)	143
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	December 2011		Elevation (Ft)	
				Allocation	Remaining	Full	12/17/2011
12/16/2011	72	1,140	39,830	3,050	1,910	44.0	31.1

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: December 18, 2011**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
12/18/2010	214.9	557,628	80.2%	92.4	227,651	88.5%	785,279	82.4%
12/18/2011	208.8	428,318	61.6%	82.9	88,393	34.4%	516,711	54.2%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
12/17/2011	55	57	0.00	55	38	0.00	95
MTD		1,462	0.89		1,121	1.12	2,583

STREAM FLOWS

Gauging Station	12/17/2011 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	69	1,177
NRTT : Nueces River at Tilden, Texas	0	0
FRTT : Frio River at Tilden, Texas	0	0
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	6	89
Release from Choke Canyon Reservoir	58	979
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	179	2,469
NCAT : Nueces River at Calallen, Texas	0	143
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	12	199

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 4,500 Salinity Relief Credit : 0 Effective:	4,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	221
Return Flow Credit (Effective: 12/01/2011)	500
Passthru Target: 4,500 Reservoir Inflow: 199 Comment: 3953 AC/FT of the October 2011 deficit remains banked for future use.	199
Estuary Inflows (NCAT + RBP)	143
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	December 2011		Elevation (Ft)	
				Allocation	Remaining	Full	12/18/2011
12/17/2011	72	1,212	39,902	3,050	1,838	44.0	31.1

Report Generated: 12/18/2011 at 8:36:24 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: December 19, 2011**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
12/19/2010	214.9	558,999	80.4%	92.3	226,594	88.1%	785,593	82.5%
12/19/2011	208.6	426,171	61.3%	82.8	87,212	33.9%	513,383	53.9%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
12/18/2011	66	80	0.10	69	56	0.04	136
MTD		1,542	0.99		1,177	1.16	2,719

STREAM FLOWS

Gauging Station	12/18/2011 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	67	1,245
NRTT : Nueces River at Tilden, Texas	0	0
FRTT : Frio River at Tilden, Texas	0	0
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	6	95
Release from Choke Canyon Reservoir	58	1,036
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	175	2,644
NCAT : Nueces River at Calallen, Texas	5	148
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	10	209

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 4,500 Salinity Relief Credit : 0 Effective:	4,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	221
Return Flow Credit (Effective: 12/01/2011)	500
Passthru Target: 4,500 Reservoir Inflow: 209 Comment: 3953 AC/FT of the October 2011 deficit remains banked for future use.	209
Estuary Inflows (NCAT + RBP)	148
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	December 2011		Elevation (Ft)	
				Allocation	Remaining	Full	12/19/2011
12/18/2011	72	1,285	39,974	3,050	1,765	44.0	31.1

Report Generated: 12/19/2011 at 9:01:54 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: December 20, 2011**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
12/20/2010	215.0	559,688	80.5%	92.3	226,418	88.0%	786,106	82.5%
12/20/2011	208.7	427,147	61.4%	82.8	88,070	34.2%	515,217	54.1%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
12/19/2011	79	137	0.00	81	113	0.00	250
MTD		1,679	0.99		1,290	1.16	2,969

STREAM FLOWS

Gauging Station	12/19/2011 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	69	1,314
NRTT : Nueces River at Tilden, Texas	0	0
FRTT : Frio River at Tilden, Texas	0	0
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	6	101
Release from Choke Canyon Reservoir	58	1,094
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	169	2,813
NCAT : Nueces River at Calallen, Texas	0	149
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	12	220

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 4,500 Salinity Relief Credit : 0 Effective:	4,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	221
Return Flow Credit (Effective: 12/01/2011)	500
Passthru Target: 4,500 Reservoir Inflow: 220 Comment: 3953 AC/FT of the October 2011 deficit remains banked for future use.	220
Estuary Inflows (NCAT + RBP)	149
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	December 2011		Elevation (Ft)	
				Allocation	Remaining	Full	12/20/2011
12/19/2011	72	1,357	40,046	3,050	1,693	44.0	30.9

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: December 21, 2011**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
12/21/2010	215.0	559,917	80.5%	92.3	226,242	87.9%	786,159	82.5%
12/21/2011	208.7	426,756	61.4%	82.8	88,070	34.2%	514,826	54.0%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
12/20/2011	62	160	0.00	65	113	0.00	273
MTD		1,839	0.99		1,403	1.16	3,242

STREAM FLOWS

Gauging Station	12/20/2011 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	69	1,384
NRTT : Nueces River at Tilden, Texas	0	0
FRTT : Frio River at Tilden, Texas	0	0
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	6	107
Release from Choke Canyon Reservoir	58	1,151
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	165	2,978
NCAT : Nueces River at Calallen, Texas	6	154
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	12	232

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 4,500 Salinity Relief Credit : 0 Effective:	4,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	221
Return Flow Credit (Effective: 12/01/2011)	500
Passthru Target: 4,500 Reservoir Inflow: 232 Comment: 3953 AC/FT of the October 2011 deficit remains banked for future use.	232
Estuary Inflows (NCAT + RBP)	154
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	December 2011		Elevation (Ft)	
				Allocation	Remaining	Full	12/21/2011
12/20/2011	72	1,429	40,118	3,050	1,621	44.0	30.9

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: December 22, 2011**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
12/22/2010	214.9	558,769	80.4%	92.3	226,242	87.9%	785,011	82.4%
12/22/2011	208.7	427,147	61.4%	82.8	87,855	34.2%	515,002	54.1%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
12/21/2011	59	160	0.40	57	63	0.04	223
MTD		1,999	1.39		1,466	1.20	3,465

STREAM FLOWS

Gauging Station	12/21/2011 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	69	1,453
NRTT : Nueces River at Tilden, Texas	0	0
FRTT : Frio River at Tilden, Texas	0	0
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	6	113
Release from Choke Canyon Reservoir	58	1,209
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	161	3,138
NCAT : Nueces River at Calallen, Texas	5	159
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	12	244

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 4,500 Salinity Relief Credit : 0 Effective:	4,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	221
Return Flow Credit (Effective: 12/01/2011)	500
Passthru Target: 4,500 Reservoir Inflow: 244 Comment: 3953 AC/FT of the October 2011 deficit remains banked for future use.	244
Estuary Inflows (NCAT + RBP)	159
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	December 2011		Elevation (Ft)	
				Allocation	Remaining	Full	12/22/2011
12/21/2011	72	1,501	40,190	3,050	1,549	44.0	30.9

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: December 23, 2011**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
12/23/2010	214.9	558,999	80.4%	92.3	226,242	87.9%	785,241	82.4%
12/23/2011	208.7	428,122	61.6%	82.8	88,070	34.2%	516,192	54.2%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
12/22/2011	64	126	0.00	66	106	0.00	232
MTD		2,125	1.39		1,572	1.20	3,697

STREAM FLOWS

Gauging Station	12/22/2011 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	69	1,522
NRTT : Nueces River at Tilden, Texas	0	0
FRTT : Frio River at Tilden, Texas	1	1
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	10	123
Release from Choke Canyon Reservoir	58	1,266
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	161	3,299
NCAT : Nueces River at Calallen, Texas	3	162
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	13	257

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 4,500 Salinity Relief Credit : 0 Effective:	4,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	221
Return Flow Credit (Effective: 12/01/2011)	500
Passthru Target: 4,500 Reservoir Inflow: 257 Comment: 3953 AC/FT of the October 2011 deficit remains banked for future use.	257
Estuary Inflows (NCAT + RBP)	162
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	December 2011		Elevation (Ft)	
				Allocation	Remaining	Full	12/23/2011
12/22/2011	72	1,573	40,262	3,050	1,477	44.0	30.9

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: December 24, 2011**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
12/24/2010	214.9	558,769	80.4%	92.3	226,242	87.9%	785,011	82.4%
12/24/2011	208.7	427,147	61.4%	82.8	88,070	34.2%	515,217	54.1%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
12/23/2011	48	46	0.15	54	56	0.04	102
MTD		2,171	1.54		1,628	1.24	3,799

STREAM FLOWS

Gauging Station	12/23/2011 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	71	1,594
NRTT : Nueces River at Tilden, Texas	0	0
FRTT : Frio River at Tilden, Texas	0	1
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	125	248
Release from Choke Canyon Reservoir	58	1,324
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	161	3,460
NCAT : Nueces River at Calallen, Texas	0	162
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	14	271

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 4,500 Salinity Relief Credit : 0 Effective:	4,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	221
Return Flow Credit (Effective: 12/01/2011)	500
Passthru Target: 4,500 Reservoir Inflow: 271 Comment: 3953 AC/FT of the October 2011 deficit remains banked for future use.	271
Estuary Inflows (NCAT + RBP)	162
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	December 2011		Elevation (Ft)	
				Allocation	Remaining	Full	12/24/2011
12/23/2011	69	1,642	40,331	3,050	1,408	44.0	30.9

Report Generated: 12/24/2011 at 8:17:48 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: December 25, 2011**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
12/25/2010	214.9	557,174	80.1%	92.4	228,180	88.7%	785,354	82.4%
12/25/2011	208.7	426,561	61.4%	82.7	86,892	33.8%	513,453	53.9%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
12/24/2011	45	11	0.25	48	6	0.26	17
MTD		2,182	1.79		1,634	1.50	3,816

STREAM FLOWS

Gauging Station	12/24/2011 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	141	1,735
NRTT : Nueces River at Tilden, Texas	0	0
FRTT : Frio River at Tilden, Texas	0	1
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	167	415
Release from Choke Canyon Reservoir	58	1,382
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	159	3,619
NCAT : Nueces River at Calallen, Texas	0	162
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	84	355

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 4,500 Salinity Relief Credit : 0 Effective:	4,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	221
Return Flow Credit (Effective: 12/01/2011)	500
Passthru Target: 4,500 Reservoir Inflow: 355 Comment: 3953 AC/FT of the October 2011 deficit remains banked for future use.	355
Estuary Inflows (NCAT + RBP)	162
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	December 2011		Elevation (Ft)	
				Allocation	Remaining	Full	12/25/2011
12/24/2011	72	1,714	40,403	3,050	1,336	44.0	30.9

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: December 26, 2011**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
12/26/2010	214.9	558,310	80.3%	92.3	226,418	88.0%	784,728	82.4%
12/26/2011	208.7	427,342	61.5%	82.8	87,319	33.9%	514,661	54.0%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
12/25/2011	50	46	0.00	52	19	0.00	65
MTD		2,228	1.79		1,653	1.50	3,881

STREAM FLOWS

Gauging Station	12/25/2011 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	193	1,927
NRTT : Nueces River at Tilden, Texas	0	0
FRTT : Frio River at Tilden, Texas	1	2
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	58	473
Release from Choke Canyon Reservoir	58	1,439
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	157	3,775
NCAT : Nueces River at Calallen, Texas	0	162
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	136	490

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 4,500 Salinity Relief Credit : 0 Effective:	4,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	221
Return Flow Credit (Effective: 12/01/2011)	500
Passthru Target: 4,500 Reservoir Inflow: 490 Comment: 3953 AC/FT of the October 2011 deficit remains banked for future use.	490
Estuary Inflows (NCAT + RBP)	162
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	December 2011		Elevation (Ft)	
				Allocation	Remaining	Full	12/26/2011
12/25/2011	72	1,786	40,475	3,050	1,264	44.0	30.9

Report Generated: 12/26/2011 at 8:27:12 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: December 27, 2011**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
12/27/2010	214.9	557,628	80.2%	92.2	225,186	87.5%	782,814	82.2%
12/27/2011	208.7	426,756	61.4%	82.8	87,534	34.0%	514,290	54.0%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
12/26/2011	57	11	0.00	59	112	0.00	123
MTD		2,239	1.79		1,765	1.50	4,004

STREAM FLOWS

Gauging Station	12/26/2011 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	121	2,049
NRTT : Nueces River at Tilden, Texas	0	0
FRTT : Frio River at Tilden, Texas	1	3
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	32	504
Release from Choke Canyon Reservoir	58	1,497
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	149	3,924
NCAT : Nueces River at Calallen, Texas	0	162
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	64	555

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 4,500 Salinity Relief Credit : 0 Effective:	4,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	221
Return Flow Credit (Effective: 12/01/2011)	500
Passthru Target: 4,500 Reservoir Inflow: 555 Comment: 3953 AC/FT of the October 2011 deficit remains banked for future use.	555
Estuary Inflows (NCAT + RBP)	162
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	December 2011		Elevation (Ft)	
				Allocation	Remaining	Full	12/27/2011
12/26/2011	72	1,858	40,547	3,050	1,192	44.0	30.9

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: December 28, 2011**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
12/28/2010	214.8	556,720	80.1%	92.2	225,011	87.5%	781,731	82.1%
12/28/2011	208.7	427,732	61.5%	82.8	87,319	33.9%	515,051	54.1%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
12/27/2011	65	57	0.00	66	100	0.00	157
MTD		2,296	1.79		1,865	1.50	4,161

STREAM FLOWS

Gauging Station	12/27/2011 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	93	2,142
NRTT : Nueces River at Tilden, Texas	0	0
FRTT : Frio River at Tilden, Texas	1	4
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	22	526
Release from Choke Canyon Reservoir	58	1,554
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	141	4,065
NCAT : Nueces River at Calallen, Texas	0	162
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	37	591

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 4,500 Salinity Relief Credit : 0 Effective:	4,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	221
Return Flow Credit (Effective: 12/01/2011)	500
Passthru Target: 4,500 Reservoir Inflow: 591 Comment: 3953 AC/FT of the October 2011 deficit remains banked for future use.	591
Estuary Inflows (NCAT + RBP)	162
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	December 2011		Elevation (Ft)	
				Allocation	Remaining	Full	12/28/2011
12/27/2011	72	1,930	40,619	3,050	1,120	44.0	30.7

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: December 29, 2011**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
12/29/2010	214.8	556,947	80.1%	92.3	225,890	87.8%	782,837	82.2%
12/29/2011	208.7	426,952	61.4%	82.8	87,319	33.9%	514,271	54.0%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
12/28/2011	70	68	0.00	72	69	0.00	137
MTD		2,364	1.79		1,934	1.50	4,298

STREAM FLOWS

Gauging Station	12/28/2011 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	83	2,225
NRIT : Nueces River at Tilden, Texas	0	0
FRIT : Frio River at Tilden, Texas	1	4
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	16	542
Release from Choke Canyon Reservoir	58	1,612
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	145	4,210
NCAT : Nueces River at Calallen, Texas	0	162
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	26	618

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 4,500 Salinity Relief Credit : 0 Effective:	4,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	221
Return Flow Credit (Effective: 12/01/2011)	500
Passthru Target: 4,500 Reservoir Inflow: 618 Comment: 3953 AC/FT of the October 2011 deficit remains banked for future use.	618
Estuary Inflows (NCAT + RBP)	162
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	December 2011		Elevation (Ft)	
				Allocation	Remaining	Full	12/29/2011
12/28/2011	72	2,002	40,691	3,050	1,048	44.0	30.7

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: December 30, 2011**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
12/30/2010	214.8	555,349	79.9%	92.2	224,835	87.4%	780,184	81.9%
12/30/2011	208.7	426,756	61.4%	82.7	86,999	33.8%	513,755	53.9%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
12/29/2011	69	125	0.00	75	81	0.00	206
MTD		2,489	1.79		2,015	1.50	4,504

STREAM FLOWS

Gauging Station	12/29/2011 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	77	2,303
NRTT : Nueces River at Tilden, Texas	0	0
FRTT : Frio River at Tilden, Texas	0	5
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	13	555
Release from Choke Canyon Reservoir	58	1,669
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	155	4,365
NCAT : Nueces River at Calallen, Texas	0	162
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	20	638

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 4,500 Salinity Relief Credit : 0 Effective:	4,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	221
Return Flow Credit (Effective: 12/01/2011)	500
Passthru Target: 4,500 Reservoir Inflow: 638 Comment: 3953 AC/FT of the October 2011 deficit remains banked for future use.	638
Estuary Inflows (NCAT + RBP)	162
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	December 2011		Elevation (Ft)	
				Allocation	Remaining	Full	12/30/2011
12/29/2011	72	2,074	40,763	3,050	976	44.0	30.7

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: December 31, 2011**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
12/31/2010	214.9	557,401	80.2%	92.2	225,362	87.6%	782,763	82.2%
12/31/2011	208.7	427,342	61.5%	82.7	87,106	33.9%	514,448	54.0%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
12/30/2011	74	114	0.00	76	56	0.00	170
MTD		2,603	1.79		2,071	1.50	4,674

STREAM FLOWS

Gauging Station	12/30/2011 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	73	2,376
NRTT : Nueces River at Tilden, Texas	0	0
FRTT : Frio River at Tilden, Texas	0	5
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	12	566
Release from Choke Canyon Reservoir	58	1,727
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	171	4,536
NCAT : Nueces River at Calallen, Texas	0	162
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	16	654

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 4,500 Salinity Relief Credit : 0 Effective:	4,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	221
Return Flow Credit (Effective: 12/01/2011)	500
Passthru Target: 4,500 Reservoir Inflow: 654 Comment: 3953 AC/FT of the October 2011 deficit remains banked for future use.	654
Estuary Inflows (NCAT + RBP)	162
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	December 2011		Elevation (Ft)	
				Allocation	Remaining	Full	12/31/2011
12/30/2011	72	2,146	40,836	3,050	904	44.0	30.7