

**Choke Canyon / Lake Corpus Christi Reservoir System  
Daily Pass-Thru Status Report  
Report Date: February 1, 2012**

**RESERVOIR STATISTICS**

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
02/01/2011	214.7	553,287	79.6%	92.5	229,416	89.2%	782,703	82.2%
02/01/2012	208.3	420,122	60.4%	82.1	80,848	31.4%	500,970	52.6%

  

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
01/31/2012	71	57	0.00	71	18	0.00	75
MTD		4,429	0.72		2,823	0.50	7,252

**STREAM FLOWS**

Gauging Station	01/31/2012 (AcFt)	MTD (AcFt)
<a href="#">NTRT</a> : Nueces River at Three Rivers, Texas	62	2,062
<a href="#">NRTT</a> : Nueces River at Tilden, Texas	0	0
<a href="#">FRTT</a> : Frio River at Tilden, Texas	0	1
<a href="#">SMTT</a> : San Miguel Creek at Tilden, Texas	0	0
<a href="#">ARWT</a> : Atascosa River at Whitsett, Texas	9	202
<a href="#">Release from Choke Canyon Reservoir</a>	58	1,785
<a href="#">NRMT</a> : Nueces River at Mathis, Texas (La Fruta Bridge)	131	4,401
<a href="#">NCAT</a> : Nueces River at Calallen, Texas	3	95
<a href="#">RBP</a> : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	4	279

**ESTUARY INFLOWS and PASSTHRU REQUIREMENTS**  
(All values are in AcFt)

Target Passthru Monthly Target: 2,500 <a href="#">Salinity Relief Credit</a> : 0 Effective:	2,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: )	162
Return Flow Credit (Effective: 01/01/2012)	500
Passthru Target: 2,500 Reservoir Inflow: 279  <b>Comment: 3953 AC/FT of the October 2011 deficit remains banked for future use.</b>	279
Estuary Inflows (NCAT + RBP)	95
PassThru Surplus / -Deficit:	0

**LAKE TEXANA STATISTICS**  
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	January 2012		Elevation (Ft)	
				Allocation	Remaining	Full	02/01/2012
01/31/2012	100	2,950	2,950	3,050	100	44.0	34.7

**Choke Canyon / Lake Corpus Christi Reservoir System  
Daily Pass-Thru Status Report  
Report Date: February 2, 2012**

**RESERVOIR STATISTICS**

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
02/02/2011	214.7	553,060	79.5%	92.4	229,240	89.1%	782,300	82.1%
02/02/2012	208.4	420,902	60.5%	82.2	81,052	31.5%	501,954	52.7%

  

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
02/01/2012	76	113	0.00	80	71	0.00	184
MTD		113	0.00		71	0.00	184

**STREAM FLOWS**

Gauging Station	02/01/2012 (AcFt)	MTD (AcFt)
<a href="#">NTRT</a> : Nueces River at Three Rivers, Texas	60	60
<a href="#">NRTT</a> : Nueces River at Tilden, Texas	0	0
<a href="#">FRTT</a> : Frio River at Tilden, Texas	0	0
<a href="#">SMTT</a> : San Miguel Creek at Tilden, Texas	0	0
<a href="#">ARWT</a> : Atascosa River at Whitsett, Texas	8	8
<a href="#">Release from Choke Canyon Reservoir</a>	58	58
<a href="#">NRMT</a> : Nueces River at Mathis, Texas (La Fruta Bridge)	115	115
<a href="#">NCAT</a> : Nueces River at Calallen, Texas	4	4
<a href="#">RBP</a> : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	2	2

**ESTUARY INFLOWS and PASSTHRU REQUIREMENTS**  
(All values are in AcFt)

Target Passthru Monthly Target: 2,500 <a href="#">Salinity Relief Credit</a> : 0 Effective:	2,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: )	95
Return Flow Credit (Effective: 02/01/2012)	500
Passthru Target: 2,500 Reservoir Inflow: 2  <b>Comment: 3953 AC/FT of the October 2011 deficit remains banked for future use.</b>	2
Estuary Inflows (NCAT + RBP)	4
PassThru Surplus / -Deficit:	0

**LAKE TEXANA STATISTICS**  
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	February 2012		Elevation (Ft)	
				Allocation	Remaining	Full	02/02/2012
02/01/2012	100	100	3,050	3,040	2,940	44.0	34.7

**Choke Canyon / Lake Corpus Christi Reservoir System  
Daily Pass-Thru Status Report  
Report Date: February 3, 2012**

**RESERVOIR STATISTICS**

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
02/03/2011	214.6	552,151	79.4%	92.3	226,770	88.1%	778,921	81.8%
02/03/2012	208.4	420,902	60.5%	82.2	81,052	31.5%	501,954	52.7%

  

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
02/02/2012	77	170	0.00	77	77	0.02	247
MTD		283	0.00		148	0.02	431

**STREAM FLOWS**

Gauging Station	02/02/2012 (AcFt)	MTD (AcFt)
<a href="#">NTRT</a> : Nueces River at Three Rivers, Texas	60	119
<a href="#">NRTT</a> : Nueces River at Tilden, Texas	0	0
<a href="#">FRTT</a> : Frio River at Tilden, Texas	0	0
<a href="#">SMTT</a> : San Miguel Creek at Tilden, Texas	0	0
<a href="#">ARWT</a> : Atascosa River at Whitsett, Texas	7	15
<a href="#">Release from Choke Canyon Reservoir</a>	58	115
<a href="#">NRMT</a> : Nueces River at Mathis, Texas (La Fruta Bridge)	97	212
<a href="#">NCAT</a> : Nueces River at Calallen, Texas	0	4
<a href="#">RBP</a> : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	2	4

**ESTUARY INFLOWS and PASSTHRU REQUIREMENTS**  
(All values are in AcFt)

Target Passthru Monthly Target: 2,500 <a href="#">Salinity Relief Credit</a> : 0 Effective:	2,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: )	95
Return Flow Credit (Effective: 02/01/2012)	500
Passthru Target: 2,500 Reservoir Inflow: 4  <b>Comment: 3953 AC/FT of the October 2011 deficit remains banked for future use.</b>	4
Estuary Inflows (NCAT + RBP)	4
PassThru Surplus / -Deficit:	0

**LAKE TEXANA STATISTICS**  
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	February 2012		Elevation (Ft)	
				Allocation	Remaining	Full	02/03/2012
02/02/2012	100	200	3,150	3,040	2,840	44.0	34.8

Report Generated: 02/03/2012 at 9:17:42 AM

**Choke Canyon / Lake Corpus Christi Reservoir System  
Daily Pass-Thru Status Report  
Report Date: February 4, 2012**

**RESERVOIR STATISTICS**

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
02/04/2011	214.6	551,924	79.4%	92.3	226,242	87.9%	778,166	81.7%
02/04/2012	208.3	419,150	60.3%	82.2	81,052	31.5%	500,202	52.5%

  

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
02/03/2012	79	203	0.00	83	65	0.00	268
MTD		486	0.00		213	0.02	699

**STREAM FLOWS**

Gauging Station	02/03/2012 (AcFt)	MTD (AcFt)
<a href="#">NTRT</a> : Nueces River at Three Rivers, Texas	62	181
<a href="#">NRTT</a> : Nueces River at Tilden, Texas	0	0
<a href="#">FRTT</a> : Frio River at Tilden, Texas	0	0
<a href="#">SMTT</a> : San Miguel Creek at Tilden, Texas	0	0
<a href="#">ARWT</a> : Atascosa River at Whitsett, Texas	6	21
<a href="#">Release from Choke Canyon Reservoir</a>	58	173
<a href="#">NRMT</a> : Nueces River at Mathis, Texas (La Fruta Bridge)	97	310
<a href="#">NCAT</a> : Nueces River at Calallen, Texas	0	4
<a href="#">RBP</a> : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	4	8

**ESTUARY INFLOWS and PASSTHRU REQUIREMENTS**  
(All values are in AcFt)

Target Passthru Monthly Target: 2,500 <a href="#">Salinity Relief Credit</a> : 0 Effective:	2,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: )	95
Return Flow Credit (Effective: 02/01/2012)	500
Passthru Target: 2,500 Reservoir Inflow: 8  <b>Comment: 3953 AC/FT of the October 2011 deficit remains banked for future use.</b>	8
Estuary Inflows (NCAT + RBP)	4
PassThru Surplus / -Deficit:	0

**LAKE TEXANA STATISTICS**  
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	February 2012		Elevation (Ft)	
				Allocation	Remaining	Full	02/04/2012
02/03/2012	100	300	3,250	3,040	2,740	44.0	34.9

**Choke Canyon / Lake Corpus Christi Reservoir System  
Daily Pass-Thru Status Report  
Report Date: February 5, 2012**

**RESERVOIR STATISTICS**

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
02/05/2011	214.6	551,924	79.4%	92.2	224,659	87.3%	776,583	81.5%
02/05/2012	208.3	420,317	60.5%	82.2	81,768	31.8%	502,085	52.7%

  

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
02/04/2012	60	136	0.40	69	143	1.69	279
MTD		622	0.40		356	1.71	978

**STREAM FLOWS**

Gauging Station	02/04/2012 (AcFt)	MTD (AcFt)
<a href="#">NTRT</a> : Nueces River at Three Rivers, Texas	60	240
<a href="#">NRTT</a> : Nueces River at Tilden, Texas	0	0
<a href="#">FRTT</a> : Frio River at Tilden, Texas	0	0
<a href="#">SMTT</a> : San Miguel Creek at Tilden, Texas	0	0
<a href="#">ARWT</a> : Atascosa River at Whitsett, Texas	6	27
<a href="#">Release from Choke Canyon Reservoir</a>	60	232
<a href="#">NRMT</a> : Nueces River at Mathis, Texas (La Fruta Bridge)	105	415
<a href="#">NCAT</a> : Nueces River at Calallen, Texas	2	5
<a href="#">RBP</a> : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	0	8

**ESTUARY INFLOWS and PASSTHRU REQUIREMENTS**  
(All values are in AcFt)

Target Passthru Monthly Target: 2,500 <a href="#">Salinity Relief Credit</a> : 0 Effective:	2,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: )	95
Return Flow Credit (Effective: 02/01/2012)	500
Passthru Target: 2,500 Reservoir Inflow: 8  <b>Comment: 3953 AC/FT of the October 2011 deficit remains banked for future use.</b>	8
Estuary Inflows (NCAT + RBP)	5
PassThru Surplus / -Deficit:	0

**LAKE TEXANA STATISTICS**  
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	February 2012		Elevation (Ft)	
				Allocation	Remaining	Full	02/05/2012
02/04/2012	100	401	3,351	3,040	2,639	44.0	34.9

Report Generated: 02/05/2012 at 8:22:22 AM

**Choke Canyon / Lake Corpus Christi Reservoir System  
Daily Pass-Thru Status Report  
Report Date: February 6, 2012**

**RESERVOIR STATISTICS**

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
02/06/2011	214.7	553,060	79.5%	92.2	224,656	87.3%	777,716	81.6%
02/06/2012	208.3	420,122	60.4%	82.2	81,871	31.8%	501,993	52.7%

  

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
02/05/2012	50	79	0.07	50	90	0.08	169
MTD		701	0.47		446	1.79	1,147

**STREAM FLOWS**

Gauging Station	02/05/2012 (AcFt)	MTD (AcFt)
<a href="#">NTRT</a> : Nueces River at Three Rivers, Texas	60	300
<a href="#">NRTT</a> : Nueces River at Tilden, Texas	0	0
<a href="#">FRTT</a> : Frio River at Tilden, Texas	0	1
<a href="#">SMTT</a> : San Miguel Creek at Tilden, Texas	0	0
<a href="#">ARWT</a> : Atascosa River at Whitsett, Texas	10	37
<a href="#">Release from Choke Canyon Reservoir</a>	58	290
<a href="#">NRMT</a> : Nueces River at Mathis, Texas (La Fruta Bridge)	79	494
<a href="#">NCAT</a> : Nueces River at Calallen, Texas	83	89
<a href="#">RBP</a> : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	2	11

**ESTUARY INFLOWS and PASSTHRU REQUIREMENTS**

(All values are in AcFt)

Target Passthru Monthly Target: 2,500 <a href="#">Salinity Relief Credit</a> : 0 Effective:	2,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: )	95
Return Flow Credit (Effective: 02/01/2012)	500
Passthru Target: 2,500 Reservoir Inflow: 11  <b>Comment: 3953 AC/FT of the October 2011 deficit remains banked for future use.</b>	11
Estuary Inflows (NCAT + RBP)	89
PassThru Surplus / -Deficit:	0

**LAKE TEXANA STATISTICS**

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	February 2012		Elevation (Ft)	
				Allocation	Remaining	Full	02/06/2012
02/05/2012	100	501	3,451	3,040	2,539	44.0	34.9

Report Generated: 02/06/2012 at 8:56:13 AM

**Choke Canyon / Lake Corpus Christi Reservoir System  
Daily Pass-Thru Status Report  
Report Date: February 7, 2012**

**RESERVOIR STATISTICS**

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
02/07/2011	214.6	551,242	79.3%	92.3	225,890	87.8%	777,132	81.6%
02/07/2012	208.4	421,683	60.7%	82.2	81,461	31.7%	503,144	52.8%

  

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
02/06/2012	54	79	0.02	56	66	0.00	145
MTD		780	0.49		512	1.79	1,292

**STREAM FLOWS**

Gauging Station	02/06/2012 (AcFt)	MTD (AcFt)
<a href="#">NTRT</a> : Nueces River at Three Rivers, Texas	60	359
<a href="#">NRTT</a> : Nueces River at Tilden, Texas	0	0
<a href="#">FRTT</a> : Frio River at Tilden, Texas	0	1
<a href="#">SMTT</a> : San Miguel Creek at Tilden, Texas	0	0
<a href="#">ARWT</a> : Atascosa River at Whitsett, Texas	9	46
<a href="#">Release from Choke Canyon Reservoir</a>	58	347
<a href="#">NRMT</a> : Nueces River at Mathis, Texas (La Fruta Bridge)	75	570
<a href="#">NCAT</a> : Nueces River at Calallen, Texas	12	101
<a href="#">RBP</a> : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	2	13

**ESTUARY INFLOWS and PASSTHRU REQUIREMENTS**  
(All values are in AcFt)

Target Passthru Monthly Target: 2,500 <a href="#">Salinity Relief Credit</a> : 0 Effective:	2,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: )	95
Return Flow Credit (Effective: 02/01/2012)	500
Passthru Target: 2,500 Reservoir Inflow: 13  <b>Comment: 3953 AC/FT of the October 2011 deficit remains banked for future use.</b>	13
Estuary Inflows (NCAT + RBP)	101
PassThru Surplus / -Deficit:	0

**LAKE TEXANA STATISTICS**  
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	February 2012		Elevation (Ft)	
				Allocation	Remaining	Full	02/07/2012
02/06/2012	110	610	3,560	3,040	2,430	44.0	35.1

**Choke Canyon / Lake Corpus Christi Reservoir System  
Daily Pass-Thru Status Report  
Report Date: February 8, 2012**

**RESERVOIR STATISTICS**

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
02/08/2011	214.7	553,287	79.6%	92.2	224,659	87.3%	777,946	81.7%
02/08/2012	208.3	419,536	60.3%	82.2	81,461	31.7%	500,997	52.6%

  

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
02/07/2012	62	113	0.00	63	66	0.00	179
MTD		893	0.49		578	1.79	1,471

**STREAM FLOWS**

Gauging Station	02/07/2012 (AcFt)	MTD (AcFt)
<a href="#">NTRT</a> : Nueces River at Three Rivers, Texas	60	419
<a href="#">NRTT</a> : Nueces River at Tilden, Texas	0	0
<a href="#">FRTT</a> : Frio River at Tilden, Texas	1	1
<a href="#">SMTT</a> : San Miguel Creek at Tilden, Texas	0	0
<a href="#">ARWT</a> : Atascosa River at Whitsett, Texas	8	54
<a href="#">Release from Choke Canyon Reservoir</a>	58	405
<a href="#">NRMT</a> : Nueces River at Mathis, Texas (La Fruta Bridge)	95	665
<a href="#">NCAT</a> : Nueces River at Calallen, Texas	0	101
<a href="#">RBP</a> : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	3	15

**ESTUARY INFLOWS and PASSTHRU REQUIREMENTS**  
(All values are in AcFt)

Target Passthru Monthly Target: 2,500 <a href="#">Salinity Relief Credit</a> : 0 Effective:	2,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: )	95
Return Flow Credit (Effective: 02/01/2012)	500
Passthru Target: 2,500 Reservoir Inflow: 15  <b>Comment: 3953 AC/FT of the October 2011 deficit remains banked for future use.</b>	15
Estuary Inflows (NCAT + RBP)	101
PassThru Surplus / -Deficit:	0

**LAKE TEXANA STATISTICS**  
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	February 2012		Elevation (Ft)	
				Allocation	Remaining	Full	02/08/2012
02/07/2012	136	746	3,696	3,040	2,294	44.0	35.1



**Choke Canyon / Lake Corpus Christi Reservoir System  
Daily Pass-Thru Status Report  
Report Date: February 9, 2012**

**RESERVOIR STATISTICS**

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
02/09/2011	214.5	549,197	79.0%	92.2	225,011	87.5%	774,208	81.3%
02/09/2012	208.4	420,512	60.5%	82.2	81,461	31.7%	501,973	52.7%

  

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
02/08/2012	58	113	0.00	57	54	0.00	167
MTD		1,006	0.49		632	1.79	1,638

**STREAM FLOWS**

Gauging Station	02/08/2012 (AcFt)	MTD (AcFt)
<a href="#">NTRT</a> : Nueces River at Three Rivers, Texas	60	478
<a href="#">NRTT</a> : Nueces River at Tilden, Texas	0	0
<a href="#">FRTT</a> : Frio River at Tilden, Texas	1	2
<a href="#">SMTT</a> : San Miguel Creek at Tilden, Texas	0	0
<a href="#">ARWT</a> : Atascosa River at Whitsett, Texas	7	60
<a href="#">Release from Choke Canyon Reservoir</a>	58	463
<a href="#">NRMT</a> : Nueces River at Mathis, Texas (La Fruta Bridge)	97	762
<a href="#">NCAT</a> : Nueces River at Calallen, Texas	0	101
<a href="#">RBP</a> : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	3	18

**ESTUARY INFLOWS and PASSTHRU REQUIREMENTS**  
(All values are in AcFt)

Target Passthru Monthly Target: 2,500 <a href="#">Salinity Relief Credit</a> : 0 Effective:	2,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: )	95
Return Flow Credit (Effective: 02/01/2012)	500
Passthru Target: 2,500 Reservoir Inflow: 18  <b>Comment: 3953 AC/FT of the October 2011 deficit remains banked for future use.</b>	18
Estuary Inflows (NCAT + RBP)	101
PassThru Surplus / -Deficit:	0

**LAKE TEXANA STATISTICS**  
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	February 2012		Elevation (Ft)	
				Allocation	Remaining	Full	02/09/2012
02/08/2012	136	883	3,833	3,040	2,157	44.0	35.1

**Choke Canyon / Lake Corpus Christi Reservoir System  
Daily Pass-Thru Status Report  
Report Date: February 10, 2012**

**RESERVOIR STATISTICS**

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
02/10/2011	214.6	552,151	79.4%	92.3	226,242	87.9%	778,393	81.7%
02/10/2012	208.4	420,707	60.5%	82.2	81,563	31.7%	502,270	52.7%

  

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
02/09/2012	55	34	0.05	54	6	0.12	40
MTD		1,040	0.54		638	1.91	1,678

**STREAM FLOWS**

Gauging Station	02/09/2012 (AcFt)	MTD (AcFt)
<a href="#">NTRT</a> : Nueces River at Three Rivers, Texas	60	538
<a href="#">NRTT</a> : Nueces River at Tilden, Texas	0	0
<a href="#">FRTT</a> : Frio River at Tilden, Texas	1	3
<a href="#">SMTT</a> : San Miguel Creek at Tilden, Texas	0	0
<a href="#">ARWT</a> : Atascosa River at Whitsett, Texas	6	66
<a href="#">Release from Choke Canyon Reservoir</a>	58	520
<a href="#">NRMT</a> : Nueces River at Mathis, Texas (La Fruta Bridge)	89	852
<a href="#">NCAT</a> : Nueces River at Calallen, Texas	3	104
<a href="#">RBP</a> : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	3	20

**ESTUARY INFLOWS and PASSTHRU REQUIREMENTS**  
(All values are in AcFt)

Target Passthru Monthly Target: 2,500 <a href="#">Salinity Relief Credit</a> : 0 Effective:	2,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: )	95
Return Flow Credit (Effective: 02/01/2012)	500
Passthru Target: 2,500 Reservoir Inflow: 20  <span style="color: red;">Comment: 3953 AC/FT of the October 2011 deficit remains banked for future use.</span>	20
Estuary Inflows (NCAT + RBP)	104
PassThru Surplus / -Deficit:	0

**LAKE TEXANA STATISTICS**  
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	February 2012		Elevation (Ft)	
				Allocation	Remaining	Full	02/10/2012
02/09/2012	137	1,019	3,970	3,040	2,021	44.0	35.1

Report Generated: 02/10/2012 at 8:44:33 AM

**Choke Canyon / Lake Corpus Christi Reservoir System  
Daily Pass-Thru Status Report  
Report Date: February 11, 2012**

**RESERVOIR STATISTICS**

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
02/11/2011	214.6	551,242	79.3%	92.2	224,132	87.1%	775,374	81.4%
02/11/2012	208.3	419,926	60.4%	82.2	81,563	31.7%	501,489	52.6%

  

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
02/10/2012	63	68	0.00	63	36	0.00	104
MTD		1,108	0.54		674	1.91	1,782

**STREAM FLOWS**

Gauging Station	02/10/2012 (AcFt)	MTD (AcFt)
<a href="#">NTRT</a> : Nueces River at Three Rivers, Texas	60	597
<a href="#">NRTT</a> : Nueces River at Tilden, Texas	0	0
<a href="#">FRTT</a> : Frio River at Tilden, Texas	1	3
<a href="#">SMTT</a> : San Miguel Creek at Tilden, Texas	0	0
<a href="#">ARWT</a> : Atascosa River at Whitsett, Texas	6	72
<a href="#">Release from Choke Canyon Reservoir</a>	58	578
<a href="#">NRMT</a> : Nueces River at Mathis, Texas (La Fruta Bridge)	64	915
<a href="#">NCAT</a> : Nueces River at Calallen, Texas	4	108
<a href="#">RBP</a> : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	3	23

**ESTUARY INFLOWS and PASSTHRU REQUIREMENTS**  
(All values are in AcFt)

Target Passthru Monthly Target: 2,500 <a href="#">Salinity Relief Credit</a> : 0 Effective:	2,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: )	95
Return Flow Credit (Effective: 02/01/2012)	500
Passthru Target: 2,500 Reservoir Inflow: 23  <b>Comment: 3953 AC/FT of the October 2011 deficit remains banked for future use.</b>	23
Estuary Inflows (NCAT + RBP)	108
PassThru Surplus / -Deficit:	0

**LAKE TEXANA STATISTICS**  
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	February 2012		Elevation (Ft)	
				Allocation	Remaining	Full	02/11/2012
02/10/2012	137	1,156	4,106	3,040	1,884	44.0	35.0

**Choke Canyon / Lake Corpus Christi Reservoir System  
Daily Pass-Thru Status Report  
Report Date: February 12, 2012**

**RESERVOIR STATISTICS**

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
02/12/2011	214.5	550,106	79.1%	92.2	224,308	87.2%	774,414	81.3%
02/12/2012	208.3	419,536	60.3%	82.2	81,359	31.6%	500,895	52.6%

  

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
02/11/2012	54	169	0.00	58	113	0.00	282
MTD		1,277	0.54		787	1.91	2,064

**STREAM FLOWS**

Gauging Station	02/11/2012 (AcFt)	MTD (AcFt)
<a href="#">NTRT</a> : Nueces River at Three Rivers, Texas	58	655
<a href="#">NRTT</a> : Nueces River at Tilden, Texas	0	0
<a href="#">FRTT</a> : Frio River at Tilden, Texas	0	4
<a href="#">SMTT</a> : San Miguel Creek at Tilden, Texas	0	0
<a href="#">ARWT</a> : Atascosa River at Whitsett, Texas	6	78
<a href="#">Release from Choke Canyon Reservoir</a>	58	635
<a href="#">NRMT</a> : Nueces River at Mathis, Texas (La Fruta Bridge)	64	979
<a href="#">NCAT</a> : Nueces River at Calallen, Texas	14	122
<a href="#">RBP</a> : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	0	24

**ESTUARY INFLOWS and PASSTHRU REQUIREMENTS**  
(All values are in AcFt)

Target Passthru Monthly Target: 2,500 <a href="#">Salinity Relief Credit</a> : 0 Effective:	2,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: )	95
Return Flow Credit (Effective: 02/01/2012)	500
Passthru Target: 2,500 Reservoir Inflow: 24  <span style="color: red;">Comment: 3953 AC/FT of the October 2011 deficit remains banked for future use.</span>	24
Estuary Inflows (NCAT + RBP)	122
PassThru Surplus / -Deficit:	0

**LAKE TEXANA STATISTICS**  
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	February 2012		Elevation (Ft)	
				Allocation	Remaining	Full	02/12/2012
02/11/2012	137	1,293	4,243	3,040	1,747	44.0	35.0

**Choke Canyon / Lake Corpus Christi Reservoir System  
Daily Pass-Thru Status Report  
Report Date: February 13, 2012**

**RESERVOIR STATISTICS**

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
02/13/2011	214.6	550,333	79.2%	92.1	223,606	86.9%	773,939	81.3%
02/13/2012	208.3	418,958	60.3%	82.2	80,950	31.5%	499,908	52.5%

  

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
02/12/2012	49	79	0.25	58	18	0.33	97
MTD		1,356	0.79		805	2.24	2,161

**STREAM FLOWS**

Gauging Station	02/12/2012 (AcFt)	MTD (AcFt)
<a href="#">NTRT</a> : Nueces River at Three Rivers, Texas	56	711
<a href="#">NRIT</a> : Nueces River at Tilden, Texas	0	0
<a href="#">FRIT</a> : Frio River at Tilden, Texas	0	4
<a href="#">SMTT</a> : San Miguel Creek at Tilden, Texas	0	0
<a href="#">ARWT</a> : Atascosa River at Whitsett, Texas	6	83
<a href="#">Release from Choke Canyon Reservoir</a>	58	693
<a href="#">NRMT</a> : Nueces River at Mathis, Texas (La Fruta Bridge)	62	1,040
<a href="#">NCAT</a> : Nueces River at Calallen, Texas	19	141
<a href="#">RBP</a> : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: NRIT+FRIT+SMTT+ARWT	6	29

**ESTUARY INFLOWS and PASSTHRU REQUIREMENTS**  
(All values are in AcFt)

Target Passthru Monthly Target: 2,500 <a href="#">Salinity Relief Credit</a> : 0 Effective:	2,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: )	95
Return Flow Credit (Effective: 02/01/2012)	500
Passthru Target: 2,500 Reservoir Inflow: 29  <span style="color: red;">Comment: 3953 AC/FT of the October 2011 deficit remains banked for future use.</span>	29
Estuary Inflows (NCAT + RBP)	141
PassThru Surplus / -Deficit:	0

**LAKE TEXANA STATISTICS**  
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	February 2012		Elevation (Ft)	
				Allocation	Remaining	Full	02/13/2012
02/12/2012	138	1,431	4,381	3,040	1,609	44.0	35.0

**Choke Canyon / Lake Corpus Christi Reservoir System  
Daily Pass-Thru Status Report  
Report Date: February 14, 2012**

**RESERVOIR STATISTICS**

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
02/14/2011	214.5	549,197	79.0%	92.1	223,606	86.9%	772,803	81.1%
02/14/2012	208.4	420,512	60.5%	82.2	81,154	31.5%	501,666	52.7%
Weather Related Information								
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
02/13/2012	58	45	0.01	62	30	0.01		75
MTD		1,401	0.80		835	2.25		2,236

**STREAM FLOWS**

Gauging Station	02/13/2012 (AcFt)	MTD (AcFt)
<a href="#">NTRT</a> : Nueces River at Three Rivers, Texas	60	770
<a href="#">NRTT</a> : Nueces River at Tilden, Texas	0	0
<a href="#">FRTT</a> : Frio River at Tilden, Texas	1	5
<a href="#">SMTT</a> : San Miguel Creek at Tilden, Texas	0	0
<a href="#">ARWT</a> : Atascosa River at Whitsett, Texas	6	89
<a href="#">Release from Choke Canyon Reservoir</a>	58	750
<a href="#">NRMT</a> : Nueces River at Mathis, Texas (La Fruta Bridge)	62	1,102
<a href="#">NCAT</a> : Nueces River at Calallen, Texas	17	158
<a href="#">RBP</a> : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	3	32

**ESTUARY INFLOWS and PASSTHRU REQUIREMENTS**  
(All values are in AcFt)

Target Passthru Monthly Target: 2,500 <a href="#">Salinity Relief Credit</a> : 0 Effective:	2,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: )	95
Return Flow Credit (Effective: 02/01/2012)	500
Passthru Target: 2,500 Reservoir Inflow: 32  <b>Comment: 3953 AC/FT of the October 2011 deficit remains banked for future use.</b>	32
Estuary Inflows (NCAT + RBP)	158
PassThru Surplus / -Deficit:	0

**LAKE TEXANA STATISTICS**  
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	February 2012		Elevation (Ft)	
				Allocation	Remaining	Full	02/14/2012
02/13/2012	138	1,569	4,519	3,040	1,471	44.0	35.1

**Choke Canyon / Lake Corpus Christi Reservoir System  
Daily Pass-Thru Status Report  
Report Date: February 15, 2012**

**RESERVOIR STATISTICS**

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
02/15/2011	214.6	550,560	79.2%	92.1	223,430	86.8%	773,990	81.3%
02/15/2012	208.3	419,536	60.3%	82.2	81,052	31.5%	500,588	52.6%

  

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
02/14/2012	68	11	0.00	69	0	0.00	11
MTD		1,412	0.80		835	2.25	2,247

**STREAM FLOWS**

Gauging Station	02/14/2012 (AcFt)	MTD (AcFt)
<a href="#">NTRT</a> : Nueces River at Three Rivers, Texas	64	834
<a href="#">NRTT</a> : Nueces River at Tilden, Texas	0	0
<a href="#">FRTT</a> : Frio River at Tilden, Texas	1	5
<a href="#">SMTT</a> : San Miguel Creek at Tilden, Texas	0	0
<a href="#">ARWT</a> : Atascosa River at Whitsett, Texas	6	95
<a href="#">Release from Choke Canyon Reservoir</a>	66	816
<a href="#">NRMT</a> : Nueces River at Mathis, Texas (La Fruta Bridge)	69	1,171
<a href="#">NCAT</a> : Nueces River at Calallen, Texas	2	159
<a href="#">RBP</a> : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: NRRT+FRTT+SMTT+ARWT	6	38

**ESTUARY INFLOWS and PASSTHRU REQUIREMENTS**  
(All values are in AcFt)

Target Passthru Monthly Target: 2,500 <a href="#">Salinity Relief Credit</a> : 0 Effective:	2,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: )	95
Return Flow Credit (Effective: 02/01/2012)	500
Passthru Target: 2,500 Reservoir Inflow: 38  <b>Comment: 3953 AC/FT of the October 2011 deficit remains banked for future use.</b>	38
Estuary Inflows (NCAT + RBP)	159
PassThru Surplus / -Deficit:	0

**LAKE TEXANA STATISTICS**  
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	February 2012		Elevation (Ft)	
				Allocation	Remaining	Full	02/15/2012
02/14/2012	138	1,707	4,657	3,040	1,333	44.0	35.6

**Choke Canyon / Lake Corpus Christi Reservoir System  
Daily Pass-Thru Status Report  
Report Date: February 16, 2012**

**RESERVOIR STATISTICS**

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
02/16/2011	214.6	550,560	79.2%	92.1	223,606	86.9%	774,166	81.3%
02/16/2012	208.3	420,122	60.4%	82.2	81,256	31.6%	501,378	52.6%

  

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
02/15/2012	76	68	0.00	62	48	0.00	116
MTD		1,480	0.80		883	2.25	2,363

**STREAM FLOWS**

Gauging Station	02/15/2012 (AcFt)	MTD (AcFt)
<a href="#">NTRT</a> : Nueces River at Three Rivers, Texas	62	895
<a href="#">NRTT</a> : Nueces River at Tilden, Texas	0	0
<a href="#">FRTT</a> : Frio River at Tilden, Texas	1	6
<a href="#">SMTT</a> : San Miguel Creek at Tilden, Texas	0	0
<a href="#">ARWT</a> : Atascosa River at Whitsett, Texas	6	101
<a href="#">Release from Choke Canyon Reservoir</a>	58	873
<a href="#">NRMT</a> : Nueces River at Mathis, Texas (La Fruta Bridge)	77	1,249
<a href="#">NCAT</a> : Nueces River at Calallen, Texas	4	163
<a href="#">RBP</a> : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	5	43

**ESTUARY INFLOWS and PASSTHRU REQUIREMENTS**  
(All values are in AcFt)

Target Passthru Monthly Target: 2,500 <a href="#">Salinity Relief Credit</a> : 0 Effective:	2,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: )	95
Return Flow Credit (Effective: 02/01/2012)	500
Passthru Target: 2,500 Reservoir Inflow: 43  <b>Comment: 3953 AC/FT of the October 2011 deficit remains banked for future use.</b>	43
Estuary Inflows (NCAT + RBP)	163
PassThru Surplus / -Deficit:	0

**LAKE TEXANA STATISTICS**  
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	February 2012		Elevation (Ft)	
				Allocation	Remaining	Full	02/16/2012
02/15/2012	138	1,845	4,795	3,040	1,195	44.0	36.0



**Choke Canyon / Lake Corpus Christi Reservoir System  
Daily Pass-Thru Status Report  
Report Date: February 17, 2012**

**RESERVOIR STATISTICS**

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
02/17/2011	214.5	549,197	79.0%	92.1	223,080	86.7%	772,277	81.1%
02/17/2012	208.3	418,958	60.3%	82.2	80,950	31.5%	499,908	52.5%

  

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
02/16/2012	64	135	0.01	71	95	0.00	230
MTD		1,615	0.81		978	2.25	2,593

**STREAM FLOWS**

Gauging Station	02/16/2012 (AcFt)	MTD (AcFt)
<a href="#">NTRT</a> : Nueces River at Three Rivers, Texas	60	955
<a href="#">NRTT</a> : Nueces River at Tilden, Texas	0	0
<a href="#">FRTT</a> : Frio River at Tilden, Texas	1	6
<a href="#">SMTT</a> : San Miguel Creek at Tilden, Texas	0	0
<a href="#">ARWT</a> : Atascosa River at Whitsett, Texas	6	108
<a href="#">Release from Choke Canyon Reservoir</a>	58	931
<a href="#">NRMT</a> : Nueces River at Mathis, Texas (La Fruta Bridge)	66	1,314
<a href="#">NCAT</a> : Nueces River at Calallen, Texas	0	163
<a href="#">RBP</a> : Rincon Bayou Pipeline		0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	3	45

**ESTUARY INFLOWS and PASSTHRU REQUIREMENTS**  
(All values are in AcFt)

Target Passthru Monthly Target: 2,500 <a href="#">Salinity Relief Credit</a> : 0 Effective:	2,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: )	95
Return Flow Credit (Effective: 02/01/2012)	500
Passthru Target: 2,500 Reservoir Inflow: 45  <b>Comment: 3953 AC/FT of the October 2011 deficit remains banked for future use.</b>	45
Estuary Inflows (NCAT + RBP)	163
PassThru Surplus / -Deficit:	0

**LAKE TEXANA STATISTICS**  
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	February 2012		Elevation (Ft)	
				Allocation	Remaining	Full	02/17/2012
02/16/2012	138	1,982	4,932	3,040	1,058	44.0	36.1

**Choke Canyon / Lake Corpus Christi Reservoir System  
Daily Pass-Thru Status Report  
Report Date: February 18, 2012**

**RESERVOIR STATISTICS**

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
02/18/2011	214.5	549,879	79.1%	92.1	223,430	86.8%	773,309	81.2%
02/18/2012	208.3	419,536	60.3%	82.2	81,359	31.6%	500,895	52.6%

  

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
02/17/2012	64	11	0.24	68	12	0.29	23
MTD		1,626	1.05		990	2.54	2,616

**STREAM FLOWS**

Gauging Station	02/17/2012 (AcFt)	MTD (AcFt)
<a href="#">NTRT</a> : Nueces River at Three Rivers, Texas	60	1,014
<a href="#">NRTT</a> : Nueces River at Tilden, Texas	0	0
<a href="#">FRTT</a> : Frio River at Tilden, Texas	1	7
<a href="#">SMTT</a> : San Miguel Creek at Tilden, Texas	0	0
<a href="#">ARWT</a> : Atascosa River at Whitsett, Texas	6	114
<a href="#">Release from Choke Canyon Reservoir</a>	58	989
<a href="#">NRMT</a> : Nueces River at Mathis, Texas (La Fruta Bridge)	67	1,382
<a href="#">NCAT</a> : Nueces River at Calallen, Texas	2	165
<a href="#">RBP</a> : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	3	48

**ESTUARY INFLOWS and PASSTHRU REQUIREMENTS**  
(All values are in AcFt)

Target Passthru Monthly Target: 2,500 <a href="#">Salinity Relief Credit</a> : 0 Effective:	2,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: )	95
Return Flow Credit (Effective: 02/01/2012)	500
Passthru Target: 2,500 Reservoir Inflow: 48  <b>Comment: 3953 AC/FT of the October 2011 deficit remains banked for future use.</b>	48
Estuary Inflows (NCAT + RBP)	165
PassThru Surplus / -Deficit:	0

**LAKE TEXANA STATISTICS**  
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	February 2012		Elevation (Ft)	
				Allocation	Remaining	Full	02/18/2012
02/17/2012	137	2,119	5,069	3,040	921	44.0	36.2

**Choke Canyon / Lake Corpus Christi Reservoir System  
Daily Pass-Thru Status Report  
Report Date: February 19, 2012**

**RESERVOIR STATISTICS**

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
02/19/2011	214.5	549,879	79.1%	92.1	223,255	86.8%	773,134	81.2%
02/19/2012	208.3	419,343	60.3%	82.2	81,154	31.5%	500,497	52.5%

  

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
02/18/2012	65	248	0.02	70	155	0.00	403
MTD		1,874	1.07		1,145	2.54	3,019

**STREAM FLOWS**

Gauging Station	02/18/2012 (AcFt)	MTD (AcFt)
<a href="#">NTRT</a> : Nueces River at Three Rivers, Texas	60	1,074
<a href="#">NRTT</a> : Nueces River at Tilden, Texas	0	0
<a href="#">FRTT</a> : Frio River at Tilden, Texas	1	8
<a href="#">SMTT</a> : San Miguel Creek at Tilden, Texas	0	0
<a href="#">ARWT</a> : Atascosa River at Whitsett, Texas	7	121
<a href="#">Release from Choke Canyon Reservoir</a>	58	1,046
<a href="#">NRMT</a> : Nueces River at Mathis, Texas (La Fruta Bridge)	64	1,445
<a href="#">NCAT</a> : Nueces River at Calallen, Texas	18	183
<a href="#">RBP</a> : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	3	51

**ESTUARY INFLOWS and PASSTHRU REQUIREMENTS**  
(All values are in AcFt)

Target Passthru Monthly Target: 2,500 <a href="#">Salinity Relief Credit</a> : 0 Effective:	2,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: )	95
Return Flow Credit (Effective: 02/01/2012)	500
Passthru Target: 2,500 Reservoir Inflow: 51  <b>Comment: 3953 AC/FT of the October 2011 deficit remains banked for future use.</b>	51
Estuary Inflows (NCAT + RBP)	183
PassThru Surplus / -Deficit:	0

**LAKE TEXANA STATISTICS**  
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	February 2012		Elevation (Ft)	
				Allocation	Remaining	Full	02/19/2012
02/18/2012	137	2,256	5,206	3,040	784	44.0	36.2

**Choke Canyon / Lake Corpus Christi Reservoir System  
Daily Pass-Thru Status Report  
Report Date: February 20, 2012**

**RESERVOIR STATISTICS**

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
02/20/2011	214.5	550,106	79.1%	92.1	222,904	86.6%	773,010	81.2%
02/20/2012	208.3	419,926	60.4%	82.2	81,256	31.6%	501,182	52.6%

  

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
02/19/2012	64	136	0.00	63	83	0.00	219
MTD		2,010	1.07		1,228	2.54	3,238

**STREAM FLOWS**

Gauging Station	02/19/2012 (AcFt)	MTD (AcFt)
<a href="#">NTRT</a> : Nueces River at Three Rivers, Texas	60	1,133
<a href="#">NRTT</a> : Nueces River at Tilden, Texas	0	0
<a href="#">FRTT</a> : Frio River at Tilden, Texas	1	8
<a href="#">SMTT</a> : San Miguel Creek at Tilden, Texas	0	0
<a href="#">ARWT</a> : Atascosa River at Whitsett, Texas	9	130
<a href="#">Release from Choke Canyon Reservoir</a>	58	1,104
<a href="#">NRMT</a> : Nueces River at Mathis, Texas (La Fruta Bridge)	67	1,513
<a href="#">NCAT</a> : Nueces River at Calallen, Texas	4	187
<a href="#">RBP</a> : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	3	53

**ESTUARY INFLOWS and PASSTHRU REQUIREMENTS**  
(All values are in AcFt)

Target Passthru Monthly Target: 2,500 <a href="#">Salinity Relief Credit</a> : 0 Effective:	2,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: )	95
Return Flow Credit (Effective: 02/01/2012)	500
Passthru Target: 2,500 Reservoir Inflow: 53  <b>Comment: 3953 AC/FT of the October 2011 deficit remains banked for future use.</b>	53
Estuary Inflows (NCAT + RBP)	187
PassThru Surplus / -Deficit:	0

**LAKE TEXANA STATISTICS**  
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	February 2012		Elevation (Ft)	
				Allocation	Remaining	Full	02/20/2012
02/19/2012	138	2,395	5,345	3,040	645	44.0	36.2

**Choke Canyon / Lake Corpus Christi Reservoir System  
Daily Pass-Thru Status Report  
Report Date: February 21, 2012**

**RESERVOIR STATISTICS**

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
02/21/2011	214.5	550,106	79.1%	92.1	223,430	86.8%	773,536	81.2%
02/21/2012	208.3	419,731	60.4%	82.2	81,052	31.5%	500,783	52.6%

  

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
02/20/2012	72	79	0.00	71	36	0.00	115
MTD		2,089	1.05		1,264	2.54	3,353

**STREAM FLOWS**

Gauging Station	02/20/2012 (AcFt)	MTD (AcFt)
<a href="#">NTRT</a> : Nueces River at Three Rivers, Texas	60	1,193
<a href="#">NRTT</a> : Nueces River at Tilden, Texas	0	0
<a href="#">FRTT</a> : Frio River at Tilden, Texas	1	9
<a href="#">SMTT</a> : San Miguel Creek at Tilden, Texas	0	0
<a href="#">ARWT</a> : Atascosa River at Whitsett, Texas	64	193
<a href="#">Release from Choke Canyon Reservoir</a>	58	1,161
<a href="#">NRMT</a> : Nueces River at Mathis, Texas (La Fruta Bridge)	67	1,580
<a href="#">NCAT</a> : Nueces River at Calallen, Texas	13	200
<a href="#">RBP</a> : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	3	56

**ESTUARY INFLOWS and PASSTHRU REQUIREMENTS**  
(All values are in AcFt)

Target Passthru Monthly Target: 2,500 <a href="#">Salinity Relief Credit</a> : 0 Effective:	2,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: )	95
Return Flow Credit (Effective: 02/01/2012)	500
Passthru Target: 2,500 Reservoir Inflow: 56  <b>Comment: 3953 AC/FT of the October 2011 deficit remains banked for future use.</b>	56
Estuary Inflows (NCAT + RBP)	200
PassThru Surplus / -Deficit:	0

**LAKE TEXANA STATISTICS**  
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	February 2012		Elevation (Ft)	
				Allocation	Remaining	Full	02/21/2012
02/20/2012	138	2,533	5,483	3,040	507	44.0	36.2

**Choke Canyon / Lake Corpus Christi Reservoir System  
Daily Pass-Thru Status Report  
Report Date: February 22, 2012**

**RESERVOIR STATISTICS**

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
02/22/2011	214.5	549,879	79.1%	92.1	223,430	86.8%	773,309	81.2%
02/22/2012	208.3	419,536	60.3%	82.2	81,052	31.5%	500,588	52.6%

  

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
02/21/2012	77	158	0.00	78	83	0.00	241
MTD		2,247	1.05		1,347	2.54	3,594

**STREAM FLOWS**

Gauging Station	02/21/2012 (AcFt)	MTD (AcFt)
<a href="#">NTRT</a> : Nueces River at Three Rivers, Texas	95	1,288
<a href="#">NRTT</a> : Nueces River at Tilden, Texas	0	0
<a href="#">FRTT</a> : Frio River at Tilden, Texas	1	9
<a href="#">SMTT</a> : San Miguel Creek at Tilden, Texas	0	0
<a href="#">ARWT</a> : Atascosa River at Whitsett, Texas	64	257
<a href="#">Release from Choke Canyon Reservoir</a>	58	1,219
<a href="#">NRMT</a> : Nueces River at Mathis, Texas (La Fruta Bridge)	62	1,642
<a href="#">NCAT</a> : Nueces River at Calallen, Texas	7	207
<a href="#">RBP</a> : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	38	94

**ESTUARY INFLOWS and PASSTHRU REQUIREMENTS**  
(All values are in AcFt)

Target Passthru Monthly Target: 2,500 <a href="#">Salinity Relief Credit</a> : 0 Effective:	2,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: )	95
Return Flow Credit (Effective: 02/01/2012)	500
Passthru Target: 2,500 Reservoir Inflow: 94  <b>Comment: 3953 AC/FT of the October 2011 deficit remains banked for future use.</b>	94
Estuary Inflows (NCAT + RBP)	207
PassThru Surplus / -Deficit:	0

**LAKE TEXANA STATISTICS**  
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	February 2012		Elevation (Ft)	
				Allocation	Remaining	Full	02/22/2012
02/21/2012	139	2,672	5,622	3,040	368	44.0	40.2

**Choke Canyon / Lake Corpus Christi Reservoir System  
Daily Pass-Thru Status Report  
Report Date: February 23, 2012**

**RESERVOIR STATISTICS**

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
02/23/2011	214.5	549,424	79.0%	92.1	223,430	86.8%	772,854	81.1%
02/23/2012	208.3	419,926	60.4%	82.2	80,950	31.5%	500,876	52.6%

  

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
02/22/2012	79	170	0.00	83	77	0.00	247
MTD		2,417	1.05		1,424	2.54	3,841

**STREAM FLOWS**

Gauging Station	02/22/2012 (AcFt)	MTD (AcFt)
<a href="#">NTRT</a> : Nueces River at Three Rivers, Texas	111	1,399
<a href="#">NRTT</a> : Nueces River at Tilden, Texas	0	0
<a href="#">FRTT</a> : Frio River at Tilden, Texas	1	10
<a href="#">SMTT</a> : San Miguel Creek at Tilden, Texas	0	0
<a href="#">ARWT</a> : Atascosa River at Whitsett, Texas	34	290
<a href="#">Release from Choke Canyon Reservoir</a>	58	1,276
<a href="#">NRMT</a> : Nueces River at Mathis, Texas (La Fruta Bridge)	50	1,691
<a href="#">NCAT</a> : Nueces River at Calallen, Texas	17	224
<a href="#">RBP</a> : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	54	148

**ESTUARY INFLOWS and PASSTHRU REQUIREMENTS**  
(All values are in AcFt)

Target Passthru Monthly Target: 2,500 <a href="#">Salinity Relief Credit</a> : 0 Effective:	2,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: )	95
Return Flow Credit (Effective: 02/01/2012)	500
Passthru Target: 2,500 Reservoir Inflow: 148  <span style="color: red;">Comment: 3953 AC/FT of the October 2011 deficit remains banked for future use.</span>	148
Estuary Inflows (NCAT + RBP)	224
PassThru Surplus / -Deficit:	0

**LAKE TEXANA STATISTICS**  
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	February 2012		Elevation (Ft)	
				Allocation	Remaining	Full	02/23/2012
02/22/2012	139	2,810	5,760	3,040	230	44.0	40.5

**Choke Canyon / Lake Corpus Christi Reservoir System  
Daily Pass-Thru Status Report  
Report Date: February 24, 2012**

**RESERVOIR STATISTICS**

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
02/24/2011	214.5	549,424	79.0%	92.1	223,080	86.7%	772,504	81.1%
02/24/2012	208.2	417,608	60.1%	82.2	81,052	31.5%	498,660	52.4%

  

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
02/23/2012	84	270	0.00	82	113	0.00	383
MTD		2,687	1.05		1,537	2.54	4,224

**STREAM FLOWS**

Gauging Station	02/23/2012 (AcFt)	MTD (AcFt)
<a href="#">NTRT</a> : Nueces River at Three Rivers, Texas	83	1,483
<a href="#">NRTT</a> : Nueces River at Tilden, Texas	0	0
<a href="#">FRTT</a> : Frio River at Tilden, Texas	1	11
<a href="#">SMTT</a> : San Miguel Creek at Tilden, Texas	0	0
<a href="#">ARWT</a> : Atascosa River at Whitsett, Texas	22	312
<a href="#">Release from Choke Canyon Reservoir</a>	58	1,334
<a href="#">NRMT</a> : Nueces River at Mathis, Texas (La Fruta Bridge)	50	1,741
<a href="#">NCAT</a> : Nueces River at Calallen, Texas	6	230
<a href="#">RBP</a> : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	26	175

**ESTUARY INFLOWS and PASSTHRU REQUIREMENTS**  
(All values are in AcFt)

Target Passthru Monthly Target: 2,500 <a href="#">Salinity Relief Credit</a> : 0 Effective:	2,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: )	95
Return Flow Credit (Effective: 02/01/2012)	500
Passthru Target: 2,500 Reservoir Inflow: 175  <b>Comment: 3953 AC/FT of the October 2011 deficit remains banked for future use.</b>	175
Estuary Inflows (NCAT + RBP)	230
PassThru Surplus / -Deficit:	0

**LAKE TEXANA STATISTICS**  
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	February 2012		Elevation (Ft)	
				Allocation	Remaining	Full	02/24/2012
02/23/2012	139	2,949	5,899	3,040	91	44.0	40.5



**Choke Canyon / Lake Corpus Christi Reservoir System  
Daily Pass-Thru Status Report  
Report Date: February 25, 2012**

**RESERVOIR STATISTICS**

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
02/25/2011	214.5	550,106	79.1%	92.1	223,781	87.0%	773,887	81.2%
02/25/2012	208.2	416,837	60.0%	82.1	80,645	31.3%	497,482	52.2%

  

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
02/24/2012	62	293	0.00	61	113	0.24	406
MTD		2,980	1.05		1,650	2.78	4,630

**STREAM FLOWS**

Gauging Station	02/24/2012 (AcFt)	MTD (AcFt)
<a href="#">NTRT</a> : Nueces River at Three Rivers, Texas	71	1,554
<a href="#">NRTT</a> : Nueces River at Tilden, Texas	0	0
<a href="#">FRTT</a> : Frio River at Tilden, Texas	1	11
<a href="#">SMTT</a> : San Miguel Creek at Tilden, Texas	0	0
<a href="#">ARWT</a> : Atascosa River at Whitsett, Texas	15	328
<a href="#">Release from Choke Canyon Reservoir</a>	58	1,391
<a href="#">NRMT</a> : Nueces River at Mathis, Texas (La Fruta Bridge)	50	1,790
<a href="#">NCAT</a> : Nueces River at Calallen, Texas	0	230
<a href="#">RBP</a> : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	14	189

**ESTUARY INFLOWS and PASSTHRU REQUIREMENTS**  
(All values are in AcFt)

Target Passthru Monthly Target: 2,500 <a href="#">Salinity Relief Credit</a> : 0 Effective:	2,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: )	95
Return Flow Credit (Effective: 02/01/2012)	500
Passthru Target: 2,500 Reservoir Inflow: 189  <b>Comment: 3953 AC/FT of the October 2011 deficit remains banked for future use.</b>	189
Estuary Inflows (NCAT + RBP)	230
PassThru Surplus / -Deficit:	0

**LAKE TEXANA STATISTICS**  
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	February 2012		Elevation (Ft)	
				Allocation	Remaining	Full	02/25/2012
02/24/2012	139	3,088	6,038	3,040	-48	44.0	40.8

**Choke Canyon / Lake Corpus Christi Reservoir System  
Daily Pass-Thru Status Report  
Report Date: February 26, 2012**

**RESERVOIR STATISTICS**

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
02/26/2011	214.5	549,651	79.1%	92.1	222,729	86.6%	772,380	81.1%
02/26/2012	208.2	418,379	60.2%	82.1	80,848	31.4%	499,227	52.4%

  

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
02/25/2012	54	90	0.00	53	30	0.03	120
MTD		3,070	1.05		1,680	2.81	4,750

**STREAM FLOWS**

Gauging Station	02/25/2012 (AcFt)	MTD (AcFt)
<a href="#">NTRT</a> : Nueces River at Three Rivers, Texas	66	1,620
<a href="#">NRTT</a> : Nueces River at Tilden, Texas	0	0
<a href="#">FRTT</a> : Frio River at Tilden, Texas	1	12
<a href="#">SMTT</a> : San Miguel Creek at Tilden, Texas	0	0
<a href="#">ARWT</a> : Atascosa River at Whitsett, Texas	11	338
<a href="#">Release from Choke Canyon Reservoir</a>	58	1,449
<a href="#">NRMT</a> : Nueces River at Mathis, Texas (La Fruta Bridge)	50	1,840
<a href="#">NCAT</a> : Nueces River at Calallen, Texas	0	230
<a href="#">RBP</a> : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	8	198

**ESTUARY INFLOWS and PASSTHRU REQUIREMENTS**  
(All values are in AcFt)

Target Passthru Monthly Target: 2,500 <a href="#">Salinity Relief Credit</a> : 0 Effective:	2,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: )	95
Return Flow Credit (Effective: 02/01/2012)	500
Passthru Target: 2,500 Reservoir Inflow: 198  <span style="color: red;">Comment: 3953 AC/FT of the October 2011 deficit remains banked for future use.</span>	198
Estuary Inflows (NCAT + RBP)	230
PassThru Surplus / -Deficit:	0

**LAKE TEXANA STATISTICS**  
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	February 2012		Elevation (Ft)	
				Allocation	Remaining	Full	02/26/2012
02/25/2012	139	3,226	6,177	3,040	-186	44.0	40.8

**Choke Canyon / Lake Corpus Christi Reservoir System**  
**Daily Pass-Thru Status Report**  
**Report Date: February 27, 2012**

**RESERVOIR STATISTICS**

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
02/27/2011	214.5	548,972	79.0%	92.0	222,028	86.3%	771,000	80.9%
02/27/2012	208.2	418,186	60.1%	82.1	80,747	31.4%	498,933	52.4%

**Weather Related Information**

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
02/26/2012	65	79	0.01	65	36	0.03	115	
MTD		3,149	1.06		1,716	2.84	4,865	

**STREAM FLOWS**

Gauging Station	02/26/2012 (AcFt)	MTD (AcFt)
<a href="#">NTRT</a> : Nueces River at Three Rivers, Texas	60	1,679
<a href="#">NRTT</a> : Nueces River at Tilden, Texas	0	0
<a href="#">FRTT</a> : Frio River at Tilden, Texas	0	12
<a href="#">SMTT</a> : San Miguel Creek at Tilden, Texas	0	0
<a href="#">ARWT</a> : Atascosa River at Whitsett, Texas	10	348
<a href="#">Release from Choke Canyon Reservoir</a>	58	1,507
<a href="#">NRMT</a> : Nueces River at Mathis, Texas (La Fruta Bridge)	50	1,890
<a href="#">NCAT</a> : Nueces River at Calallen, Texas	0	230
<a href="#">RBP</a> : Rincon Bayou Pipeline	0	0
<b>Reservoir Inflow</b>		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	2	200

**ESTUARY INFLOWS and PASSTHRU REQUIREMENTS**  
 (All values are in AcFt)

Target Passthru Monthly Target: 2,500 <a href="#">Salinity Relief Credit</a> : 0 Effective:	2,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: )	95
Return Flow Credit (Effective: 02/01/2012)	500
Passthru Target: 2,500 Reservoir Inflow: 200  <b>Comment: 3953 AC/FT of the October 2011 deficit remains banked for future use.</b>	200
Estuary Inflows (NCAT + RBP)	230
PassThru Surplus / -Deficit:	0

**LAKE TEXANA STATISTICS**  
 (All values are in AcFt)

Date	Daily Intake	MTD	YTD	February 2012		Elevation (Ft)	
				Allocation	Remaining	Full	02/27/2012
02/26/2012	138	3,365	6,315	3,040	-325	44.0	40.8

**Choke Canyon / Lake Corpus Christi Reservoir System  
Daily Pass-Thru Status Report  
Report Date: February 28, 2012**

**RESERVOIR STATISTICS**

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
02/28/2011	214.5	548,747	78.9%	92.1	223,080	86.7%	771,827	81.0%
02/28/2012	208.2	416,837	60.0%	82.1	80,645	31.3%	497,482	52.2%

  

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
02/27/2012	67	11	0.09	67	12	0.04	23
MTD		3,160	1.15		1,728	2.88	4,888

**STREAM FLOWS**

Gauging Station	02/27/2012 (AcFt)	MTD (AcFt)
<a href="#">NTRT</a> : Nueces River at Three Rivers, Texas	60	1,739
<a href="#">NRTT</a> : Nueces River at Tilden, Texas	0	0
<a href="#">FRTT</a> : Frio River at Tilden, Texas	0	12
<a href="#">SMTT</a> : San Miguel Creek at Tilden, Texas	0	0
<a href="#">ARWT</a> : Atascosa River at Whitsett, Texas	9	357
<a href="#">Release from Choke Canyon Reservoir</a>	58	1,564
<a href="#">NRMT</a> : Nueces River at Mathis, Texas (La Fruta Bridge)	48	1,937
<a href="#">NCAT</a> : Nueces River at Calallen, Texas	0	230
<a href="#">RBP</a> : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	2	202

**ESTUARY INFLOWS and PASSTHRU REQUIREMENTS**  
(All values are in AcFt)

Target Passthru Monthly Target: 2,500 <a href="#">Salinity Relief Credit</a> : 0 Effective:	2,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: )	95
Return Flow Credit (Effective: 02/01/2012)	500
Passthru Target: 2,500 Reservoir Inflow: 202  <b>Comment: 3953 AC/FT of the October 2011 deficit remains banked for future use.</b>	202
Estuary Inflows (NCAT + RBP)	230
PassThru Surplus / -Deficit:	0

**LAKE TEXANA STATISTICS**  
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	February 2012		Elevation (Ft)	
				Allocation	Remaining	Full	02/28/2012
02/27/2012	139	3,504	6,454	3,040	-464	44.0	40.6

**Choke Canyon / Lake Corpus Christi Reservoir System  
Daily Pass-Thru Status Report  
Report Date: February 29, 2012**

**RESERVOIR STATISTICS**

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
02/28/2011	214.5	548,747	78.9%	92.1	223,080	86.7%	771,827	81.0%
02/29/2012	208.2	418,186	60.1%	82.1	80,747	31.4%	498,933	52.4%

  

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
02/28/2012	81	169	0.00	80	101	0.00	270
MTD		3,329	1.15		1,829	2.88	5,158

**STREAM FLOWS**

Gauging Station	02/28/2012 (AcFt)	MTD (AcFt)
<a href="#">NTRT</a> : Nueces River at Three Rivers, Texas	60	1,799
<a href="#">NRTT</a> : Nueces River at Tilden, Texas	0	0
<a href="#">FRTT</a> : Frio River at Tilden, Texas	0	12
<a href="#">SMTT</a> : San Miguel Creek at Tilden, Texas	0	0
<a href="#">ARWT</a> : Atascosa River at Whitsett, Texas	9	366
<a href="#">Release from Choke Canyon Reservoir</a>	58	1,622
<a href="#">NRMT</a> : Nueces River at Mathis, Texas (La Fruta Bridge)	44	1,981
<a href="#">NCAT</a> : Nueces River at Calallen, Texas	0	230
<a href="#">RBP</a> : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	2	204

**ESTUARY INFLOWS and PASSTHRU REQUIREMENTS**  
(All values are in AcFt)

Target Passthru Monthly Target: 2,500 <a href="#">Salinity Relief Credit</a> : 0 Effective:	2,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: )	95
Return Flow Credit (Effective: 02/01/2012)	500
Passthru Target: 2,500 Reservoir Inflow: 204  <span style="color: red;">Comment: 3953 AC/FT of the October 2011 deficit remains banked for future use.</span>	204
Estuary Inflows (NCAT + RBP)	230
PassThru Surplus / -Deficit:	0

**LAKE TEXANA STATISTICS**  
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	February 2012		Elevation (Ft)	
				Allocation	Remaining	Full	02/29/2012
02/28/2012	139	3,643	6,593	3,040	-603	44.0	40.5

Report Generated: 02/29/2012 at 10:07:55 AM