

**Choke Canyon / Lake Corpus Christi Reservoir System  
Daily Pass-Thru Status Report  
Report Date: March 1, 2012**

**RESERVOIR STATISTICS**

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
03/01/2011	214.4	547,847	78.8%	92.1	222,379	86.4%	770,226	80.9%
03/01/2012	208.2	417,222	60.0%	82.1	80,747	31.4%	497,969	52.3%

  

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
02/29/2012	80	135	0.00	84	119	0.00	254
MTD		3,464	1.15		1,948	2.88	5,412

**STREAM FLOWS**

Gauging Station	02/29/2012 (AcFt)	MTD (AcFt)
<a href="#">NTRT</a> : Nueces River at Three Rivers, Texas	62	1,860
<a href="#">NRTT</a> : Nueces River at Tilden, Texas	0	0
<a href="#">FRTT</a> : Frio River at Tilden, Texas	1	13
<a href="#">SMTT</a> : San Miguel Creek at Tilden, Texas	0	0
<a href="#">ARWT</a> : Atascosa River at Whitsett, Texas	8	374
<a href="#">Release from Choke Canyon Reservoir</a>	58	1,679
<a href="#">NRMT</a> : Nueces River at Mathis, Texas (La Fruta Bridge)	50	2,031
<a href="#">NCAT</a> : Nueces River at Calallen, Texas	0	230
<a href="#">RBP</a> : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	4	209

**ESTUARY INFLOWS and PASSTHRU REQUIREMENTS**  
(All values are in AcFt)

Target Passthru Monthly Target: 2,500 <a href="#">Salinity Relief Credit</a> : 0 Effective:	2,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: )	95
Return Flow Credit (Effective: 02/01/2012)	500
Passthru Target: 2,500 Reservoir Inflow: 209  <b>Comment: 3953 AC/FT of the October 2011 deficit remains banked for future use.</b>	209
Estuary Inflows (NCAT + RBP)	230
PassThru Surplus / -Deficit:	0

**LAKE TEXANA STATISTICS**  
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	February 2012		Elevation (Ft)	
				Allocation	Remaining	Full	03/01/2012
02/29/2012	139	3,782	6,732	3,040	-742	44.0	40.5

**Choke Canyon / Lake Corpus Christi Reservoir System  
Daily Pass-Thru Status Report  
Report Date: March 2, 2012**

**RESERVOIR STATISTICS**

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
03/02/2011	214.5	549,879	79.1%	92.0	221,678	86.2%	771,557	81.0%
03/02/2012	208.2	416,837	60.0%	82.1	80,543	31.3%	497,380	52.2%

  

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
03/01/2012	83	158	0.00	85	112	0.00	270
MTD		158	0.00		112	0.00	270

**STREAM FLOWS**

Gauging Station	03/01/2012 (AcFt)	MTD (AcFt)
<a href="#">NTRT</a> : Nueces River at Three Rivers, Texas	67	67
<a href="#">NRTT</a> : Nueces River at Tilden, Texas	0	0
<a href="#">FRTT</a> : Frio River at Tilden, Texas	1	1
<a href="#">SMTT</a> : San Miguel Creek at Tilden, Texas	0	0
<a href="#">ARWT</a> : Atascosa River at Whitsett, Texas	8	8
<a href="#">Release from Choke Canyon Reservoir</a>	58	58
<a href="#">NRMT</a> : Nueces River at Mathis, Texas (La Fruta Bridge)	50	50
<a href="#">NCAT</a> : Nueces River at Calallen, Texas	0	0
<a href="#">RBP</a> : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	10	10

**ESTUARY INFLOWS and PASSTHRU REQUIREMENTS**  
(All values are in AcFt)

Target Passthru Monthly Target: 3,500 <a href="#">Salinity Relief Credit</a> : 0 Effective:	3,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: )	230
Return Flow Credit (Effective: 03/01/2012)	500
Passthru Target: 3,500 Reservoir Inflow: 10  <span style="color: red;">Comment: 3953 AC/FT of the October 2011 deficit remains banked for future use.</span>	10
Estuary Inflows (NCAT + RBP)	0
PassThru Surplus / -Deficit:	0

**LAKE TEXANA STATISTICS**  
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	March 2012		Elevation (Ft)	
				Allocation	Remaining	Full	03/02/2012
03/01/2012	139	139	6,871	3,050	2,911	44.0	40.4

**Choke Canyon / Lake Corpus Christi Reservoir System  
Daily Pass-Thru Status Report  
Report Date: March 3, 2012**

**RESERVOIR STATISTICS**

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
03/03/2011	214.6	550,333	79.2%	92.0	221,328	86.0%	771,661	81.0%
03/03/2012	208.1	415,873	59.8%	82.1	80,239	31.2%	496,112	52.1%
Weather Related Information								
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
03/02/2012	78	180	0.00	80	94	0.00	274	
MTD		338	0.00		206	0.00	544	

**STREAM FLOWS**

Gauging Station	03/02/2012 (AcFt)	MTD (AcFt)
<a href="#">NTRT</a> : Nueces River at Three Rivers, Texas	60	127
<a href="#">NRTT</a> : Nueces River at Tilden, Texas	0	0
<a href="#">FRTT</a> : Frio River at Tilden, Texas	1	1
<a href="#">SMTT</a> : San Miguel Creek at Tilden, Texas	0	0
<a href="#">ARWT</a> : Atascosa River at Whitsett, Texas	7	14
<a href="#">Release from Choke Canyon Reservoir</a>	58	115
<a href="#">NRMT</a> : Nueces River at Mathis, Texas (La Fruta Bridge)	64	113
<a href="#">NCAT</a> : Nueces River at Calallen, Texas	0	0
<a href="#">RBP</a> : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	3	13

**ESTUARY INFLOWS and PASSTHRU REQUIREMENTS**  
(All values are in AcFt)

Target Passthru Monthly Target: 3,500 <a href="#">Salinity Relief Credit</a> : 0 Effective:	3,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: )	230
Return Flow Credit (Effective: 03/01/2012)	500
Passthru Target: 3,500 Reservoir Inflow: 13  <b>Comment: 3953 AC/FT of the October 2011 deficit remains banked for future use.</b>	13
Estuary Inflows (NCAT + RBP)	0
PassThru Surplus / -Deficit:	0

**LAKE TEXANA STATISTICS**  
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	March 2012		Elevation (Ft)	
				Allocation	Remaining	Full	03/03/2012
03/02/2012	139	278	7,009	3,050	2,772	44.0	40.3

**Choke Canyon / Lake Corpus Christi Reservoir System  
Daily Pass-Thru Status Report  
Report Date: March 4, 2012**

**RESERVOIR STATISTICS**

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
03/04/2011	214.5	549,651	79.1%	92.0	220,803	85.8%	770,454	80.9%
03/04/2012	208.1	414,908	59.7%	82.1	80,340	31.2%	495,248	52.0%

  

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
03/03/2012	68	326	0.00	68	154	0.00	480
MTD		664	0.00		360	0.00	1,024

**STREAM FLOWS**

Gauging Station	03/03/2012 (AcFt)	MTD (AcFt)
<a href="#">NTRT</a> : Nueces River at Three Rivers, Texas	60	187
<a href="#">NRTT</a> : Nueces River at Tilden, Texas	0	0
<a href="#">FRTT</a> : Frio River at Tilden, Texas	0	2
<a href="#">SMTT</a> : San Miguel Creek at Tilden, Texas	0	0
<a href="#">ARWT</a> : Atascosa River at Whitsett, Texas	7	21
<a href="#">Release from Choke Canyon Reservoir</a>	58	173
<a href="#">NRMT</a> : Nueces River at Mathis, Texas (La Fruta Bridge)	77	191
<a href="#">NCAT</a> : Nueces River at Calallen, Texas	0	0
<a href="#">RBP</a> : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	2	15

**ESTUARY INFLOWS and PASSTHRU REQUIREMENTS**  
(All values are in AcFt)

Target Passthru Monthly Target: 3,500 <a href="#">Salinity Relief Credit</a> : 0 Effective:	3,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: )	230
Return Flow Credit (Effective: 03/01/2012)	500
Passthru Target: 3,500 Reservoir Inflow: 15  <b>Comment: 3953 AC/FT of the October 2011 deficit remains banked for future use.</b>	15
Estuary Inflows (NCAT + RBP)	0
PassThru Surplus / -Deficit:	0

**LAKE TEXANA STATISTICS**  
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	March 2012		Elevation (Ft)	
				Allocation	Remaining	Full	03/04/2012
03/03/2012	139	416	7,148	3,050	2,634	44.0	40.3

**Choke Canyon / Lake Corpus Christi Reservoir System  
Daily Pass-Thru Status Report  
Report Date: March 5, 2012**

**RESERVOIR STATISTICS**

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
03/05/2011	214.4	546,047	78.5%	92.0	221,153	86.0%	767,200	80.5%
03/05/2012	208.1	416,066	59.8%	82.0	79,834	31.0%	495,900	52.1%

  

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
03/04/2012	77	304	0.00	75	265	0.00	569
MTD		968	0.00		625	0.00	1,593

**STREAM FLOWS**

Gauging Station	03/04/2012 (AcFt)	MTD (AcFt)
<a href="#">NTRT</a> : Nueces River at Three Rivers, Texas	58	244
<a href="#">NRTT</a> : Nueces River at Tilden, Texas	0	0
<a href="#">FRTT</a> : Frio River at Tilden, Texas	0	2
<a href="#">SMTT</a> : San Miguel Creek at Tilden, Texas	0	0
<a href="#">ARWT</a> : Atascosa River at Whitsett, Texas	6	27
<a href="#">Release from Choke Canyon Reservoir</a>	58	230
<a href="#">NRMT</a> : Nueces River at Mathis, Texas (La Fruta Bridge)	77	268
<a href="#">NCAT</a> : Nueces River at Calallen, Texas	0	0
<a href="#">RBP</a> : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	0	16

**ESTUARY INFLOWS and PASSTHRU REQUIREMENTS**  
(All values are in AcFt)

Target Passthru Monthly Target: 3,500 <a href="#">Salinity Relief Credit</a> : 0 Effective:	3,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: )	230
Return Flow Credit (Effective: 03/01/2012)	500
Passthru Target: 3,500 Reservoir Inflow: 16  <b>Comment: 3953 AC/FT of the October 2011 deficit remains banked for future use.</b>	16
Estuary Inflows (NCAT + RBP)	0
PassThru Surplus / -Deficit:	0

**LAKE TEXANA STATISTICS**  
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	March 2012		Elevation (Ft)	
				Allocation	Remaining	Full	03/05/2012
03/04/2012	138	555	7,287	3,050	2,495	44.0	40.3

**Choke Canyon / Lake Corpus Christi Reservoir System  
Daily Pass-Thru Status Report  
Report Date: March 6, 2012**

**RESERVOIR STATISTICS**

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
03/06/2011	214.5	548,972	79.0%	92.0	220,629	85.8%	769,601	80.8%
03/06/2012	208.0	414,137	59.6%	82.0	78,928	30.7%	493,065	51.8%

  

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
03/05/2012	79	336	0.00	76	163	0.00	499
MTD		1,304	0.00		788	0.00	2,092

**STREAM FLOWS**

Gauging Station	03/05/2012 (AcFt)	MTD (AcFt)
<a href="#">NTRT</a> : Nueces River at Three Rivers, Texas	58	302
<a href="#">NRTT</a> : Nueces River at Tilden, Texas	0	0
<a href="#">FRTT</a> : Frio River at Tilden, Texas	0	2
<a href="#">SMTT</a> : San Miguel Creek at Tilden, Texas	0	0
<a href="#">ARWT</a> : Atascosa River at Whitsett, Texas	6	33
<a href="#">Release from Choke Canyon Reservoir</a>	58	288
<a href="#">NRMT</a> : Nueces River at Mathis, Texas (La Fruta Bridge)	153	421
<a href="#">NCAT</a> : Nueces River at Calallen, Texas	0	0
<a href="#">RBP</a> : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	0	16

**ESTUARY INFLOWS and PASSTHRU REQUIREMENTS**  
(All values are in AcFt)

Target Passthru Monthly Target: 3,500 <a href="#">Salinity Relief Credit</a> : 0 Effective:	3,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: )	230
Return Flow Credit (Effective: 03/01/2012)	500
Passthru Target: 3,500 Reservoir Inflow: 16  <span style="color: red;">Comment: 3953 AC/FT of the October 2011 deficit remains banked for future use.</span>	16
Estuary Inflows (NCAT + RBP)	0
PassThru Surplus / -Deficit:	0

**LAKE TEXANA STATISTICS**  
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	March 2012		Elevation (Ft)	
				Allocation	Remaining	Full	03/06/2012
03/05/2012	138	693	7,425	3,050	2,357	44.0	40.2

**Choke Canyon / Lake Corpus Christi Reservoir System  
Daily Pass-Thru Status Report  
Report Date: March 7, 2012**

**RESERVOIR STATISTICS**

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
03/07/2011	214.5	548,972	79.0%	91.9	220,104	85.6%	769,076	80.7%
03/07/2012	208.0	413,173	59.4%	81.8	77,732	30.2%	490,905	51.5%

  

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
03/06/2012	78	280	0.00	74	173	0.00	453
MTD		1,584	0.00		961	0.00	2,545

**STREAM FLOWS**

Gauging Station	03/06/2012 (AcFt)	MTD (AcFt)
<a href="#">NTRT</a> : Nueces River at Three Rivers, Texas	56	357
<a href="#">NRIT</a> : Nueces River at Tilden, Texas	0	0
<a href="#">FRIT</a> : Frio River at Tilden, Texas	0	3
<a href="#">SMTT</a> : San Miguel Creek at Tilden, Texas	0	0
<a href="#">ARWT</a> : Atascosa River at Whitsett, Texas	5	38
<a href="#">Release from Choke Canyon Reservoir</a>	58	345
<a href="#">NRMT</a> : Nueces River at Mathis, Texas (La Fruta Bridge)	226	647
<a href="#">NCAT</a> : Nueces River at Calallen, Texas	0	0
<a href="#">RBP</a> : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: NRIT+FRIT+SMTT+ARWT	6	22

**ESTUARY INFLOWS and PASSTHRU REQUIREMENTS**  
(All values are in AcFt)

Target Passthru Monthly Target: 3,500 <a href="#">Salinity Relief Credit</a> : 0 Effective:	3,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: )	230
Return Flow Credit (Effective: 03/01/2012)	500
Passthru Target: 3,500 Reservoir Inflow: 22  <span style="color: red;">Comment: 3953 AC/FT of the October 2011 deficit remains banked for future use.</span>	22
Estuary Inflows (NCAT + RBP)	0
PassThru Surplus / -Deficit:	0

**LAKE TEXANA STATISTICS**  
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	March 2012		Elevation (Ft)	
				Allocation	Remaining	Full	03/07/2012
03/06/2012	138	831	7,563	3,050	2,219	44.0	40.2

**Choke Canyon / Lake Corpus Christi Reservoir System  
Daily Pass-Thru Status Report  
Report Date: March 8, 2012**

**RESERVOIR STATISTICS**

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
03/08/2011	214.4	547,622	78.8%	91.9	219,406	85.3%	767,028	80.5%
03/08/2012	208.0	413,751	59.5%	81.8	77,534	30.1%	491,285	51.6%

  

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
03/07/2012	79	168	0.00	79	156	0.00	324
MTD		1,752	0.00		1,117	0.00	2,869

**STREAM FLOWS**

Gauging Station	03/07/2012 (AcFt)	MTD (AcFt)
<a href="#">NTRT</a> : Nueces River at Three Rivers, Texas	54	411
<a href="#">NRIT</a> : Nueces River at Tilden, Texas	0	0
<a href="#">FRIT</a> : Frio River at Tilden, Texas	0	3
<a href="#">SMTT</a> : San Miguel Creek at Tilden, Texas	0	0
<a href="#">ARWT</a> : Atascosa River at Whitsett, Texas	6	43
<a href="#">Release from Choke Canyon Reservoir</a>	58	403
<a href="#">NRMT</a> : Nueces River at Mathis, Texas (La Fruta Bridge)	222	869
<a href="#">NCAT</a> : Nueces River at Calallen, Texas	0	0
<a href="#">RBP</a> : Rincon Bayou Pipeline	52	52
Reservoir Inflow		
Computed as: NRIT+FRIT+SMTT+ARWT	6	28

**ESTUARY INFLOWS and PASSTHRU REQUIREMENTS**  
(All values are in AcFt)

Target Passthru Monthly Target: 3,500 <a href="#">Salinity Relief Credit</a> : 0 Effective:	3,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: )	230
Return Flow Credit (Effective: 03/01/2012)	500
Passthru Target: 3,500 Reservoir Inflow: 28  <b>Comment: 1300 AF of the October 2011 deficit is being delivered. 2653 AF remain banked for future use.</b>	28
Estuary Inflows (NCAT + RBP)	52
PassThru Surplus / -Deficit:	0

**LAKE TEXANA STATISTICS**  
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	March 2012		Elevation (Ft)	
				Allocation	Remaining	Full	03/08/2012
03/07/2012	138	970	7,701	3,050	2,080	44.0	40.1



**Choke Canyon / Lake Corpus Christi Reservoir System  
Daily Pass-Thru Status Report  
Report Date: March 9, 2012**

**RESERVOIR STATISTICS**

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
03/09/2011	214.4	546,047	78.5%	92.0	220,629	85.8%	766,676	80.5%
03/09/2012	208.0	413,558	59.5%	81.8	77,435	30.1%	490,993	51.5%

  

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
03/08/2012	83	269	0.15	81	115	0.04	384
MTD		2,021	0.15		1,232	0.04	3,253

**STREAM FLOWS**

Gauging Station	03/08/2012 (AcFt)	MTD (AcFt)
<a href="#">NTRT</a> : Nueces River at Three Rivers, Texas	54	464
<a href="#">NRIT</a> : Nueces River at Tilden, Texas	0	0
<a href="#">FRIT</a> : Frio River at Tilden, Texas	0	3
<a href="#">SMTT</a> : San Miguel Creek at Tilden, Texas	0	0
<a href="#">ARWT</a> : Atascosa River at Whitsett, Texas	6	49
<a href="#">Release from Choke Canyon Reservoir</a>	58	461
<a href="#">NRMT</a> : Nueces River at Mathis, Texas (La Fruta Bridge)	224	1,094
<a href="#">NCAT</a> : Nueces River at Calallen, Texas	0	0
<a href="#">RBP</a> : Rincon Bayou Pipeline	109	161
Reservoir Inflow		
Computed as: NRIT+FRIT+SMTT+ARWT	6	34

**ESTUARY INFLOWS and PASSTHRU REQUIREMENTS**  
(All values are in AcFt)

Target Passthru Monthly Target: 3,500 <a href="#">Salinity Relief Credit</a> : 0 Effective:	3,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: )	230
Return Flow Credit (Effective: 03/01/2012)	500
Passthru Target: 3,500 Reservoir Inflow: 34  <b>Comment: 1300 AF of the October 2011 deficit is being delivered. 2653 AF remain banked for future use.</b>	34
Estuary Inflows (NCAT + RBP)	161
PassThru Surplus / -Deficit:	0

**LAKE TEXANA STATISTICS**  
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	March 2012		Elevation (Ft)	
				Allocation	Remaining	Full	03/09/2012
03/08/2012	138	1,108	7,839	3,050	1,942	44.0	40.2

**Choke Canyon / Lake Corpus Christi Reservoir System  
Daily Pass-Thru Status Report  
Report Date: March 10, 2012**

**RESERVOIR STATISTICS**

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
03/10/2011	214.4	546,497	78.6%	91.9	219,580	85.4%	766,077	80.4%
03/10/2012	208.0	413,558	59.5%	81.8	77,732	30.2%	491,290	51.6%

  

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
03/09/2012	47	22	0.22	49	64	0.21	86
MTD		2,043	0.37		1,296	0.25	3,339

**STREAM FLOWS**

Gauging Station	03/09/2012 (AcFt)	MTD (AcFt)
<a href="#">NTRT</a> : Nueces River at Three Rivers, Texas	58	522
<a href="#">NRTT</a> : Nueces River at Tilden, Texas	0	0
<a href="#">FRTT</a> : Frio River at Tilden, Texas	0	3
<a href="#">SMTT</a> : San Miguel Creek at Tilden, Texas	0	0
<a href="#">ARWT</a> : Atascosa River at Whitsett, Texas	6	55
<a href="#">Release from Choke Canyon Reservoir</a>	58	518
<a href="#">NRMT</a> : Nueces River at Mathis, Texas (La Fruta Bridge)	236	1,330
<a href="#">NCAT</a> : Nueces River at Calallen, Texas	0	0
<a href="#">RBP</a> : Rincon Bayou Pipeline	111	272
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	0	34

**ESTUARY INFLOWS and PASSTHRU REQUIREMENTS**  
(All values are in AcFt)

Target Passthru Monthly Target: 3,500 <a href="#">Salinity Relief Credit</a> : 0 Effective:	3,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: )	230
Return Flow Credit (Effective: 03/01/2012)	500
Passthru Target: 3,500 Reservoir Inflow: 34  <b>Comment: 1300 AF of the October 2011 deficit is being delivered. 2653 AF remain banked for future use.</b>	34
Estuary Inflows (NCAT + RBP)	272
PassThru Surplus / -Deficit:	0

**LAKE TEXANA STATISTICS**  
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	March 2012		Elevation (Ft)	
				Allocation	Remaining	Full	03/10/2012
03/09/2012	136	1,244	7,976	3,050	1,806	44.0	40.2

**Choke Canyon / Lake Corpus Christi Reservoir System  
Daily Pass-Thru Status Report  
Report Date: March 11, 2012**

**RESERVOIR STATISTICS**

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
03/11/2011	214.4	547,397	78.7%	91.9	218,882	85.1%	766,279	80.4%
03/11/2012	208.0	413,944	59.5%	81.8	77,435	30.1%	491,379	51.6%

  

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
03/10/2012	53	11	0.13	54	0	0.14	11
MTD		2,054	0.50		1,296	0.39	3,350

**STREAM FLOWS**

Gauging Station	03/10/2012 (AcFt)	MTD (AcFt)
<a href="#">NTRT</a> : Nueces River at Three Rivers, Texas	58	580
<a href="#">NRTT</a> : Nueces River at Tilden, Texas	0	0
<a href="#">FRTT</a> : Frio River at Tilden, Texas	0	4
<a href="#">SMTT</a> : San Miguel Creek at Tilden, Texas	0	0
<a href="#">ARWT</a> : Atascosa River at Whitsett, Texas	6	61
<a href="#">Release from Choke Canyon Reservoir</a>	58	576
<a href="#">NRMT</a> : Nueces River at Mathis, Texas (La Fruta Bridge)	236	1,566
<a href="#">NCAT</a> : Nueces River at Calallen, Texas	0	0
<a href="#">RBP</a> : Rincon Bayou Pipeline	113	385
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	0	34

**ESTUARY INFLOWS and PASSTHRU REQUIREMENTS**  
(All values are in AcFt)

Target Passthru Monthly Target: 3,500 <a href="#">Salinity Relief Credit</a> : 0 Effective:	3,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: )	230
Return Flow Credit (Effective: 03/01/2012)	500
Passthru Target: 3,500 Reservoir Inflow: 34  <b>Comment: 1300 AF of the October 2011 deficit is being delivered. 2653 AF remain banked for future use.</b>	34
Estuary Inflows (NCAT + RBP)	385
PassThru Surplus / -Deficit:	0

**LAKE TEXANA STATISTICS**  
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	March 2012		Elevation (Ft)	
				Allocation	Remaining	Full	03/11/2012
03/10/2012	138	1,382	8,114	3,050	1,668	44.0	40.2

**Choke Canyon / Lake Corpus Christi Reservoir System  
Daily Pass-Thru Status Report  
Report Date: March 12, 2012**

**RESERVOIR STATISTICS**

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
03/12/2011	214.4	546,497	78.6%	91.8	217,662	84.6%	764,159	80.2%
03/12/2012	208.1	415,101	59.7%	81.9	78,030	30.3%	493,131	51.8%

  

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
03/11/2012	72	168	0.02	57	110	0.02	278
MTD		2,222	0.52		1,406	0.41	3,628

**STREAM FLOWS**

Gauging Station	03/11/2012 (AcFt)	MTD (AcFt)
<a href="#">NTRT</a> : Nueces River at Three Rivers, Texas	60	639
<a href="#">NRTT</a> : Nueces River at Tilden, Texas	0	0
<a href="#">FRTT</a> : Frio River at Tilden, Texas	0	4
<a href="#">SMTT</a> : San Miguel Creek at Tilden, Texas	0	0
<a href="#">ARWT</a> : Atascosa River at Whitsett, Texas	6	67
<a href="#">Release from Choke Canyon Reservoir</a>	58	633
<a href="#">NRMT</a> : Nueces River at Mathis, Texas (La Fruta Bridge)	236	1,802
<a href="#">NCAT</a> : Nueces River at Calallen, Texas	0	0
<a href="#">RBP</a> : Rincon Bayou Pipeline	111	496
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	2	37

**ESTUARY INFLOWS and PASSTHRU REQUIREMENTS**  
(All values are in AcFt)

Target Passthru Monthly Target: 3,500 <a href="#">Salinity Relief Credit</a> : 0 Effective:	3,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: )	230
Return Flow Credit (Effective: 03/01/2012)	500
Passthru Target: 3,500 Reservoir Inflow: 37  <b>Comment: 1300 AF of the October 2011 deficit is being delivered. 2653 AF remain banked for future use.</b>	37
Estuary Inflows (NCAT + RBP)	496
PassThru Surplus / -Deficit:	0

**LAKE TEXANA STATISTICS**  
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	March 2012		Elevation (Ft)	
				Allocation	Remaining	Full	03/12/2012
03/11/2012	138	1,520	8,252	3,050	1,530	44.0	40.9

**Choke Canyon / Lake Corpus Christi Reservoir System  
Daily Pass-Thru Status Report  
Report Date: March 13, 2012**

**RESERVOIR STATISTICS**

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
03/13/2011	214.3	545,597	78.5%	91.8	218,011	84.7%	763,608	80.2%
03/13/2012	208.0	414,137	59.6%	81.8	77,831	30.3%	491,968	51.6%

  

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
03/12/2012	77	135	0.00	75	35	0.00	170
MTD		2,357	0.52		1,441	0.41	3,798

**STREAM FLOWS**

Gauging Station	03/12/2012 (AcFt)	MTD (AcFt)
<a href="#">NTRT</a> : Nueces River at Three Rivers, Texas	60	699
<a href="#">NRTT</a> : Nueces River at Tilden, Texas	0	0
<a href="#">FRTT</a> : Frio River at Tilden, Texas	0	4
<a href="#">SMTT</a> : San Miguel Creek at Tilden, Texas	0	0
<a href="#">ARWT</a> : Atascosa River at Whitsett, Texas	7	74
<a href="#">Release from Choke Canyon Reservoir</a>	58	691
<a href="#">NRMT</a> : Nueces River at Mathis, Texas (La Fruta Bridge)	236	2,039
<a href="#">NCAT</a> : Nueces River at Calallen, Texas	4	4
<a href="#">RBP</a> : Rincon Bayou Pipeline	113	609
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	2	39

**ESTUARY INFLOWS and PASSTHRU REQUIREMENTS**  
(All values are in AcFt)

Target Passthru Monthly Target: 3,500 <a href="#">Salinity Relief Credit</a> : 0 Effective:	3,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: )	230
Return Flow Credit (Effective: 03/01/2012)	500
Passthru Target: 3,500 Reservoir Inflow: 39  <b>Comment: 1300 AF of the October 2011 deficit is being delivered. 2653 AF remain banked for future use.</b>	39
Estuary Inflows (NCAT + RBP)	614
PassThru Surplus / -Deficit:	0

**LAKE TEXANA STATISTICS**  
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	March 2012		Elevation (Ft)	
				Allocation	Remaining	Full	03/13/2012
03/12/2012	138	1,658	8,390	3,050	1,392	44.0	41.8

**Choke Canyon / Lake Corpus Christi Reservoir System  
Daily Pass-Thru Status Report  
Report Date: March 14, 2012**

**RESERVOIR STATISTICS**

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
03/14/2011	214.4	546,272	78.6%	91.8	218,011	84.7%	764,283	80.2%
03/14/2012	208.0	413,173	59.4%	81.8	77,238	30.0%	490,411	51.5%

  

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
03/13/2012	84	269	0.00	82	132	0.00	401
MTD		2,626	0.52		1,573	0.41	4,199

**STREAM FLOWS**

Gauging Station	03/13/2012 (AcFt)	MTD (AcFt)
<a href="#">NTRT</a> : Nueces River at Three Rivers, Texas	60	758
<a href="#">NRTT</a> : Nueces River at Tilden, Texas	0	0
<a href="#">FRTT</a> : Frio River at Tilden, Texas	0	5
<a href="#">SMTT</a> : San Miguel Creek at Tilden, Texas	0	0
<a href="#">ARWT</a> : Atascosa River at Whitsett, Texas	7	81
<a href="#">Release from Choke Canyon Reservoir</a>	58	748
<a href="#">NRMT</a> : Nueces River at Mathis, Texas (La Fruta Bridge)	230	2,269
<a href="#">NCAT</a> : Nueces River at Calallen, Texas	0	4
<a href="#">RBP</a> : Rincon Bayou Pipeline	113	723
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	2	41

**ESTUARY INFLOWS and PASSTHRU REQUIREMENTS**  
(All values are in AcFt)

Target Passthru Monthly Target: 3,500 <a href="#">Salinity Relief Credit</a> : 0 Effective:	3,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: )	230
Return Flow Credit (Effective: 03/01/2012)	500
Passthru Target: 3,500 Reservoir Inflow: 41  <b>Comment: 1300 AF of the October 2011 deficit is being delivered. 2653 AF remain banked for future use.</b>	41
Estuary Inflows (NCAT + RBP)	727
PassThru Surplus / -Deficit:	0

**LAKE TEXANA STATISTICS**  
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	March 2012		Elevation (Ft)	
				Allocation	Remaining	Full	03/14/2012
03/13/2012	138	1,797	8,528	3,050	1,253	44.0	42.3

**Choke Canyon / Lake Corpus Christi Reservoir System  
Daily Pass-Thru Status Report  
Report Date: March 15, 2012**

**RESERVOIR STATISTICS**

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
03/15/2011	214.4	546,272	78.6%	91.8	218,185	84.8%	764,457	80.3%
03/15/2012	208.0	413,173	59.4%	81.7	76,843	29.9%	490,016	51.4%

  

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
03/14/2012	84	258	0.00	83	172	0.00	430
MTD		2,884	0.52		1,745	0.41	4,629

**STREAM FLOWS**

Gauging Station	03/14/2012 (AcFt)	MTD (AcFt)
<a href="#">NTRT</a> : Nueces River at Three Rivers, Texas	60	818
<a href="#">NRTT</a> : Nueces River at Tilden, Texas	0	0
<a href="#">FRTT</a> : Frio River at Tilden, Texas	0	5
<a href="#">SMTT</a> : San Miguel Creek at Tilden, Texas	0	0
<a href="#">ARWT</a> : Atascosa River at Whitsett, Texas	7	87
<a href="#">Release from Choke Canyon Reservoir</a>	58	806
<a href="#">NRMT</a> : Nueces River at Mathis, Texas (La Fruta Bridge)	226	2,495
<a href="#">NCAT</a> : Nueces River at Calallen, Texas	0	4
<a href="#">RBP</a> : Rincon Bayou Pipeline	109	832
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	2	44

**ESTUARY INFLOWS and PASSTHRU REQUIREMENTS**  
(All values are in AcFt)

Target Passthru Monthly Target: 3,500 <a href="#">Salinity Relief Credit</a> : 0 Effective:	3,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: )	230
Return Flow Credit (Effective: 03/01/2012)	500
Passthru Target: 3,500 Reservoir Inflow: 44  <b>Comment: 1300 AF of the October 2011 deficit is being delivered. 2653 AF remain banked for future use.</b>	44
Estuary Inflows (NCAT + RBP)	836
PassThru Surplus / -Deficit:	0

**LAKE TEXANA STATISTICS**  
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	March 2012		Elevation (Ft)	
				Allocation	Remaining	Full	03/15/2012
03/14/2012	139	1,936	8,668	3,050	1,114	44.0	42.4

**Choke Canyon / Lake Corpus Christi Reservoir System  
Daily Pass-Thru Status Report  
Report Date: March 16, 2012**

**RESERVOIR STATISTICS**

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
03/16/2011	214.3	545,597	78.5%	91.8	217,488	84.5%	763,085	80.1%
03/16/2012	208.0	413,173	59.4%	81.8	76,942	29.9%	490,115	51.5%

  

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
03/15/2012	83	269	0.00	82	126	0.00	395
MTD		3,153	0.52		1,871	0.41	5,024

**STREAM FLOWS**

Gauging Station	03/15/2012 (AcFt)	MTD (AcFt)
<a href="#">NTRT</a> : Nueces River at Three Rivers, Texas	58	875
<a href="#">NRTT</a> : Nueces River at Tilden, Texas	0	0
<a href="#">FRTT</a> : Frio River at Tilden, Texas	0	6
<a href="#">SMTT</a> : San Miguel Creek at Tilden, Texas	0	0
<a href="#">ARWT</a> : Atascosa River at Whitsett, Texas	7	94
<a href="#">Release from Choke Canyon Reservoir</a>	58	863
<a href="#">NRMT</a> : Nueces River at Mathis, Texas (La Fruta Bridge)	236	2,731
<a href="#">NCAT</a> : Nueces River at Calallen, Texas	0	4
<a href="#">RBP</a> : Rincon Bayou Pipeline	111	943
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	0	44

**ESTUARY INFLOWS and PASSTHRU REQUIREMENTS**  
(All values are in AcFt)

Target Passthru Monthly Target: 3,500 <a href="#">Salinity Relief Credit</a> : 0 Effective:	3,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: )	230
Return Flow Credit (Effective: 03/01/2012)	500
Passthru Target: 3,500 Reservoir Inflow: 44  <b>Comment: 1300 AF of the October 2011 deficit is being delivered. 2653 AF remain banked for future use.</b>	44
Estuary Inflows (NCAT + RBP)	947
PassThru Surplus / -Deficit:	0

**LAKE TEXANA STATISTICS**  
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	March 2012		Elevation (Ft)	
				Allocation	Remaining	Full	03/16/2012
03/15/2012	139	2,075	8,806	3,050	975	44.0	42.4



**Choke Canyon / Lake Corpus Christi Reservoir System  
Daily Pass-Thru Status Report  
Report Date: March 17, 2012**

**RESERVOIR STATISTICS**

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
03/17/2011	214.2	543,347	78.1%	91.7	216,618	84.2%	759,965	79.8%
03/17/2012	208.0	412,787	59.4%	81.7	75,962	29.5%	488,749	51.3%

  

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
03/16/2012	81	213	0.00	80	102	0.00	315
MTD		3,366	0.52		1,973	0.41	5,339

**STREAM FLOWS**

Gauging Station	03/16/2012 (AcFt)	MTD (AcFt)
<a href="#">NTRT</a> : Nueces River at Three Rivers, Texas	58	933
<a href="#">NRTT</a> : Nueces River at Tilden, Texas	0	0
<a href="#">FRTT</a> : Frio River at Tilden, Texas	0	6
<a href="#">SMTT</a> : San Miguel Creek at Tilden, Texas	0	0
<a href="#">ARWT</a> : Atascosa River at Whitsett, Texas	9	104
<a href="#">Release from Choke Canyon Reservoir</a>	58	921
<a href="#">NRMT</a> : Nueces River at Mathis, Texas (La Fruta Bridge)	256	2,987
<a href="#">NCAT</a> : Nueces River at Calallen, Texas	0	4
<a href="#">RBP</a> : Rincon Bayou Pipeline	111	1,054
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	0	45

**ESTUARY INFLOWS and PASSTHRU REQUIREMENTS**  
(All values are in AcFt)

Target Passthru Monthly Target: 3,500 <a href="#">Salinity Relief Credit</a> : 0 Effective:	3,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: )	230
Return Flow Credit (Effective: 03/01/2012)	500
Passthru Target: 3,500 Reservoir Inflow: 45  <b>Comment: 1300 AF of the October 2011 deficit is being delivered. 2653 AF remain banked for future use.</b>	45
Estuary Inflows (NCAT + RBP)	1,058
PassThru Surplus / -Deficit:	0

**LAKE TEXANA STATISTICS**  
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	March 2012		Elevation (Ft)	
				Allocation	Remaining	Full	03/17/2012
03/16/2012	139	2,213	8,945	3,050	837	44.0	42.4

**Choke Canyon / Lake Corpus Christi Reservoir System  
Daily Pass-Thru Status Report  
Report Date: March 18, 2012**

**RESERVOIR STATISTICS**

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
03/18/2011	214.3	543,797	78.2%	91.7	216,097	84.0%	759,894	79.8%
03/18/2012	207.9	412,594	59.3%	81.6	75,573	29.4%	488,167	51.2%

  

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
03/17/2012	83	269	0.00	82	175	0.00	444
MTD		3,635	0.52		2,148	0.41	5,783

**STREAM FLOWS**

Gauging Station	03/17/2012 (AcFt)	MTD (AcFt)
<a href="#">NTRT</a> : Nueces River at Three Rivers, Texas	58	991
<a href="#">NRTT</a> : Nueces River at Tilden, Texas	0	0
<a href="#">FRTT</a> : Frio River at Tilden, Texas	0	6
<a href="#">SMTT</a> : San Miguel Creek at Tilden, Texas	0	0
<a href="#">ARWT</a> : Atascosa River at Whitsett, Texas	8	111
<a href="#">Release from Choke Canyon Reservoir</a>	58	979
<a href="#">NRMT</a> : Nueces River at Mathis, Texas (La Fruta Bridge)	240	3,228
<a href="#">NCAT</a> : Nueces River at Calallen, Texas	0	4
<a href="#">RBP</a> : Rincon Bayou Pipeline	111	1,165
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	0	45

**ESTUARY INFLOWS and PASSTHRU REQUIREMENTS**  
(All values are in AcFt)

Target Passthru Monthly Target: 3,500 <a href="#">Salinity Relief Credit</a> : 0 Effective:	3,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: )	230
Return Flow Credit (Effective: 03/01/2012)	500
Passthru Target: 3,500 Reservoir Inflow: 45  <b>Comment: 1300 AF of the October 2011 deficit is being delivered. 2653 AF remain banked for future use.</b>	45
Estuary Inflows (NCAT + RBP)	1,169
PassThru Surplus / -Deficit:	0

**LAKE TEXANA STATISTICS**  
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	March 2012		Elevation (Ft)	
				Allocation	Remaining	Full	03/18/2012
03/17/2012	139	2,352	9,084	3,050	698	44.0	42.4

**Choke Canyon / Lake Corpus Christi Reservoir System  
Daily Pass-Thru Status Report  
Report Date: March 19, 2012**

**RESERVOIR STATISTICS**

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
03/19/2011	214.2	542,672	78.1%	91.7	216,097	84.0%	758,769	79.7%
03/19/2012	208.0	412,787	59.4%	81.6	74,992	29.2%	487,779	51.2%

  

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
03/18/2012	81	235	0.01	81	73	0.00	308
MTD		3,870	0.53		2,221	0.41	6,091

**STREAM FLOWS**

Gauging Station	03/18/2012 (AcFt)	MTD (AcFt)
<a href="#">NTRT</a> : Nueces River at Three Rivers, Texas	52	1,042
<a href="#">NRIT</a> : Nueces River at Tilden, Texas	0	0
<a href="#">FRIT</a> : Frio River at Tilden, Texas	0	7
<a href="#">SMTT</a> : San Miguel Creek at Tilden, Texas	0	0
<a href="#">ARWT</a> : Atascosa River at Whitsett, Texas	6	118
<a href="#">Release from Choke Canyon Reservoir</a>	58	1,036
<a href="#">NRMT</a> : Nueces River at Mathis, Texas (La Fruta Bridge)	193	3,420
<a href="#">NCAT</a> : Nueces River at Calallen, Texas	0	4
<a href="#">RBP</a> : Rincon Bayou Pipeline	111	1,276
Reservoir Inflow		
Computed as: NRIT+FRIT+SMTT+ARWT	6	51

**ESTUARY INFLOWS and PASSTHRU REQUIREMENTS**  
(All values are in AcFt)

Target Passthru Monthly Target: 3,500 <a href="#">Salinity Relief Credit</a> : 0 Effective:	3,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: )	230
Return Flow Credit (Effective: 03/01/2012)	500
Passthru Target: 3,500 Reservoir Inflow: 51  <b>Comment: 1300 AF of the October 2011 deficit is being delivered. 2653 AF remain banked for future use.</b>	51
Estuary Inflows (NCAT + RBP)	1,281
PassThru Surplus / -Deficit:	0

**LAKE TEXANA STATISTICS**  
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	March 2012		Elevation (Ft)	
				Allocation	Remaining	Full	03/19/2012
03/18/2012	139	2,490	9,222	3,050	560	44.0	42.4

**Choke Canyon / Lake Corpus Christi Reservoir System  
Daily Pass-Thru Status Report  
Report Date: March 20, 2012**

**RESERVOIR STATISTICS**

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
03/20/2011	214.2	543,122	78.1%	91.7	215,575	83.8%	758,697	79.7%
03/20/2012	208.1	415,873	59.8%	81.9	77,931	30.3%	493,804	51.8%

  

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
03/19/2012	85	349	1.25	83	266	1.04	615
MTD		4,219	1.78		2,487	1.45	6,706

**STREAM FLOWS**

Gauging Station	03/19/2012 (AcFt)	MTD (AcFt)
<a href="#">NTRT</a> : Nueces River at Three Rivers, Texas	54	1,096
<a href="#">NRIT</a> : Nueces River at Tilden, Texas	0	0
<a href="#">FRIT</a> : Frio River at Tilden, Texas	0	7
<a href="#">SMTT</a> : San Miguel Creek at Tilden, Texas	0	0
<a href="#">ARWT</a> : Atascosa River at Whitsett, Texas	0	118
<a href="#">Release from Choke Canyon Reservoir</a>	58	1,094
<a href="#">NRMT</a> : Nueces River at Mathis, Texas (La Fruta Bridge)	175	3,595
<a href="#">NCAT</a> : Nueces River at Calallen, Texas	0	4
<a href="#">RBP</a> : Rincon Bayou Pipeline	34	1,310
Reservoir Inflow		
Computed as: NRIT+FRIT+SMTT+ARWT	0	52

**ESTUARY INFLOWS and PASSTHRU REQUIREMENTS**  
(All values are in AcFt)

Target Passthru Monthly Target: 3,500 <a href="#">Salinity Relief Credit</a> : 0 Effective:	3,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: )	230
Return Flow Credit (Effective: 03/01/2012)	500
Passthru Target: 3,500 Reservoir Inflow: 52  <span style="color: red;">Comment: 1310 AF of the October 2011 banked passthru requirement were delivered March 2012. 2643 AF remain banked for future use.</span>	52
Estuary Inflows (NCAT + RBP)	1,314
PassThru Surplus / -Deficit:	0

**LAKE TEXANA STATISTICS**  
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	March 2012		Elevation (Ft)	
				Allocation	Remaining	Full	03/20/2012
03/19/2012	139	2,629	9,361	3,050	421	44.0	42.5

**Choke Canyon / Lake Corpus Christi Reservoir System  
Daily Pass-Thru Status Report  
Report Date: March 21, 2012**

**RESERVOIR STATISTICS**

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
03/21/2011	214.2	542,447	78.0%	91.6	215,228	83.7%	757,675	79.5%
03/21/2012	208.1	415,101	59.7%	81.8	77,534	30.1%	492,635	51.7%

  

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
03/20/2012	69	258	0.00	71	161	0.00	419
MTD		4,477	1.78		2,648	1.45	7,125

**STREAM FLOWS**

Gauging Station	03/20/2012 (AcFt)	MTD (AcFt)
<a href="#">NTRT</a> : Nueces River at Three Rivers, Texas	66	1,161
<a href="#">NRTT</a> : Nueces River at Tilden, Texas	0	0
<a href="#">FRTT</a> : Frio River at Tilden, Texas	2	9
<a href="#">SMTT</a> : San Miguel Creek at Tilden, Texas	75	75
<a href="#">ARWT</a> : Atascosa River at Whitsett, Texas	12	129
<a href="#">Release from Choke Canyon Reservoir</a>	58	1,151
<a href="#">NRMT</a> : Nueces River at Mathis, Texas (La Fruta Bridge)	155	3,750
<a href="#">NCAT</a> : Nueces River at Calallen, Texas	13	17
<a href="#">RBP</a> : Rincon Bayou Pipeline	0	1,310
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	86	137

**ESTUARY INFLOWS and PASSTHRU REQUIREMENTS**

(All values are in AcFt)

Target Passthru Monthly Target: 3,500 <a href="#">Salinity Relief Credit</a> : 0 Effective:	3,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: )	230
Return Flow Credit (Effective: 03/01/2012)	500
Passthru Target: 3,500 Reservoir Inflow: 137  <b>Comment: 1310 AF of the October 2011 banked passthru requirement were delivered March 2012. 2643 AF remain banked for future use.</b>	137
Estuary Inflows (NCAT + RBP)	1,327
PassThru Surplus / -Deficit:	0

**LAKE TEXANA STATISTICS**

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	March 2012		Elevation (Ft)	
				Allocation	Remaining	Full	03/21/2012
03/20/2012	139	2,768	9,499	3,050	282	44.0	43.1

Report Generated: 03/21/2012 at 9:51:46 AM

**Choke Canyon / Lake Corpus Christi Reservoir System  
Daily Pass-Thru Status Report  
Report Date: March 22, 2012**

**RESERVOIR STATISTICS**

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
03/22/2011	214.1	541,097	77.8%	91.6	214,187	83.3%	755,284	79.3%
03/22/2012	208.1	415,101	59.7%	81.8	76,942	29.9%	492,043	51.7%

  

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
03/21/2012	75	270	0.00	77	178	0.00	448
MTD		4,747	1.78		2,826	1.45	7,573

**STREAM FLOWS**

Gauging Station	03/21/2012 (AcFt)	MTD (AcFt)
<a href="#">NTRT</a> : Nueces River at Three Rivers, Texas	91	1,253
<a href="#">NRTT</a> : Nueces River at Tilden, Texas	0	0
<a href="#">FRTT</a> : Frio River at Tilden, Texas	2	11
<a href="#">SMTT</a> : San Miguel Creek at Tilden, Texas	147	222
<a href="#">ARWT</a> : Atascosa River at Whitsett, Texas	449	578
<a href="#">Release from Choke Canyon Reservoir</a>	58	1,209
<a href="#">NRMT</a> : Nueces River at Mathis, Texas (La Fruta Bridge)	123	3,873
<a href="#">NCAT</a> : Nueces River at Calallen, Texas	26	42
<a href="#">RBP</a> : Rincon Bayou Pipeline	0	1,310
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	183	320

**ESTUARY INFLOWS and PASSTHRU REQUIREMENTS**  
(All values are in AcFt)

Target Passthru Monthly Target: 3,500 <a href="#">Salinity Relief Credit</a> : 0 Effective:	3,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: )	230
Return Flow Credit (Effective: 03/01/2012)	500
Passthru Target: 3,500 Reservoir Inflow: 320  <b>Comment: 1310 AF of the October 2011 banked passthru requirement were delivered March 2012. 2643 AF remain banked for future use.</b>	320
Estuary Inflows (NCAT + RBP)	1,353
PassThru Surplus / -Deficit:	0

**LAKE TEXANA STATISTICS**  
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	March 2012		Elevation (Ft)	
				Allocation	Remaining	Full	03/22/2012
03/21/2012	139	2,907	9,638	3,050	143	44.0	44.1

**Choke Canyon / Lake Corpus Christi Reservoir System  
Daily Pass-Thru Status Report  
Report Date: March 23, 2012**

**RESERVOIR STATISTICS**

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
03/23/2011	214.2	543,347	78.1%	91.6	214,187	83.3%	757,534	79.5%
03/23/2012	208.1	415,101	59.7%	81.8	77,139	30.0%	492,240	51.7%

  

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
03/22/2012	86	348	0.00	86	172	0.00	520
MTD		5,095	1.78		2,998	1.45	8,093

**STREAM FLOWS**

Gauging Station	03/22/2012 (AcFt)	MTD (AcFt)
<a href="#">NTRT</a> : Nueces River at Three Rivers, Texas	596	1,848
<a href="#">NRTT</a> : Nueces River at Tilden, Texas	0	0
<a href="#">FRTT</a> : Frio River at Tilden, Texas	2	13
<a href="#">SMTT</a> : San Miguel Creek at Tilden, Texas	58	280
<a href="#">ARWT</a> : Atascosa River at Whitsett, Texas	605	1,183
<a href="#">Release from Choke Canyon Reservoir</a>	58	1,266
<a href="#">NRMT</a> : Nueces River at Mathis, Texas (La Fruta Bridge)	123	3,996
<a href="#">NCAT</a> : Nueces River at Calallen, Texas	10	52
<a href="#">RBP</a> : Rincon Bayou Pipeline	0	1,310
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	597	917

**ESTUARY INFLOWS and PASSTHRU REQUIREMENTS**  
(All values are in AcFt)

Target Passthru Monthly Target: 3,500 <a href="#">Salinity Relief Credit</a> : 0 Effective:	3,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: )	230
Return Flow Credit (Effective: 03/01/2012)	500
Passthru Target: 3,500 Reservoir Inflow: 917  <b>Comment: 1310 AF of the October 2011 banked passthru requirement were delivered March 2012. 2643 AF remain banked for future use.</b>	917
Estuary Inflows (NCAT + RBP)	1,363
PassThru Surplus / -Deficit:	1,175

**LAKE TEXANA STATISTICS**  
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	March 2012		Elevation (Ft)	
				Allocation	Remaining	Full	03/23/2012
03/22/2012	139	3,045	9,777	3,050	5	44.0	44.2

**Choke Canyon / Lake Corpus Christi Reservoir System  
Daily Pass-Thru Status Report  
Report Date: March 24, 2012**

**RESERVOIR STATISTICS**

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
03/24/2011	214.2	542,897	78.1%	91.6	214,534	83.4%	757,431	79.5%
03/24/2012	208.0	414,137	59.6%	81.8	77,139	30.0%	491,276	51.6%

  

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
03/23/2012	84	280	0.00	83	161	0.00	441
MTD		5,375	1.78		3,159	1.45	8,534

**STREAM FLOWS**

Gauging Station	03/23/2012 (AcFt)	MTD (AcFt)
<a href="#">NTRT</a> : Nueces River at Three Rivers, Texas	447	2,295
<a href="#">NRTT</a> : Nueces River at Tilden, Texas	0	0
<a href="#">FRTT</a> : Frio River at Tilden, Texas	1	14
<a href="#">SMTT</a> : San Miguel Creek at Tilden, Texas	34	314
<a href="#">ARWT</a> : Atascosa River at Whitsett, Texas	147	1,330
<a href="#">Release from Choke Canyon Reservoir</a>	58	1,324
<a href="#">NRMT</a> : Nueces River at Mathis, Texas (La Fruta Bridge)	121	4,117
<a href="#">NCAT</a> : Nueces River at Calallen, Texas	2	54
<a href="#">RBP</a> : Rincon Bayou Pipeline	0	1,310
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	424	1,341

**ESTUARY INFLOWS and PASSTHRU REQUIREMENTS**  
(All values are in AcFt)

Target Passthru Monthly Target: 3,500 <a href="#">Salinity Relief Credit</a> : 0 Effective:	3,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: )	230
Return Flow Credit (Effective: 03/01/2012)	500
Passthru Target: 3,500 Reservoir Inflow: 1,341  <b>Comment: 1310 AF of the October 2011 banked passthru requirement were delivered March 2012. 2643 AF remain banked for future use.</b>	1,341
Estuary Inflows (NCAT + RBP)	1,365
PassThru Surplus / -Deficit:	753

**LAKE TEXANA STATISTICS**  
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	March 2012		Elevation (Ft)	
				Allocation	Remaining	Full	03/24/2012
03/23/2012	139	3,184	9,916	3,050	-134	44.0	44.2



**Choke Canyon / Lake Corpus Christi Reservoir System  
Daily Pass-Thru Status Report  
Report Date: March 25, 2012**

**RESERVOIR STATISTICS**

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
03/25/2011	214.2	542,897	78.1%	91.6	214,187	83.3%	757,084	79.5%
03/25/2012	208.1	414,716	59.6%	81.8	77,633	30.2%	492,349	51.7%

  

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
03/24/2012	84	292	0.00	85	156	0.00	448
MTD		5,667	1.78		3,315	1.45	8,982

**STREAM FLOWS**

Gauging Station	03/24/2012 (AcFt)	MTD (AcFt)
<a href="#">NTRT</a> : Nueces River at Three Rivers, Texas	171	2,465
<a href="#">NRTT</a> : Nueces River at Tilden, Texas	0	0
<a href="#">FRTT</a> : Frio River at Tilden, Texas	1	16
<a href="#">SMTT</a> : San Miguel Creek at Tilden, Texas	66	379
<a href="#">ARWT</a> : Atascosa River at Whitsett, Texas	67	1,398
<a href="#">Release from Choke Canyon Reservoir</a>	58	1,382
<a href="#">NRMT</a> : Nueces River at Mathis, Texas (La Fruta Bridge)	139	4,256
<a href="#">NCAT</a> : Nueces River at Calallen, Texas	1	55
<a href="#">RBP</a> : Rincon Bayou Pipeline	0	1,310
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	180	1,521

**ESTUARY INFLOWS and PASSTHRU REQUIREMENTS**  
(All values are in AcFt)

Target Passthru Monthly Target: 3,500 <a href="#">Salinity Relief Credit</a> : 0 Effective:	3,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: )	230
Return Flow Credit (Effective: 03/01/2012)	500
Passthru Target: 3,500 Reservoir Inflow: 1,521  <b>Comment: 1310 AF of the October 2011 banked passthru requirement were delivered March 2012. 2643 AF remain banked for future use.</b>	1,521
Estuary Inflows (NCAT + RBP)	1,366
PassThru Surplus / -Deficit:	574

**LAKE TEXANA STATISTICS**  
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	March 2012		Elevation (Ft)	
				Allocation	Remaining	Full	03/25/2012
03/24/2012	139	3,323	10,055	3,050	-273	44.0	44.2

Report Generated: 03/25/2012 at 8:10:05 AM

**Choke Canyon / Lake Corpus Christi Reservoir System  
Daily Pass-Thru Status Report  
Report Date: March 26, 2012**

**RESERVOIR STATISTICS**

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
03/26/2011	214.1	540,647	77.8%	91.5	213,320	82.9%	753,967	79.2%
03/26/2012	208.0	413,751	59.5%	81.8	77,234	30.0%	490,985	51.5%

  

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
03/25/2012	85	280	0.00	84	156	0.00	436
MTD		5,947	1.78		3,471	1.45	9,418

**STREAM FLOWS**

Gauging Station	03/25/2012 (AcFt)	MTD (AcFt)
<a href="#">NTRT</a> : Nueces River at Three Rivers, Texas	111	2,577
<a href="#">NRIT</a> : Nueces River at Tilden, Texas	0	0
<a href="#">FRIT</a> : Frio River at Tilden, Texas	1	17
<a href="#">SMTT</a> : San Miguel Creek at Tilden, Texas	30	409
<a href="#">ARWT</a> : Atascosa River at Whitsett, Texas	44	1,442
<a href="#">Release from Choke Canyon Reservoir</a>	58	1,439
<a href="#">NRMT</a> : Nueces River at Mathis, Texas (La Fruta Bridge)	157	4,413
<a href="#">NCAT</a> : Nueces River at Calallen, Texas	2	57
<a href="#">RBP</a> : Rincon Bayou Pipeline	0	1,310
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	85	1,606

**ESTUARY INFLOWS and PASSTHRU REQUIREMENTS**  
(All values are in AcFt)

Target Passthru Monthly Target: 3,500 <a href="#">Salinity Relief Credit</a> : 0 Effective:	3,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: )	230
Return Flow Credit (Effective: 03/01/2012)	500
Passthru Target: 3,500 Reservoir Inflow: 1,606  <b>Comment: 1310 AF of the October 2011 banked passthru requirement were delivered March 2012. 2643 AF remain banked for future use.</b>	1,606
Estuary Inflows (NCAT + RBP)	1,367
PassThru Surplus / -Deficit:	491

**LAKE TEXANA STATISTICS**  
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	March 2012		Elevation (Ft)	
				Allocation	Remaining	Full	03/26/2012
03/25/2012	138	3,461	10,193	3,050	-411	44.0	44.2

**Choke Canyon / Lake Corpus Christi Reservoir System  
Daily Pass-Thru Status Report  
Report Date: March 27, 2012**

**RESERVOIR STATISTICS**

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
03/27/2011	214.2	542,222	78.0%	91.5	213,320	82.9%	755,542	79.3%
03/27/2012	208.0	414,330	59.6%	81.8	77,435	30.1%	491,765	51.6%

  

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
03/26/2012	84	325	0.00	83	167	0.00	492
MTD		6,272	1.78		3,638	1.45	9,910

**STREAM FLOWS**

Gauging Station	03/26/2012 (AcFt)	MTD (AcFt)
<a href="#">NTRT</a> : Nueces River at Three Rivers, Texas	85	2,662
<a href="#">NRTT</a> : Nueces River at Tilden, Texas	0	0
<a href="#">FRTT</a> : Frio River at Tilden, Texas	1	18
<a href="#">SMTT</a> : San Miguel Creek at Tilden, Texas	14	423
<a href="#">ARWT</a> : Atascosa River at Whitsett, Texas	32	1,473
<a href="#">Release from Choke Canyon Reservoir</a>	58	1,497
<a href="#">NRMT</a> : Nueces River at Mathis, Texas (La Fruta Bridge)	157	4,569
<a href="#">NCAT</a> : Nueces River at Calallen, Texas	0	58
<a href="#">RBP</a> : Rincon Bayou Pipeline	0	1,310
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	42	1,648

**ESTUARY INFLOWS and PASSTHRU REQUIREMENTS**  
(All values are in AcFt)

Target Passthru Monthly Target: 3,500 <a href="#">Salinity Relief Credit</a> : 0 Effective:	3,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: )	230
Return Flow Credit (Effective: 03/01/2012)	500
Passthru Target: 3,500 Reservoir Inflow: 1,648  <b>Comment: 1310 AF of the October 2011 banked passthru requirement were delivered March 2012. 2643 AF remain banked for future use.</b>	1,648
Estuary Inflows (NCAT + RBP)	1,368
PassThru Surplus / -Deficit:	449

**LAKE TEXANA STATISTICS**  
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	March 2012		Elevation (Ft)	
				Allocation	Remaining	Full	03/27/2012
03/26/2012	138	3,600	10,331	3,050	-550	44.0	44.2

**Choke Canyon / Lake Corpus Christi Reservoir System  
Daily Pass-Thru Status Report  
Report Date: March 28, 2012**

**RESERVOIR STATISTICS**

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
03/28/2011	214.1	540,872	77.8%	91.6	213,840	83.1%	754,712	79.2%
03/28/2012	207.9	412,594	59.3%	81.8	76,942	29.9%	489,536	51.4%

  

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
03/27/2012	81	257	0.30	80	86	0.02	343
MTD		6,529	2.08		3,724	1.47	10,253

**STREAM FLOWS**

Gauging Station	03/27/2012 (AcFt)	MTD (AcFt)
<a href="#">NTRT</a> : Nueces River at Three Rivers, Texas	71	2,733
<a href="#">NRTT</a> : Nueces River at Tilden, Texas	0	0
<a href="#">FRTT</a> : Frio River at Tilden, Texas	1	19
<a href="#">SMTT</a> : San Miguel Creek at Tilden, Texas	7	430
<a href="#">ARWT</a> : Atascosa River at Whitsett, Texas	26	1,499
<a href="#">Release from Choke Canyon Reservoir</a>	58	1,554
<a href="#">NRMT</a> : Nueces River at Mathis, Texas (La Fruta Bridge)	155	4,724
<a href="#">NCAT</a> : Nueces River at Calallen, Texas	0	58
<a href="#">RBP</a> : Rincon Bayou Pipeline	0	1,310
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	22	1,670

**ESTUARY INFLOWS and PASSTHRU REQUIREMENTS**  
(All values are in AcFt)

Target Passthru Monthly Target: 3,500 <a href="#">Salinity Relief Credit</a> : 0 Effective:	3,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: )	230
Return Flow Credit (Effective: 03/01/2012)	500
Passthru Target: 3,500 Reservoir Inflow: 1,670  <b>Comment: 1310 AF of the October 2011 banked passthru requirement were delivered March 2012. 2643 AF remain banked for future use.</b>	1,670
Estuary Inflows (NCAT + RBP)	1,368
PassThru Surplus / -Deficit:	428

**LAKE TEXANA STATISTICS**  
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	March 2012		Elevation (Ft)	
				Allocation	Remaining	Full	03/28/2012
03/27/2012	138	3,738	10,469	3,050	-688	44.0	44.1

**Choke Canyon / Lake Corpus Christi Reservoir System  
Daily Pass-Thru Status Report  
Report Date: March 29, 2012**

**RESERVOIR STATISTICS**

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
03/29/2011	214.2	542,447	78.0%	91.5	212,455	82.6%	754,902	79.3%
03/29/2012	208.1	416,451	59.9%	81.8	77,238	30.0%	493,689	51.8%

  

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
03/28/2012	83	236	0.58	84	138	0.13	374
MTD		6,765	2.66		3,862	1.60	10,627

**STREAM FLOWS**

Gauging Station	03/28/2012 (AcFt)	MTD (AcFt)
<a href="#">NTRT</a> : Nueces River at Three Rivers, Texas	71	2,805
<a href="#">NRIT</a> : Nueces River at Tilden, Texas	0	0
<a href="#">FRIT</a> : Frio River at Tilden, Texas	44	62
<a href="#">SMTT</a> : San Miguel Creek at Tilden, Texas	1	431
<a href="#">ARWT</a> : Atascosa River at Whitsett, Texas	22	1,521
<a href="#">Release from Choke Canyon Reservoir</a>	58	1,612
<a href="#">NRMT</a> : Nueces River at Mathis, Texas (La Fruta Bridge)	157	4,881
<a href="#">NCAT</a> : Nueces River at Calallen, Texas	0	58
<a href="#">RBP</a> : Rincon Bayou Pipeline	0	1,310
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	59	1,729

**ESTUARY INFLOWS and PASSTHRU REQUIREMENTS**  
(All values are in AcFt)

Target Passthru Monthly Target: 3,500 <a href="#">Salinity Relief Credit</a> : 0 Effective:	3,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: )	230
Return Flow Credit (Effective: 03/01/2012)	500
Passthru Target: 3,500 Reservoir Inflow: 1,729  <b>Comment: 1310 AF of the October 2011 banked passthru requirement were delivered March 2012. 2643 AF remain banked for future use.</b>	1,729
Estuary Inflows (NCAT + RBP)	1,368
PassThru Surplus / -Deficit:	369

**LAKE TEXANA STATISTICS**  
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	March 2012		Elevation (Ft)	
				Allocation	Remaining	Full	03/29/2012
03/28/2012	137	3,875	10,607	3,050	-825	44.0	44.1

**Choke Canyon / Lake Corpus Christi Reservoir System  
Daily Pass-Thru Status Report  
Report Date: March 30, 2012**

**RESERVOIR STATISTICS**

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
03/30/2011	214.3	543,797	78.2%	91.5	213,320	82.9%	757,117	79.5%
03/30/2012	208.2	418,186	60.1%	81.8	77,633	30.2%	495,819	52.1%

  

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
03/29/2012	83	226	0.00	85	110	0.01	336
MTD		6,991	2.66		3,972	1.61	10,963

**STREAM FLOWS**

Gauging Station	03/29/2012 (AcFt)	MTD (AcFt)
<a href="#">NTRT</a> : Nueces River at Three Rivers, Texas	524	3,329
<a href="#">NRTT</a> : Nueces River at Tilden, Texas	328	328
<a href="#">FRTT</a> : Frio River at Tilden, Texas	50	112
<a href="#">SMTT</a> : San Miguel Creek at Tilden, Texas	0	431
<a href="#">ARWT</a> : Atascosa River at Whitsett, Texas	415	1,936
<a href="#">Release from Choke Canyon Reservoir</a>	58	1,669
<a href="#">NRMT</a> : Nueces River at Mathis, Texas (La Fruta Bridge)	151	5,032
<a href="#">NCAT</a> : Nueces River at Calallen, Texas	0	58
<a href="#">RBP</a> : Rincon Bayou Pipeline	0	1,310
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	516	2,245

**ESTUARY INFLOWS and PASSTHRU REQUIREMENTS**

(All values are in AcFt)

Target Passthru Monthly Target: 3,500 <a href="#">Salinity Relief Credit</a> : 0 Effective:	3,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: )	230
Return Flow Credit (Effective: 03/01/2012)	500
Passthru Target: 3,500 Reservoir Inflow: 2,245  <b>Comment: 1310 AF of the October 2011 banked passthru requirement were delivered March 2012. 2643 AF remain banked for future use.</b>	2,245
Estuary Inflows (NCAT + RBP)	1,368
PassThru Surplus / -Deficit:	-148

**LAKE TEXANA STATISTICS**

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	March 2012		Elevation (Ft)	
				Allocation	Remaining	Full	03/30/2012
03/29/2012	137	4,012	10,743	3,050	-962	44.0	44.1

Report Generated: 03/30/2012 at 8:51:08 AM

**Choke Canyon / Lake Corpus Christi Reservoir System  
Daily Pass-Thru Status Report  
Report Date: March 31, 2012**

**RESERVOIR STATISTICS**

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
03/31/2011	214.2	542,447	78.0%	91.5	212,282	82.5%	754,729	79.2%
03/31/2012	208.2	417,994	60.1%	81.9	78,229	30.4%	496,223	52.1%

  

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
03/30/2012	86	304	0.00	87	151	0.00	455
MTD		7,295	2.66		4,123	1.61	11,418

**STREAM FLOWS**

Gauging Station	03/30/2012 (AcFt)	MTD (AcFt)
<a href="#">NTRT</a> : Nueces River at Three Rivers, Texas	3,017	6,346
<a href="#">NRTT</a> : Nueces River at Tilden, Texas	1,826	2,154
<a href="#">FRTT</a> : Frio River at Tilden, Texas	5	117
<a href="#">SMTT</a> : San Miguel Creek at Tilden, Texas	0	431
<a href="#">ARWT</a> : Atascosa River at Whitsett, Texas	2,124	4,060
<a href="#">Release from Choke Canyon Reservoir</a>	58	1,727
<a href="#">NRMT</a> : Nueces River at Mathis, Texas (La Fruta Bridge)	137	5,169
<a href="#">NCAT</a> : Nueces River at Calallen, Texas	0	58
<a href="#">RBP</a> : Rincon Bayou Pipeline	0	1,310
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	2,964	5,210

**ESTUARY INFLOWS and PASSTHRU REQUIREMENTS**

(All values are in AcFt)

Target Passthru Monthly Target: 3,500 <a href="#">Salinity Relief Credit</a> : 0 Effective:	3,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: )	230
Return Flow Credit (Effective: 03/01/2012)	500
Passthru Target: 3,500 Reservoir Inflow: 5,210  <b>Comment: 1310 AF of the October 2011 banked passthru requirement were delivered March 2012. 2643 AF remain banked for future use.</b>	3,500
Estuary Inflows (NCAT + RBP)	1,368
PassThru Surplus / -Deficit:	-1,402

**LAKE TEXANA STATISTICS**

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	March 2012		Elevation (Ft)	
				Allocation	Remaining	Full	03/31/2012
03/30/2012	137	4,149	10,881	3,050	-1,099	44.0	44.1

Report Generated: 03/31/2012 at 8:25:00 AM