

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: April 1, 2012**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
04/01/2011	214.1	539,084	77.5%	91.4	211,245	82.1%	750,329	78.8%
04/01/2012	208.2	417,608	60.1%	82.2	81,359	31.6%	498,967	52.4%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
03/31/2012	90	338	0.00	87	202	0.00	540
MTD		7,633	2.66		4,325	1.61	11,958

STREAM FLOWS

Gauging Station	03/31/2012 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	4,268	10,614
NRTT : Nueces River at Tilden, Texas	965	3,118
FRTT : Frio River at Tilden, Texas	2	119
SMTT : San Miguel Creek at Tilden, Texas	0	431
ARWT : Atascosa River at Whitsett, Texas	631	4,691
Release from Choke Canyon Reservoir	58	1,785
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	135	5,304
NCAT : Nueces River at Calallen, Texas	4	62
RBP : Rincon Bayou Pipeline	0	1,310
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	4,212	9,422

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit : 0 Effective:	3,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	230
Return Flow Credit (Effective: 03/01/2012)	500
Passthru Target: 3,500 Reservoir Inflow: 9,422 Comment: 1310 AF of the October 2011 banked passthru requirement were delivered March 2012. 2643 AF remain banked for future use.	3,500
Estuary Inflows (NCAT + RBP)	1,372
PassThru Surplus / -Deficit:	-1,398

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	March 2012		Elevation (Ft)	
				Allocation	Remaining	Full	04/01/2012
03/31/2012	137	4,286	11,018	3,050	-1,236	44.0	44.1

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: April 2, 2012**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
04/02/2011	214.1	539,084	77.5%	91.4	210,899	82.0%	749,983	78.7%
04/02/2012	208.2	417,801	60.1%	82.4	83,836	32.6%	501,637	52.7%

Weather Related Information								
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
04/01/2012	87	316	0.48	88	231	0.11	547	
MTD		316	0.48		231	0.11	547	

STREAM FLOWS

Gauging Station	04/01/2012 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	1,790	1,790
NRTT : Nueces River at Tilden, Texas	220	220
FRTT : Frio River at Tilden, Texas	2	2
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	71	71
Release from Choke Canyon Reservoir	58	58
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	133	133
NCAT : Nueces River at Calallen, Texas	4	4
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	1,735	1,735

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit : 0 Effective:	3,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 04/01/2012)	500
Passthru Target: 3,500 Reservoir Inflow: 1,735 Comment: The 2708 AF passthru requirement for March 2012 has been banked for future use. This combined with the 2643 AF remaining October 2011 banked passthru requirement brings the banked total to 5351 AF.	1,735
Estuary Inflows (NCAT + RBP)	4
PassThru Surplus / -Deficit:	-1,231

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	April 2012		Elevation (Ft)	
				Allocation	Remaining	Full	04/02/2012
04/01/2012	137	137	11,155	3,050	2,913	44.0	44.1

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: April 3, 2012**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
04/03/2011	214.0	538,194	77.4%	91.4	210,381	81.8%	748,575	78.6%
04/03/2012	208.2	416,644	59.9%	82.4	83,836	32.6%	500,480	52.5%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
04/02/2012	89	326	0.00	91	170	0.00	496
MTD		642	0.48		401	0.11	1,043

STREAM FLOWS

Gauging Station	04/02/2012 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	381	2,172
NRTT : Nueces River at Tilden, Texas	113	333
FRTT : Frio River at Tilden, Texas	4	6
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	44	115
Release from Choke Canyon Reservoir	58	115
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	137	270
NCAT : Nueces River at Calallen, Texas	8	12
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	327	2,062

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit : 0 Effective:	3,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 04/01/2012)	500
Passthru Target: 3,500 Reservoir Inflow: 2,062 Comment: The 2708 AF passthru requirement for March 2012 has been banked for future use. This combined with the 2643 AF remaining October 2011 banked passthru requirement brings the banked total to 5351 AF.	2,062
Estuary Inflows (NCAT + RBP)	12
PassThru Surplus / -Deficit:	-1,550

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	April 2012		Elevation (Ft)	
				Allocation	Remaining	Full	04/03/2012
04/02/2012	137	274	11,292	3,050	2,776	44.0	44.0

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: April 4, 2012**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
04/04/2011	214.0	538,639	77.5%	91.4	211,245	82.1%	749,884	78.7%
04/04/2012	208.2	417,030	60.0%	82.6	85,197	33.1%	502,227	52.7%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
04/03/2012	85	214	0.00	88	104	0.00	318
MTD		856	0.48		505	0.11	1,361

STREAM FLOWS

Gauging Station	04/03/2012 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	197	2,368
NRTT : Nueces River at Tilden, Texas	73	407
FRTT : Frio River at Tilden, Texas	3	9
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	32	147
Release from Choke Canyon Reservoir	58	173
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	145	415
NCAT : Nueces River at Calallen, Texas	3	15
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	142	2,204

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit : 0 Effective:	3,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 04/01/2012)	500
Passthru Target: 3,500 Reservoir Inflow: 2,204 Comment: The 2708 AF passthru requirement for March 2012 has been banked for future use. This combined with the 2643 AF remaining October 2011 banked passthru requirement brings the banked total to 5351 AF.	2,204
Estuary Inflows (NCAT + RBP)	15
PassThru Surplus / -Deficit:	-1,689

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	April 2012		Elevation (Ft)	
				Allocation	Remaining	Full	04/04/2012
04/03/2012	137	411	11,429	3,050	2,639	44.0	44.0

Report Generated: 04/04/2012 at 8:49:25 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: April 5, 2012**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
04/05/2011	214.0	537,971	77.4%	91.3	209,864	81.6%	747,835	78.5%
04/05/2012	208.2	417,030	60.0%	82.5	84,149	32.7%	501,179	52.6%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
04/04/2012	86	293	0.00	88	158	0.00	451
MTD		1,149	0.48		663	0.11	1,812

STREAM FLOWS

Gauging Station	04/04/2012 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	137	2,505
NRTT : Nueces River at Tilden, Texas	48	455
FRTT : Frio River at Tilden, Texas	3	12
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	22	169
Release from Choke Canyon Reservoir	58	230
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	167	582
NCAT : Nueces River at Calallen, Texas	0	16
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	82	2,286

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit : 0 Effective:	3,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 04/01/2012)	500
Passthru Target: 3,500 Reservoir Inflow: 2,286 Comment: The 2708 AF passthru requirement for March 2012 has been banked for future use. This combined with the 2643 AF remaining October 2011 banked passthru requirement brings the banked total to 5351 AF.	2,286
Estuary Inflows (NCAT + RBP)	16
PassThru Surplus / -Deficit:	-1,771

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	April 2012		Elevation (Ft)	
				Allocation	Remaining	Full	04/05/2012
04/04/2012	137	547	11,565	3,050	2,503	44.0	44.0

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: April 6, 2012**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
04/06/2011	214.0	538,861	77.5%	91.3	209,864	81.6%	748,725	78.6%
04/06/2012	208.1	415,873	59.8%	82.5	84,044	32.7%	499,917	52.5%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
04/05/2012	90	315	0.00	94	188	0.00	503
MTD		1,464	0.48		851	0.11	2,315

STREAM FLOWS

Gauging Station	04/05/2012 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	103	2,608
NRTT : Nueces River at Tilden, Texas	34	488
FRTT : Frio River at Tilden, Texas	2	14
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	16	185
Release from Choke Canyon Reservoir	58	288
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	165	746
NCAT : Nueces River at Calallen, Texas	0	16
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	48	2,334

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit : 0 Effective:	3,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 04/01/2012)	500
Passthru Target: 3,500 Reservoir Inflow: 2,334 Comment: The 2708 AF passthru requirement for March 2012 has been banked for future use. This combined with the 2643 AF remaining October 2011 banked passthru requirement brings the banked total to 5351 AF.	2,334
Estuary Inflows (NCAT + RBP)	16
PassThru Surplus / -Deficit:	-1,818

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	April 2012		Elevation (Ft)	
				Allocation	Remaining	Full	04/06/2012
04/05/2012	137	684	11,702	3,050	2,366	44.0	44.0

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: April 7, 2012**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
04/07/2011	213.9	536,412	77.2%	91.3	208,830	81.2%	745,242	78.2%
04/07/2012	208.1	416,258	59.9%	82.4	83,940	32.6%	500,198	52.5%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
04/06/2012	86	337	0.00	85	225	0.00	562
MTD		1,801	0.48		1,076	0.11	2,877

STREAM FLOWS

Gauging Station	04/06/2012 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	85	2,694
NRTT : Nueces River at Tilden, Texas	22	510
FRTT : Frio River at Tilden, Texas	2	16
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	13	199
Release from Choke Canyon Reservoir	58	345
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	167	913
NCAT : Nueces River at Calallen, Texas	0	16
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	30	2,364

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit : 0 Effective:	3,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 04/01/2012)	500
Passthru Target: 3,500 Reservoir Inflow: 2,364 Comment: The 2708 AF passthru requirement for March 2012 has been banked for future use. This combined with the 2643 AF remaining October 2011 banked passthru requirement brings the banked total to 5351 AF.	2,364
Estuary Inflows (NCAT + RBP)	16
PassThru Surplus / -Deficit:	-1,848

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	April 2012		Elevation (Ft)	
				Allocation	Remaining	Full	04/07/2012
04/06/2012	137	821	11,839	3,050	2,229	44.0	43.9

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: April 8, 2012**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
04/08/2011	214.0	537,971	77.4%	91.3	208,830	81.2%	746,801	78.4%
04/08/2012	208.1	416,066	59.8%	82.4	83,940	32.6%	500,006	52.5%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
04/07/2012	87	337	0.00	86	231	0.00	568
MTD		2,138	0.48		1,307	0.11	3,445

STREAM FLOWS

Gauging Station	04/07/2012 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	75	2,769
NRTT : Nueces River at Tilden, Texas	16	526
FRTT : Frio River at Tilden, Texas	2	17
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	10	209
Release from Choke Canyon Reservoir	58	403
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	179	1,092
NCAT : Nueces River at Calallen, Texas	0	16
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	20	2,383

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit : 0 Effective:	3,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 04/01/2012)	500
Passthru Target: 3,500 Reservoir Inflow: 2,383 Comment: The 2708 AF passthru requirement for March 2012 has been banked for future use. This combined with the 2643 AF remaining October 2011 banked passthru requirement brings the banked total to 5351 AF.	2,383
Estuary Inflows (NCAT + RBP)	16
PassThru Surplus / -Deficit:	-1,868

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	April 2012		Elevation (Ft)	
				Allocation	Remaining	Full	04/08/2012
04/07/2012	137	957	11,975	3,050	2,093	44.0	43.9

Report Generated: 04/08/2012 at 8:34:23 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: April 9, 2012**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
04/09/2011	213.9	535,299	77.0%	91.2	208,313	81.0%	743,612	78.1%
04/09/2012	208.1	415,873	59.8%	82.4	83,420	32.4%	499,293	52.4%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
04/08/2012	84	326	0.00	85	169	0.00	495
MTD		2,464	0.48		1,476	0.11	3,940

STREAM FLOWS

Gauging Station	04/08/2012 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	67	2,837
NRTT : Nueces River at Tilden, Texas	28	554
FRTT : Frio River at Tilden, Texas	1	19
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	9	218
Release from Choke Canyon Reservoir	58	461
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	181	1,272
NCAT : Nueces River at Calallen, Texas	0	16
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	11	2,395

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit : 0 Effective:	3,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 04/01/2012)	500
Passthru Target: 3,500 Reservoir Inflow: 2,395 Comment: The 2708 AF passthru requirement for March 2012 has been banked for future use. This combined with the 2643 AF remaining October 2011 banked passthru requirement brings the banked total to 5351 AF.	2,395
Estuary Inflows (NCAT + RBP)	16
PassThru Surplus / -Deficit:	-1,879

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	April 2012		Elevation (Ft)	
				Allocation	Remaining	Full	04/09/2012
04/08/2012	137	1,094	12,112	3,050	1,956	44.0	43.9

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: April 10, 2012**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
04/10/2011	213.9	535,744	77.1%	91.2	207,109	80.5%	742,853	78.0%
04/10/2012	208.1	415,680	59.8%	82.4	83,005	32.3%	498,685	52.4%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
04/09/2012	83	303	0.00	83	181	0.00	484
MTD		2,767	0.48		1,657	0.11	4,424

STREAM FLOWS

Gauging Station	04/09/2012 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	64	2,900
NRTT : Nueces River at Tilden, Texas	34	588
FRTT : Frio River at Tilden, Texas	1	20
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	8	225
Release from Choke Canyon Reservoir	58	518
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	191	1,463
NCAT : Nueces River at Calallen, Texas	0	16
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	7	2,402

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit : 0 Effective:	3,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 04/01/2012)	500
Passthru Target: 3,500 Reservoir Inflow: 2,402 Comment: The 2708 AF passthru requirement for March 2012 has been banked for future use. This combined with the 2643 AF remaining October 2011 banked passthru requirement brings the banked total to 5351 AF.	2,402
Estuary Inflows (NCAT + RBP)	16
PassThru Surplus / -Deficit:	-1,886

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	April 2012		Elevation (Ft)	
				Allocation	Remaining	Full	04/10/2012
04/09/2012	136	1,231	12,249	3,050	1,819	44.0	43.8

Report Generated: 04/10/2012 at 8:59:40 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: April 11, 2012**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
04/11/2011	213.9	535,967	77.1%	91.3	208,658	81.1%	744,625	78.2%
04/11/2012	208.1	415,294	59.7%	82.3	82,179	31.9%	497,473	52.2%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
04/10/2012	85	337	0.00	84	174	0.00	511
MTD		3,104	0.48		1,831	0.11	4,935

STREAM FLOWS

Gauging Station	04/10/2012 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	60	2,960
NRTT : Nueces River at Tilden, Texas	24	611
FRTT : Frio River at Tilden, Texas	1	21
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	7	232
Release from Choke Canyon Reservoir	58	576
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	214	1,677
NCAT : Nueces River at Calallen, Texas	0	16
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	3	2,405

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit : 0 Effective:	3,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 04/01/2012)	500
Passthru Target: 3,500 Reservoir Inflow: 2,405 Comment: The 2708 AF passthru requirement for March 2012 has been banked for future use. This combined with the 2643 AF remaining October 2011 banked passthru requirement brings the banked total to 5351 AF.	2,405
Estuary Inflows (NCAT + RBP)	16
PassThru Surplus / -Deficit:	-1,890

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	April 2012		Elevation (Ft)	
				Allocation	Remaining	Full	04/11/2012
04/10/2012	136	1,367	12,385	3,050	1,683	44.0	43.8

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: April 12, 2012**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
04/12/2011	213.9	536,635	77.2%	91.2	207,109	80.5%	743,744	78.1%
04/12/2012	208.0	413,173	59.4%	82.2	81,871	31.8%	495,044	52.0%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
04/11/2012	88	358	0.00	89	215	0.00	573
MTD		3,462	0.48		2,046	0.11	5,508

STREAM FLOWS

Gauging Station	04/11/2012 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	64	3,023
NRTT : Nueces River at Tilden, Texas	18	629
FRTT : Frio River at Tilden, Texas	1	22
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	7	239
Release from Choke Canyon Reservoir	58	633
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	218	1,896
NCAT : Nueces River at Calallen, Texas	0	16
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	7	2,412

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit : 0 Effective:	3,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 04/01/2012)	500
Passthru Target: 3,500 Reservoir Inflow: 2,412 Comment: The 2708 AF passthru requirement for March 2012 has been banked for future use. This combined with the 2643 AF remaining October 2011 banked passthru requirement brings the banked total to 5351 AF.	2,412
Estuary Inflows (NCAT + RBP)	16
PassThru Surplus / -Deficit:	-1,897

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	April 2012		Elevation (Ft)	
				Allocation	Remaining	Full	04/12/2012
04/11/2012	136	1,503	12,521	3,050	1,547	44.0	43.6

Report Generated: 04/12/2012 at 8:55:09 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: April 13, 2012**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
04/13/2011	213.9	535,967	77.1%	91.1	206,422	80.2%	742,389	77.9%
04/13/2012	208.0	412,787	59.4%	82.2	81,256	31.6%	494,043	51.9%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
04/12/2012	85	336	0.00	86	190	0.00	526
MTD		3,798	0.48		2,236	0.11	6,034

STREAM FLOWS

Gauging Station	04/12/2012 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	62	3,085
NRTT : Nueces River at Tilden, Texas	13	642
FRTT : Frio River at Tilden, Texas	1	24
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	7	246
Release from Choke Canyon Reservoir	58	691
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	230	2,126
NCAT : Nueces River at Calallen, Texas	0	16
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	5	2,417

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit : 0 Effective:	3,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 04/01/2012)	500
Passthru Target: 3,500 Reservoir Inflow: 2,417 Comment: The 2708 AF passthru requirement for March 2012 has been banked for future use. This combined with the 2643 AF remaining October 2011 banked passthru requirement brings the banked total to 5351 AF.	2,417
Estuary Inflows (NCAT + RBP)	16
PassThru Surplus / -Deficit:	-1,902

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	April 2012	
				Allocation	Remaining
04/12/2012	113	1,616	12,634	3,050	1,434
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
04/12/2012	43.7	158,306		98.3%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: April 14, 2012**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
04/14/2011	213.8	534,185	76.8%	91.1	205,564	79.9%	739,749	77.7%
04/14/2012	207.9	412,209	59.3%	82.1	80,239	31.2%	492,448	51.7%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
04/13/2012	84	257	0.00	86	207	0.00	464
MTD		4,055	0.48		2,443	0.11	6,498

STREAM FLOWS

Gauging Station	04/13/2012 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	60	3,144
NRTT : Nueces River at Tilden, Texas	10	652
FRTT : Frio River at Tilden, Texas	1	25
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	6	252
Release from Choke Canyon Reservoir	58	748
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	254	2,380
NCAT : Nueces River at Calallen, Texas	0	16
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	3	2,420

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit : 0 Effective:	3,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 04/01/2012)	500
Passthru Target: 3,500 Reservoir Inflow: 2,420 Comment: The 2708 AF passthru requirement for March 2012 has been banked for future use. This combined with the 2643 AF remaining October 2011 banked passthru requirement brings the banked total to 5351 AF.	2,420
Estuary Inflows (NCAT + RBP)	16
PassThru Surplus / -Deficit:	-1,905

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	April 2012	
				Allocation	Remaining
04/13/2012	137	1,753	12,771	3,050	1,297
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
04/13/2012	43.6	157,385		97.7%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: April 15, 2012**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
04/15/2011	213.9	534,853	76.9%	91.1	205,393	79.8%	740,246	77.7%
04/15/2012	207.9	412,209	59.3%	81.9	78,030	30.3%	490,239	51.5%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
04/14/2012	86	302	0.00	86	203	0.00	505
MTD		4,357	0.48		2,646	0.11	7,003

STREAM FLOWS

Gauging Station	04/14/2012 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	60	3,204
NRTT : Nueces River at Tilden, Texas	9	661
FRTT : Frio River at Tilden, Texas	1	26
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	6	257
Release from Choke Canyon Reservoir	58	806
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	252	2,632
NCAT : Nueces River at Calallen, Texas	0	16
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	3	2,424

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit : 0 Effective:	3,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 04/01/2012)	500
Passthru Target: 3,500 Reservoir Inflow: 2,424 Comment: The 2708 AF passthru requirement for March 2012 has been banked for future use. This combined with the 2643 AF remaining October 2011 banked passthru requirement brings the banked total to 5351 AF.	2,424
Estuary Inflows (NCAT + RBP)	16
PassThru Surplus / -Deficit:	-1,908

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	April 2012	
				Allocation	Remaining
04/14/2012	137	1,890	12,908	3,050	1,160
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
04/14/2012	43.5	156,467		97.1%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: April 16, 2012**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
04/16/2011	213.8	534,408	76.9%	91.1	205,221	79.8%	739,629	77.6%
04/16/2012	208.0	412,787	59.4%	82.1	80,442	31.3%	493,229	51.8%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
04/15/2012	90	493	0.30	98	260	0.21	753
MTD		4,850	0.78		2,906	0.32	7,756

STREAM FLOWS

Gauging Station	04/15/2012 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	60	3,263
NRTT : Nueces River at Tilden, Texas	7	667
FRTT : Frio River at Tilden, Texas	1	27
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	5	263
Release from Choke Canyon Reservoir	58	863
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	252	2,884
NCAT : Nueces River at Calallen, Texas	0	16
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	3	2,427

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit : 0 Effective:	3,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 04/01/2012)	500
Passthru Target: 3,500 Reservoir Inflow: 2,427 Comment: The 2708 AF passthru requirement for March 2012 has been banked for future use. This combined with the 2643 AF remaining October 2011 banked passthru requirement brings the banked total to 5351 AF.	2,427
Estuary Inflows (NCAT + RBP)	16
PassThru Surplus / -Deficit:	-1,911

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	April 2012	
				Allocation	Remaining
04/15/2012	137	2,027	13,045	3,050	1,023
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
04/15/2012	43.6	157,385		97.7%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: April 17, 2012**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
04/17/2011	213.8	533,740	76.8%	91.0	204,194	79.4%	737,934	77.5%
04/17/2012	207.9	412,209	59.3%	82.1	80,848	31.4%	493,057	51.8%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
04/16/2012	74	201	0.05	74	77	0.42	278
MTD		5,051	0.83		2,983	0.74	8,034

STREAM FLOWS

Gauging Station	04/16/2012 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	62	3,325
NRTT : Nueces River at Tilden, Texas	6	673
FRTT : Frio River at Tilden, Texas	1	28
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	5	268
Release from Choke Canyon Reservoir	58	921
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	254	3,138
NCAT : Nueces River at Calallen, Texas	216	232
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	5	2,432

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit : 0 Effective:	3,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 04/01/2012)	500
Passthru Target: 3,500 Reservoir Inflow: 2,432 Comment: The 2708 AF passthru requirement for March 2012 has been banked for future use. This combined with the 2643 AF remaining October 2011 banked passthru requirement brings the banked total to 5351 AF.	2,432
Estuary Inflows (NCAT + RBP)	232
PassThru Surplus / -Deficit:	-1,700

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	April 2012	
				Allocation	Remaining
04/16/2012	137	2,164	13,182	3,050	886
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
04/16/2012	43.7	158,306		98.3%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: April 18, 2012**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
04/18/2011	213.7	531,735	76.5%	90.9	203,167	79.0%	734,902	77.2%
04/18/2012	208.0	413,173	59.4%	82.1	80,848	31.4%	494,021	51.9%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
04/17/2012	84	336	0.00	82	196	0.00	532
MTD		5,387	0.83		3,179	0.74	8,566

STREAM FLOWS

Gauging Station	04/17/2012 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	62	3,386
NRTT : Nueces River at Tilden, Texas	151	824
FRTT : Frio River at Tilden, Texas	1	29
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	4	272
Release from Choke Canyon Reservoir	58	979
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	256	3,394
NCAT : Nueces River at Calallen, Texas	165	397
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	5	2,437

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit : 0 Effective:	3,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 04/01/2012)	500
Passthru Target: 3,500 Reservoir Inflow: 2,437 Comment: The 2708 AF passthru requirement for March 2012 has been banked for future use. This combined with the 2643 AF remaining October 2011 banked passthru requirement brings the banked total to 5351 AF.	2,437
Estuary Inflows (NCAT + RBP)	397
PassThru Surplus / -Deficit:	-1,540

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	April 2012	
				Allocation	Remaining
04/17/2012	137	2,301	13,319	3,050	749
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
04/17/2012	43.7	158,306		98.3%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: April 19, 2012**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
04/19/2011	213.7	530,849	76.4%	90.9	203,167	79.0%	734,016	77.1%
04/19/2012	207.9	412,209	59.3%	82.1	80,340	31.2%	492,549	51.7%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
04/18/2012	85	369	0.00	83	213	0.00	582
MTD		5,756	0.83		3,392	0.74	9,148

STREAM FLOWS

Gauging Station	04/18/2012 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	58	3,444
NRTT : Nueces River at Tilden, Texas	69	894
FRTT : Frio River at Tilden, Texas	1	30
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	4	276
Release from Choke Canyon Reservoir	58	1,036
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	256	3,650
NCAT : Nueces River at Calallen, Texas	107	504
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	1	2,437

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit : 0 Effective:	3,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 04/01/2012)	500
Passthru Target: 3,500 Reservoir Inflow: 2,437 Comment: The 2708 AF passthru requirement for March 2012 has been banked for future use. This combined with the 2643 AF remaining October 2011 banked passthru requirement brings the banked total to 5351 AF.	2,437
Estuary Inflows (NCAT + RBP)	504
PassThru Surplus / -Deficit:	-1,433

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	April 2012	
				Allocation	Remaining
04/18/2012	137	2,438	13,457	3,050	612
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
04/18/2012	43.6	157,385		97.7%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: April 20, 2012**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
04/20/2011	213.7	530,629	76.3%	90.9	202,484	78.7%	733,113	77.0%
04/20/2012	207.9	411,632	59.2%	82.1	80,036	31.1%	491,668	51.6%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
04/19/2012	87	358	0.00	85	177	0.00	535
MTD		6,114	0.83		3,569	0.74	9,683

STREAM FLOWS

Gauging Station	04/19/2012 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	66	3,509
NRTT : Nueces River at Tilden, Texas	42	935
FRTT : Frio River at Tilden, Texas	1	31
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	5	282
Release from Choke Canyon Reservoir	58	1,094
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	258	3,908
NCAT : Nueces River at Calallen, Texas	54	558
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	9	2,446

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit : 0 Effective:	3,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 04/01/2012)	500
Passthru Target: 3,500 Reservoir Inflow: 2,446 Comment: The 2708 AF passthru requirement for March 2012 has been banked for future use. This combined with the 2643 AF remaining October 2011 banked passthru requirement brings the banked total to 5351 AF.	2,446
Estuary Inflows (NCAT + RBP)	558
PassThru Surplus / -Deficit:	-1,389

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	April 2012	
				Allocation	Remaining
04/19/2012	137	2,576	13,594	3,050	474
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
04/19/2012	43.6	157,385		97.7%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: April 21, 2012**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
04/21/2011	213.7	530,629	76.3%	90.9	201,972	78.5%	732,601	76.9%
04/21/2012	207.9	411,061	59.1%	82.0	79,029	30.7%	490,090	51.5%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
04/20/2012	76	235	0.42	81	158	0.10	393
MTD		6,349	1.25		3,727	0.84	10,076

STREAM FLOWS

Gauging Station	04/20/2012 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	77	3,587
NRTT : Nueces River at Tilden, Texas	28	963
FRTT : Frio River at Tilden, Texas	1	31
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	6	287
Release from Choke Canyon Reservoir	58	1,151
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	264	4,172
NCAT : Nueces River at Calallen, Texas	73	631
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	21	2,467

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit : 0 Effective:	3,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 04/01/2012)	500
Passthru Target: 3,500 Reservoir Inflow: 2,467 Comment: The 2708 AF passthru requirement for March 2012 has been banked for future use. This combined with the 2643 AF remaining October 2011 banked passthru requirement brings the banked total to 5351 AF.	2,467
Estuary Inflows (NCAT + RBP)	631
PassThru Surplus / -Deficit:	-1,336

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	April 2012	
				Allocation	Remaining
04/20/2012	137	2,713	13,731	3,050	337
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
04/20/2012	43.8	159,229		98.8%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: April 22, 2012**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
04/22/2011	213.7	530,849	76.4%	90.8	200,949	78.1%	731,798	76.8%
04/22/2012	207.9	411,061	59.1%	82.0	79,330	30.8%	490,391	51.5%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
04/21/2012	81	357	0.00	80	205	0.00	562
MTD		6,706	1.25		3,932	0.84	10,638

STREAM FLOWS

Gauging Station	04/21/2012 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	67	3,654
NRTT : Nueces River at Tilden, Texas	19	982
FRTT : Frio River at Tilden, Texas	1	32
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	5	292
Release from Choke Canyon Reservoir	58	1,209
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	266	4,438
NCAT : Nueces River at Calallen, Texas	64	695
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	11	2,478

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit : 0 Effective:	3,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 04/01/2012)	500
Passthru Target: 3,500 Reservoir Inflow: 2,478 Comment: The 2708 AF passthru requirement for March 2012 has been banked for future use. This combined with the 2643 AF remaining October 2011 banked passthru requirement brings the banked total to 5351 AF.	2,478
Estuary Inflows (NCAT + RBP)	695
PassThru Surplus / -Deficit:	-1,283

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	April 2012	
				Allocation	Remaining
04/21/2012	137	2,850	13,868	3,050	200
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
04/21/2012	43.7	158,306		98.3%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: April 23, 2012**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
04/23/2011	213.6	528,866	76.1%	90.8	200,949	78.1%	729,815	76.6%
04/23/2012	207.8	410,489	59.0%	82.0	79,230	30.8%	489,719	51.4%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
04/22/2012	88	357	0.00	87	181	0.00	538
MTD		7,063	1.25		4,113	0.84	11,176

STREAM FLOWS

Gauging Station	04/22/2012 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	62	3,716
NRTT : Nueces River at Tilden, Texas	13	995
FRTT : Frio River at Tilden, Texas	1	33
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	5	298
Release from Choke Canyon Reservoir	58	1,266
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	268	4,706
NCAT : Nueces River at Calallen, Texas	56	750
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	5	2,483

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit : 0 Effective:	3,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 04/01/2012)	500
Passthru Target: 3,500 Reservoir Inflow: 2,483 Comment: The 2708 AF passthru requirement for March 2012 has been banked for future use. This combined with the 2643 AF remaining October 2011 banked passthru requirement brings the banked total to 5351 AF.	2,483
Estuary Inflows (NCAT + RBP)	750
PassThru Surplus / -Deficit:	-1,233

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	April 2012	
				Allocation	Remaining
04/22/2012	137	2,987	14,005	3,050	63
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
04/22/2012	43.7	158,306		98.3%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: April 24, 2012**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
04/24/2011	213.6	529,527	76.2%	90.8	200,097	77.8%	729,624	76.6%
04/24/2012	207.8	410,679	59.1%	81.9	78,628	30.6%	489,307	51.4%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
04/23/2012	83	435	0.00	81	245	0.00	680
MTD		7,498	1.25		4,358	0.84	11,856

STREAM FLOWS

Gauging Station	04/23/2012 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	62	3,777
NRTT : Nueces River at Tilden, Texas	10	1,005
FRTT : Frio River at Tilden, Texas	1	34
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	5	303
Release from Choke Canyon Reservoir	58	1,324
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	268	4,974
NCAT : Nueces River at Calallen, Texas	14	764
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	5	2,488

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit : 0 Effective:	3,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 04/01/2012)	500
Passthru Target: 3,500 Reservoir Inflow: 2,488 Comment: The 2708 AF passthru requirement for March 2012 has been banked for future use. This combined with the 2643 AF remaining October 2011 banked passthru requirement brings the banked total to 5351 AF.	2,488
Estuary Inflows (NCAT + RBP)	764
PassThru Surplus / -Deficit:	-1,224

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	April 2012	
				Allocation	Remaining
04/23/2012	137	3,124	14,142	3,050	-74
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
04/23/2012	43.7	158,306		98.3%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: April 25, 2012**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
04/25/2011	213.6	528,205	76.0%	90.7	199,416	77.5%	727,621	76.4%
04/25/2012	207.8	408,953	58.8%	81.8	77,732	30.2%	486,685	51.1%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
04/24/2012	87	423	0.00	84	260	0.00	683
MTD		7,921	1.25		4,618	0.84	12,539

STREAM FLOWS

Gauging Station	04/24/2012 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	58	3,835
NRTT : Nueces River at Tilden, Texas	7	1,012
FRTT : Frio River at Tilden, Texas	1	35
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	4	307
Release from Choke Canyon Reservoir	58	1,382
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	272	5,246
NCAT : Nueces River at Calallen, Texas	12	776
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	1	2,489

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit : 0 Effective:	3,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 04/01/2012)	500
Passthru Target: 3,500 Reservoir Inflow: 2,489 Comment: The 2708 AF passthru requirement for March 2012 has been banked for future use. This combined with the 2643 AF remaining October 2011 banked passthru requirement brings the banked total to 5351 AF.	2,489
Estuary Inflows (NCAT + RBP)	776
PassThru Surplus / -Deficit:	-1,213

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	April 2012	
				Allocation	Remaining
04/24/2012	137	3,261	14,279	3,050	-211
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
04/24/2012	43.6	157,385		97.7%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: April 26, 2012**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
04/26/2011	213.6	529,306	76.1%	90.8	199,927	77.7%	729,233	76.6%
04/26/2012	207.8	408,953	58.8%	81.8	77,336	30.1%	486,289	51.1%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
04/25/2012	99	457	0.00	93	236	0.00	693
MTD		8,378	1.25		4,854	0.84	13,232

STREAM FLOWS

Gauging Station	04/25/2012 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	56	3,891
NRIT : Nueces River at Tilden, Texas	5	1,017
FRIT : Frio River at Tilden, Texas	1	36
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	4	311
Release from Choke Canyon Reservoir	58	1,439
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	252	5,498
NCAT : Nueces River at Calallen, Texas	26	802
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: NRIT+FRIT+SMTT+ARWT	10	2,499

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit : 0 Effective:	3,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 04/01/2012)	500
Passthru Target: 3,500 Reservoir Inflow: 2,499 Comment: The 2708 AF passthru requirement for March 2012 has been banked for future use. This combined with the 2643 AF remaining October 2011 banked passthru requirement brings the banked total to 5351 AF.	2,499
Estuary Inflows (NCAT + RBP)	802
PassThru Surplus / -Deficit:	-1,197

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	April 2012	
				Allocation	Remaining
04/25/2012	137	3,398	14,416	3,050	-348
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
04/25/2012	43.5	156,467		97.1%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: April 27, 2012**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
04/27/2011	213.6	528,205	76.0%	90.8	199,927	77.7%	728,132	76.4%
04/27/2012	207.7	408,375	58.7%	81.7	76,451	29.7%	484,826	50.9%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
04/26/2012	96	490	0.00	94	211	0.00	701
MTD		8,868	1.25		5,065	0.84	13,933

STREAM FLOWS

Gauging Station	04/26/2012 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	56	3,946
NRTT : Nueces River at Tilden, Texas	4	1,021
FRTT : Frio River at Tilden, Texas	1	37
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	4	314
Release from Choke Canyon Reservoir	58	1,497
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	234	5,733
NCAT : Nueces River at Calallen, Texas	7	808
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: NRRT+FRTT+SMTT+ARWT	9	2,507

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit : 0 Effective:	3,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 04/01/2012)	500
Passthru Target: 3,500 Reservoir Inflow: 2,507 Comment: The 2708 AF passthru requirement for March 2012 has been banked for future use. This combined with the 2643 AF remaining October 2011 banked passthru requirement brings the banked total to 5351 AF.	2,507
Estuary Inflows (NCAT + RBP)	808
PassThru Surplus / -Deficit:	-1,199

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	April 2012	
				Allocation	Remaining
04/26/2012	137	3,534	14,552	3,050	-484
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
04/26/2012	43.5	156,467		97.1%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: April 28, 2012**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
04/28/2011	213.6	528,645	76.0%	90.7	198,906	77.3%	727,551	76.4%
04/28/2012	207.7	407,608	58.6%	81.7	76,549	29.8%	484,157	50.8%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
04/27/2012	95	467	0.00	91	274	0.00	741
MTD		9,335	1.25		5,339	0.84	14,674

STREAM FLOWS

Gauging Station	04/27/2012 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	56	4,002
NRTT : Nueces River at Tilden, Texas	3	1,024
FRTT : Frio River at Tilden, Texas	1	38
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	3	318
Release from Choke Canyon Reservoir	58	1,554
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	234	5,967
NCAT : Nueces River at Calallen, Texas	0	808
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: NRRT+FRTT+SMTT+ARWT	7	2,515

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit : 0 Effective:	3,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 04/01/2012)	500
Passthru Target: 3,500 Reservoir Inflow: 2,515 Comment: The 2708 AF passthru requirement for March 2012 has been banked for future use. This combined with the 2643 AF remaining October 2011 banked passthru requirement brings the banked total to 5351 AF.	2,515
Estuary Inflows (NCAT + RBP)	808
PassThru Surplus / -Deficit:	-1,206

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	April 2012	
				Allocation	Remaining
04/27/2012	137	3,671	14,689	3,050	-621
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
04/27/2012	43.5	156,467		97.1%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: April 29, 2012**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
04/29/2011	213.6	528,645	76.0%	90.6	197,887	76.9%	726,532	76.3%
04/29/2012	207.6	406,846	58.5%	81.7	76,353	29.7%	483,199	50.7%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
04/28/2012	88	422	0.00	87	240	0.00	662
MTD		9,757	1.25		5,579	0.84	15,336

STREAM FLOWS

Gauging Station	04/28/2012 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	56	4,057
NRTT : Nueces River at Tilden, Texas	2	1,027
FRTT : Frio River at Tilden, Texas	1	38
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	3	321
Release from Choke Canyon Reservoir	58	1,612
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	234	6,201
NCAT : Nueces River at Calallen, Texas	5	813
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: NRRT+FRTT+SMTT+ARWT	6	2,520

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit : 0 Effective:	3,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 04/01/2012)	500
Passthru Target: 3,500 Reservoir Inflow: 2,520 Comment: The 2708 AF passthru requirement for March 2012 has been banked for future use. This combined with the 2643 AF remaining October 2011 banked passthru requirement brings the banked total to 5351 AF.	2,520
Estuary Inflows (NCAT + RBP)	813
PassThru Surplus / -Deficit:	-1,208

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	April 2012	
				Allocation	Remaining
04/28/2012	137	3,808	14,826	3,050	-758
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
04/28/2012	43.5	156,467		97.1%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: April 30, 2012**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
04/30/2011	213.5	526,001	75.7%	90.6	196,870	76.5%	722,871	75.9%
04/30/2012	207.6	406,656	58.5%	81.6	75,864	29.5%	482,520	50.7%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
04/29/2012	86	400	0.00	87	204	0.00	604
MTD		10,157	1.25		5,783	0.84	15,940

STREAM FLOWS

Gauging Station	04/29/2012 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	56	4,113
NRTT : Nueces River at Tilden, Texas	2	1,029
FRTT : Frio River at Tilden, Texas	1	39
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	3	323
Release from Choke Canyon Reservoir	58	1,669
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	236	6,437
NCAT : Nueces River at Calallen, Texas	13	826
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: NRRT+FRTT+SMTT+ARWT	5	2,525

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit : 0 Effective:	3,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 04/01/2012)	500
Passthru Target: 3,500 Reservoir Inflow: 2,525 Comment: The 2708 AF passthru requirement for March 2012 has been banked for future use. This combined with the 2643 AF remaining October 2011 banked passthru requirement brings the banked total to 5351 AF.	2,525
Estuary Inflows (NCAT + RBP)	826
PassThru Surplus / -Deficit:	-1,200

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	April 2012	
				Allocation	Remaining
04/29/2012	137	3,944	14,963	3,050	-894
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
04/29/2012	43.3	154,639		96.0%	