

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: May 1, 2012**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
05/01/2011	213.4	525,120	75.5%	90.5	194,840	75.7%	719,960	75.6%
05/01/2012	207.7	407,037	58.5%	81.6	75,573	29.4%	482,610	50.7%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
04/30/2012	89	355	0.00	88	215	0.00	570
MTD		10,512	1.25		5,998	0.84	16,510

STREAM FLOWS

Gauging Station	04/30/2012 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	56	4,169
NRTT : Nueces River at Tilden, Texas	1	1,030
FRTT : Frio River at Tilden, Texas	0	39
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	2	326
Release from Choke Canyon Reservoir	58	1,727
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	242	6,680
NCAT : Nueces River at Calallen, Texas	1	827
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: NRRT+FRTT+SMTT+ARWT	4	2,529

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit : 0 Effective:	3,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 04/01/2012)	500
Passthru Target: 3,500 Reservoir Inflow: 2,529 Comment: The 2708 AF passthru requirement for March 2012 has been banked for future use. This combined with the 2643 AF remaining October 2011 banked passthru requirement brings the banked total to 5351 AF.	2,529
Estuary Inflows (NCAT + RBP)	827
PassThru Surplus / -Deficit:	-1,203

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	April 2012	
				Allocation	Remaining
04/30/2012	137	4,081	15,099	3,050	-1,031
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
04/30/2012	43.2	153,730		95.4%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: May 2, 2012**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
05/02/2011	213.4	525,120	75.5%	90.7	198,227	77.1%	723,347	75.9%
05/02/2012	207.6	406,084	58.4%	81.6	75,282	29.3%	481,366	50.5%

Weather Related Information								
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
05/01/2012	90	388	0.00	89	203	0.00	591	591
MTD		388	0.00		203	0.00	591	591

STREAM FLOWS

Gauging Station	05/01/2012 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	54	54
NRTT : Nueces River at Tilden, Texas	1	1
FRTT : Frio River at Tilden, Texas	0	0
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	2	2
Release from Choke Canyon Reservoir	58	58
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	246	246
NCAT : Nueces River at Calallen, Texas	0	0
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: NRMT+FRTT+SMTT+ARWT	4	4

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 23,500 Salinity Relief Credit : 0 Effective:	23,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 05/01/2012)	500
Passthru Target: 23,500 Reservoir Inflow: 4 Comment: The 1203 AF passthru requirement for April 2012 has been banked for future use. This combined with the banked 5351 AF brings the banked total to 6554 AF.	4
Estuary Inflows (NCAT + RBP)	0
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	May 2012	
				Allocation	Remaining
05/01/2012	137	137	15,236	4,100	3,963
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
05/01/2012	43.2	153,730		95.4%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: May 3, 2012**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
05/03/2011	213.4	524,679	75.5%	90.6	197,040	76.6%	721,719	75.8%
05/03/2012	207.6	406,846	58.5%	81.6	74,992	29.2%	481,838	50.6%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
05/02/2012	92	366	0.00	92	180	0.00	546
MTD		754	0.00		383	0.00	1,137

STREAM FLOWS

Gauging Station	05/02/2012 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	56	109
NRTT : Nueces River at Tilden, Texas	1	2
FRTT : Frio River at Tilden, Texas	0	1
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	2	5
Release from Choke Canyon Reservoir	58	115
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	254	500
NCAT : Nueces River at Calallen, Texas	0	0
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: NRTT+FRTT+SMTT+ARWT	3	7

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 23,500 Salinity Relief Credit : 0 Effective:	23,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 05/01/2012)	500
Passthru Target: 23,500 Reservoir Inflow: 7 Comment: The 1203 AF passthru requirement for April 2012 has been banked for future use. This combined with the banked 5351 AF brings the banked total to 6554 AF.	7
Estuary Inflows (NCAT + RBP)	0
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	May 2012	
				Allocation	Remaining
05/02/2012	137	273	15,372	4,100	3,827
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
05/02/2012	43.2	153,730		95.4%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: May 4, 2012**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
05/04/2011	213.4	524,899	75.5%	90.5	195,347	75.9%	720,246	75.6%
05/04/2012	207.7	407,037	58.5%	81.5	74,510	29.0%	481,547	50.6%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
05/03/2012	94	389	0.00	93	224	0.00	613
MTD		1,143	0.00		607	0.00	1,750

STREAM FLOWS

Gauging Station	05/03/2012 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	54	163
NRTT : Nueces River at Tilden, Texas	0	2
FRTT : Frio River at Tilden, Texas	1	1
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	2	7
Release from Choke Canyon Reservoir	58	173
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	254	754
NCAT : Nueces River at Calallen, Texas	0	0
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: NRTT+FRTT+SMTT+ARWT	3	10

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 23,500 Salinity Relief Credit : 0 Effective:	23,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 05/01/2012)	500
Passthru Target: 23,500 Reservoir Inflow: 10 Comment: The 1203 AF passthru requirement for April 2012 has been banked for future use. This combined with the banked 5351 AF brings the banked total to 6554 AF.	10
Estuary Inflows (NCAT + RBP)	0
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	May 2012	
				Allocation	Remaining
05/03/2012	136	409	15,508	4,100	3,691
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
05/03/2012	43.1	152,823		94.9%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: May 5, 2012**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
05/05/2011	213.4	524,243	75.4%	90.4	194,165	75.5%	718,408	75.4%
05/05/2012	207.6	405,322	58.3%	81.5	74,127	28.8%	479,449	50.3%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
05/04/2012	97	465	0.00	94	217	0.00	682
MTD		1,608	0.00		824	0.00	2,432

STREAM FLOWS

Gauging Station	05/04/2012 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	54	216
NRTT : Nueces River at Tilden, Texas	0	2
FRTT : Frio River at Tilden, Texas	1	2
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	2	8
Release from Choke Canyon Reservoir	58	230
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	276	1,030
NCAT : Nueces River at Calallen, Texas	0	0
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: NRRT+FRTT+SMTT+ARWT	3	12

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 23,500 Salinity Relief Credit : 0 Effective:	23,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 05/01/2012)	500
Passthru Target: 23,500 Reservoir Inflow: 12 Comment: The 1203 AF passthru requirement for April 2012 has been banked for future use. This combined with the banked 5351 AF brings the banked total to 6554 AF.	12
Estuary Inflows (NCAT + RBP)	0
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	May 2012	
				Allocation	Remaining
05/04/2012	136	546	15,645	4,100	3,554
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
05/04/2012	43.1	152,823		94.9%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: May 6, 2012**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
05/06/2011	213.3	523,370	75.3%	90.4	193,659	75.3%	717,029	75.3%
05/06/2012	207.5	404,178	58.1%	81.5	74,031	28.8%	478,209	50.2%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
05/05/2012	97	398	0.00	93	200	0.00	598
MTD		2,006	0.00		1,024	0.00	3,030

STREAM FLOWS

Gauging Station	05/05/2012 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	54	270
NRTT : Nueces River at Tilden, Texas	0	2
FRTT : Frio River at Tilden, Texas	0	2
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	2	10
Release from Choke Canyon Reservoir	58	288
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	294	1,324
NCAT : Nueces River at Calallen, Texas	0	0
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: NRRT+FRTT+SMTT+ARWT	2	14

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 23,500 Salinity Relief Credit : 0 Effective:	23,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 05/01/2012)	500
Passthru Target: 23,500 Reservoir Inflow: 14 Comment: The 1203 AF passthru requirement for April 2012 has been banked for future use. This combined with the banked 5351 AF brings the banked total to 6554 AF.	14
Estuary Inflows (NCAT + RBP)	0
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	May 2012	
				Allocation	Remaining
05/05/2012	136	682	15,781	4,100	3,418
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
05/05/2012	43.1	152,823		94.9%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: May 7, 2012**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
05/07/2011	213.3	522,062	75.1%	90.3	192,985	75.0%	715,047	75.1%
05/07/2012	207.5	404,750	58.2%	81.4	73,460	28.6%	478,210	50.2%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
05/06/2012	93	476	0.00	90	210	0.00	686
MTD		2,482	0.00		1,234	0.00	3,716

STREAM FLOWS

Gauging Station	05/06/2012 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	54	324
NRTT : Nueces River at Tilden, Texas	0	2
FRTT : Frio River at Tilden, Texas	0	2
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	2	12
Release from Choke Canyon Reservoir	58	345
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	296	1,620
NCAT : Nueces River at Calallen, Texas	0	0
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: NRRT+FRTT+SMTT+ARWT	2	17

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 23,500 Salinity Relief Credit : 0 Effective:	23,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 05/01/2012)	500
Passthru Target: 23,500 Reservoir Inflow: 17 Comment: The 1203 AF passthru requirement for April 2012 has been banked for future use. This combined with the banked 5351 AF brings the banked total to 6554 AF.	17
Estuary Inflows (NCAT + RBP)	0
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	May 2012	
				Allocation	Remaining
05/06/2012	136	818	15,917	4,100	3,282
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
05/06/2012	43.0	151,919		94.3%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: May 8, 2012**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
05/08/2011	213.2	521,189	75.0%	90.3	192,144	74.7%	713,333	74.9%
05/08/2012	207.5	404,369	58.2%	81.4	73,460	28.6%	477,829	50.2%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
05/07/2012	96	432	0.10	94	221	0.00	653
MTD		2,914	0.10		1,455	0.00	4,369

STREAM FLOWS

Gauging Station	05/07/2012 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	50	373
NRTT : Nueces River at Tilden, Texas	0	2
FRTT : Frio River at Tilden, Texas	0	3
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	32	44
Release from Choke Canyon Reservoir	58	403
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	302	1,921
NCAT : Nueces River at Calallen, Texas	0	0
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: NRRT+FRTT+SMTT+ARWT	32	49

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 23,500 Salinity Relief Credit : 0 Effective:	23,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 05/01/2012)	500
Passthru Target: 23,500 Reservoir Inflow: 49 Comment: The 1203 AF passthru requirement for April 2012 has been banked for future use. This combined with the banked 5351 AF brings the banked total to 6554 AF.	49
Estuary Inflows (NCAT + RBP)	0
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	May 2012	
				Allocation	Remaining
05/07/2012	136	954	16,053	4,100	3,146
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
05/07/2012	43.0	151,919		94.3%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: May 9, 2012**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
05/09/2011	213.2	520,971	74.9%	90.2	191,136	74.3%	712,107	74.8%
05/09/2012	207.5	404,750	58.2%	81.4	73,175	28.4%	477,925	50.2%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
05/08/2012	72	89	0.47	76	72	0.45	161
MTD		3,003	0.57		1,527	0.45	4,530

STREAM FLOWS

Gauging Station	05/08/2012 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	77	451
NRTT : Nueces River at Tilden, Texas	0	2
FRTT : Frio River at Tilden, Texas	0	3
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	85	129
Release from Choke Canyon Reservoir	58	461
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	300	2,221
NCAT : Nueces River at Calallen, Texas	26	26
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	20	69

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 23,500 Salinity Relief Credit : 0 Effective:	23,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 05/01/2012)	500
Passthru Target: 23,500 Reservoir Inflow: 69 Comment: The 1203 AF passthru requirement for April 2012 has been banked for future use. This combined with the banked 5351 AF brings the banked total to 6554 AF.	69
Estuary Inflows (NCAT + RBP)	26
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	May 2012	
				Allocation	Remaining
05/08/2012	137	1,091	16,190	4,100	3,009
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
05/08/2012	42.9	151,018		93.8%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: May 10, 2012**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
05/10/2011	213.2	520,099	74.8%	90.2	190,800	74.2%	710,899	74.6%
05/10/2012	207.5	404,940	58.2%	81.4	73,270	28.5%	478,210	50.2%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
05/09/2012	81	222	0.00	84	110	0.00	332
MTD		3,225	0.57		1,637	0.45	4,862

STREAM FLOWS

Gauging Station	05/09/2012 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	125	576
NRTT : Nueces River at Tilden, Texas	0	2
FRTT : Frio River at Tilden, Texas	1	4
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	40	169
Release from Choke Canyon Reservoir	58	518
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	226	2,448
NCAT : Nueces River at Calallen, Texas	52	77
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	68	137

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 23,500 Salinity Relief Credit : 0 Effective:	23,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 05/01/2012)	500
Passthru Target: 23,500 Reservoir Inflow: 137 Comment: The 1203 AF passthru requirement for April 2012 has been banked for future use. This combined with the banked 5351 AF brings the banked total to 6554 AF.	137
Estuary Inflows (NCAT + RBP)	77
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	May 2012	
				Allocation	Remaining
05/09/2012	137	1,228	16,327	4,100	2,872
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
05/09/2012	42.9	151,018		93.8%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: May 11, 2012**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
05/11/2011	213.2	519,227	74.7%	90.2	190,632	74.1%	709,859	74.5%
05/11/2012	207.8	409,531	58.9%	81.6	75,573	29.4%	485,104	50.9%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
05/10/2012	76	100	1.79	85	Pan overflow	1.94	100
MTD		3,325	2.36		1,637	2.39	4,962

STREAM FLOWS

Gauging Station	05/10/2012 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	109	685
NRTT : Nueces River at Tilden, Texas	0	3
FRTT : Frio River at Tilden, Texas	99	103
SMTT : San Miguel Creek at Tilden, Texas	248	248
ARWT : Atascosa River at Whitsett, Texas	574	742
Release from Choke Canyon Reservoir	58	576
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	171	2,618
NCAT : Nueces River at Calallen, Texas	12	89
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	399	536

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 23,500 Salinity Relief Credit : 0 Effective:	23,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 05/01/2012)	500
Passthru Target: 23,500 Reservoir Inflow: 536 Comment: The 1203 AF passthru requirement for April 2012 has been banked for future use. This combined with the banked 5351 AF brings the banked total to 6554 AF.	536
Estuary Inflows (NCAT + RBP)	89
PassThru Surplus / -Deficit:	53

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	May 2012	
				Allocation	Remaining
05/10/2012	137	1,365	16,464	4,100	2,735
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
05/10/2012	43.0	151,919		94.3%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: May 12, 2012**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
05/12/2011	213.2	519,227	74.7%	90.2	189,962	73.8%	709,189	74.5%
05/12/2012	207.9	411,632	59.2%	81.7	76,647	29.8%	488,279	51.3%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
05/11/2012	80	123	0.00	86	137	0.01	260
MTD		3,448	2.36		1,774	2.40	5,222

STREAM FLOWS

Gauging Station	05/11/2012 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	2,799	3,484
NRIT : Nueces River at Tilden, Texas	7	9
FRIT : Frio River at Tilden, Texas	1,757	1,860
SMTT : San Miguel Creek at Tilden, Texas	1,683	1,931
ARWT : Atascosa River at Whitsett, Texas	1,171	1,913
Release from Choke Canyon Reservoir	58	633
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	103	2,721
NCAT : Nueces River at Calallen, Texas	117	206
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	6,181	6,717

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 23,500 Salinity Relief Credit : 0 Effective:	23,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 05/01/2012)	500
Passthru Target: 23,500 Reservoir Inflow: 6,717 Comment: The 1203 AF passthru requirement for April 2012 has been banked for future use. This combined with the banked 5351 AF brings the banked total to 6554 AF.	6,717
Estuary Inflows (NCAT + RBP)	206
PassThru Surplus / -Deficit:	-6,011

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	May 2012	
				Allocation	Remaining
05/11/2012	136	1,501	16,600	4,100	2,599
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
05/11/2012	43.0	151,919		94.3%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: May 13, 2012**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
05/13/2011	213.3	522,280	75.1%	90.3	191,976	74.6%	714,256	75.0%
05/13/2012	207.9	412,209	59.3%	81.9	77,931	30.3%	490,140	51.5%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
05/12/2012	84	392	0.00	87	243	0.00	635
MTD		3,840	2.36		2,017	2.40	5,857

STREAM FLOWS

Gauging Station	05/12/2012 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	2,402	5,886
NRTT : Nueces River at Tilden, Texas	288	297
FRTT : Frio River at Tilden, Texas	806	2,666
SMTT : San Miguel Creek at Tilden, Texas	522	2,453
ARWT : Atascosa River at Whitsett, Texas	2,342	4,256
Release from Choke Canyon Reservoir	58	691
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	181	2,902
NCAT : Nueces River at Calallen, Texas	67	274
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	3,672	10,390

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 23,500 Salinity Relief Credit : 0 Effective:	23,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 05/01/2012)	500
Passthru Target: 23,500 Reservoir Inflow: 10,390 Comment: The 1203 AF passthru requirement for April 2012 has been banked for future use. This combined with the banked 5351 AF brings the banked total to 6554 AF.	10,390
Estuary Inflows (NCAT + RBP)	274
PassThru Surplus / -Deficit:	-9,616

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	May 2012	
				Allocation	Remaining
05/12/2012	136	1,637	16,736	4,100	2,463
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
05/12/2012	43.2	153,730		95.4%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: May 14, 2012**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
05/14/2011	213.3	522,370	75.3%	90.3	191,640	74.5%	715,010	75.1%
05/14/2012	208.0	412,980	59.4%	82.2	81,563	31.7%	494,543	51.9%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
05/13/2012	82	325	0.00	84	173	0.00	498
MTD		4,165	2.36		2,190	2.40	6,355

STREAM FLOWS

Gauging Station	05/13/2012 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	3,712	9,597
NRTT : Nueces River at Tilden, Texas	732	1,029
FRTT : Frio River at Tilden, Texas	1,145	3,811
SMTT : San Miguel Creek at Tilden, Texas	62	2,515
ARWT : Atascosa River at Whitsett, Texas	4,109	8,365
Release from Choke Canyon Reservoir	58	748
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	185	3,087
NCAT : Nueces River at Calallen, Texas	3	277
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	4,861	15,251

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 23,500 Salinity Relief Credit : 0 Effective:	23,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 05/01/2012)	500
Passthru Target: 23,500 Reservoir Inflow: 15,251 Comment: The 1203 AF passthru requirement for April 2012 has been banked for future use. This combined with the banked 5351 AF brings the banked total to 6554 AF.	15,251
Estuary Inflows (NCAT + RBP)	277
PassThru Surplus / -Deficit:	-14,474

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	May 2012	
				Allocation	Remaining
05/13/2012	136	1,774	16,873	4,100	2,326
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
05/13/2012	43.2	153,730		95.4%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: May 15, 2012**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
05/15/2011	213.3	522,716	75.2%	90.3	191,472	74.4%	714,188	75.0%
05/15/2012	208.0	413,944	59.5%	82.6	85,197	33.1%	499,141	52.4%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
05/14/2012	83	280	0.11	83	196	0.04	476
MTD		4,445	2.47		2,386	2.44	6,831

STREAM FLOWS

Gauging Station	05/14/2012 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	4,546	14,143
NRTT : Nueces River at Tilden, Texas	1,127	2,157
FRTT : Frio River at Tilden, Texas	1,415	5,226
SMTT : San Miguel Creek at Tilden, Texas	56	2,571
ARWT : Atascosa River at Whitsett, Texas	913	9,278
Release from Choke Canyon Reservoir	58	806
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	185	3,271
NCAT : Nueces River at Calallen, Texas	0	277
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	5,959	21,210

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 23,500 Salinity Relief Credit : 0 Effective:	23,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 05/01/2012)	500
Passthru Target: 23,500 Reservoir Inflow: 21,210 Comment: The 1203 AF passthru requirement for April 2012 has been banked for future use. This combined with the banked 5351 AF brings the banked total to 6554 AF.	21,210
Estuary Inflows (NCAT + RBP)	277
PassThru Surplus / -Deficit:	-20,433

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	May 2012	
				Allocation	Remaining
05/14/2012	137	1,910	17,009	4,100	2,190
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
05/14/2012	43.2	153,730		95.4%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: May 16, 2012**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
05/16/2011	213.3	522,716	75.2%	90.2	190,632	74.1%	713,348	74.9%
05/16/2012	208.1	415,101	59.7%	82.7	87,106	33.9%	502,207	52.7%

Weather Related Information								
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
05/15/2012	78	247	0.00	81	149	0.00		396
MTD		4,692	2.47		2,535	2.44		7,227

STREAM FLOWS

Gauging Station	05/15/2012 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	1,655	15,799
NRTT : Nueces River at Tilden, Texas	1,171	3,328
FRTT : Frio River at Tilden, Texas	1,002	6,229
SMTT : San Miguel Creek at Tilden, Texas	30	2,600
ARWT : Atascosa River at Whitsett, Texas	149	9,427
Release from Choke Canyon Reservoir	58	863
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	189	3,460
NCAT : Nueces River at Calallen, Texas	0	277
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	2,630	23,840

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 23,500 Salinity Relief Credit : 0 Effective:	23,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 05/01/2012)	500
Passthru Target: 23,500 Reservoir Inflow: 23,840 Comment: The 1203 AF passthru requirement for April 2012 has been banked for future use. This combined with the banked 5351 AF brings the banked total to 6554 AF.	23,500
Estuary Inflows (NCAT + RBP)	277
PassThru Surplus / -Deficit:	-22,723

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	May 2012	
				Allocation	Remaining
05/15/2012	132	2,042	17,141	4,100	2,058
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
05/15/2012	43.1	152,823		94.9%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: May 17, 2012**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
05/17/2011	213.3	522,498	75.2%	90.2	190,129	73.9%	712,627	74.8%
05/17/2012	208.1	415,294	59.7%	82.8	87,855	34.2%	503,149	52.8%

Weather Related Information								
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
05/16/2012	84	326	0.00	85	188	0.00		514
MTD		5,018	2.47		2,723	2.44		7,741

STREAM FLOWS

Gauging Station	05/16/2012 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	1,276	17,075
NRTT : Nueces River at Tilden, Texas	1,161	4,489
FRTT : Frio River at Tilden, Texas	445	6,673
SMTT : San Miguel Creek at Tilden, Texas	15	2,615
ARWT : Atascosa River at Whitsett, Texas	286	9,713
Release from Choke Canyon Reservoir	58	921
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	129	3,589
NCAT : Nueces River at Calallen, Texas	0	277
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	1,679	25,519

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 23,500 Salinity Relief Credit : 0 Effective:	23,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 05/01/2012)	500
Passthru Target: 23,500 Reservoir Inflow: 25,519 Comment: The 1203 AF passthru requirement for April 2012 has been banked for future use. This combined with the banked 5351 AF brings the banked total to 6554 AF.	23,500
Estuary Inflows (NCAT + RBP)	277
PassThru Surplus / -Deficit:	-22,723

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	May 2012	
				Allocation	Remaining
05/16/2012	136	2,178	17,277	4,100	1,922
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
05/16/2012	43.2	153,730		95.4%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: May 18, 2012**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
05/18/2011	213.2	520,099	74.8%	90.1	188,957	73.4%	709,056	74.4%
05/18/2012	208.1	416,258	59.9%	82.9	88,717	34.5%	504,975	53.0%

Weather Related Information								
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
05/17/2012	87	405	0.00	86	201	0.00		606
MTD		5,423	2.47		2,924	2.44		8,347

STREAM FLOWS

Gauging Station	05/17/2012 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	1,576	18,651
NRTT : Nueces River at Tilden, Texas	1,185	5,674
FRTT : Frio River at Tilden, Texas	133	6,806
SMTT : San Miguel Creek at Tilden, Texas	5	2,620
ARWT : Atascosa River at Whitsett, Texas	401	10,114
Release from Choke Canyon Reservoir	58	979
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	161	3,750
NCAT : Nueces River at Calallen, Texas	0	277
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	1,656	27,175

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 23,500 Salinity Relief Credit : 0 Effective:	23,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 05/01/2012)	500
Passthru Target: 23,500 Reservoir Inflow: 27,175 Comment: The 1203 AF passthru requirement for April 2012 has been banked for future use. This combined with the banked 5351 AF brings the banked total to 6554 AF.	23,500
Estuary Inflows (NCAT + RBP)	277
PassThru Surplus / -Deficit:	-22,723

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	May 2012	
				Allocation	Remaining
05/17/2012	136	2,314	17,413	4,100	1,786
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
05/17/2012	43.5	156,467		97.1%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: May 19, 2012**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
05/19/2011	213.1	519,008	74.6%	90.1	188,623	73.3%	707,631	74.3%
05/19/2012	208.1	415,680	59.8%	83.0	89,366	34.7%	505,046	53.0%

Weather Related Information								
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
05/18/2012	88	393	0.00	87	209	0.00		602
MTD		5,816	2.47		3,133	2.44		8,949

STREAM FLOWS

Gauging Station	05/18/2012 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	1,479	20,130
NRTT : Nueces River at Tilden, Texas	1,225	6,899
FRTT : Frio River at Tilden, Texas	121	6,927
SMTT : San Miguel Creek at Tilden, Texas	2	2,622
ARWT : Atascosa River at Whitsett, Texas	137	10,250
Release from Choke Canyon Reservoir	58	1,036
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	185	3,934
NCAT : Nueces River at Calallen, Texas	0	277
RBP : Rincon Bayou Pipeline		0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	1,545	28,719

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 23,500 Salinity Relief Credit : 0 Effective:	23,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 05/01/2012)	500
Passthru Target: 23,500 Reservoir Inflow: 28,719 Comment: The 1203 AF passthru requirement for April 2012 has been banked for future use. This combined with the banked 5351 AF brings the banked total to 6554 AF.	23,500
Estuary Inflows (NCAT + RBP)	277
PassThru Surplus / -Deficit:	-22,723

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	May 2012	
				Allocation	Remaining
05/18/2012	136	2,449	17,548	4,100	1,651
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
05/18/2012	43.5	156,467		97.1%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: May 20, 2012**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
05/20/2011	213.1	518,790	74.6%	90.0	187,954	73.1%	706,744	74.2%
05/20/2012	208.1	415,294	59.7%	83.0	90,237	35.1%	505,531	53.1%

Weather Related Information								
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
05/19/2012	89	416	0.00	89	235	0.00		651
MTD		6,232	2.47		3,368	2.44		9,600

STREAM FLOWS

Gauging Station	05/19/2012 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	1,314	21,444
NRIT : Nueces River at Tilden, Texas	1,262	8,162
FRIT : Frio River at Tilden, Texas	71	6,999
SMTT : San Miguel Creek at Tilden, Texas	1	2,623
ARWT : Atascosa River at Whitsett, Texas	79	10,330
Release from Choke Canyon Reservoir	58	1,094
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	246	4,180
NCAT : Nueces River at Calallen, Texas	0	277
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	1,329	30,048

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 23,500 Salinity Relief Credit : 0 Effective:	23,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 05/01/2012)	500
Passthru Target: 23,500 Reservoir Inflow: 30,048 Comment: The 1203 AF passthru requirement for April 2012 has been banked for future use. This combined with the banked 5351 AF brings the banked total to 6554 AF.	23,500
Estuary Inflows (NCAT + RBP)	277
PassThru Surplus / -Deficit:	-22,723

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	May 2012	
				Allocation	Remaining
05/19/2012	136	2,585	17,684	4,100	1,515
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
05/19/2012	43.5	156,467		97.1%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: May 21, 2012**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
05/21/2011	213.2	519,227	74.7%	90.1	188,623	73.3%	707,850	74.3%
05/21/2012	208.1	414,908	59.7%	83.1	91,113	35.4%	506,021	53.1%

Weather Related Information								
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
05/20/2012	89	438	0.00	88	269	0.00	707	
MTD		6,670	2.47		3,637	2.44	10,307	

STREAM FLOWS

Gauging Station	05/20/2012 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	1,318	22,762
NRTT : Nueces River at Tilden, Texas	1,300	9,462
FRTT : Frio River at Tilden, Texas	42	7,041
SMTT : San Miguel Creek at Tilden, Texas	1	2,624
ARWT : Atascosa River at Whitsett, Texas	58	10,387
Release from Choke Canyon Reservoir	58	1,151
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	250	4,431
NCAT : Nueces River at Calallen, Texas	0	277
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	1,303	31,351

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 23,500 Salinity Relief Credit : 0 Effective:	23,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 05/01/2012)	500
Passthru Target: 23,500 Reservoir Inflow: 31,351 Comment: The 1203 AF passthru requirement for April 2012 has been banked for future use. This combined with the banked 5351 AF brings the banked total to 6554 AF.	23,500
Estuary Inflows (NCAT + RBP)	277
PassThru Surplus / -Deficit:	-22,723

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	May 2012	
				Allocation	Remaining
05/20/2012	136	2,721	17,820	4,100	1,379
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
05/20/2012	44.1	161,085		100.0%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: May 22, 2012**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
05/22/2011	213.1	518,572	74.6%	90.0	187,787	73.0%	706,359	74.2%
05/22/2012	208.0	414,330	59.6%	83.1	91,333	35.5%	505,663	53.1%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
05/21/2012	89	370	0.00	88	205	0.00	575
MTD		7,040	2.47		3,842	2.44	10,882

STREAM FLOWS

Gauging Station	05/21/2012 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	1,344	24,106
NRTT : Nueces River at Tilden, Texas	1,217	10,679
FRTT : Frio River at Tilden, Texas	28	7,068
SMTT : San Miguel Creek at Tilden, Texas	0	2,624
ARWT : Atascosa River at Whitsett, Texas	44	10,431
Release from Choke Canyon Reservoir	58	1,209
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	268	4,698
NCAT : Nueces River at Calallen, Texas	0	277
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	1,314	32,665

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 23,500 Salinity Relief Credit : 0 Effective:	23,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 05/01/2012)	500
Passthru Target: 23,500 Reservoir Inflow: 32,665 Comment: The 1203 AF passthru requirement for April 2012 has been banked for future use. This combined with the banked 5351 AF brings the banked total to 6554 AF.	23,500
Estuary Inflows (NCAT + RBP)	277
PassThru Surplus / -Deficit:	-22,723

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	May 2012	
				Allocation	Remaining
05/21/2012	136	2,857	17,956	4,100	1,243
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
05/21/2012	43.9	160,156		99.4%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: May 23, 2012**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
05/23/2011	213.1	517,046	74.4%	90.0	186,786	72.6%	703,832	73.9%
05/23/2012	207.9	412,594	59.3%	83.1	91,333	35.5%	503,927	52.9%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
05/22/2012	92	492	0.00	90	263	0.00	755
MTD		7,532	2.47		4,105	2.44	11,637

STREAM FLOWS

Gauging Station	05/22/2012 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	1,393	25,499
NRTT : Nueces River at Tilden, Texas	1,181	11,860
FRTT : Frio River at Tilden, Texas	18	7,086
SMTT : San Miguel Creek at Tilden, Texas	0	2,624
ARWT : Atascosa River at Whitsett, Texas	36	10,467
Release from Choke Canyon Reservoir	58	1,266
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	294	4,992
NCAT : Nueces River at Calallen, Texas	0	277
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	1,354	34,019

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 23,500 Salinity Relief Credit : 0 Effective:	23,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 05/01/2012)	500
Passthru Target: 23,500 Reservoir Inflow: 34,019 Comment: The 1203 AF passthru requirement for April 2012 has been banked for future use. This combined with the banked 5351 AF brings the banked total to 6554 AF.	23,500
Estuary Inflows (NCAT + RBP)	277
PassThru Surplus / -Deficit:	-22,723

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	May 2012	
				Allocation	Remaining
05/22/2012	136	2,993	18,092	4,100	1,107
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
05/22/2012	43.8	159,229		98.8%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: May 24, 2012**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
05/24/2011	213.1	517,264	74.4%	89.9	186,120	72.3%	703,384	73.8%
05/24/2012	207.9	412,209	59.3%	83.2	92,105	35.8%	504,314	52.9%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
05/23/2012	93	459	0.00	91	277	0.00	736
MTD		7,991	2.47		4,382	2.44	12,373

STREAM FLOWS

Gauging Station	05/23/2012 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	1,429	26,929
NRTT : Nueces River at Tilden, Texas	1,483	13,342
FRTT : Frio River at Tilden, Texas	13	7,100
SMTT : San Miguel Creek at Tilden, Texas	0	2,624
ARWT : Atascosa River at Whitsett, Texas	32	10,499
Release from Choke Canyon Reservoir	58	1,324
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	292	5,284
NCAT : Nueces River at Calallen, Texas	0	277
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	1,385	35,404

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 23,500 Salinity Relief Credit : 0 Effective:	23,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 05/01/2012)	500
Passthru Target: 23,500 Reservoir Inflow: 35,404 Comment: The 1203 AF passthru requirement for April 2012 has been banked for future use. This combined with the banked 5351 AF brings the banked total to 6554 AF.	23,500
Estuary Inflows (NCAT + RBP)	277
PassThru Surplus / -Deficit:	-22,723

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	May 2012	
				Allocation	Remaining
05/23/2012	136	3,128	18,228	4,100	972
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
05/23/2012	43.7	158,306		98.3%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: May 25, 2012**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
05/25/2011	213.1	517,046	74.4%	89.9	186,287	72.4%	703,333	73.8%
05/25/2012	207.9	411,632	59.2%	83.3	92,881	36.1%	504,513	53.0%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
05/24/2012	93	481	0.00	91	278	0.00	759
MTD		8,472	2.47		4,660	2.44	13,132

STREAM FLOWS

Gauging Station	05/24/2012 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	1,433	28,362
NRTT : Nueces River at Tilden, Texas	1,382	14,724
FRTT : Frio River at Tilden, Texas	12	7,111
SMTT : San Miguel Creek at Tilden, Texas	0	2,624
ARWT : Atascosa River at Whitsett, Texas	28	10,526
Release from Choke Canyon Reservoir	58	1,382
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	292	5,576
NCAT : Nueces River at Calallen, Texas	0	277
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	1,387	36,791

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 23,500 Salinity Relief Credit : 0 Effective:	23,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 05/01/2012)	500
Passthru Target: 23,500 Reservoir Inflow: 36,791 Comment: The 1203 AF passthru requirement for April 2012 has been banked for future use. This combined with the banked 5351 AF brings the banked total to 6554 AF.	23,500
Estuary Inflows (NCAT + RBP)	277
PassThru Surplus / -Deficit:	-22,723

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	May 2012	
				Allocation	Remaining
05/24/2012	136	3,265	18,364	4,100	835
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
05/24/2012	43.5	156,467		97.1%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: May 26, 2012**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
05/26/2011	213.1	517,700	74.5%	90.0	186,620	72.5%	704,320	73.9%
05/26/2012	207.9	411,632	59.2%	83.3	93,661	36.4%	505,293	53.0%

Weather Related Information								
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
05/25/2012	94	436	0.00	92	286	0.00	722	
MTD		8,908	2.47		4,946	2.44	13,854	

STREAM FLOWS

Gauging Station	05/25/2012 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	1,312	29,674
NRTT : Nueces River at Tilden, Texas	998	15,722
FRTT : Frio River at Tilden, Texas	10	7,121
SMTT : San Miguel Creek at Tilden, Texas	0	2,624
ARWT : Atascosa River at Whitsett, Texas	24	10,550
Release from Choke Canyon Reservoir	58	1,439
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	298	5,874
NCAT : Nueces River at Calallen, Texas	12	289
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	1,264	38,056

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 23,500 Salinity Relief Credit : 0 Effective:	23,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 05/01/2012)	500
Passthru Target: 23,500 Reservoir Inflow: 38,056 Comment: The 1203 AF passthru requirement for April 2012 has been banked for future use. This combined with the banked 5351 AF brings the banked total to 6554 AF.	23,500
Estuary Inflows (NCAT + RBP)	289
PassThru Surplus / -Deficit:	-22,711

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	May 2012	
				Allocation	Remaining
05/25/2012	136	3,401	18,500	4,100	699
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
05/25/2012	43.5	156,467		97.1%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: May 27, 2012**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
05/27/2011	213.0	516,609	74.3%	89.9	185,953	72.3%	702,562	73.8%
05/27/2012	207.9	411,061	59.1%	83.4	94,108	36.6%	505,169	53.0%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
05/26/2012	91	491	0.00	90	268	0.00	759
MTD		9,399	2.47		5,214	2.44	14,613

STREAM FLOWS

Gauging Station	05/26/2012 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	975	30,648
NRTT : Nueces River at Tilden, Texas	732	16,455
FRTT : Frio River at Tilden, Texas	8	7,129
SMTT : San Miguel Creek at Tilden, Texas	0	2,624
ARWT : Atascosa River at Whitsett, Texas	20	10,570
Release from Choke Canyon Reservoir	58	1,497
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	330	6,203
NCAT : Nueces River at Calallen, Texas	14	302
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	925	38,981

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 23,500 Salinity Relief Credit : 0 Effective:	23,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 05/01/2012)	500
Passthru Target: 23,500 Reservoir Inflow: 38,981 Comment: The 1203 AF passthru requirement for April 2012 has been banked for future use. This combined with the banked 5351 AF brings the banked total to 6554 AF.	23,500
Estuary Inflows (NCAT + RBP)	302
PassThru Surplus / -Deficit:	-22,698

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	May 2012	
				Allocation	Remaining
05/26/2012	136	3,537	18,636	4,100	563
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
05/26/2012	43.5	156,467		97.1%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: May 28, 2012**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
05/28/2011	212.9	514,444	74.0%	89.9	184,956	71.9%	699,400	73.4%
05/28/2012	207.9	411,251	59.1%	83.4	94,220	36.6%	505,471	53.1%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
05/27/2012	91	391	0.00	91	248	0.00	639
MTD		9,790	2.47		5,462	2.44	15,252

STREAM FLOWS

Gauging Station	05/27/2012 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	605	31,254
NRTT : Nueces River at Tilden, Texas	607	17,062
FRTT : Frio River at Tilden, Texas	6	7,135
SMTT : San Miguel Creek at Tilden, Texas	0	2,624
ARWT : Atascosa River at Whitsett, Texas	18	10,588
Release from Choke Canyon Reservoir	58	1,554
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	335	6,539
NCAT : Nueces River at Calallen, Texas	34	336
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	554	39,535

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 23,500 Salinity Relief Credit : 0 Effective:	23,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 05/01/2012)	500
Passthru Target: 23,500 Reservoir Inflow: 39,535 Comment: The 1203 AF passthru requirement for April 2012 has been banked for future use. This combined with the banked 5351 AF brings the banked total to 6554 AF.	23,500
Estuary Inflows (NCAT + RBP)	336
PassThru Surplus / -Deficit:	-22,664

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	May 2012	
				Allocation	Remaining
05/27/2012	136	3,674	18,773	4,100	426
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
05/27/2012	43.2	153,730		95.4%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: May 29, 2012**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
05/29/2011	212.9	514,013	73.9%	89.8	183,960	71.5%	697,973	73.3%
05/29/2012	207.8	410,298	59.0%	83.4	94,333	36.7%	504,631	53.0%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
05/28/2012	94	446	0.00	93	262	0.00	708
MTD		10,236	2.47		5,724	2.44	15,960

STREAM FLOWS

Gauging Station	05/28/2012 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	453	31,706
NRTT : Nueces River at Tilden, Texas	0	17,062
FRTT : Frio River at Tilden, Texas	5	7,140
SMTT : San Miguel Creek at Tilden, Texas	0	2,624
ARWT : Atascosa River at Whitsett, Texas	16	10,604
Release from Choke Canyon Reservoir	58	1,612
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	339	6,878
NCAT : Nueces River at Calallen, Texas	48	384
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	400	39,935

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 23,500 Salinity Relief Credit : 0 Effective:	23,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 05/01/2012)	500
Passthru Target: 23,500 Reservoir Inflow: 39,935 Comment: The 1203 AF passthru requirement for April 2012 has been banked for future use. This combined with the banked 5351 AF brings the banked total to 6554 AF.	23,500
Estuary Inflows (NCAT + RBP)	384
PassThru Surplus / -Deficit:	-22,616

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	May 2012	
				Allocation	Remaining
05/28/2012	136	3,810	18,909	4,100	290
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
05/28/2012	43.2	153,730		95.4%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: May 30, 2012**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
05/30/2011	212.9	512,502	73.7%	89.8	183,131	71.2%	695,633	73.0%
05/30/2012	207.8	410,108	59.0%	83.3	93,661	36.4%	503,769	52.9%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
05/29/2012	98	480	0.00	97	280	0.00	760
MTD		10,716	2.47		6,004	2.44	16,720

STREAM FLOWS

Gauging Station	05/29/2012 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	367	32,074
NRTT : Nueces River at Tilden, Texas	451	18,041
FRTT : Frio River at Tilden, Texas	4	7,144
SMTT : San Miguel Creek at Tilden, Texas	0	2,624
ARWT : Atascosa River at Whitsett, Texas	14	10,618
Release from Choke Canyon Reservoir	58	1,669
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	689	7,567
NCAT : Nueces River at Calallen, Texas	56	439
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	313	40,248

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 23,500 Salinity Relief Credit : 0 Effective:	23,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 05/01/2012)	500
Passthru Target: 23,500 Reservoir Inflow: 40,248 Comment: The 1203 AF passthru requirement for April 2012 has been banked for future use. This combined with the banked 5351 AF brings the banked total to 6554 AF.	23,500
Estuary Inflows (NCAT + RBP)	439
PassThru Surplus / -Deficit:	-22,561

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	May 2012	
				Allocation	Remaining
05/29/2012	136	3,946	19,045	4,100	154
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
05/29/2012	43.1	152,823		94.9%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: May 31, 2012**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
05/31/2011	212.9	514,013	73.9%	89.7	182,303	70.9%	696,316	73.1%
05/31/2012	207.8	408,953	58.8%	83.2	91,994	35.8%	500,947	52.6%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
05/30/2012	96	479	0.00	94	283	0.00	762
MTD		11,195	2.47		6,287	2.44	17,482

STREAM FLOWS

Gauging Station	05/30/2012 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	290	32,363
NRTT : Nueces River at Tilden, Texas	379	18,420
FRTT : Frio River at Tilden, Texas	3	7,147
SMTT : San Miguel Creek at Tilden, Texas	0	2,624
ARWT : Atascosa River at Whitsett, Texas	11	10,629
Release from Choke Canyon Reservoir	58	1,727
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	1,308	8,875
NCAT : Nueces River at Calallen, Texas	149	588
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	235	40,483

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 23,500 Salinity Relief Credit : 0 Effective:	23,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 05/01/2012)	500
Passthru Target: 23,500 Reservoir Inflow: 40,483 Comment: The 1203 AF passthru requirement for April 2012 has been banked for future use. This combined with the banked 5351 AF brings the banked total to 6554 AF.	23,500
Estuary Inflows (NCAT + RBP)	588
PassThru Surplus / -Deficit:	-22,412

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	May 2012	
				Allocation	Remaining
05/30/2012	136	4,082	19,181	4,100	18
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
05/30/2012	43.0	151,919		94.3%	