

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: June 1, 2012**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
06/01/2011	213.0	515,955	74.2%	89.7	182,965	71.1%	698,920	73.4%
06/01/2012	207.8	409,724	58.9%	83.1	91,333	35.5%	501,057	52.6%

Weather Related Information								
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
05/31/2012	95	468	0.00	95	263	0.01	731	
MTD		11,663	2.47		6,550	2.45	18,213	

STREAM FLOWS

Gauging Station	05/31/2012 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	220	32,584
NRTT : Nueces River at Tilden, Texas	208	18,628
FRTT : Frio River at Tilden, Texas	4	7,150
SMTT : San Miguel Creek at Tilden, Texas	0	2,624
ARWT : Atascosa River at Whitsett, Texas	9	10,639
Release from Choke Canyon Reservoir	58	1,785
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	1,521	10,395
NCAT : Nueces River at Calallen, Texas	522	1,110
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	166	40,650

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 23,500 Salinity Relief Credit : 0 Effective:	23,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 05/01/2012)	500
Passthru Target: 23,500 Reservoir Inflow: 40,650 Comment: The 1203 AF passthru requirement for April 2012 has been banked for future use. This combined with the banked 5351 AF brings the banked total to 6554 AF.	23,500
Estuary Inflows (NCAT + RBP)	1,110
PassThru Surplus / -Deficit:	-21,890

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	May 2012	
				Allocation	Remaining
05/31/2012	136	4,218	19,317	4,100	-118
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
05/31/2012	43.0	151,919		94.3%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: June 2, 2012**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
06/02/2011	213.0	515,308	74.1%	89.7	182,138	70.8%	697,446	73.2%
06/02/2012	207.7	408,375	58.7%	83.0	89,801	34.9%	498,176	52.3%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
06/01/2012	95	467	0.00	92	222	0.00	689
MTD		467	0.00		222	0.00	689

STREAM FLOWS

Gauging Station	06/01/2012 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	173	173
NRTT : Nueces River at Tilden, Texas	89	89
FRTT : Frio River at Tilden, Texas	3	3
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	8	8
Release from Choke Canyon Reservoir	58	58
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	1,511	1,511
NCAT : Nueces River at Calallen, Texas	742	742
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	118	118

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru		23,000
Monthly Target: 23,000		
Salinity Relief Credit : 0 Effective:		
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)		-21,890
Return Flow Credit (Effective:)		0
Passthru		
Target: 23,000	Comment:	118
Reservoir Inflow: 118		
Estuary Inflows (NCAT + RBP)		742
PassThru Surplus / -Deficit:		-21,265

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	June 2012	
				Allocation	Remaining
06/01/2012	136	136	19,453	4,100	3,964
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
06/01/2012	43.0	151,919		94.3%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: June 3, 2012**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
06/03/2011	212.9	514,229	74.0%	89.7	181,643	70.6%	695,872	73.1%
06/03/2012	207.7	407,799	58.7%	83.0	89,475	34.8%	497,274	52.2%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
06/02/2012	96	400	0.00	96	259	0.00	659
MTD		867	0.00		481	0.00	1,348

STREAM FLOWS

Gauging Station	06/02/2012 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	141	314
NRTT : Nueces River at Tilden, Texas	60	149
FRTT : Frio River at Tilden, Texas	2	5
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	8	16
Release from Choke Canyon Reservoir	58	115
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	1,489	2,999
NCAT : Nueces River at Calallen, Texas	824	1,566
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	85	203

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru		23,000
Monthly Target: 23,000		
Salinity Relief Credit : 0 Effective:		
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)		-21,890
Return Flow Credit (Effective:)		0
Passthru		
Target: 23,000	Comment:	203
Reservoir Inflow: 203		
Estuary Inflows (NCAT + RBP)		1,566
PassThru Surplus / -Deficit:		-20,527

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	June 2012	
				Allocation	Remaining
06/02/2012	136	272	19,589	4,100	3,828
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
06/02/2012	42.9	151,018		93.8%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: June 4, 2012**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
06/04/2011	212.9	513,581	73.9%	89.6	181,147	70.4%	694,728	72.9%
06/04/2012	207.7	407,227	58.6%	82.8	87,534	34.0%	494,761	51.9%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
06/03/2012	91	333	0.00	92	218	0.00	551
MTD		1,200	0.00		699	0.00	1,899

STREAM FLOWS

Gauging Station	06/03/2012 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	121	435
NRTT : Nueces River at Tilden, Texas	40	189
FRTT : Frio River at Tilden, Texas	2	6
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	7	23
Release from Choke Canyon Reservoir	58	173
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	1,471	4,470
NCAT : Nueces River at Calallen, Texas	842	2,408
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	65	268

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 23,000 Salinity Relief Credit : 0 Effective:	23,000
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	-21,890
Return Flow Credit (Effective:)	0
Passthru Target: 23,000 Reservoir Inflow: 268 <i>Comment: May deficit is being delivered in June. Previously banked 6554 AF remains stored for future delivery.</i>	268
Estuary Inflows (NCAT + RBP)	2,408
PassThru Surplus / -Deficit:	-19,750

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	June 2012	
				Allocation	Remaining
06/03/2012	136	408	19,725	4,100	3,692
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
06/03/2012	42.9	151,018		93.8%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: June 5, 2012**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
06/05/2011	212.8	512,071	73.7%	89.6	180,982	70.3%	693,053	72.8%
06/05/2012	207.7	408,182	58.7%	82.6	85,724	33.3%	493,906	51.9%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
06/04/2012	97	478	0.00	95	265	0.00	743
MTD		1,678	0.00		964	0.00	2,642

STREAM FLOWS

Gauging Station	06/04/2012 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	103	538
NRTT : Nueces River at Tilden, Texas	28	216
FRTT : Frio River at Tilden, Texas	1	7
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	9	32
Release from Choke Canyon Reservoir	58	230
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	1,451	5,921
NCAT : Nueces River at Calallen, Texas	810	3,218
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	47	315

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru		23,000
Monthly Target: 23,000		
Salinity Relief Credit : 0 Effective:		
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)		-21,890
Return Flow Credit (Effective:)		0
Passthru		
Target: 23,000	Comment: May deficit is being delivered in June. Previously banked 6554 AF remains stored for future delivery.	315
Reservoir Inflow: 315		
Estuary Inflows (NCAT + RBP)		3,218
PassThru Surplus / -Deficit:		-18,987

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	June 2012	
				Allocation	Remaining
06/04/2012	136	544	19,861	4,100	3,556
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
06/04/2012	42.8	150,120		93.2%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: June 6, 2012**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
06/06/2011	212.8	510,560	73.4%	89.6	179,993	70.0%	690,553	72.5%
06/06/2012	207.7	407,989	58.7%	82.5	84,567	32.9%	492,556	51.7%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
06/05/2012	96	412	0.00	95	226	0.00	638
MTD		2,090	0.00		1,190	0.00	3,280

STREAM FLOWS

Gauging Station	06/05/2012 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	91	629
NRIT : Nueces River at Tilden, Texas	19	236
FRIT : Frio River at Tilden, Texas	2	9
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	8	41
Release from Choke Canyon Reservoir	58	288
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	1,441	7,362
NCAT : Nueces River at Calallen, Texas	828	4,045
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	36	350

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 23,000 Salinity Relief Credit : 0 Effective:	23,000
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	-21,890
Return Flow Credit (Effective:)	0
Passthru Target: 23,000 Reservoir Inflow: 350 <i>Comment: May deficit is being delivered in June. Previously banked 6554 AF remains stored for future delivery.</i>	350
Estuary Inflows (NCAT + RBP)	4,045
PassThru Surplus / -Deficit:	-18,195

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	June 2012	
				Allocation	Remaining
06/05/2012	136	680	19,997	4,100	3,420
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
06/05/2012	42.8	150,120		93.2%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: June 7, 2012**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
06/07/2011	212.8	512,286	73.7%	89.5	179,335	69.7%	691,621	72.6%
06/07/2012	207.7	407,608	58.6%	82.4	83,316	32.4%	490,924	51.5%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
06/06/2012	97	500	0.00	96	260	0.00	760
MTD		2,590	0.00		1,450	0.00	4,040

STREAM FLOWS

Gauging Station	06/06/2012 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	83	713
NRTT : Nueces River at Tilden, Texas	12	247
FRTT : Frio River at Tilden, Texas	2	11
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	8	48
Release from Choke Canyon Reservoir	58	345
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	1,421	8,784
NCAT : Nueces River at Calallen, Texas	832	4,877
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	27	378

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru		23,000
Monthly Target: 23,000		
Salinity Relief Credit : 0 Effective:		
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)		-21,890
Return Flow Credit (Effective:)		0
Passthru		
Target: 23,000	Comment: May deficit is being delivered in June. Previously banked 6554 AF remains stored for future delivery.	378
Reservoir Inflow: 378		
Estuary Inflows (NCAT + RBP)		4,877
PassThru Surplus / -Deficit:		-17,391

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	June 2012	
				Allocation	Remaining
06/06/2012	136	816	20,133	4,100	3,284
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
06/06/2012	42.8	150,120		93.2%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: June 8, 2012**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
06/08/2011	212.8	511,855	73.6%	89.5	178,350	69.3%	690,205	72.5%
06/08/2012	207.7	407,227	58.6%	82.3	82,282	32.0%	489,509	51.4%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
06/07/2012	93	333	0.00	96	210	0.01	543
MTD		2,923	0.00		1,660	0.01	4,583

STREAM FLOWS

Gauging Station	06/07/2012 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	77	790
NRTT : Nueces River at Tilden, Texas	5	252
FRTT : Frio River at Tilden, Texas	1	12
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	7	56
Release from Choke Canyon Reservoir	58	403
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	1,403	10,187
NCAT : Nueces River at Calallen, Texas	802	5,679
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	21	399

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru		23,000
Monthly Target: 23,000		
Salinity Relief Credit : 0 Effective:		
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)		-21,890
Return Flow Credit (Effective:)		0
Passthru		
Target: 23,000	Comment: May deficit is being delivered in June. Previously banked 6554 AF remains stored for future delivery.	399
Reservoir Inflow: 399		
Estuary Inflows (NCAT + RBP)		5,679
PassThru Surplus / -Deficit:		-16,610

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	June 2012	
				Allocation	Remaining
06/07/2012	136	953	20,269	4,100	3,147
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
06/07/2012	42.8	150,120		93.2%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: June 9, 2012**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
06/09/2011	212.8	511,207	73.5%	89.4	178,021	69.2%	689,228	72.4%
06/09/2012	207.6	406,465	58.5%	82.2	80,950	31.5%	487,415	51.2%

Weather Related Information								
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
06/08/2012	91	388	0.00	91	249	0.00		637
MTD		3,311	0.00		1,909	0.01		5,220

STREAM FLOWS

Gauging Station	06/08/2012 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	71	861
NRTT : Nueces River at Tilden, Texas	1	253
FRTT : Frio River at Tilden, Texas	1	13
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	7	62
Release from Choke Canyon Reservoir	58	461
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	1,382	11,569
NCAT : Nueces River at Calallen, Texas	824	6,503
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	15	414

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 23,000 Salinity Relief Credit : 0 Effective:	23,000
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	-21,890
Return Flow Credit (Effective:)	0
Passthru Target: 23,000 Reservoir Inflow: 414 <i>Comment: May deficit is being delivered in June. Previously banked 6554 AF remains stored for future delivery.</i>	414
Estuary Inflows (NCAT + RBP)	6,503
PassThru Surplus / -Deficit:	-15,801

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	June 2012	
				Allocation	Remaining
06/08/2012	136	1,089	20,405	4,100	3,011
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
06/08/2012	42.8	150,120		93.2%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: June 10, 2012**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
06/10/2011	212.7	509,913	73.3%	89.4	177,202	68.9%	687,115	72.1%
06/10/2012	207.6	405,131	58.3%	82.0	78,928	30.7%	484,059	50.8%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
06/09/2012	97	476	0.00	96	216	0.00	692
MTD		3,787	0.00		2,125	0.01	5,912

STREAM FLOWS

Gauging Station	06/09/2012 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	66	927
NRTT : Nueces River at Tilden, Texas	0	254
FRTT : Frio River at Tilden, Texas	1	14
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	6	69
Release from Choke Canyon Reservoir	58	518
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	1,366	12,934
NCAT : Nueces River at Calallen, Texas	863	7,366
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	9	423

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru		23,000
Monthly Target: 23,000		
Salinity Relief Credit : 0 Effective:		
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)		-21,890
Return Flow Credit (Effective:)		0
Passthru Target: 23,000	Comment: May deficit is being delivered in June. Previously banked 6554 AF remains stored for future delivery.	423
Reservoir Inflow: 423		
Estuary Inflows (NCAT + RBP)		7,366
PassThru Surplus / -Deficit:		-14,947

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	June 2012	
				Allocation	Remaining
06/09/2012	136	1,224	20,541	4,100	2,876
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
06/09/2012	42.8	150,120		93.2%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: June 11, 2012**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
06/11/2011	212.7	508,414	73.1%	89.4	176,711	68.7%	685,125	71.9%
06/11/2012	207.5	404,369	58.2%	81.8	77,831	30.3%	482,200	50.6%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
06/10/2012	104	542	0.00	102	295	0.00	837
MTD		4,329	0.00		2,420	0.01	6,749

STREAM FLOWS

Gauging Station	06/10/2012 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	64	991
NRTT : Nueces River at Tilden, Texas	0	254
FRTT : Frio River at Tilden, Texas	1	15
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	6	75
Release from Choke Canyon Reservoir	58	576
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	1,344	14,278
NCAT : Nueces River at Calallen, Texas	798	8,164
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	7	430

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 23,000 Salinity Relief Credit : 0 Effective:	23,000
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	-21,890
Return Flow Credit (Effective:)	0
Passthru Target: 23,000 Reservoir Inflow: 430 <i>Comment: May deficit is being delivered in June. Previously banked 6554 AF remains stored for future delivery.</i>	430
Estuary Inflows (NCAT + RBP)	8,164
PassThru Surplus / -Deficit:	-14,155

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	June 2012	
				Allocation	Remaining
06/10/2012	135	1,360	20,676	4,100	2,740
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
06/10/2012	43.0	151,919		94.3%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: June 12, 2012**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
06/12/2011	212.7	508,841	73.2%	89.3	176,220	68.5%	685,061	71.9%
06/12/2012	207.5	403,990	58.1%	81.7	76,353	29.7%	480,343	50.4%

Weather Related Information								
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
06/11/2012	101	575	0.00	98	291	0.00		866
MTD		4,904	0.00		2,711	0.01		7,615

STREAM FLOWS

Gauging Station	06/11/2012 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	60	1,050
NRTT : Nueces River at Tilden, Texas	0	254
FRTT : Frio River at Tilden, Texas	0	15
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	6	81
Release from Choke Canyon Reservoir	58	633
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	1,324	15,602
NCAT : Nueces River at Calallen, Texas	814	8,978
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	2	432

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru		23,000
Monthly Target: 23,000		
Salinity Relief Credit : 0 Effective:		
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)		-21,890
Return Flow Credit (Effective:)		0
Passthru		
Target: 23,000	Comment: May deficit is being delivered in June. Previously banked 6554 AF remains stored for future delivery.	432
Reservoir Inflow: 432		
Estuary Inflows (NCAT + RBP)		8,978
PassThru Surplus / -Deficit:		-13,344

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	June 2012	
				Allocation	Remaining
06/11/2012	135	1,495	20,812	4,100	2,605
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
06/11/2012	42.8	150,120		93.2%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: June 13, 2012**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
06/13/2011	212.6	508,200	73.1%	89.3	175,241	68.1%	683,441	71.8%
06/13/2012	207.5	403,990	58.1%	81.6	75,379	29.3%	479,369	50.3%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
06/12/2012	97	498	0.00	95	243	0.00	741
MTD		5,402	0.00		2,954	0.01	8,356

STREAM FLOWS

Gauging Station	06/12/2012 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	56	1,106
NRIT : Nueces River at Tilden, Texas	0	254
FRIT : Frio River at Tilden, Texas	0	16
SMIT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	5	86
Release from Choke Canyon Reservoir	58	691
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	1,308	16,910
NCAT : Nueces River at Calallen, Texas	792	9,770
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: NRIT+FRIT+SMIT+ARWT	5	437

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 23,000 Salinity Relief Credit : 0 Effective:	23,000
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	-21,890
Return Flow Credit (Effective:)	0
Passthru Target: 23,000 Reservoir Inflow: 437 <i>Comment: May deficit is being delivered in June. Previously banked 6554 AF remains stored for future delivery.</i>	437
Estuary Inflows (NCAT + RBP)	9,770
PassThru Surplus / -Deficit:	-12,557

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	June 2012	
				Allocation	Remaining
06/12/2012	135	1,631	20,947	4,100	2,469
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
06/12/2012	42.7	149,224		92.6%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: June 14, 2012**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
06/14/2011	212.6	506,267	72.8%	89.2	174,426	67.8%	680,693	71.5%
06/14/2012	207.5	403,237	58.0%	81.5	74,031	28.8%	477,268	50.1%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
06/13/2012	98	497	0.00	98	273	0.00	770
MTD		5,899	0.00		3,227	0.01	9,126

STREAM FLOWS

Gauging Station	06/13/2012 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	56	1,161
NRIT : Nueces River at Tilden, Texas	0	254
FRIT : Frio River at Tilden, Texas	0	16
SMIT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	4	90
Release from Choke Canyon Reservoir	58	748
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	1,292	18,202
NCAT : Nueces River at Calallen, Texas	816	10,586
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: NRIT+FRIT+SMIT+ARWT	5	442

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 23,000 Salinity Relief Credit : 0 Effective:	23,000
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	-21,890
Return Flow Credit (Effective:)	0
Passthru Target: 23,000 Reservoir Inflow: 442 Comment: May deficit is being delivered in June. Previously banked 6554 AF remains stored for future delivery.	442
Estuary Inflows (NCAT + RBP)	10,586
PassThru Surplus / -Deficit:	-11,746

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	June 2012	
				Allocation	Remaining
06/13/2012	136	1,766	21,083	4,100	2,334
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
06/13/2012	42.6	148,332		92.1%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: June 15, 2012**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
06/15/2011	212.5	504,334	72.5%	89.1	172,963	67.2%	677,297	71.1%
06/15/2012	207.4	402,296	57.9%	81.3	72,610	28.2%	474,906	49.9%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
06/14/2012	98	563	0.00	96	279	0.00	842
MTD		6,462	0.00		3,506	0.01	9,968

STREAM FLOWS

Gauging Station	06/14/2012 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	56	1,217
NRIT : Nueces River at Tilden, Texas	0	254
FRIT : Frio River at Tilden, Texas	0	16
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	4	94
Release from Choke Canyon Reservoir	58	806
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	1,266	19,469
NCAT : Nueces River at Calallen, Texas	804	11,390
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: NRIT+FRIT+SMTT+ARWT	4	446

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 23,000 Salinity Relief Credit : 0 Effective:	23,000
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	-21,890
Return Flow Credit (Effective:)	0
Passthru Target: 23,000 Reservoir Inflow: 446 <i>Comment: May deficit is being delivered in June. Previously banked 6554 AF remains stored for future delivery.</i>	446
Estuary Inflows (NCAT + RBP)	11,390
PassThru Surplus / -Deficit:	-10,947

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	June 2012	
				Allocation	Remaining
06/14/2012	136	1,902	21,219	4,100	2,198
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
06/14/2012	42.6	148,332		92.1%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: June 16, 2012**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
06/16/2011	212.5	504,121	72.5%	89.1	172,476	67.0%	676,597	71.0%
06/16/2012	207.4	402,861	57.9%	81.2	71,676	27.9%	474,537	49.8%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
06/15/2012	97	530	0.00	95	211	0.00	741
MTD		6,992	0.00		3,717	0.01	10,709

STREAM FLOWS

Gauging Station	06/15/2012 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	56	1,272
NRIT : Nueces River at Tilden, Texas	0	254
FRIT : Frio River at Tilden, Texas	0	17
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	4	98
Release from Choke Canyon Reservoir	58	863
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	1,131	20,600
NCAT : Nueces River at Calallen, Texas	786	12,176
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: NRIT+FRIT+SMTT+ARWT	4	450

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 23,000 Salinity Relief Credit : 0 Effective:	23,000
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	-21,890
Return Flow Credit (Effective:)	0
Passthru Target: 23,000 Reservoir Inflow: 450 <i>Comment: May deficit is being delivered in June. Previously banked 6554 AF remains stored for future delivery.</i>	450
Estuary Inflows (NCAT + RBP)	12,176
PassThru Surplus / -Deficit:	-10,164

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	June 2012	
				Allocation	Remaining
06/15/2012	130	2,031	21,348	4,100	2,069
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
06/15/2012	42.6	148,332		92.1%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: June 17, 2012**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
06/17/2011	212.4	503,267	72.4%	89.0	171,019	66.5%	674,286	70.8%
06/17/2012	207.4	402,672	57.9%	81.1	70,935	27.6%	473,607	49.7%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
06/16/2012	98	497	0.00	95	236	0.00	733
MTD		7,489	0.00		3,953	0.01	11,442

STREAM FLOWS

Gauging Station	06/16/2012 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	56	1,328
NRIT : Nueces River at Tilden, Texas	0	254
FRIT : Frio River at Tilden, Texas	0	17
SMIT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	4	101
Release from Choke Canyon Reservoir	58	921
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	768	21,369
NCAT : Nueces River at Calallen, Texas	719	12,895
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: NRIT+FRIT+SMIT+ARWT	4	454

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 23,000 Salinity Relief Credit : 0 Effective:	23,000
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	-21,890
Return Flow Credit (Effective:)	0
Passthru Target: 23,000 Reservoir Inflow: 454 Comment: May deficit is being delivered in June. Previously banked 6554 AF remains stored for future delivery.	454
Estuary Inflows (NCAT + RBP)	12,895
PassThru Surplus / -Deficit:	-9,450

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	June 2012	
				Allocation	Remaining
06/16/2012	136	2,173	21,490	4,100	1,927
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
06/16/2012	42.5	147,442		91.5%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: June 18, 2012**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
06/18/2011	212.3	501,345	72.1%	89.0	170,051	66.1%	671,396	70.5%
06/18/2012	207.4	402,105	57.8%	81.0	69,744	27.1%	471,849	49.5%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
06/17/2012	95	463	0.00	94	243	0.00	706
MTD		7,952	0.00		4,196	0.01	12,148

STREAM FLOWS

Gauging Station	06/17/2012 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	56	1,384
NRIT : Nueces River at Tilden, Texas	0	254
FRIT : Frio River at Tilden, Texas	0	17
SMIT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	3	105
Release from Choke Canyon Reservoir	58	979
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	750	22,119
NCAT : Nueces River at Calallen, Texas	538	13,432
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: NRIT+FRIT+SMIT+ARWT	4	458

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru		23,000
Monthly Target: 23,000		
Salinity Relief Credit : 0 Effective:		
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)		-21,890
Return Flow Credit (Effective:)		0
Passthru		
Target: 23,000	Comment:	458
Reservoir Inflow: 458		
Estuary Inflows (NCAT + RBP)		13,432
PassThru Surplus / -Deficit:		-8,915

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	June 2012	
				Allocation	Remaining
06/17/2012	136	2,309	21,626	4,100	1,791
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
06/17/2012	42.5	147,442		91.5%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: June 19, 2012**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
06/19/2011	212.3	500,918	72.0%	88.9	169,889	66.0%	670,807	70.4%
06/19/2012	207.3	400,014	57.5%	80.9	69,202	26.9%	469,216	49.3%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
06/18/2012	97	407	0.00	98	215	0.00	622
MTD		8,359	0.00		4,411	0.01	12,770

STREAM FLOWS

Gauging Station	06/18/2012 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	56	1,439
NRIT : Nueces River at Tilden, Texas	0	254
FRIT : Frio River at Tilden, Texas	0	17
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	3	108
Release from Choke Canyon Reservoir	58	1,036
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	564	22,683
NCAT : Nueces River at Calallen, Texas	447	13,879
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: NRIT+FRIT+SMTT+ARWT	3	461

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru		23,000
Monthly Target: 23,000		
Salinity Relief Credit : 0 Effective:		
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)		-21,890
Return Flow Credit (Effective:)		0
Passthru Target: 23,000	Comment:	461
Reservoir Inflow: 461		
Estuary Inflows (NCAT + RBP)		13,879
PassThru Surplus / -Deficit:		-8,472

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	June 2012	
				Allocation	Remaining
06/18/2012	136	2,445	21,762	4,100	1,655
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
06/18/2012	42.4	146,555		91.0%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: June 20, 2012**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
06/20/2011	212.3	500,707	72.0%	88.9	168,602	65.5%	669,309	70.3%
06/20/2012	207.3	399,449	57.5%	80.9	68,931	26.8%	468,380	49.2%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
06/19/2012	92	363	0.00	91	162	0.27	525
MTD		8,722	0.00		4,573	0.28	13,295

STREAM FLOWS

Gauging Station	06/19/2012 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	52	1,491
NRIT : Nueces River at Tilden, Texas	0	254
FRIT : Frio River at Tilden, Texas	0	17
SMIT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	3	111
Release from Choke Canyon Reservoir	58	1,094
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	222	22,905
NCAT : Nueces River at Calallen, Texas	365	14,244
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: NRIT+FRIT+SMIT+ARWT	3	464

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru		23,000
Monthly Target: 23,000		
Salinity Relief Credit : 0 Effective:		
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)		-21,890
Return Flow Credit (Effective:)		0
Passthru		
Target: 23,000	Comment:	464
Reservoir Inflow: 464		
Estuary Inflows (NCAT + RBP)		14,244
PassThru Surplus / -Deficit:		-8,110

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	June 2012	
				Allocation	Remaining
06/19/2012	136	2,582	21,898	4,100	1,518
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
06/19/2012	42.4	146,555		91.0%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: June 21, 2012**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
06/21/2011	212.2	499,651	71.9%	88.8	168,280	65.4%	667,931	70.1%
06/21/2012	207.3	400,202	57.6%	80.9	68,842	26.8%	469,044	49.2%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
06/20/2012	92	352	0.05	90	152	0.07	504
MTD		9,074	0.05		4,725	0.35	13,799

STREAM FLOWS

Gauging Station	06/20/2012 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	54	1,544
NRIT : Nueces River at Tilden, Texas	0	254
FRIT : Frio River at Tilden, Texas	0	17
SMIT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	3	114
Release from Choke Canyon Reservoir	58	1,151
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	250	23,155
NCAT : Nueces River at Calallen, Texas	147	14,391
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: NRIT+FRIT+SMIT+ARWT	3	467

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru		23,000
Monthly Target: 23,000		
Salinity Relief Credit : 0 Effective:		
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)		-21,890
Return Flow Credit (Effective:)		0
Passthru		
Target: 23,000	Comment:	467
Reservoir Inflow: 467		
Estuary Inflows (NCAT + RBP)		14,391
PassThru Surplus / -Deficit:		-7,966

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	June 2012	
				Allocation	Remaining
06/20/2012	137	2,718	22,035	4,100	1,382
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
06/20/2012	42.3	145,671		90.4%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: June 22, 2012**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
06/22/2011	212.2	498,806	71.7%	88.9	168,602	65.5%	667,408	70.1%
06/22/2012	207.3	399,825	57.5%	80.8	67,948	26.4%	467,773	49.1%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
06/21/2012	90	220	0.03	87	109	0.15	329
MTD		9,294	0.08		4,834	0.50	14,128

STREAM FLOWS

Gauging Station	06/21/2012 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	56	1,600
NRIT : Nueces River at Tilden, Texas	0	254
FRIT : Frio River at Tilden, Texas	0	18
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	3	117
Release from Choke Canyon Reservoir	58	1,209
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	353	23,508
NCAT : Nueces River at Calallen, Texas	66	14,457
RBP : Rincon Bayou Pipeline	75	75
Reservoir Inflow		
Computed as: NRIT+FRIT+SMTT+ARWT	3	470

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru		23,000
Monthly Target: 23,000		
Salinity Relief Credit : 0 Effective:		
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)		-21,890
Return Flow Credit (Effective:)		0
Passthru		
Target: 23,000	Comment:	470
Reservoir Inflow: 470		
Estuary Inflows (NCAT + RBP)		14,531
PassThru Surplus / -Deficit:		-7,829

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	June 2012	
				Allocation	Remaining
06/21/2012	137	2,855	22,172	4,100	1,245
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
06/21/2012	42.3	145,671		90.4%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: June 23, 2012**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
06/23/2011	212.4	503,694	72.4%	88.9	168,441	65.5%	672,135	70.6%
06/23/2012	207.2	398,696	57.3%	80.8	67,771	26.3%	466,467	49.0%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
06/22/2012	95	428	0.00	95	196	0.00	624
MTD		9,722	0.08		5,030	0.50	14,752

STREAM FLOWS

Gauging Station	06/22/2012 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	56	1,655
NRIT : Nueces River at Tilden, Texas	0	254
FRIT : Frio River at Tilden, Texas	0	18
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	3	120
Release from Choke Canyon Reservoir	58	1,266
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	349	23,858
NCAT : Nueces River at Calallen, Texas	83	14,540
RBP : Rincon Bayou Pipeline	113	188
Reservoir Inflow		
Computed as: NRIT+FRIT+SMTT+ARWT	4	474

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru		23,000
Monthly Target: 23,000		
Salinity Relief Credit : 0 Effective:		
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)		-21,890
Return Flow Credit (Effective:)		0
Passthru		474
Target: 23,000	Comment:	
Reservoir Inflow: 474		
Estuary Inflows (NCAT + RBP)		14,728
PassThru Surplus / -Deficit:		-7,636

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	June 2012	
				Allocation	Remaining
06/22/2012	137	2,992	22,309	4,100	1,108
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
06/22/2012	42.3	145,671		90.4%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: June 24, 2012**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
06/24/2011	212.3	501,772	72.2%	88.8	168,120	65.4%	669,892	70.3%
06/24/2012	207.2	397,943	57.2%	80.7	67,240	26.1%	465,183	48.8%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
06/23/2012	98	472	0.00	96	221	0.00	693
MTD		10,194	0.08		5,251	0.50	15,445

STREAM FLOWS

Gauging Station	06/23/2012 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	56	1,711
NRIT : Nueces River at Tilden, Texas	0	254
FRIT : Frio River at Tilden, Texas	0	18
SMIT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	3	123
Release from Choke Canyon Reservoir	58	1,324
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	345	24,203
NCAT : Nueces River at Calallen, Texas	71	14,612
RBP : Rincon Bayou Pipeline	113	301
Reservoir Inflow		
Computed as: NRIT+FRIT+SMIT+ARWT	4	477

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru		23,000
Monthly Target: 23,000		
Salinity Relief Credit : 0 Effective:		
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)		-21,890
Return Flow Credit (Effective:)		0
Passthru Target: 23,000	Comment:	477
Reservoir Inflow: 477		
Estuary Inflows (NCAT + RBP)		14,912
PassThru Surplus / -Deficit:		-7,455

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	June 2012	
				Allocation	Remaining
06/23/2012	137	3,129	22,446	4,100	971
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
06/23/2012	42.3	145,671		90.4%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: June 25, 2012**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
06/25/2011	212.4	502,413	72.3%	88.8	167,157	65.0%	669,570	70.3%
06/25/2012	207.2	397,755	57.2%	80.6	66,451	25.8%	464,206	48.7%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
06/24/2012	100	493	0.00	98	249	0.00	742
MTD		10,687	0.08		5,500	0.50	16,187

STREAM FLOWS

Gauging Station	06/24/2012 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	52	1,763
NRIT : Nueces River at Tilden, Texas	0	254
FRIT : Frio River at Tilden, Texas	0	18
SMIT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	3	126
Release from Choke Canyon Reservoir	58	1,382
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	345	24,548
NCAT : Nueces River at Calallen, Texas	66	14,677
RBP : Rincon Bayou Pipeline	112	413
Reservoir Inflow		
Computed as: NRIT+FRIT+SMIT+ARWT	3	480

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru		23,000
Monthly Target: 23,000		
Salinity Relief Credit : 0 Effective:		
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)		-21,890
Return Flow Credit (Effective:)		0
Passthru Target: 23,000	Comment:	480
Reservoir Inflow: 480		
Estuary Inflows (NCAT + RBP)		15,090
PassThru Surplus / -Deficit:		-7,280

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	June 2012	
				Allocation	Remaining
06/24/2012	137	3,267	22,583	4,100	833
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
06/24/2012	42.2	144,790		89.9%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: June 26, 2012**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
06/26/2011	212.3	500,496	72.0%	88.7	166,677	64.8%	667,173	70.0%
06/26/2012	207.2	397,567	57.2%	80.7	67,152	26.1%	464,719	48.8%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
06/25/2012	102	515	0.00	102	246	0.00	761
MTD		11,202	0.08		5,746	0.50	16,948

STREAM FLOWS

Gauging Station	06/25/2012 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	52	1,814
NRIT : Nueces River at Tilden, Texas	0	254
FRIT : Frio River at Tilden, Texas	0	18
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	2	128
Release from Choke Canyon Reservoir	58	1,439
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	345	24,894
NCAT : Nueces River at Calallen, Texas	56	14,733
RBP : Rincon Bayou Pipeline	112	526
Reservoir Inflow		
Computed as: NRIT+FRIT+SMTT+ARWT	3	483

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru		23,000
Monthly Target: 23,000		
Salinity Relief Credit : 0 Effective:		
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)		-21,890
Return Flow Credit (Effective:)		0
Passthru		
Target: 23,000	Comment:	483
Reservoir Inflow: 483		
Estuary Inflows (NCAT + RBP)		15,258
PassThru Surplus / -Deficit:		-7,115

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	June 2012	
				Allocation	Remaining
06/25/2012	137	3,404	22,721	4,100	696
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
06/25/2012	42.1	143,911		89.3%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: June 27, 2012**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
06/27/2011	212.3	500,496	72.0%	88.7	166,197	64.6%	666,693	70.0%
06/27/2012	207.2	398,320	57.3%	80.5	64,980	25.3%	463,300	48.6%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
06/26/2012	104	472	0.00	106	265	0.01	737
MTD		11,674	0.08		6,011	0.51	17,685

STREAM FLOWS

Gauging Station	06/26/2012 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	54	1,868
NRIT : Nueces River at Tilden, Texas	0	254
FRIT : Frio River at Tilden, Texas	0	18
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	2	131
Release from Choke Canyon Reservoir	58	1,497
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	343	25,237
NCAT : Nueces River at Calallen, Texas	28	14,760
RBP : Rincon Bayou Pipeline	110	635
Reservoir Inflow		
Computed as: NRIT+FRIT+SMTT+ARWT	3	485

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru		23,000
Monthly Target: 23,000		
Salinity Relief Credit : 0 Effective:		
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)		-21,890
Return Flow Credit (Effective:)		0
Passthru Target: 23,000	Comment:	485
Reservoir Inflow: 485		
Estuary Inflows (NCAT + RBP)		15,396
PassThru Surplus / -Deficit:		-6,979

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	June 2012	
				Allocation	Remaining
06/26/2012	138	3,542	22,859	4,100	558
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
06/26/2012	42.1	143,911		89.3%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: June 28, 2012**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
06/28/2011	212.3	500,284	72.0%	88.7	166,037	64.5%	666,321	70.0%
06/28/2012	207.1	395,872	56.9%	80.5	65,583	25.5%	461,455	48.4%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
06/27/2012	103	536	0.00	102	257	0.00	793
MTD		12,210	0.08		6,268	0.51	18,478

STREAM FLOWS

Gauging Station	06/27/2012 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	52	1,919
NRIT : Nueces River at Tilden, Texas	0	254
FRIT : Frio River at Tilden, Texas	0	19
SMIT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	2	133
Release from Choke Canyon Reservoir	58	1,554
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	339	25,577
NCAT : Nueces River at Calallen, Texas	11	14,771
RBP : Rincon Bayou Pipeline	113	749
Reservoir Inflow		
Computed as: NRIT+FRIT+SMIT+ARWT	2	488

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru		23,000
Monthly Target: 23,000		
Salinity Relief Credit : 0 Effective:		
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)		-21,890
Return Flow Credit (Effective:)		0
Passthru		488
Target: 23,000	Comment:	
Reservoir Inflow: 488		
Estuary Inflows (NCAT + RBP)		15,520
PassThru Surplus / -Deficit:		-6,857

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	June 2012	
				Allocation	Remaining
06/27/2012	138	3,680	22,996	4,100	420
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
06/27/2012	42.0	143,036		88.8%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: June 29, 2012**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
06/29/2011	212.3	500,073	71.9%	88.7	165,558	64.4%	665,631	69.9%
06/29/2012	207.1	396,625	57.0%	80.4	64,466	25.1%	461,091	48.4%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
06/28/2012	99	503	0.00	97	229	0.00	732
MTD		12,713	0.08		6,497	0.51	19,210

STREAM FLOWS

Gauging Station	06/28/2012 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	54	1,973
NRIT : Nueces River at Tilden, Texas	0	254
FRIT : Frio River at Tilden, Texas	0	19
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	2	135
Release from Choke Canyon Reservoir	58	1,612
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	337	25,914
NCAT : Nueces River at Calallen, Texas	22	14,793
RBP : Rincon Bayou Pipeline	112	861
Reservoir Inflow		
Computed as: NRIT+FRIT+SMTT+ARWT	2	490

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru		23,000
Monthly Target: 23,000		
Salinity Relief Credit : 0 Effective:		
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)		-21,890
Return Flow Credit (Effective:)		0
Passthru		
Target: 23,000	Comment:	490
Reservoir Inflow: 490		
Estuary Inflows (NCAT + RBP)		15,654
PassThru Surplus / -Deficit:		-6,726

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	June 2012	
				Allocation	Remaining
06/28/2012	138	3,818	23,135	4,100	282
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
06/28/2012	42.0	143,036		88.8%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: June 30, 2012**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
06/30/2011	212.2	498,806	71.7%	88.6	164,761	64.0%	663,567	69.7%
06/30/2012	207.1	396,437	57.0%	80.4	64,381	25.0%	460,818	48.4%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
06/29/2012	94	361	0.03	97	149	0.06	510
MTD		13,074	0.11		6,646	0.57	19,720

STREAM FLOWS

Gauging Station	06/29/2012 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	54	2,027
NRIT : Nueces River at Tilden, Texas	0	254
FRIT : Frio River at Tilden, Texas	0	19
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	2	137
Release from Choke Canyon Reservoir	58	1,669
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	330	26,244
NCAT : Nueces River at Calallen, Texas	60	14,853
RBP : Rincon Bayou Pipeline	112	973
Reservoir Inflow		
Computed as: NRIT+FRIT+SMTT+ARWT	2	492

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru		23,000
Monthly Target: 23,000		
Salinity Relief Credit : 0 Effective:		
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)		-21,890
Return Flow Credit (Effective:)		0
Passthru		
Target: 23,000	Comment:	492
Reservoir Inflow: 492		
Estuary Inflows (NCAT + RBP)		15,826
PassThru Surplus / -Deficit:		-6,556

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	June 2012	
				Allocation	Remaining
06/29/2012	139	3,957	23,273	4,100	143
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
06/29/2012	42.0	143,036		88.8%	