

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: July 1, 2012**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
07/01/2011	212.2	499,228	71.8%	88.6	164,442	63.9%	663,670	69.7%
07/01/2012	207.1	396,060	57.0%	80.3	64,041	24.9%	460,101	48.3%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
06/30/2012	87	276	0.00	87	99	0.00	375
MTD		13,350	0.11		6,745	0.57	20,095

STREAM FLOWS

Gauging Station	06/30/2012 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	52	2,078
NRIT : Nueces River at Tilden, Texas	0	254
FRIT : Frio River at Tilden, Texas	0	19
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	2	139
Release from Choke Canyon Reservoir	58	1,727
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	320	26,563
NCAT : Nueces River at Calallen, Texas	54	14,906
RBP : Rincon Bayou Pipeline	111	1,084
Reservoir Inflow		
Computed as: NRIT+FRIT+SMTT+ARWT	2	494

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru		23,000
Monthly Target: 23,000		
Salinity Relief Credit : 0 Effective:		
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)		-21,890
Return Flow Credit (Effective:)		0
Passthru		
Target: 23,000	Comment:	494
Reservoir Inflow: 494		
Estuary Inflows (NCAT + RBP)		15,990
PassThru Surplus / -Deficit:		-6,394

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	June 2012	
				Allocation	Remaining
06/30/2012	114	4,071	23,387	4,100	29
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
06/30/2012	42.0	143,036		88.8%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: July 2, 2012**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
07/02/2011	212.2	498,166	71.7%	88.6	163,965	63.7%	662,131	69.5%
07/02/2012	207.0	394,931	56.8%	80.3	63,449	24.7%	458,380	48.1%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
07/01/2012	92	469	0.90	93	152	0.03	621
MTD		469	0.90		152	0.03	621

STREAM FLOWS

Gauging Station	07/01/2012 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	54	54
NRTT : Nueces River at Tilden, Texas	0	0
FRTT : Frio River at Tilden, Texas	0	0
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	2	2
Release from Choke Canyon Reservoir	58	58
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	318	318
NCAT : Nueces River at Calallen, Texas	66	66
RBP : Rincon Bayou Pipeline	109	109
Reservoir Inflow		
Computed as: NRRT+FRTT+SMTT+ARWT	2	2

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 4,500 Salinity Relief Credit : 0 Effective:	4,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	-5,883
Return Flow Credit (Effective:)	0
Passthru Target: 4,500 Reservoir Inflow: 2 Comment:	2
Estuary Inflows (NCAT + RBP)	175
PassThru Surplus / -Deficit:	-5,711

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	July 2012	
				Allocation	Remaining
07/01/2012	140	140	23,527	4,100	3,960
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
07/01/2012	42.0	143,036		88.8%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: July 3, 2012**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
07/03/2011	212.2	497,952	71.6%	88.5	163,329	63.5%	661,281	69.4%
07/03/2012	207.1	395,872	56.9%	80.2	62,777	24.4%	458,649	48.2%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
07/02/2012	93	459	0.00	95	239	0.00	698
MTD		928	0.90		391	0.03	1,319

STREAM FLOWS

Gauging Station	07/02/2012 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	58	111
NRTT : Nueces River at Tilden, Texas	0	0
FRTT : Frio River at Tilden, Texas	0	0
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	3	5
Release from Choke Canyon Reservoir	58	115
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	314	631
NCAT : Nueces River at Calallen, Texas	60	125
RBP : Rincon Bayou Pipeline	109	218
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	0	2

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru		4,500
Monthly Target: 4,500		
Salinity Relief Credit : 0 Effective:		
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)		-5,883
Return Flow Credit (Effective:)		0
Passthru		
Target: 4,500	Comment:	2
Reservoir Inflow: 2		
Estuary Inflows (NCAT + RBP)		343
PassThru Surplus / -Deficit:		-5,542

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	July 2012	
				Allocation	Remaining
07/02/2012	140	280	23,668	4,100	3,820
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
07/02/2012	42.0	143,036		88.8%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: July 4, 2012**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
07/04/2011	212.2	498,166	71.7%	88.5	162,378	63.1%	660,544	69.3%
07/04/2012	207.0	394,371	56.7%	80.1	61,945	24.1%	456,316	47.9%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
07/03/2012	95	425	0.00	98	237	0.00	662
MTD		1,353	0.90		628	0.03	1,981

STREAM FLOWS

Gauging Station	07/03/2012 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	54	165
NRIT : Nueces River at Tilden, Texas	0	0
FRIT : Frio River at Tilden, Texas	0	0
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	3	7
Release from Choke Canyon Reservoir	58	173
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	314	945
NCAT : Nueces River at Calallen, Texas	36	161
RBP : Rincon Bayou Pipeline	104	322
Reservoir Inflow		
Computed as: NRIT+FRIT+SMTT+ARWT	3	5

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru		4,500
Monthly Target: 4,500		
Salinity Relief Credit : 0 Effective:		
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)		-5,883
Return Flow Credit (Effective:)		0
Passthru		
Target: 4,500	Comment:	5
Reservoir Inflow: 5		
Estuary Inflows (NCAT + RBP)		483
PassThru Surplus / -Deficit:		-5,405

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	July 2012	
				Allocation	Remaining
07/03/2012	141	421	23,809	4,100	3,679
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
07/03/2012	42.0	143,036		88.8%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: July 5, 2012**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
07/05/2011	212.1	497,525	71.6%	88.4	161,745	62.9%	659,270	69.2%
07/05/2012	207.0	394,371	56.7%	80.0	61,449	23.9%	455,820	47.9%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
07/04/2012	95	469	0.00	98	230	0.00	699
MTD		1,822	0.90		858	0.03	2,680

STREAM FLOWS

Gauging Station	07/04/2012 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	54	218
NRIT : Nueces River at Tilden, Texas	0	0
FRIT : Frio River at Tilden, Texas	0	1
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	2	10
Release from Choke Canyon Reservoir	58	230
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	312	1,257
NCAT : Nueces River at Calallen, Texas	60	220
RBP : Rincon Bayou Pipeline	120	442
Reservoir Inflow		
Computed as: NRIT+FRIT+SMTT+ARWT	3	8

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 4,500 Salinity Relief Credit : 0 Effective:	4,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	-5,883
Return Flow Credit (Effective:)	0
Passthru Target: 4,500 Reservoir Inflow: 8 Comment:	8
Estuary Inflows (NCAT + RBP)	663
PassThru Surplus / -Deficit:	-5,228

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	July 2012	
				Allocation	Remaining
07/04/2012	141	563	23,950	4,100	3,537
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
07/04/2012	41.9	142,163		88.3%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: July 6, 2012**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
07/06/2011	212.1	496,037	71.3%	88.4	161,271	62.7%	657,308	69.0%
07/06/2012	207.0	393,999	56.7%	80.0	61,366	23.9%	455,365	47.8%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
07/05/2012	95	360	0.00	90	206	0.43	566
MTD		2,182	0.90		1,064	0.46	3,246

STREAM FLOWS

Gauging Station	07/05/2012 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	48	266
NRIT : Nueces River at Tilden, Texas	0	0
FRIT : Frio River at Tilden, Texas	0	1
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	2	12
Release from Choke Canyon Reservoir	58	288
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	308	1,564
NCAT : Nueces River at Calallen, Texas	40	260
RBP : Rincon Bayou Pipeline	110	552
Reservoir Inflow		
Computed as: NRIT+FRIT+SMTT+ARWT	2	10

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 4,500 Salinity Relief Credit : 0 Effective:	4,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	-5,883
Return Flow Credit (Effective:)	0
Passthru Target: 4,500 Reservoir Inflow: 10 Comment:	10
Estuary Inflows (NCAT + RBP)	812
PassThru Surplus / -Deficit:	-5,081

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	July 2012	
				Allocation	Remaining
07/05/2012	142	704	24,092	4,100	3,396
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
07/05/2012	41.9	142,163		88.3%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: July 7, 2012**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
07/07/2011	212.1	496,037	71.3%	88.4	160,640	62.4%	656,677	68.9%
07/07/2012	206.9	393,441	56.6%	80.0	60,956	23.7%	454,397	47.7%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
07/06/2012	97	512	0.00	96	196	0.06	708
MTD		2,694	0.90		1,260	0.52	3,954

STREAM FLOWS

Gauging Station	07/06/2012 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	48	314
NRTT : Nueces River at Tilden, Texas	0	0
FRTT : Frio River at Tilden, Texas	0	1
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	2	14
Release from Choke Canyon Reservoir	58	345
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	298	1,862
NCAT : Nueces River at Calallen, Texas	32	292
RBP : Rincon Bayou Pipeline	100	651
Reservoir Inflow		
Computed as: NRRT+FRTT+SMTT+ARWT	2	12

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 4,500 Salinity Relief Credit : 0 Effective:	4,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	-5,883
Return Flow Credit (Effective:)	0
Passthru Target: 4,500 Reservoir Inflow: 12 Comment:	12
Estuary Inflows (NCAT + RBP)	943
PassThru Surplus / -Deficit:	-4,952

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	July 2012	
				Allocation	Remaining
07/06/2012	142	846	24,233	4,100	3,254
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
07/06/2012	41.9	142,163		88.3%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: July 8, 2012**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
07/08/2011	212.1	496,037	71.3%	88.3	159,852	62.1%	655,889	68.9%
07/08/2012	206.9	393,441	56.6%	79.9	60,547	23.5%	453,988	47.7%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
07/07/2012	98	501	0.00	97	176	0.34	677
MTD		3,195	0.90		1,436	0.86	4,631

STREAM FLOWS

Gauging Station	07/07/2012 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	48	361
NRIT : Nueces River at Tilden, Texas	0	0
FRIT : Frio River at Tilden, Texas	0	1
SMIT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	1	15
Release from Choke Canyon Reservoir	58	403
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	298	2,160
NCAT : Nueces River at Calallen, Texas	15	307
RBP : Rincon Bayou Pipeline	113	765
Reservoir Inflow		
Computed as: NRIT+FRIT+SMIT+ARWT	1	13

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 4,500 Salinity Relief Credit : 0 Effective:	4,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	-5,883
Return Flow Credit (Effective:)	0
Passthru Target: 4,500 Reservoir Inflow: 13 Comment:	13
Estuary Inflows (NCAT + RBP)	1,072
PassThru Surplus / -Deficit:	-4,824

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	July 2012	
				Allocation	Remaining
07/07/2012	142	988	24,375	4,100	3,112
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
07/07/2012	41.9	142,163		88.3%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: July 9, 2012**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
07/09/2011	212.0	494,770	71.2%	88.3	159,224	61.9%	653,994	68.7%
07/09/2012	206.9	392,883	56.5%	79.9	59,978	23.3%	452,861	47.5%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
07/08/2012	98	501	0.00	98	203	0.00	704
MTD		3,696	0.90		1,639	0.86	5,335

STREAM FLOWS

Gauging Station	07/08/2012 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	52	413
NRIT : Nueces River at Tilden, Texas	0	0
FRIT : Frio River at Tilden, Texas	0	1
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	2	16
Release from Choke Canyon Reservoir	58	461
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	248	2,408
NCAT : Nueces River at Calallen, Texas	40	347
RBP : Rincon Bayou Pipeline	122	886
Reservoir Inflow		
Computed as: NRIT+FRIT+SMTT+ARWT	2	15

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 4,500 Salinity Relief Credit : 0 Effective:	4,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	-5,883
Return Flow Credit (Effective:)	0
Passthru Target: 4,500 Reservoir Inflow: 15 Comment:	15
Estuary Inflows (NCAT + RBP)	1,233
PassThru Surplus / -Deficit:	-4,665

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	July 2012	
				Allocation	Remaining
07/08/2012	142	1,130	24,517	4,100	2,970
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
07/08/2012	41.8	141,293		87.7%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: July 10, 2012**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
07/10/2011	211.9	493,292	70.9%	88.2	158,440	61.6%	651,732	68.4%
07/10/2012	206.9	393,069	56.5%	79.7	58,930	22.9%	451,999	47.5%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
07/09/2012	98	435	2.70	98	187	0.03	622
MTD		4,131	3.60		1,826	0.89	5,957

STREAM FLOWS

Gauging Station	07/09/2012 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	54	466
NRTT : Nueces River at Tilden, Texas	0	0
FRTT : Frio River at Tilden, Texas	0	1
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	2	18
Release from Choke Canyon Reservoir	58	518
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	230	2,638
NCAT : Nueces River at Calallen, Texas	5	351
RBP : Rincon Bayou Pipeline	83	969
Reservoir Inflow		
Computed as: NRRT+FRTT+SMTT+ARWT	2	17

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 4,500 Salinity Relief Credit : 0 Effective:	4,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	-5,883
Return Flow Credit (Effective:)	0
Passthru Target: 4,500 Reservoir Inflow: 17 Comment:	17
Estuary Inflows (NCAT + RBP)	1,321
PassThru Surplus / -Deficit:	-4,579

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	July 2012	
				Allocation	Remaining
07/09/2012	142	1,272	24,660	4,100	2,828
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
07/09/2012	41.8	141,293		87.7%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: July 11, 2012**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
07/11/2011	211.9	492,869	70.9%	88.2	158,126	61.5%	650,995	68.3%
07/11/2012	206.9	393,255	56.6%	79.7	59,010	22.9%	452,265	47.5%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
07/10/2012	86	120	0.09	86	47	0.23	167
MTD		4,251	3.69		1,873	1.12	6,124

STREAM FLOWS

Gauging Station	07/10/2012 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	145	611
NRTT : Nueces River at Tilden, Texas	0	0
FRTT : Frio River at Tilden, Texas	0	2
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	2	20
Release from Choke Canyon Reservoir	58	576
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	288	2,926
NCAT : Nueces River at Calallen, Texas	0	351
RBP : Rincon Bayou Pipeline	46	1,015
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	87	104

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru		4,500
Monthly Target: 4,500		
Salinity Relief Credit : 0 Effective:		
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)		-5,883
Return Flow Credit (Effective:)		0
Passthru		
Target: 4,500	Comment:	104
Reservoir Inflow: 104		
Estuary Inflows (NCAT + RBP)		1,367
PassThru Surplus / -Deficit:		-4,621

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	July 2012	
				Allocation	Remaining
07/10/2012	142	1,414	24,802	4,100	2,686
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
07/10/2012	42.3	145,671		90.4%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: July 12, 2012**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
07/12/2011	211.9	492,025	70.8%	88.1	157,032	61.0%	649,057	68.1%
07/12/2012	206.9	393,627	56.6%	79.7	58,850	22.9%	452,477	47.5%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
07/11/2012	78	76	0.85	81	75	0.30	151
MTD		4,327	4.54		1,948	1.42	6,275

STREAM FLOWS

Gauging Station	07/11/2012 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	85	697
NRTT : Nueces River at Tilden, Texas	0	0
FRTT : Frio River at Tilden, Texas	0	2
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	3	23
Release from Choke Canyon Reservoir	58	633
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	290	3,216
NCAT : Nueces River at Calallen, Texas	5	356
RBP : Rincon Bayou Pipeline	92	1,107
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	28	132

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru		4,500
Monthly Target: 4,500		
Salinity Relief Credit : 0 Effective:		
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)		-5,883
Return Flow Credit (Effective:)		0
Passthru		
Target: 4,500	Comment:	132
Reservoir Inflow: 132		
Estuary Inflows (NCAT + RBP)		1,463
PassThru Surplus / -Deficit:		-4,552

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	July 2012	
				Allocation	Remaining
07/11/2012	142	1,556	24,943	4,100	2,544
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
07/11/2012	44.1	162,101		100.6%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: July 13, 2012**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
07/13/2011	211.9	491,813	70.7%	88.1	156,565	60.9%	648,378	68.1%
07/13/2012	206.9	392,883	56.5%	79.7	58,930	22.9%	451,813	47.4%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
07/12/2012	89	250	0.00	91	47	0.00	297
MTD		4,577	4.54		1,995	1.42	6,572

STREAM FLOWS

Gauging Station	07/12/2012 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	91	788
NRTT : Nueces River at Tilden, Texas	0	0
FRTT : Frio River at Tilden, Texas	0	2
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	3	26
Release from Choke Canyon Reservoir	58	691
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	288	3,504
NCAT : Nueces River at Calallen, Texas	40	396
RBP : Rincon Bayou Pipeline	91	1,198
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	34	166

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru		4,500
Monthly Target: 4,500		
Salinity Relief Credit : 0 Effective:		
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)		-5,883
Return Flow Credit (Effective:)		0
Passthru		
Target: 4,500	Comment:	166
Reservoir Inflow: 166		
Estuary Inflows (NCAT + RBP)		1,594
PassThru Surplus / -Deficit:		-4,455

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	July 2012	
				Allocation	Remaining
07/12/2012	143	1,699	25,086	4,100	2,401
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
07/12/2012	44.1	162,101		100.6%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: July 14, 2012**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
07/14/2011	211.8	490,757	70.6%	88.0	155,479	60.4%	646,236	67.8%
07/14/2012	206.9	393,441	56.6%	79.8	59,171	23.0%	452,612	47.5%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
07/13/2012	89	229	0.01	93	108	0.22	337
MTD		4,806	4.55		2,103	1.64	6,909

STREAM FLOWS

Gauging Station	07/13/2012 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	60	848
NRTT : Nueces River at Tilden, Texas	0	0
FRTT : Frio River at Tilden, Texas	0	2
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	5	31
Release from Choke Canyon Reservoir	58	748
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	234	3,738
NCAT : Nueces River at Calallen, Texas	67	463
RBP : Rincon Bayou Pipeline	72	1,270
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	2	168

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru		4,500
Monthly Target: 4,500		
Salinity Relief Credit : 0 Effective:		
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)		-5,883
Return Flow Credit (Effective:)		0
Passthru		
Target: 4,500	Comment:	168
Reservoir Inflow: 168		
Estuary Inflows (NCAT + RBP)		1,733
PassThru Surplus / -Deficit:		-4,319

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	July 2012	
				Allocation	Remaining
07/13/2012	143	1,842	25,229	4,100	2,258
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
07/13/2012	44.1	162,101		100.6%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: July 15, 2012**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
07/15/2011	211.8	489,917	70.5%	88.0	155,016	60.3%	644,933	67.7%
07/15/2012	206.9	393,069	56.5%	79.7	58,930	22.9%	451,999	47.5%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
07/14/2012	91	348	0.00	90	84	0.04	432
MTD		5,154	4.55		2,187	1.68	7,341

STREAM FLOWS

Gauging Station	07/14/2012 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	81	929
NRTT : Nueces River at Tilden, Texas	0	0
FRTT : Frio River at Tilden, Texas	0	2
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	13	44
Release from Choke Canyon Reservoir	58	806
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	181	3,918
NCAT : Nueces River at Calallen, Texas	119	582
RBP : Rincon Bayou Pipeline	0	1,270
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	24	192

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru		4,500
Monthly Target: 4,500		
Salinity Relief Credit : 0 Effective:		
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)		-5,883
Return Flow Credit (Effective:)		0
Passthru		
Target: 4,500	Comment:	192
Reservoir Inflow: 192		
Estuary Inflows (NCAT + RBP)		1,852
PassThru Surplus / -Deficit:		-4,223

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	July 2012	
				Allocation	Remaining
07/14/2012	143	1,984	25,372	4,100	2,116
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
07/14/2012	44.1	162,101		100.6%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: July 16, 2012**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
07/16/2011	211.8	489,291	70.4%	88.0	154,248	60.0%	643,539	67.6%
07/16/2012	206.8	391,396	56.3%	79.7	58,770	22.8%	450,166	47.3%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
07/15/2012	93	369	0.00	94	135	0.15	504
MTD		5,523	4.55		2,322	1.83	7,845

STREAM FLOWS

Gauging Station	07/15/2012 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	69	998
NRTT : Nueces River at Tilden, Texas	0	0
FRTT : Frio River at Tilden, Texas	0	2
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	7	51
Release from Choke Canyon Reservoir	58	863
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	181	4,099
NCAT : Nueces River at Calallen, Texas	113	696
RBP : Rincon Bayou Pipeline	0	1,270
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	12	204

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru		4,500
Monthly Target: 4,500		
Salinity Relief Credit : 0 Effective:		
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)		-5,883
Return Flow Credit (Effective:)		0
Passthru		
Target: 4,500	Comment:	204
Reservoir Inflow: 204		
Estuary Inflows (NCAT + RBP)		1,965
PassThru Surplus / -Deficit:		-4,122

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	July 2012	
				Allocation	Remaining
07/15/2012	143	2,127	25,515	4,100	1,973
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
07/15/2012	44.1	162,101		100.6%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: July 17, 2012**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
07/17/2011	211.8	489,917	70.5%	87.9	154,094	59.9%	644,011	67.6%
07/17/2012	206.9	392,139	56.4%	79.7	58,450	22.7%	450,589	47.3%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
07/16/2012	92	380	0.00	92	172	0.00	552
MTD		5,903	4.55		2,494	1.83	8,397

STREAM FLOWS

Gauging Station	07/16/2012 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	62	1,060
NRTT : Nueces River at Tilden, Texas	0	0
FRTT : Frio River at Tilden, Texas	0	3
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	5	56
Release from Choke Canyon Reservoir	58	921
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	179	4,278
NCAT : Nueces River at Calallen, Texas	64	759
RBP : Rincon Bayou Pipeline	0	1,270
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	4	209

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru		4,500
Monthly Target: 4,500		
Salinity Relief Credit : 0 Effective:		
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)		-5,883
Return Flow Credit (Effective:)		0
Passthru		
Target: 4,500	Comment:	209
Reservoir Inflow: 209		
Estuary Inflows (NCAT + RBP)		2,029
PassThru Surplus / -Deficit:		-4,063

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	July 2012	
				Allocation	Remaining
07/16/2012	143	2,270	25,658	4,100	1,830
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
07/16/2012	44.1	162,101		100.6%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: July 18, 2012**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
07/18/2011	211.8	489,291	70.4%	87.9	153,328	59.6%	642,619	67.5%
07/18/2012	206.8	391,582	56.3%	79.6	58,291	22.7%	449,873	47.2%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
07/17/2012	91	391	0.00	91	130	0.01	521
MTD		6,294	4.55		2,624	1.84	8,918

STREAM FLOWS

Gauging Station	07/17/2012 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	56	1,116
NRIT : Nueces River at Tilden, Texas	0	0
FRIT : Frio River at Tilden, Texas	0	3
SMIT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	3	59
Release from Choke Canyon Reservoir	58	979
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	161	4,438
NCAT : Nueces River at Calallen, Texas	64	823
RBP : Rincon Bayou Pipeline	0	1,270
Reservoir Inflow		
Computed as: NRIT+FRIT+SMIT+ARWT	4	212

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 4,500 Salinity Relief Credit : 0 Effective:	4,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	-5,883
Return Flow Credit (Effective:)	0
Passthru Target: 4,500 Reservoir Inflow: 212 Comment:	212
Estuary Inflows (NCAT + RBP)	2,092
PassThru Surplus / -Deficit:	-4,003

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	July 2012	
				Allocation	Remaining
07/17/2012	143	2,413	25,800	4,100	1,687
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
07/17/2012	44.1	162,101		100.6%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: July 19, 2012**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
07/19/2011	211.7	487,824	70.2%	87.9	152,717	59.4%	640,541	67.2%
07/19/2012	206.8	391,024	56.2%	79.6	58,211	22.6%	449,235	47.2%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
07/18/2012	90	239	0.28	94	111	0.03	350
MTD		6,533	4.83		2,735	1.87	9,268

STREAM FLOWS

Gauging Station	07/18/2012 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	54	1,169
NRTT : Nueces River at Tilden, Texas	0	0
FRTT : Frio River at Tilden, Texas	0	3
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	3	62
Release from Choke Canyon Reservoir	58	1,036
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	141	4,579
NCAT : Nueces River at Calallen, Texas	32	854
RBP : Rincon Bayou Pipeline	0	1,270
Reservoir Inflow		
Computed as: NRRT+FRTT+SMTT+ARWT	3	215

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 4,500 Salinity Relief Credit : 0 Effective:	4,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	-5,883
Return Flow Credit (Effective:)	0
Passthru Target: 4,500 Reservoir Inflow: 215 Comment:	215
Estuary Inflows (NCAT + RBP)	2,124
PassThru Surplus / -Deficit:	-3,974

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	July 2012	
				Allocation	Remaining
07/18/2012	143	2,555	25,943	4,100	1,545
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
07/18/2012	44.1	162,101		100.6%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: July 20, 2012**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
07/20/2011	211.7	487,824	70.2%	87.8	151,651	58.9%	639,475	67.1%
07/20/2012	206.8	390,094	56.1%	79.6	58,052	22.6%	448,146	47.0%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
07/19/2012	89	271	0.10	94	162	0.00	433
MTD		6,804	4.93		2,897	1.87	9,701

STREAM FLOWS

Gauging Station	07/19/2012 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	58	1,227
NRTT : Nueces River at Tilden, Texas	0	0
FRTT : Frio River at Tilden, Texas	0	3
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	2	64
Release from Choke Canyon Reservoir	58	1,094
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	141	4,720
NCAT : Nueces River at Calallen, Texas	6	860
RBP : Rincon Bayou Pipeline	0	1,270
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	0	215

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru		4,500
Monthly Target: 4,500		
Salinity Relief Credit : 0 Effective:		
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)		-5,899
Return Flow Credit (Effective:)		0
Passthru		
Target: 4,500	Comment:	215
Reservoir Inflow: 215		
Estuary Inflows (NCAT + RBP)		2,129
PassThru Surplus / -Deficit:		-3,985

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	July 2012	
				Allocation	Remaining
07/19/2012	142	2,698	26,085	4,100	1,402
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
07/19/2012	44.2	163,121		101.3%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: July 21, 2012**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
07/21/2011	211.6	486,345	70.0%	87.8	151,195	58.8%	637,540	66.9%
07/21/2012	206.7	389,908	56.1%	79.6	57,656	22.4%	447,564	47.0%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
07/20/2012	94	412	0.00	99	180	0.00	592
MTD		7,216	4.93		3,077	1.87	10,293

STREAM FLOWS

Gauging Station	07/20/2012 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	54	1,280
NRIT : Nueces River at Tilden, Texas	0	0
FRIT : Frio River at Tilden, Texas	0	3
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	2	66
Release from Choke Canyon Reservoir	58	1,151
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	139	4,859
NCAT : Nueces River at Calallen, Texas	17	877
RBP : Rincon Bayou Pipeline	0	1,270
Reservoir Inflow		
Computed as: NRIT+FRIT+SMTT+ARWT	2	218

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 4,500 Salinity Relief Credit : 0 Effective:	4,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	-5,899
Return Flow Credit (Effective:)	0
Passthru Target: 4,500 Reservoir Inflow: 218 Comment:	218
Estuary Inflows (NCAT + RBP)	2,146
PassThru Surplus / -Deficit:	-3,970

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	July 2012	
				Allocation	Remaining
07/20/2012	142	2,840	26,227	4,100	1,260
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
07/20/2012	44.1	162,101		100.6%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: July 22, 2012**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
07/22/2011	211.5	484,672	69.7%	87.7	150,135	58.4%	634,807	66.6%
07/22/2012	206.8	390,094	56.1%	79.5	57,182	22.2%	447,276	47.0%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
07/21/2012	96	423	0.00	100	202	0.00	625
MTD		7,639	4.93		3,279	1.87	10,918

STREAM FLOWS

Gauging Station	07/21/2012 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	52	1,332
NRIT : Nueces River at Tilden, Texas	0	0
FRIT : Frio River at Tilden, Texas	0	3
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	34	100
Release from Choke Canyon Reservoir	58	1,209
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	139	4,998
NCAT : Nueces River at Calallen, Texas	2	879
RBP : Rincon Bayou Pipeline	0	1,270
Reservoir Inflow		
Computed as: NRIT+FRIT+SMTT+ARWT	34	251

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 4,500 Salinity Relief Credit : 0 Effective:	4,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	-5,899
Return Flow Credit (Effective:)	0
Passthru Target: 4,500 Reservoir Inflow: 251 Comment:	251
Estuary Inflows (NCAT + RBP)	2,148
PassThru Surplus / -Deficit:	-4,002

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	July 2012	
				Allocation	Remaining
07/21/2012	142	2,982	26,370	4,100	1,118
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
07/21/2012	44.1	162,101		100.6%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: July 23, 2012**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
07/23/2011	211.5	484,672	69.7%	87.7	150,135	58.4%	634,807	66.6%
07/23/2012	206.8	390,094	56.1%	79.5	56,946	22.1%	447,040	46.9%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
07/22/2012	95	433	0.00	97	165	0.00	598
MTD		8,072	4.93		3,444	1.87	11,516

STREAM FLOWS

Gauging Station	07/22/2012 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	3	1,335
NRIT : Nueces River at Tilden, Texas	0	0
FRIT : Frio River at Tilden, Texas	0	4
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	20	120
Release from Choke Canyon Reservoir	58	1,266
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	149	5,147
NCAT : Nueces River at Calallen, Texas	9	887
RBP : Rincon Bayou Pipeline	0	1,270
Reservoir Inflow		
Computed as: NRIT+FRIT+SMTT+ARWT	20	271

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru		4,500
Monthly Target: 4,500		
Salinity Relief Credit : 0 Effective:		
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)		-5,899
Return Flow Credit (Effective:)		0
Passthru		
Target: 4,500	Comment:	271
Reservoir Inflow: 271		
Estuary Inflows (NCAT + RBP)		2,157
PassThru Surplus / -Deficit:		-4,014

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	July 2012	
				Allocation	Remaining
07/22/2012	142	3,125	26,512	4,100	975
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
07/22/2012	44.2	162,101		100.6%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: July 24, 2012**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
07/24/2011	211.6	485,090	69.8%	87.6	149,380	58.1%	634,470	66.6%
07/24/2012	206.7	388,420	55.9%	79.4	56,632	22.0%	445,052	46.7%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
07/23/2012	93	303	0.23	96	201	0.00	504
MTD		8,375	5.16		3,645	1.87	12,020

STREAM FLOWS

Gauging Station	07/23/2012 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	67	1,469
NRIT : Nueces River at Tilden, Texas	0	0
FRIT : Frio River at Tilden, Texas	0	4
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	14	134
Release from Choke Canyon Reservoir	58	1,324
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	157	5,304
NCAT : Nueces River at Calallen, Texas	0	887
RBP : Rincon Bayou Pipeline	0	1,270
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	10	274

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru		4,500
Monthly Target: 4,500		
Salinity Relief Credit : 0 Effective:		
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)		-5,899
Return Flow Credit (Effective:)		0
Passthru		
Target: 4,500	Comment:	274
Reservoir Inflow: 274		
Estuary Inflows (NCAT + RBP)		2,157
PassThru Surplus / -Deficit:		-4,016

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	July 2012	
				Allocation	Remaining
07/23/2012	142	3,267	26,654	4,100	833
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
07/23/2012	44.1	162,101		100.6%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: July 25, 2012**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
07/25/2011	211.5	484,672	69.7%	87.6	148,778	57.8%	633,450	66.5%
07/25/2012	206.7	388,792	55.9%	79.4	56,241	21.9%	445,033	46.7%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
07/24/2012	96	433	0.00	99	227	0.00	660
MTD		8,808	5.16		3,872	1.87	12,680

STREAM FLOWS

Gauging Station	07/24/2012 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	64	1,532
NRTT : Nueces River at Tilden, Texas	0	0
FRTT : Frio River at Tilden, Texas	0	4
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	8	142
Release from Choke Canyon Reservoir	58	1,382
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	197	5,500
NCAT : Nueces River at Calallen, Texas	2	889
RBP : Rincon Bayou Pipeline	0	1,270
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	6	280

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru		4,500
Monthly Target: 4,500		
Salinity Relief Credit : 0 Effective:		
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)		-5,899
Return Flow Credit (Effective:)		0
Passthru		
Target: 4,500	Comment:	280
Reservoir Inflow: 280		
Estuary Inflows (NCAT + RBP)		2,158
PassThru Surplus / -Deficit:		-4,020

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	July 2012	
				Allocation	Remaining
07/24/2012	125	3,392	26,779	4,100	708
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
07/24/2012	44.1	162,101		100.6%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: July 26, 2012**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
07/26/2011	211.5	483,001	69.5%	87.5	148,027	57.5%	631,028	66.2%
07/26/2012	206.6	386,933	55.7%	79.3	55,774	21.7%	442,707	46.5%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
07/25/2012	96	485	0.00	98	235	0.00	720
MTD		9,293	5.16		4,107	1.87	13,400

STREAM FLOWS

Gauging Station	07/25/2012 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	54	1,586
NRIT : Nueces River at Tilden, Texas	0	0
FRIT : Frio River at Tilden, Texas	0	4
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	5	147
Release from Choke Canyon Reservoir	58	1,439
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	197	5,697
NCAT : Nueces River at Calallen, Texas	0	889
RBP : Rincon Bayou Pipeline	0	1,270
Reservoir Inflow		
Computed as: NRIT+FRIT+SMTT+ARWT	5	285

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 4,500 Salinity Relief Credit : 0 Effective:	4,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	-5,899
Return Flow Credit (Effective:)	0
Passthru Target: 4,500 Reservoir Inflow: 285 Comment:	285
Estuary Inflows (NCAT + RBP)	2,158
PassThru Surplus / -Deficit:	-4,025

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	July 2012	
				Allocation	Remaining
07/25/2012	142	3,534	26,921	4,100	566
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
07/25/2012	44.1	162,101		100.6%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: July 27, 2012**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
07/27/2011	211.4	481,956	69.3%	87.5	147,877	57.5%	629,833	66.1%
07/27/2012	206.6	386,561	55.6%	79.3	55,310	21.5%	441,871	46.4%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
07/26/2012	95	442	0.00	96	202	0.00	644
MTD		9,735	5.16		4,309	1.87	14,044

STREAM FLOWS

Gauging Station	07/26/2012 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	52	1,638
NRTT : Nueces River at Tilden, Texas	0	0
FRTT : Frio River at Tilden, Texas	0	4
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	3	150
Release from Choke Canyon Reservoir	58	1,497
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	210	5,907
NCAT : Nueces River at Calallen, Texas	0	889
RBP : Rincon Bayou Pipeline	0	1,270
Reservoir Inflow		
Computed as: NRRT+FRTT+SMTT+ARWT	3	288

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 4,500 Salinity Relief Credit : 0 Effective:	4,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	-5,899
Return Flow Credit (Effective:)	0
Passthru Target: 4,500 Reservoir Inflow: 288 Comment:	288
Estuary Inflows (NCAT + RBP)	2,158
PassThru Surplus / -Deficit:	-4,028

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	July 2012	
				Allocation	Remaining
07/26/2012	142	3,676	27,064	4,100	424
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
07/26/2012	44.1	162,101		100.6%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: July 28, 2012**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
07/28/2011	211.4	481,749	69.3%	87.5	147,129	57.2%	628,878	66.0%
07/28/2012	206.6	387,119	55.7%	79.2	55,002	21.4%	442,121	46.4%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
07/27/2012	94	431	0.00	98	215	0.00	646
MTD		10,166	5.16		4,524	1.87	14,690

STREAM FLOWS

Gauging Station	07/27/2012 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	50	1,687
NRIT : Nueces River at Tilden, Texas	0	0
FRIT : Frio River at Tilden, Texas	0	4
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	2	152
Release from Choke Canyon Reservoir	58	1,554
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	238	6,146
NCAT : Nueces River at Calallen, Texas	0	889
RBP : Rincon Bayou Pipeline	0	1,270
Reservoir Inflow		
Computed as: NRIT+FRIT+SMTT+ARWT	2	290

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 4,500 Salinity Relief Credit : 0 Effective:	4,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	-5,899
Return Flow Credit (Effective:)	0
Passthru Target: 4,500 Reservoir Inflow: 290 Comment:	290
Estuary Inflows (NCAT + RBP)	2,158
PassThru Surplus / -Deficit:	-4,031

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	July 2012	
				Allocation	Remaining
07/27/2012	142	3,819	27,206	4,100	281
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
07/27/2012	44.0	161,085		100.0%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: July 29, 2012**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
07/29/2011	211.4	481,749	69.3%	87.5	146,830	57.1%	628,579	66.0%
07/29/2012	206.6	386,561	55.6%	79.2	54,541	21.2%	441,102	46.3%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
07/28/2012	97	442	0.00	99	187	0.00	629
MTD		10,608	5.16		4,711	1.87	15,319

STREAM FLOWS

Gauging Station	07/28/2012 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	48	1,735
NRIT : Nueces River at Tilden, Texas	0	0
FRIT : Frio River at Tilden, Texas	0	5
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	2	153
Release from Choke Canyon Reservoir	58	1,612
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	264	6,410
NCAT : Nueces River at Calallen, Texas	0	889
RBP : Rincon Bayou Pipeline	0	1,270
Reservoir Inflow		
Computed as: NRIT+FRIT+SMTT+ARWT	2	292

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 4,500 Salinity Relief Credit : 0 Effective:	4,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	-5,899
Return Flow Credit (Effective:)	0
Passthru Target: 4,500 Reservoir Inflow: 292 Comment:	292
Estuary Inflows (NCAT + RBP)	2,158
PassThru Surplus / -Deficit:	-4,032

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	July 2012	
				Allocation	Remaining
07/28/2012	142	3,961	27,349	4,100	139
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
07/28/2012	44.0	161,085		100.0%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: July 30, 2012**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
07/30/2011	211.3	479,890	69.0%	87.4	145,788	56.7%	625,678	65.7%
07/30/2012	206.6	386,375	55.6%	79.1	54,083	21.0%	440,458	46.2%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
07/29/2012	98	441	0.00	101	217	0.00	658
MTD		11,049	5.16		4,928	1.87	15,977

STREAM FLOWS

Gauging Station	07/29/2012 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	48	1,783
NRIT : Nueces River at Tilden, Texas	0	0
FRIT : Frio River at Tilden, Texas	0	5
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	2	155
Release from Choke Canyon Reservoir	58	1,669
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	264	6,674
NCAT : Nueces River at Calallen, Texas	0	889
RBP : Rincon Bayou Pipeline	0	1,270
Reservoir Inflow		
Computed as: NRIT+FRIT+SMTT+ARWT	2	294

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru		4,500
Monthly Target: 4,500		
Salinity Relief Credit : 0 Effective:		
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)		-5,899
Return Flow Credit (Effective:)		0
Passthru		
Target: 4,500	Comment:	294
Reservoir Inflow: 294		
Estuary Inflows (NCAT + RBP)		2,158
PassThru Surplus / -Deficit:		-4,034

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	July 2012	
				Allocation	Remaining
07/29/2012	144	4,105	27,493	4,100	-5
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
07/29/2012	44.0	161,085		100.0%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: July 31, 2012**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
07/31/2011	211.3	480,716	69.1%	87.4	145,491	56.6%	626,207	65.7%
07/31/2012	206.5	386,003	55.5%	79.1	53,703	20.9%	439,706	46.2%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
07/30/2012	99	506	0.00	100	234	0.00	740
MTD		11,555	5.16		5,162	1.87	16,717

STREAM FLOWS

Gauging Station	07/30/2012 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	48	1,830
NRIT : Nueces River at Tilden, Texas	0	0
FRIT : Frio River at Tilden, Texas	0	5
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	1	156
Release from Choke Canyon Reservoir	58	1,727
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	264	6,938
NCAT : Nueces River at Calallen, Texas	0	889
RBP : Rincon Bayou Pipeline	0	1,270
Reservoir Inflow		
Computed as: NRIT+FRIT+SMTT+ARWT	2	295

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru		4,500
Monthly Target: 4,500		
Salinity Relief Credit : 0 Effective:		
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)		-5,899
Return Flow Credit (Effective:)		0
Passthru		
Target: 4,500	Comment:	295
Reservoir Inflow: 295		
Estuary Inflows (NCAT + RBP)		2,158
PassThru Surplus / -Deficit:		-4,036

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	July 2012	
				Allocation	Remaining
07/30/2012	144	4,249	27,636	4,100	-149
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
07/30/2012	43.9	160,156		99.4%	