

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: August 1, 2012**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
08/01/2011	211.3	480,097	69.1%	87.4	145,195	56.4%	625,292	65.6%
08/01/2012	206.5	384,894	55.4%	79.0	53,025	20.6%	437,919	46.0%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
07/31/2012	101	558	0.00	103	223	0.00	781
MTD		12,113	5.16		5,385	1.87	17,498

STREAM FLOWS

Gauging Station	07/31/2012 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	48	1,878
NRIT : Nueces River at Tilden, Texas	0	0
FRIT : Frio River at Tilden, Texas	0	5
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	1	158
Release from Choke Canyon Reservoir	58	1,785
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	270	7,208
NCAT : Nueces River at Calallen, Texas	0	889
RBP : Rincon Bayou Pipeline	0	1,270
Reservoir Inflow		
Computed as: NRIT+FRIT+SMTT+ARWT	2	297

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru		4,500
Monthly Target: 4,500		
Salinity Relief Credit : 0 Effective:		
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)		-5,899
Return Flow Credit (Effective:)		0
Passthru		
Target: 4,500	Comment:	297
Reservoir Inflow: 297		
Estuary Inflows (NCAT + RBP)		2,159
PassThru Surplus / -Deficit:		-4,037

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	July 2012	
				Allocation	Remaining
07/31/2012	148	4,397	27,784	4,100	-297
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
07/31/2012	43.9	160,156		99.4%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: August 2, 2012**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
08/02/2011	211.3	479,890	69.0%	87.3	144,315	56.1%	624,205	65.5%
08/02/2012	206.4	384,343	55.3%	78.9	52,500	20.4%	436,843	45.9%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
08/01/2012	101	472	0.00	100	226	0.00	698
MTD		472	0.00		226	0.00	698

STREAM FLOWS

Gauging Station	08/01/2012 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	48	48
NRIT : Nueces River at Tilden, Texas	0	0
FRIT : Frio River at Tilden, Texas	0	0
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	1	1
Release from Choke Canyon Reservoir	58	58
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	308	308
NCAT : Nueces River at Calallen, Texas	0	0
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: NRIT+FRIT+SMTT+ARWT	1	1

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 5,000 Salinity Relief Credit : 0 Effective:	5,000
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective:)	0
Passthru Target: 5,000 Reservoir Inflow: 1 Comment:	1
Estuary Inflows (NCAT + RBP)	0
PassThru Surplus / -Deficit:	-1

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	August 2012	
				Allocation	Remaining
08/01/2012	141	141	27,926	4,100	3,959
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
08/01/2012	43.8	159,229		98.8%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: August 3, 2012**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
08/03/2011	211.2	477,388	68.7%	87.3	143,735	55.9%	621,123	65.2%
08/03/2012	206.4	383,976	55.2%	78.8	51,905	20.2%	435,881	45.8%

Weather Related Information

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
08/02/2012	101	525	0.00	100	238	0.00	763
MTD		997	0.00		464	0.00	1,461

STREAM FLOWS

Gauging Station	08/02/2012 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	48	95
NRIT : Nueces River at Tilden, Texas	0	0
FRIT : Frio River at Tilden, Texas	0	0
SMIT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	1	3
Release from Choke Canyon Reservoir	58	115
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	347	655
NCAT : Nueces River at Calallen, Texas	0	0
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: NRIT+FRIT+SMIT+ARWT	1	3

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru		5,000
Monthly Target: 5,000		
Salinity Relief Credit : 0 Effective:		
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)		0
Return Flow Credit (Effective: 08/01/2012)		500
Passthru		
Target: 5,000	Comment:	3
Reservoir Inflow: 3		
Estuary Inflows (NCAT + RBP)		0
PassThru Surplus / -Deficit:		0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	August 2012	
				Allocation	Remaining
08/02/2012	72	213	27,998	4,100	3,887
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
08/02/2012	43.7	158,306		98.3%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: August 4, 2012**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
08/04/2011	211.2	477,594	68.7%	87.2	143,156	55.6%	620,750	65.2%
08/04/2012	206.4	383,425	55.1%	78.8	51,388	20.0%	434,813	45.6%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
08/03/2012	99	504	0.00	99	215	0.00	719
MTD		1,501	0.00		679	0.00	2,180

STREAM FLOWS

Gauging Station	08/03/2012 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	48	143
NRIT : Nueces River at Tilden, Texas	0	0
FRIT : Frio River at Tilden, Texas	0	0
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	1	4
Release from Choke Canyon Reservoir	58	173
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	369	1,024
NCAT : Nueces River at Calallen, Texas	0	0
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: NRIT+FRIT+SMTT+ARWT	1	4

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru		5,000
Monthly Target: 5,000		
Salinity Relief Credit : 0 Effective:		
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)		0
Return Flow Credit (Effective: 08/01/2012)		500
Passthru		
Target: 5,000	Comment:	4
Reservoir Inflow: 4		
Estuary Inflows (NCAT + RBP)		0
PassThru Surplus / -Deficit:		0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	August 2012	
				Allocation	Remaining
08/03/2012	0	213	27,998	4,100	3,887
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
08/03/2012	43.7	158,306		98.3%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: August 5, 2012**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
08/05/2011	211.2	477,181	68.6%	87.1	142,148	55.3%	619,329	65.0%
08/05/2012	206.4	382,691	55.0%	78.7	50,874	19.8%	433,565	45.5%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
08/04/2012	98	482	0.00	100	221	0.00	703
MTD		1,983	0.00		900	0.00	2,883

STREAM FLOWS

Gauging Station	08/04/2012 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	48	191
NRIT : Nueces River at Tilden, Texas	0	0
FRIT : Frio River at Tilden, Texas	0	1
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	1	5
Release from Choke Canyon Reservoir	58	230
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	369	1,393
NCAT : Nueces River at Calallen, Texas	0	0
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: NRIT+FRIT+SMTT+ARWT	1	5

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 5,000 Salinity Relief Credit : 0 Effective:	5,000
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 08/01/2012)	500
Passthru Target: 5,000 Reservoir Inflow: 5 Comment:	5
Estuary Inflows (NCAT + RBP)	0
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	August 2012	
				Allocation	Remaining
08/04/2012	14	228	28,012	4,100	3,872
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
08/04/2012	43.7	158,306		98.3%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: August 6, 2012**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
08/06/2011	211.1	476,355	68.5%	87.1	141,861	55.1%	618,216	64.9%
08/06/2012	206.3	382,139	55.0%	78.6	50,219	19.5%	432,358	45.4%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
08/05/2012	91	289	0.00	94	105	0.00	394
MTD		2,272	0.00		1,005	0.00	3,277

STREAM FLOWS

Gauging Station	08/05/2012 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	48	238
NRIT : Nueces River at Tilden, Texas	0	0
FRIT : Frio River at Tilden, Texas	0	1
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	1	6
Release from Choke Canyon Reservoir	58	288
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	453	1,846
NCAT : Nueces River at Calallen, Texas	0	0
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: NRIT+FRIT+SMTT+ARWT	1	7

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru		5,000
Monthly Target: 5,000		
Salinity Relief Credit : 0 Effective:		
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)		0
Return Flow Credit (Effective: 08/01/2012)		500
Passthru		
Target: 5,000	Comment:	7
Reservoir Inflow: 7		
Estuary Inflows (NCAT + RBP)		0
PassThru Surplus / -Deficit:		0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	August 2012	
				Allocation	Remaining
08/05/2012	28	255	28,040	4,100	3,845
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
08/05/2012	43.8	159,229		98.8%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: August 7, 2012**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
08/07/2011	211.1	475,526	68.4%	87.0	140,146	54.5%	615,672	64.6%
08/07/2012	206.3	381,772	54.9%	78.5	49,427	19.2%	431,199	45.3%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
08/06/2012	97	481	0.00	98	167	0.00	648
MTD		2,753	0.00		1,172	0.00	3,925

STREAM FLOWS

Gauging Station	08/06/2012 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	48	286
NRIT : Nueces River at Tilden, Texas	0	0
FRIT : Frio River at Tilden, Texas	0	1
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	1	7
Release from Choke Canyon Reservoir	58	345
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	596	2,442
NCAT : Nueces River at Calallen, Texas	0	0
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: NRIT+FRIT+SMTT+ARWT	1	8

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru		5,000
Monthly Target: 5,000		
Salinity Relief Credit : 0 Effective:		
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)		0
Return Flow Credit (Effective: 08/01/2012)		500
Passthru		
Target: 5,000	Comment:	8
Reservoir Inflow: 8		
Estuary Inflows (NCAT + RBP)		0
PassThru Surplus / -Deficit:		0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	August 2012	
				Allocation	Remaining
08/06/2012	35	290	28,075	4,100	3,810
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
08/06/2012	43.7	158,306		98.3%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: August 8, 2012**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
08/08/2011	211.1	475,526	68.4%	87.0	140,146	54.5%	615,672	64.6%
08/08/2012	206.3	381,588	54.9%	78.4	48,855	19.0%	430,443	45.2%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
08/07/2012	99	417	0.00	99	170	0.00	587
MTD		3,170	0.00		1,342	0.00	4,512

STREAM FLOWS

Gauging Station	08/07/2012 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	48	333
NRIT : Nueces River at Tilden, Texas	0	0
FRIT : Frio River at Tilden, Texas	0	1
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	1	8
Release from Choke Canyon Reservoir	58	403
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	504	2,946
NCAT : Nueces River at Calallen, Texas	16	16
RBP : Rincon Bayou Pipeline	76	76
Reservoir Inflow		
Computed as: NRIT+FRIT+SMTT+ARWT	1	9

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru		5,000
Monthly Target: 5,000		
Salinity Relief Credit : 0 Effective:		
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)		0
Return Flow Credit (Effective: 08/01/2012)		500
Passthru		
Target: 5,000	Comment:	9
Reservoir Inflow: 9		
Estuary Inflows (NCAT + RBP)		91
PassThru Surplus / -Deficit:		0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	August 2012	
				Allocation	Remaining
08/07/2012	104	395	28,179	4,100	3,705
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
08/07/2012	43.6	157,385		97.7%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: August 9, 2012**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
08/09/2011	211.0	474,064	68.2%	86.9	138,445	53.8%	612,509	64.3%
08/09/2012	206.3	381,038	54.8%	78.3	48,006	18.7%	429,044	45.0%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
08/08/2012	98	427	0.00	98	160	0.00	587
MTD		3,597	0.00		1,502	0.00	5,099

STREAM FLOWS

Gauging Station	08/08/2012 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	48	381
NRIT : Nueces River at Tilden, Texas	0	0
FRIT : Frio River at Tilden, Texas	0	1
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	1	9
Release from Choke Canyon Reservoir	58	461
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	393	3,339
NCAT : Nueces River at Calallen, Texas	52	67
RBP : Rincon Bayou Pipeline	177	252
Reservoir Inflow		
Computed as: NRIT+FRIT+SMTT+ARWT	1	10

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 5,000 Salinity Relief Credit : 0 Effective:	5,000
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 08/01/2012)	500
Passthru Target: 5,000 Reservoir Inflow: 10 Comment:	10
Estuary Inflows (NCAT + RBP)	320
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	August 2012	
				Allocation	Remaining
08/08/2012	142	537	28,321	4,100	3,563
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
08/08/2012	43.6	157,385		97.7%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: August 10, 2012**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
08/10/2011	211.0	473,026	68.0%	86.9	138,445	53.8%	611,471	64.2%
08/10/2012	206.2	379,755	54.6%	78.2	47,305	18.4%	427,060	44.8%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
08/09/2012	99	469	0.00	99	167	0.01	636
MTD		4,066	0.00		1,669	0.01	5,735

STREAM FLOWS

Gauging Station	08/09/2012 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	48	429
NRIT : Nueces River at Tilden, Texas	0	0
FRIT : Frio River at Tilden, Texas	0	1
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	1	9
Release from Choke Canyon Reservoir	58	518
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	397	3,736
NCAT : Nueces River at Calallen, Texas	0	68
RBP : Rincon Bayou Pipeline	144	397
Reservoir Inflow		
Computed as: NRIT+FRIT+SMTT+ARWT	1	11

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 5,000 Salinity Relief Credit : 0 Effective:	5,000
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 08/01/2012)	500
Passthru Target: 5,000 Reservoir Inflow: 11 Comment:	11
Estuary Inflows (NCAT + RBP)	464
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	August 2012	
				Allocation	Remaining
08/09/2012	143	679	28,464	4,100	3,421
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
08/09/2012	43.6	157,385		97.7%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: August 11, 2012**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
08/11/2011	210.9	471,992	67.9%	86.9	138,021	53.7%	610,013	64.0%
08/11/2012	206.2	379,573	54.6%	78.1	46,748	18.2%	426,321	44.8%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
08/10/2012	101	500	0.00	103	190	0.00	690
MTD		4,566	0.00		1,859	0.01	6,425

STREAM FLOWS

Gauging Station	08/10/2012 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	48	476
NRIT : Nueces River at Tilden, Texas	0	0
FRIT : Frio River at Tilden, Texas	0	2
SMIT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	1	10
Release from Choke Canyon Reservoir	58	576
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	401	4,137
NCAT : Nueces River at Calallen, Texas	0	68
RBP : Rincon Bayou Pipeline	106	502
Reservoir Inflow		
Computed as: NRIT+FRIT+SMIT+ARWT	1	12

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 5,000 Salinity Relief Credit : 0 Effective:	5,000
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 08/01/2012)	500
Passthru Target: 5,000 Reservoir Inflow: 12 Comment:	12
Estuary Inflows (NCAT + RBP)	570
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	August 2012	
				Allocation	Remaining
08/10/2012	143	822	28,606	4,100	3,278
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
08/10/2012	43.6	157,385		97.7%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: August 12, 2012**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
08/12/2011	211.0	473,646	68.1%	86.8	137,317	53.4%	610,963	64.1%
08/12/2012	206.1	378,485	54.4%	78.0	46,195	18.0%	424,680	44.6%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
08/11/2012	101	478	0.00	101	185	0.00	663
MTD		5,044	0.00		2,044	0.01	7,088

STREAM FLOWS

Gauging Station	08/11/2012 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	48	524
NRIT : Nueces River at Tilden, Texas	0	0
FRIT : Frio River at Tilden, Texas	0	2
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	1	11
Release from Choke Canyon Reservoir	58	633
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	405	4,542
NCAT : Nueces River at Calallen, Texas	0	68
RBP : Rincon Bayou Pipeline	106	608
Reservoir Inflow		
Computed as: NRIT+FRIT+SMTT+ARWT	1	13

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 5,000 Salinity Relief Credit : 0 Effective:	5,000
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 08/01/2012)	500
Passthru Target: 5,000 Reservoir Inflow: 13 Comment:	13
Estuary Inflows (NCAT + RBP)	676
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	August 2012	
				Allocation	Remaining
08/11/2012	142	964	28,749	4,100	3,136
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
08/11/2012	43.6	157,385		97.7%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: August 13, 2012**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
08/13/2011	210.9	471,579	67.8%	86.8	136,616	53.1%	608,195	63.9%
08/13/2012	206.1	378,485	54.4%	77.9	45,646	17.7%	424,131	44.5%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
08/12/2012	100	478	0.00	100	183	0.00	661
MTD		5,522	0.00		2,227	0.01	7,749

STREAM FLOWS

Gauging Station	08/12/2012 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	48	572
NRIT : Nueces River at Tilden, Texas	0	0
FRIT : Frio River at Tilden, Texas	0	2
SMIT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	1	12
Release from Choke Canyon Reservoir	58	691
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	417	4,959
NCAT : Nueces River at Calallen, Texas	0	68
RBP : Rincon Bayou Pipeline	106	714
Reservoir Inflow		
Computed as: NRIT+FRIT+SMIT+ARWT	1	14

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 5,000 Salinity Relief Credit : 0 Effective:	5,000
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 08/01/2012)	500
Passthru Target: 5,000 Reservoir Inflow: 14 Comment:	14
Estuary Inflows (NCAT + RBP)	782
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	August 2012	
				Allocation	Remaining
08/12/2012	143	1,107	28,891	4,100	2,993
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
08/12/2012	43.5	156,467		97.1%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: August 14, 2012**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
08/14/2011	210.9	472,406	67.9%	86.7	136,336	53.0%	608,742	63.9%
08/14/2012	206.1	378,303	54.4%	77.9	45,033	17.5%	423,336	44.4%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
08/13/2012	100	468	0.00	101	107	0.01	575
MTD		5,990	0.00		2,334	0.02	8,324

STREAM FLOWS

Gauging Station	08/13/2012 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	46	617
NRIT : Nueces River at Tilden, Texas	0	0
FRIT : Frio River at Tilden, Texas	0	2
SMIT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	1	13
Release from Choke Canyon Reservoir	58	748
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	417	5,375
NCAT : Nueces River at Calallen, Texas	0	68
RBP : Rincon Bayou Pipeline	105	820
Reservoir Inflow		
Computed as: NRIT+FRIT+SMIT+ARWT	1	15

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 5,000 Salinity Relief Credit : 0 Effective:	5,000
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 08/01/2012)	500
Passthru Target: 5,000 Reservoir Inflow: 15 Comment:	15
Estuary Inflows (NCAT + RBP)	887
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	August 2012	
				Allocation	Remaining
08/13/2012	142	1,249	29,034	4,100	2,851
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
08/13/2012	43.4	155,551		96.6%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: August 15, 2012**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
08/15/2011	210.9	471,992	67.9%	86.7	135,498	52.7%	607,490	63.8%
08/15/2012	206.0	376,837	54.2%	77.7	44,290	17.2%	421,127	44.2%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
08/14/2012	100	519	0.00	100	204	0.00	723
MTD		6,509	0.00		2,538	0.02	9,047

STREAM FLOWS

Gauging Station	08/14/2012 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	48	665
NRIT : Nueces River at Tilden, Texas	0	0
FRIT : Frio River at Tilden, Texas	0	2
SMIT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	1	14
Release from Choke Canyon Reservoir	58	806
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	415	5,790
NCAT : Nueces River at Calallen, Texas	0	68
RBP : Rincon Bayou Pipeline	104	924
Reservoir Inflow		
Computed as: NRIT+FRIT+SMIT+ARWT	1	16

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 5,000 Salinity Relief Credit : 0 Effective:	5,000
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 08/01/2012)	500
Passthru Target: 5,000 Reservoir Inflow: 16 Comment:	16
Estuary Inflows (NCAT + RBP)	991
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	August 2012	
				Allocation	Remaining
08/14/2012	142	1,391	29,176	4,100	2,709
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
08/14/2012	43.4	155,551		96.6%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: August 16, 2012**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
08/16/2011	210.9	471,170	67.8%	86.6	134,663	52.3%	605,833	63.6%
08/16/2012	206.0	377,020	54.2%	77.7	43,755	17.0%	420,775	44.2%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
08/15/2012	102	604	0.00	100	237	0.00	841
MTD		7,113	0.00		2,775	0.02	9,888

STREAM FLOWS

Gauging Station	08/15/2012 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	46	711
NRIT : Nueces River at Tilden, Texas	0	0
FRIT : Frio River at Tilden, Texas	0	2
SMIT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	1	15
Release from Choke Canyon Reservoir	58	863
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	411	6,201
NCAT : Nueces River at Calallen, Texas	0	68
RBP : Rincon Bayou Pipeline	102	1,026
Reservoir Inflow		
Computed as: NRIT+FRIT+SMIT+ARWT	1	17

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru		5,000
Monthly Target: 5,000		
Salinity Relief Credit : 0 Effective:		
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)		0
Return Flow Credit (Effective: 08/01/2012)		500
Passthru		
Target: 5,000	Comment:	17
Reservoir Inflow: 17		
Estuary Inflows (NCAT + RBP)		1,093
PassThru Surplus / -Deficit:		0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	August 2012	
				Allocation	Remaining
08/15/2012	142	1,533	29,318	4,100	2,567
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
08/15/2012	43.3	154,639		96.0%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: August 17, 2012**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
08/17/2011	210.8	470,149	67.6%	86.6	134,385	52.2%	604,534	63.5%
08/17/2012	206.0	376,470	54.1%	77.6	43,157	16.8%	419,627	44.1%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
08/16/2012	99	477	0.00	98	193	0.00	670
MTD		7,590	0.00		2,968	0.02	10,558

STREAM FLOWS

Gauging Station	08/16/2012 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	48	758
NRIT : Nueces River at Tilden, Texas	0	0
FRIT : Frio River at Tilden, Texas	0	2
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	1	16
Release from Choke Canyon Reservoir	58	921
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	401	6,602
NCAT : Nueces River at Calallen, Texas	0	68
RBP : Rincon Bayou Pipeline	110	1,136
Reservoir Inflow		
Computed as: NRIT+FRIT+SMTT+ARWT	1	18

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru		5,000
Monthly Target: 5,000		
Salinity Relief Credit : 0 Effective:		
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)		0
Return Flow Credit (Effective: 08/01/2012)		500
Passthru		
Target: 5,000	Comment:	18
Reservoir Inflow: 18		
Estuary Inflows (NCAT + RBP)		1,204
PassThru Surplus / -Deficit:		0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	August 2012	
				Allocation	Remaining
08/16/2012	142	1,675	29,459	4,100	2,425
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
08/16/2012	43.3	154,639		96.0%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: August 18, 2012**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
08/18/2011	210.8	469,740	67.6%	86.5	133,554	51.9%	603,294	63.3%
08/18/2012	205.9	374,653	53.9%	77.5	42,948	16.7%	417,601	43.8%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
08/17/2012	100	465	0.00	100	160	0.00	625
MTD		8,055	0.00		3,128	0.02	11,183

STREAM FLOWS

Gauging Station	08/17/2012 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	48	806
NRIT : Nueces River at Tilden, Texas	0	0
FRIT : Frio River at Tilden, Texas	0	2
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	1	17
Release from Choke Canyon Reservoir	58	979
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	391	6,993
NCAT : Nueces River at Calallen, Texas	0	68
RBP : Rincon Bayou Pipeline	113	1,249
Reservoir Inflow		
Computed as: NRIT+FRIT+SMTT+ARWT	1	19

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 5,000 Salinity Relief Credit : 0 Effective:	5,000
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 08/01/2012)	500
Passthru Target: 5,000 Reservoir Inflow: 19 Comment:	19
Estuary Inflows (NCAT + RBP)	1,317
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	August 2012	
				Allocation	Remaining
08/17/2012	141	1,816	29,601	4,100	2,284
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
08/17/2012	43.3	153,730		95.4%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: August 19, 2012**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
08/19/2011	210.7	468,090	67.3%	86.5	133,002	51.7%	601,092	63.1%
08/19/2012	205.9	374,472	53.9%	77.4	42,106	16.4%	416,578	43.7%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
08/18/2012	100	465	0.00	101	186	0.00	651
MTD		8,520	0.00		3,314	0.02	11,834

STREAM FLOWS

Gauging Station	08/18/2012 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	48	854
NRIT : Nueces River at Tilden, Texas	0	0
FRIT : Frio River at Tilden, Texas	0	2
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	1	17
Release from Choke Canyon Reservoir	58	1,036
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	395	7,388
NCAT : Nueces River at Calallen, Texas	0	68
RBP : Rincon Bayou Pipeline	112	1,360
Reservoir Inflow		
Computed as: NRIT+FRIT+SMTT+ARWT	1	19

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru		5,000
Monthly Target: 5,000		
Salinity Relief Credit : 0 Effective:		
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)		0
Return Flow Credit (Effective: 08/01/2012)		500
Passthru		
Target: 5,000	Comment:	19
Reservoir Inflow: 19		
Estuary Inflows (NCAT + RBP)		1,428
PassThru Surplus / -Deficit:		0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	August 2012	
				Allocation	Remaining
08/18/2012	141	1,957	29,741	4,100	2,143
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
08/18/2012	43.1	152,823		94.9%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: August 20, 2012**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
08/20/2011	210.8	469,123	67.5%	86.5	132,451	51.5%	601,574	63.2%
08/20/2012	205.9	374,472	53.9%	77.4	41,911	16.3%	416,383	43.7%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
08/19/2012	93	264	0.00	92	80	0.05	344
MTD		8,784	0.00		3,394	0.07	12,178

STREAM FLOWS

Gauging Station	08/19/2012 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	48	901
NRIT : Nueces River at Tilden, Texas	0	0
FRIT : Frio River at Tilden, Texas	0	2
SMIT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	1	18
Release from Choke Canyon Reservoir	58	1,094
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	395	7,783
NCAT : Nueces River at Calallen, Texas	0	68
RBP : Rincon Bayou Pipeline	110	1,470
Reservoir Inflow		
Computed as: NRIT+FRIT+SMIT+ARWT	1	20

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 5,000 Salinity Relief Credit : 0 Effective:	5,000
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 08/01/2012)	500
Passthru Target: 5,000 Reservoir Inflow: 20 Comment:	20
Estuary Inflows (NCAT + RBP)	1,538
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	August 2012	
				Allocation	Remaining
08/19/2012	140	2,097	29,882	4,100	2,003
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
08/19/2012	43.1	152,823		94.9%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: August 21, 2012**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
08/21/2011	210.8	468,710	67.4%	86.4	132,039	51.3%	600,749	63.1%
08/21/2012	205.9	373,565	53.7%	77.3	41,328	16.1%	414,893	43.6%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
08/20/2012	98	454	0.00	97	139	0.00	593
MTD		9,238	0.00		3,533	0.07	12,771

STREAM FLOWS

Gauging Station	08/20/2012 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	50	951
NRIT : Nueces River at Tilden, Texas	0	0
FRIT : Frio River at Tilden, Texas	0	2
SMIT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	119	137
Release from Choke Canyon Reservoir	58	1,151
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	383	8,166
NCAT : Nueces River at Calallen, Texas	5	72
RBP : Rincon Bayou Pipeline	111	1,581
Reservoir Inflow		
Computed as: NRIT+FRIT+SMIT+ARWT	119	139

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 5,000 Salinity Relief Credit : 0 Effective:	5,000
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 08/01/2012)	500
Passthru Target: 5,000 Reservoir Inflow: 139 Comment:	139
Estuary Inflows (NCAT + RBP)	1,654
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	August 2012	
				Allocation	Remaining
08/20/2012	140	2,237	30,022	4,100	1,863
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
08/20/2012	43.1	152,823		94.9%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: August 22, 2012**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
08/22/2011	210.7	468,296	67.4%	86.4	131,353	51.1%	599,649	63.0%
08/22/2012	205.8	373,202	53.7%	77.2	40,878	15.9%	414,080	43.5%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
08/21/2012	97	422	0.00	95	146	0.00	568
MTD		9,660	0.00		3,679	0.07	13,339

STREAM FLOWS

Gauging Station	08/21/2012 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	189	1,139
NRIT : Nueces River at Tilden, Texas	0	0
FRIT : Frio River at Tilden, Texas	0	2
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	540	677
Release from Choke Canyon Reservoir	58	1,209
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	387	8,553
NCAT : Nueces River at Calallen, Texas	0	72
RBP : Rincon Bayou Pipeline	112	1,693
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	131	270

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru		5,000
Monthly Target: 5,000		
Salinity Relief Credit : 0 Effective:		
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)		0
Return Flow Credit (Effective: 08/01/2012)		500
Passthru		
Target: 5,000	Comment:	270
Reservoir Inflow: 270		
Estuary Inflows (NCAT + RBP)		1,765
PassThru Surplus / -Deficit:		0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	August 2012	
				Allocation	Remaining
08/21/2012	140	2,377	30,161	4,100	1,723
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
08/21/2012	43.0	151,919		94.3%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: August 23, 2012**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
08/23/2011	210.7	467,883	67.3%	86.3	130,533	50.7%	598,416	62.8%
08/23/2012	205.9	373,928	53.8%	77.2	40,430	15.7%	414,358	43.5%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
08/22/2012	96	369	0.00	97	160	0.00	529
MTD		10,029	0.00		3,839	0.07	13,868

STREAM FLOWS

Gauging Station	08/22/2012 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	484	1,624
NRIT : Nueces River at Tilden, Texas	0	0
FRIT : Frio River at Tilden, Texas	0	2
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	189	865
Release from Choke Canyon Reservoir	58	1,266
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	367	8,921
NCAT : Nueces River at Calallen, Texas	0	72
RBP : Rincon Bayou Pipeline	110	1,803
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	427	697

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 5,000 Salinity Relief Credit : 0 Effective:	5,000
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 08/01/2012)	500
Passthru Target: 5,000 Reservoir Inflow: 697 Comment:	697
Estuary Inflows (NCAT + RBP)	1,875
PassThru Surplus / -Deficit:	1,679

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	August 2012	
				Allocation	Remaining
08/22/2012	139	2,516	30,300	4,100	1,584
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
08/22/2012	43.1	152,823		94.9%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: August 24, 2012**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
08/24/2011	210.7	467,266	67.2%	86.3	129,988	50.5%	597,254	62.7%
08/24/2012	205.8	372,479	53.6%	77.1	40,113	15.6%	412,592	43.3%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
08/23/2012	97	379	0.00	96	114	0.00	493
MTD		10,408	0.00		3,953	0.07	14,361

STREAM FLOWS

Gauging Station	08/23/2012 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	173	1,796
NRIT : Nueces River at Tilden, Texas	0	0
FRIT : Frio River at Tilden, Texas	0	2
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	48	913
Release from Choke Canyon Reservoir	202	1,469
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	288	9,208
NCAT : Nueces River at Calallen, Texas	0	72
RBP : Rincon Bayou Pipeline	110	1,913
Reservoir Inflow		
Computed as: NRIT+FRIT+SMTT+ARWT	48	744

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 5,000 Salinity Relief Credit : 0 Effective:	5,000
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 08/01/2012)	500
Passthru Target: 5,000 Reservoir Inflow: 744 Comment:	744
Estuary Inflows (NCAT + RBP)	1,985
PassThru Surplus / -Deficit:	1,741

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	August 2012	
				Allocation	Remaining
08/23/2012	138	2,654	30,438	4,100	1,446
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
08/23/2012	42.9	151,018		93.8%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: August 25, 2012**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
08/25/2011	210.7	466,653	67.1%	86.2	129,445	50.3%	596,098	62.6%
08/25/2012	205.8	371,763	53.5%	77.1	39,860	15.5%	411,623	43.2%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
08/24/2012	98	452	0.00	97	180	0.00	632
MTD		10,860	0.00		4,133	0.07	14,993

STREAM FLOWS

Gauging Station	08/24/2012 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	330	2,126
NRIT : Nueces River at Tilden, Texas	0	0
FRIT : Frio River at Tilden, Texas	0	2
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	30	943
Release from Choke Canyon Reservoir	371	1,840
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	318	9,526
NCAT : Nueces River at Calallen, Texas	0	72
RBP : Rincon Bayou Pipeline	90	2,003
Reservoir Inflow		
Computed as: NRIT+FRIT+SMTT+ARWT	30	774

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 5,000 Salinity Relief Credit : 0 Effective:	5,000
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 08/01/2012)	500
Passthru Target: 5,000 Reservoir Inflow: 774 Comment: 2003 AF of the previously banked 10,294 AF were delivered between August 7th and 24th. 8291 AF remain banked for future delivery.	774
Estuary Inflows (NCAT + RBP)	2,076
PassThru Surplus / -Deficit:	1,801

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	August 2012	
				Allocation	Remaining
08/24/2012	139	2,793	30,577	4,100	1,307
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
08/24/2012	42.9	151,018		93.8%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: August 26, 2012**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
08/26/2011	210.6	466,244	67.1%	86.2	129,173	50.2%	595,417	62.5%
08/26/2012	205.7	370,142	53.2%	77.0	39,608	15.4%	409,750	43.0%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
08/25/2012	98	451	0.00	96	187	0.00	638
MTD		11,311	0.00		4,320	0.07	15,631

STREAM FLOWS

Gauging Station	08/25/2012 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	351	2,477
NRIT : Nueces River at Tilden, Texas	0	0
FRIT : Frio River at Tilden, Texas	0	2
SMIT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	17	960
Release from Choke Canyon Reservoir	397	2,237
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	296	9,822
NCAT : Nueces River at Calallen, Texas	4	76
RBP : Rincon Bayou Pipeline	0	2,003
Reservoir Inflow		
Computed as: NRIT+FRIT+SMIT+ARWT	17	791

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 5,000 Salinity Relief Credit : 0 Effective:	5,000
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 08/01/2012)	500
Passthru Target: 5,000 Reservoir Inflow: 791 Comment: 2003 AF of the previously banked 10,294 AF were delivered between August 7th and 24th. 8291 AF remain banked for future delivery.	791
Estuary Inflows (NCAT + RBP)	2,080
PassThru Surplus / -Deficit:	1,789

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	August 2012	
				Allocation	Remaining
08/25/2012	138	2,931	30,716	4,100	1,169
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
08/25/2012	42.8	151,018		93.8%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: August 27, 2012**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
08/27/2011	210.6	464,814	66.9%	86.2	128,361	49.9%	593,175	62.3%
08/27/2012	205.6	369,598	53.2%	77.0	39,608	15.4%	409,206	43.0%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
08/26/2012	98	440	0.00	99	157	0.00	597
MTD		11,751	0.00		4,477	0.07	16,228

STREAM FLOWS

Gauging Station	08/26/2012 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	345	2,823
NRIT : Nueces River at Tilden, Texas	0	0
FRIT : Frio River at Tilden, Texas	0	2
SMIT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	11	971
Release from Choke Canyon Reservoir	397	2,634
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	288	10,110
NCAT : Nueces River at Calallen, Texas	14	91
RBP : Rincon Bayou Pipeline	0	2,003
Reservoir Inflow		
Computed as: NRIT+FRIT+SMIT+ARWT	11	802

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 5,000 Salinity Relief Credit : 0 Effective:	5,000
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 08/01/2012)	500
Passthru Target: 5,000 Reservoir Inflow: 802 Comment: 2003 AF of the previously banked 10,294 AF were delivered between August 7th and 24th. 8291 AF remain banked for future delivery.	802
Estuary Inflows (NCAT + RBP)	2,094
PassThru Surplus / -Deficit:	1,791

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	August 2012	
				Allocation	Remaining
08/26/2012	138	3,070	30,854	4,100	1,030
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
08/26/2012	42.8	151,018		93.8%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: August 28, 2012**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
08/28/2011	210.5	463,793	66.7%	86.1	127,821	49.7%	591,614	62.1%
08/28/2012	205.6	369,054	53.1%	77.0	39,545	15.4%	408,599	42.9%

Weather Related Information

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
08/27/2012	97	409	0.00	98	143	0.00	552
MTD		12,160	0.00		4,620	0.07	16,780

STREAM FLOWS

Gauging Station	08/27/2012 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	343	3,166
NRIT : Nueces River at Tilden, Texas	0	0
FRIT : Frio River at Tilden, Texas	0	2
SMIT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	9	980
Release from Choke Canyon Reservoir	397	3,031
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	276	10,386
NCAT : Nueces River at Calallen, Texas	36	126
RBP : Rincon Bayou Pipeline	22	2,026
Reservoir Inflow		
Computed as: NRIT+FRIT+SMIT+ARWT	9	812

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 5,000 Salinity Relief Credit : 0 Effective:	5,000
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 08/01/2012)	500
Passthru Target: 5,000 Reservoir Inflow: 812 Comment: 2003 AF of the previously banked 10,294 AF were delivered between August 7th and 24th. 8291 AF remain banked for future delivery.	812
Estuary Inflows (NCAT + RBP)	2,152
PassThru Surplus / -Deficit:	1,840

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	August 2012	
				Allocation	Remaining
08/27/2012	139	3,208	30,993	4,100	892
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
08/27/2012	42.8	150,120		93.2%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: August 29, 2012**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
08/29/2011	210.5	463,588	66.7%	86.1	127,282	49.5%	590,870	62.0%
08/29/2012	205.5	367,801	52.9%	77.0	39,608	15.4%	407,409	42.8%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
08/28/2012	95	314	0.00	97	121	0.00	435
MTD		12,474	0.00		4,741	0.07	17,215

STREAM FLOWS

Gauging Station	08/28/2012 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	339	3,506
NRIT : Nueces River at Tilden, Texas	0	0
FRIT : Frio River at Tilden, Texas	0	2
SMIT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	6	987
Release from Choke Canyon Reservoir	397	3,431
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	256	10,642
NCAT : Nueces River at Calallen, Texas	1	127
RBP : Rincon Bayou Pipeline	87	2,112
Reservoir Inflow		
Computed as: NRIT+FRIT+SMIT+ARWT	6	818

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 5,000 Salinity Relief Credit : 0 Effective:	5,000
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 08/01/2012)	500
Passthru Target: 5,000 Reservoir Inflow: 818 Comment: 2003 AF of the previously banked 10,294 AF were delivered between August 7th and 24th. 8291 AF remain banked for future delivery.	818
Estuary Inflows (NCAT + RBP)	2,239
PassThru Surplus / -Deficit:	1,921

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	August 2012	
				Allocation	Remaining
08/28/2012	139	3,348	31,132	4,100	752
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
08/28/2012	42.8	150,120		93.2%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: August 30, 2012**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
08/30/2011	210.5	463,997	66.7%	86.0	126,477	49.2%	590,474	62.0%
08/30/2012	205.5	367,264	52.8%	77.0	39,482	15.3%	406,746	42.7%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
08/29/2012	99	502	0.00	98	183	0.00	685
MTD		12,976	0.00		4,924	0.07	17,900

STREAM FLOWS

Gauging Station	08/29/2012 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	335	3,841
NRIT : Nueces River at Tilden, Texas	0	0
FRIT : Frio River at Tilden, Texas	0	2
SMIT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	5	991
Release from Choke Canyon Reservoir	397	3,828
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	256	10,898
NCAT : Nueces River at Calallen, Texas	0	127
RBP : Rincon Bayou Pipeline	0	2,112
Reservoir Inflow		
Computed as: NRIT+FRIT+SMIT+ARWT	5	823

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 5,000 Salinity Relief Credit : 0 Effective:	5,000
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 08/01/2012)	500
Passthru Target: 5,000 Reservoir Inflow: 823 Comment: 2003 AF of the previously banked 10,294 AF were delivered between August 7th and 24th. 8291 AF remain banked for future delivery.	823
Estuary Inflows (NCAT + RBP)	2,239
PassThru Surplus / -Deficit:	1,917

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	August 2012	
				Allocation	Remaining
08/29/2012	139	3,486	31,271	4,100	614
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
08/29/2012	42.8	150,120		93.2%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: August 31, 2012**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
08/31/2011	210.5	463,384	66.6%	86.0	126,075	49.0%	589,459	61.9%
08/31/2012	205.4	366,010	52.6%	76.9	39,044	15.2%	405,054	42.5%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
08/30/2012	101	469	0.00	102	163	0.00	632
MTD		13,445	0.00		5,087	0.07	18,532

STREAM FLOWS

Gauging Station	08/30/2012 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	335	4,176
NRIT : Nueces River at Tilden, Texas	0	0
FRIT : Frio River at Tilden, Texas	0	2
SMIT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	4	995
Release from Choke Canyon Reservoir	397	4,225
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	256	11,154
NCAT : Nueces River at Calallen, Texas	0	127
RBP : Rincon Bayou Pipeline	0	2,112
Reservoir Inflow		
Computed as: NRIT+FRIT+SMIT+ARWT	4	826

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 5,000 Salinity Relief Credit : 0 Effective:	5,000
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 08/01/2012)	500
Passthru Target: 5,000 Reservoir Inflow: 826 Comment: 2003 AF of the previously banked 10,294 AF were delivered between August 7th and 24th. 8291 AF remain banked for future delivery.	826
Estuary Inflows (NCAT + RBP)	2,239
PassThru Surplus / -Deficit:	1,913

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	August 2012	
				Allocation	Remaining
08/30/2012	139	3,625	31,410	4,100	475
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
08/30/2012	42.7	149,224		92.6%	