

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: September 1, 2012**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
09/01/2011	210.4	460,728	66.3%	85.9	125,407	48.7%	586,135	61.5%
09/01/2012	205.4	365,294	52.5%	76.9	39,044	15.2%	404,338	42.4%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
08/31/2012	103	511	0.00	101	174	0.07	685
MTD		13,956	0.00		5,261	0.14	19,217

STREAM FLOWS

Gauging Station	08/31/2012 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	345	4,522
NRTT : Nueces River at Tilden, Texas	0	0
FRTT : Frio River at Tilden, Texas	0	2
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	3	998
Release from Choke Canyon Reservoir	446	4,671
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	252	11,406
NCAT : Nueces River at Calallen, Texas	0	127
RBP : Rincon Bayou Pipeline	0	2,112
Reservoir Inflow		
Computed as: NRTT + FRTT + SMTT + ARWT	3	829

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 5,000 Salinity Relief Credit : 0 Effective:	5,000
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 08/01/2012)	500
Passthru Target: 5,000 Reservoir Inflow: 829 Comment: 2112 AF of the previously banked 10,294 were delivered in August. The remaining 8182 AF combined with the 202 AF passthru requirement for August brings the banked total to 8384 AF.	829
Estuary Inflows (NCAT + RBP)	2,239
PassThru Surplus / -Deficit:	1,910

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	August 2012	
				Allocation	Remaining
08/31/2012	139	3,764	31,549	4,100	336
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
08/31/2012	42.6	148,332		92.1%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: September 2, 2012**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
09/02/2011	210.5	462,363	66.5%	85.9	125,141	48.6%	587,504	61.7%
09/02/2012	205.4	364,578	52.4%	76.9	39,044	15.2%	403,622	42.4%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
09/01/2012	97	354	0.05	95	113	0.00	467
MTD		354	0.05		113	0.00	467

STREAM FLOWS

Gauging Station	09/01/2012 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	443	443
NRTT : Nueces River at Tilden, Texas	0	0
FRTT : Frio River at Tilden, Texas	0	0
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	2	2
Release from Choke Canyon Reservoir	496	496
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	252	252
NCAT : Nueces River at Calallen, Texas	0	0
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: NRMT+FRTT+SMTT+ARWT	2	2

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru		11,500
Monthly Target: 11,500		
Salinity Relief Credit : 0 Effective:		
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)		0
Return Flow Credit (Effective: 09/01/2012)		500
Passthru Target: 11,500	Comment: 2112 AF of the previously banked 10,294 were delivered in August. The remaining 8182 AF combined with the 202 AF passthru requirement for August brings the banked total to 8384 AF.	2
Reservoir Inflow: 2		
Estuary Inflows (NCAT + RBP)		0
PassThru Surplus / -Deficit:		0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	September 2012	
				Allocation	Remaining
09/01/2012	139	139	31,687	4,100	3,961
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
09/01/2012	42.6	148,332		92.1%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: September 3, 2012**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
09/03/2011	210.4	460,932	66.3%	85.9	124,476	48.4%	585,408	61.5%
09/03/2012	205.3	363,152	52.2%	76.9	39,044	15.2%	402,196	42.2%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
09/02/2012	100	467	0.00	98	174	0.01	641
MTD		821	0.05		287	0.01	1,108

STREAM FLOWS

Gauging Station	09/02/2012 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	451	893
NRIT : Nueces River at Tilden, Texas	0	0
FRIT : Frio River at Tilden, Texas	0	0
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	2	5
Release from Choke Canyon Reservoir	496	993
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	250	502
NCAT : Nueces River at Calallen, Texas	0	0
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: NRIT+FRIT+SMTT+ARWT	2	5

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru		11,500
Monthly Target: 11,500		
Salinity Relief Credit : 0 Effective:		
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)		0
Return Flow Credit (Effective: 09/01/2012)		500
Passthru Target: 11,500 Reservoir Inflow: 5	Comment: 2112 AF of the previously banked 10,294 were delivered in August. The remaining 8182 AF combined with the 202 AF passthru requirement for August brings the banked total to 8384 AF.	5
Estuary Inflows (NCAT + RBP)		0
PassThru Surplus / -Deficit:		0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	September 2012	
				Allocation	Remaining
09/02/2012	139	277	31,826	4,100	3,823
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
09/02/2012	42.6	148,332		92.1%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: September 4, 2012**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
09/04/2011	210.3	460,115	66.2%	85.8	124,078	48.2%	584,193	61.3%
09/04/2012	205.3	363,505	52.3%	76.9	39,044	15.2%	402,549	42.3%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
09/03/2012	101	478	0.00	100	174	0.00	652
MTD		1,299	0.05		461	0.01	1,760

STREAM FLOWS

Gauging Station	09/03/2012 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	451	1,344
NRIT : Nueces River at Tilden, Texas	0	0
FRIT : Frio River at Tilden, Texas	0	0
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	2	6
Release from Choke Canyon Reservoir	496	1,489
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	250	752
NCAT : Nueces River at Calallen, Texas	0	0
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: NRIT+FRIT+SMTT+ARWT	2	6

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru		11,500
Monthly Target: 11,500		
Salinity Relief Credit : 0 Effective:		
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)		0
Return Flow Credit (Effective: 09/01/2012)		500
Passthru Target: 11,500	Comment: 2112 AF of the previously banked 10,294 were delivered in August. The remaining 8182 AF combined with the 202 AF passthru requirement for August brings the banked total to 8384 AF.	6
Reservoir Inflow: 6		
Estuary Inflows (NCAT + RBP)		0
PassThru Surplus / -Deficit:		0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	September 2012	
				Allocation	Remaining
09/03/2012	139	417	31,965	4,100	3,683
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
09/03/2012	42.6	148,332		92.1%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: September 5, 2012**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
09/05/2011	210.3	458,685	66.0%	85.8	123,680	48.1%	582,365	61.1%
09/05/2012	205.2	362,268	52.1%	76.9	38,982	15.2%	401,250	42.1%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
09/04/2012	101	498	0.00	101	171	0.00	669
MTD		1,797	0.05		632	0.01	2,429

STREAM FLOWS

Gauging Station	09/04/2012 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	463	1,806
NRIT : Nueces River at Tilden, Texas	0	0
FRIT : Frio River at Tilden, Texas	0	0
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	2	8
Release from Choke Canyon Reservoir	546	2,035
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	250	1,002
NCAT : Nueces River at Calallen, Texas	0	0
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: NRIT+FRIT+SMTT+ARWT	2	8

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru		11,500
Monthly Target: 11,500		
Salinity Relief Credit : 0 Effective:		
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)		0
Return Flow Credit (Effective: 09/01/2012)		500
Passthru Target: 11,500	Comment:	8
Reservoir Inflow: 8		
Estuary Inflows (NCAT + RBP)		0
PassThru Surplus / -Deficit:		0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	September 2012	
				Allocation	Remaining
09/04/2012	140	556	32,105	4,100	3,544
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
09/04/2012	42.5	147,442		91.5%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: September 6, 2012**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
09/06/2011	210.3	458,685	66.0%	85.7	122,098	47.5%	580,783	61.0%
09/06/2012	205.2	361,736	52.0%	76.9	39,044	15.2%	400,780	42.1%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
09/05/2012	101	466	0.00	100	178	0.00	644
MTD		2,263	0.05		810	0.01	3,073

STREAM FLOWS

Gauging Station	09/05/2012 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	568	2,374
NRIT : Nueces River at Tilden, Texas	0	0
FRIT : Frio River at Tilden, Texas	0	0
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	2	10
Release from Choke Canyon Reservoir	596	2,630
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	250	1,253
NCAT : Nueces River at Calallen, Texas	0	0
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: NRIT+FRIT+SMTT+ARWT	2	10

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru		11,500
Monthly Target: 11,500		
Salinity Relief Credit : 0 Effective:		
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)		0
Return Flow Credit (Effective: 09/01/2012)		500
Passthru Target: 11,500	Comment: 2112 AF of the previously banked 10,294 were delivered in August. The remaining 8182 AF combined with the 202 AF passthru requirement for August brings the banked total to 8384 AF.	10
Reservoir Inflow: 10		
Estuary Inflows (NCAT + RBP)		0
PassThru Surplus / -Deficit:		0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	September 2012	
				Allocation	Remaining
09/05/2012	140	696	32,245	4,100	3,404
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
09/05/2012	42.3	145,671		90.4%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: September 7, 2012**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
09/07/2011	210.2	457,254	65.8%	85.6	121,441	47.2%	578,695	60.8%
09/07/2012	205.1	359,594	51.7%	76.9	39,044	15.2%	398,638	41.9%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
09/06/2012	101	434	0.00	100	211	0.00	645
MTD		2,697	0.05		1,021	0.01	3,718

STREAM FLOWS

Gauging Station	09/06/2012 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	576	2,950
NRIT : Nueces River at Tilden, Texas	0	0
FRIT : Frio River at Tilden, Texas	0	0
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	2	12
Release from Choke Canyon Reservoir	596	3,226
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	250	1,503
NCAT : Nueces River at Calallen, Texas	0	0
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: NRIT+FRIT+SMTT+ARWT	2	12

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru		11,500
Monthly Target: 11,500		
Salinity Relief Credit : 0 Effective:		
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)		0
Return Flow Credit (Effective: 09/01/2012)		500
Passthru Target: 11,500	Comment: 2112 AF of the previously banked 10,294 were delivered in August. The remaining 8182 AF combined with the 202 AF passthru requirement for August brings the banked total to 8384 AF.	12
Reservoir Inflow: 12		
Estuary Inflows (NCAT + RBP)		0
PassThru Surplus / -Deficit:		0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	September 2012	
				Allocation	Remaining
09/06/2012	139	835	32,384	4,100	3,265
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
09/06/2012	42.3	145,671		90.4%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: September 8, 2012**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
09/08/2011	210.2	457,254	65.8%	85.6	121,180	47.1%	578,434	60.7%
09/08/2012	205.0	358,533	51.6%	76.9	39,044	15.2%	397,577	41.7%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
09/07/2012	101	464	0.00	101	163	0.00	627
MTD		3,161	0.05		1,184	0.01	4,345

STREAM FLOWS

Gauging Station	09/07/2012 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	576	3,525
NRTT : Nueces River at Tilden, Texas	0	0
FRTT : Frio River at Tilden, Texas	0	0
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	2	14
Release from Choke Canyon Reservoir	596	3,821
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	250	1,753
NCAT : Nueces River at Calallen, Texas	0	0
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: NRRT+FRTT+SMTT+ARWT	2	14

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru		11,500
Monthly Target: 11,500		
Salinity Relief Credit : 0 Effective:		
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)		0
Return Flow Credit (Effective: 09/01/2012)		500
Passthru Target: 11,500	Comment: 2112 AF of the previously banked 10,294 were delivered in August. The remaining 8182 AF combined with the 202 AF passthru requirement for August brings the banked total to 8384 AF.	14
Reservoir Inflow: 14		
Estuary Inflows (NCAT + RBP)		0
PassThru Surplus / -Deficit:		0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	September 2012	
				Allocation	Remaining
09/07/2012	139	975	32,523	4,100	3,125
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
09/07/2012	42.3	145,671		90.4%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: September 9, 2012**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
09/09/2011	210.2	456,850	65.7%	85.6	120,396	46.8%	577,246	60.6%
09/09/2012	205.0	357,296	51.4%	77.0	39,232	15.2%	396,528	41.6%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
09/08/2012	93	515	0.00	97	186	0.00	701
MTD		3,676	0.05		1,370	0.01	5,046

STREAM FLOWS

Gauging Station	09/08/2012 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	576	4,101
NRIT : Nueces River at Tilden, Texas	0	0
FRIT : Frio River at Tilden, Texas	0	0
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	2	15
Release from Choke Canyon Reservoir	596	4,417
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	250	2,003
NCAT : Nueces River at Calallen, Texas	0	1
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: NRIT+FRIT+SMTT+ARWT	2	15

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru		11,500
Monthly Target: 11,500		
Salinity Relief Credit : 0 Effective:		
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)		0
Return Flow Credit (Effective: 09/01/2012)		500
Passthru Target: 11,500	Comment: 2112 AF of the previously banked 10,294 were delivered in August. The remaining 8182 AF combined with the 202 AF passthru requirement for August brings the banked total to 8384 AF.	15
Reservoir Inflow: 15		
Estuary Inflows (NCAT + RBP)		1
PassThru Surplus / -Deficit:		0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	September 2012	
				Allocation	Remaining
09/08/2012	139	1,114	32,663	4,100	2,986
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
09/08/2012	42.3	145,671		90.4%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: September 10, 2012**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
09/10/2011	210.2	456,446	65.7%	85.5	119,226	46.3%	575,672	60.4%
09/10/2012	204.9	356,766	51.3%	77.0	39,232	15.2%	395,998	41.6%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
09/09/2012	93	442	0.00	92	146	0.00	588
MTD		4,118	0.05		1,516	0.01	5,634

STREAM FLOWS

Gauging Station	09/09/2012 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	574	4,675
NRIT : Nueces River at Tilden, Texas	0	0
FRIT : Frio River at Tilden, Texas	0	0
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	1	17
Release from Choke Canyon Reservoir	596	5,012
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	250	2,253
NCAT : Nueces River at Calallen, Texas	2	3
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: NRIT+FRIT+SMTT+ARWT	1	17

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru		11,500
Monthly Target: 11,500		
Salinity Relief Credit : 0 Effective:		
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)		0
Return Flow Credit (Effective: 09/01/2012)		500
Passthru Target: 11,500	Comment: 2112 AF of the previously banked 10,294 were delivered in August. The remaining 8182 AF combined with the 202 AF passthru requirement for August brings the banked total to 8384 AF.	17
Reservoir Inflow: 17		
Estuary Inflows (NCAT + RBP)		3
PassThru Surplus / -Deficit:		0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	September 2012	
				Allocation	Remaining
09/09/2012	139	1,253	32,802	4,100	2,847
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
09/09/2012	42.3	145,671		90.4%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: September 11, 2012**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
09/11/2011	210.1	455,234	65.5%	85.4	118,063	45.9%	573,297	60.2%
09/11/2012	204.8	355,528	51.1%	77.0	39,294	15.3%	394,822	41.4%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
09/10/2012	91	370	0.00	92	146	0.00	516
MTD		4,488	0.05		1,662	0.01	6,150

STREAM FLOWS

Gauging Station	09/10/2012 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	574	5,248
NRIT : Nueces River at Tilden, Texas	0	0
FRIT : Frio River at Tilden, Texas	0	0
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	1	18
Release from Choke Canyon Reservoir	596	5,608
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	238	2,491
NCAT : Nueces River at Calallen, Texas	1	4
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: NRIT+FRIT+SMTT+ARWT	1	18

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru		11,500
Monthly Target: 11,500		
Salinity Relief Credit : 0 Effective:		
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)		0
Return Flow Credit (Effective: 09/01/2012)		500
Passthru Target: 11,500	Comment: 2112 AF of the previously banked 10,294 were delivered in August. The remaining 8182 AF combined with the 202 AF passthru requirement for August brings the banked total to 8384 AF.	18
Reservoir Inflow: 18		
Estuary Inflows (NCAT + RBP)		4
PassThru Surplus / -Deficit:		0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	September 2012	
				Allocation	Remaining
09/10/2012	139	1,392	32,940	4,100	2,708
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
09/10/2012	42.1	143,911		89.3%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: September 12, 2012**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
09/12/2011	210.0	453,012	65.2%	85.3	117,420	45.6%	570,432	59.9%
09/12/2012	204.8	355,528	51.1%	77.0	39,294	15.3%	394,822	41.4%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
09/11/2012	95	370	0.00	95	139	0.00	509
MTD		4,858	0.05		1,801	0.01	6,659

STREAM FLOWS

Gauging Station	09/11/2012 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	576	5,824
NRTT : Nueces River at Tilden, Texas	0	0
FRTT : Frio River at Tilden, Texas	0	0
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	2	20
Release from Choke Canyon Reservoir	596	6,203
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	220	2,712
NCAT : Nueces River at Calallen, Texas	0	5
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: NRRT+FRTT+SMTT+ARWT	2	20

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru		11,500
Monthly Target: 11,500		
Salinity Relief Credit : 0 Effective:		
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)		0
Return Flow Credit (Effective: 09/01/2012)		500
Passthru Target: 11,500	Comment: 2112 AF of the previously banked 10,294 were delivered in August. The remaining 8182 AF combined with the 202 AF passthru requirement for August brings the banked total to 8384 AF.	20
Reservoir Inflow: 20		
Estuary Inflows (NCAT + RBP)		5
PassThru Surplus / -Deficit:		0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	September 2012	
				Allocation	Remaining
09/11/2012	138	1,530	33,079	4,100	2,570
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
09/11/2012	42.0	143,036		88.8%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: September 13, 2012**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
09/13/2011	210.1	454,224	65.3%	85.3	116,778	45.4%	571,002	59.9%
09/13/2012	204.7	353,425	50.8%	77.0	39,482	15.3%	392,907	41.2%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
09/12/2012	98	348	0.02	97	124	0.00	472
MTD		5,206	0.07		1,925	0.01	7,131

STREAM FLOWS

Gauging Station	09/12/2012 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	584	6,408
NRIT : Nueces River at Tilden, Texas	0	0
FRIT : Frio River at Tilden, Texas	0	0
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	2	22
Release from Choke Canyon Reservoir	596	6,799
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	226	2,938
NCAT : Nueces River at Calallen, Texas	0	5
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: NRIT+FRIT+SMTT+ARWT	2	22

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru		11,500
Monthly Target: 11,500		
Salinity Relief Credit : 0 Effective:		
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)		0
Return Flow Credit (Effective: 09/01/2012)		500
Passthru Target: 11,500	Comment: 2112 AF of the previously banked 10,294 were delivered in August. The remaining 8182 AF combined with the 202 AF passthru requirement for August brings the banked total to 8384 AF.	22
Reservoir Inflow: 22		
Estuary Inflows (NCAT + RBP)		5
PassThru Surplus / -Deficit:		0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	September 2012	
				Allocation	Remaining
09/12/2012	138	1,668	33,217	4,100	2,432
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
09/12/2012	42.0	143,036		88.8%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: September 14, 2012**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
09/14/2011	209.9	452,002	65.0%	85.2	116,267	45.2%	568,269	59.7%
09/14/2012	204.8	354,472	51.0%	77.0	39,671	15.4%	394,143	41.4%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
09/13/2012	90	267	0.86	93	150	0.05	417
MTD		5,473	0.93		2,075	0.06	7,548

STREAM FLOWS

Gauging Station	09/13/2012 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	582	6,989
NRTT : Nueces River at Tilden, Texas	0	0
FRTT : Frio River at Tilden, Texas	0	0
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	2	24
Release from Choke Canyon Reservoir	596	7,394
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	226	3,164
NCAT : Nueces River at Calallen, Texas	0	5
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: NRRT+FRTT+SMTT+ARWT	2	24

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru		11,500
Monthly Target: 11,500		
Salinity Relief Credit : 0 Effective:		
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)		0
Return Flow Credit (Effective: 09/01/2012)		500
Passthru Target: 11,500	Comment: 2112 AF of the previously banked 10,294 were delivered in August. The remaining 8182 AF combined with the 202 AF passthru requirement for August brings the banked total to 8384 AF.	24
Reservoir Inflow: 24		
Estuary Inflows (NCAT + RBP)		5
PassThru Surplus / -Deficit:		0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	September 2012	
				Allocation	Remaining
09/13/2012	126	1,794	33,343	4,100	2,306
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
09/13/2012	42.0	143,036		88.8%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: September 15, 2012**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
09/15/2011	209.9	451,194	64.9%	85.2	115,885	45.0%	567,079	59.5%
09/15/2012	204.7	353,600	50.9%	77.1	40,240	15.6%	393,840	41.3%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
09/14/2012	81	215	0.02	86	70	0.13	285
MTD		5,688	0.95		2,145	0.19	7,833

STREAM FLOWS

Gauging Station	09/14/2012 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	586	7,575
NRTT : Nueces River at Tilden, Texas	0	0
FRTT : Frio River at Tilden, Texas	0	0
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	5	29
Release from Choke Canyon Reservoir	596	7,990
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	230	3,394
NCAT : Nueces River at Calallen, Texas	0	5
RBP : Rincon Bayou Pipeline	50	50
Reservoir Inflow		
Computed as: NRMT+FRTT+SMTT+ARWT	5	29

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru		11,500
Monthly Target: 11,500		
Salinity Relief Credit : 0 Effective:		
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)		0
Return Flow Credit (Effective: 09/01/2012)		500
Passthru Target: 11,500	Comment: 2112 AF of the previously banked 10,294 were delivered in August. The remaining 8182 AF combined with the 202 AF passthru requirement for August brings the banked total to 8384 AF.	29
Reservoir Inflow: 29		
Estuary Inflows (NCAT + RBP)		55
PassThru Surplus / -Deficit:		0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	September 2012	
				Allocation	Remaining
09/14/2012	138	1,932	33,481	4,100	2,168
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
09/14/2012	42.1	143,911		89.3%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: September 16, 2012**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
09/16/2011	209.9	450,790	64.8%	85.1	115,122	44.7%	565,912	59.4%
09/16/2012	204.7	352,723	50.7%	77.2	40,494	15.7%	393,217	41.3%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
09/15/2012	82	164	0.10	83	63	0.00	227
MTD		5,852	1.05		2,208	0.19	8,060

STREAM FLOWS

Gauging Station	09/15/2012 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	586	8,160
NRTT : Nueces River at Tilden, Texas	0	0
FRTT : Frio River at Tilden, Texas	0	0
SMTT : San Miguel Creek at Tilden, Texas	46	46
ARWT : Atascosa River at Whitsett, Texas	145	174
Release from Choke Canyon Reservoir	596	8,585
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	226	3,621
NCAT : Nueces River at Calallen, Texas	0	5
RBP : Rincon Bayou Pipeline	112	163
Reservoir Inflow		
Computed as: NRRT+FRTT+SMTT+ARWT	191	219

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru		11,500
Monthly Target: 11,500		
Salinity Relief Credit : 0 Effective:		
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)		0
Return Flow Credit (Effective: 09/01/2012)		500
Passthru Target: 11,500 Reservoir Inflow: 219	Comment: 2112 AF of the previously banked 10,294 were delivered in August. The remaining 8182 AF combined with the 202 AF passthru requirement for August brings the banked total to 8384 AF.	219
Estuary Inflows (NCAT + RBP)		167
PassThru Surplus / -Deficit:		0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	September 2012	
				Allocation	Remaining
09/15/2012	138	2,071	33,619	4,100	2,029
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
09/15/2012	42.1	143,911		89.3%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: September 17, 2012**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
09/17/2011	209.7	447,975	64.4%	85.1	114,742	44.6%	562,717	59.1%
09/17/2012	204.7	353,076	50.8%	77.2	40,750	15.8%	393,826	41.3%

Weather Related Information								
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
09/16/2012	73	31	0.99	80	37	0.00		68
MTD		5,883	2.04		2,245	0.19		8,128

STREAM FLOWS

Gauging Station	09/16/2012 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	899	9,060
NRTT : Nueces River at Tilden, Texas	0	0
FRTT : Frio River at Tilden, Texas	0	0
SMTT : San Miguel Creek at Tilden, Texas	210	256
ARWT : Atascosa River at Whitsett, Texas	506	680
Release from Choke Canyon Reservoir	596	9,181
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	212	3,833
NCAT : Nueces River at Calallen, Texas	0	5
RBP : Rincon Bayou Pipeline	50	213
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	514	733

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru		11,500
Monthly Target: 11,500		
Salinity Relief Credit : 0 Effective:		
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)		0
Return Flow Credit (Effective: 09/01/2012)		500
Passthru Target: 11,500	Comment: 2112 AF of the previously banked 10,294 were delivered in August. The remaining 8182 AF combined with the 202 AF passthru requirement for August brings the banked total to 8384 AF.	733
Reservoir Inflow: 733		
Estuary Inflows (NCAT + RBP)		218
PassThru Surplus / -Deficit:		-16

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	September 2012	
				Allocation	Remaining
09/16/2012	138	2,209	33,758	4,100	1,891
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
09/16/2012	42.1	143,911		89.3%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: September 18, 2012**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
09/18/2011	209.9	451,396	64.9%	85.1	115,122	44.7%	566,518	59.5%
09/18/2012	204.8	354,298	51.0%	77.3	41,135	16.0%	395,433	41.5%

Weather Related Information								
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
09/17/2012	83	205	0.00	86	64	0.00		269
MTD		6,088	2.04		2,309	0.19		8,397

STREAM FLOWS

Gauging Station	09/17/2012 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	1,080	10,139
NRTT : Nueces River at Tilden, Texas	0	0
FRTT : Frio River at Tilden, Texas	0	0
SMTT : San Miguel Creek at Tilden, Texas	766	1,022
ARWT : Atascosa River at Whitsett, Texas	206	886
Release from Choke Canyon Reservoir	397	9,578
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	202	4,036
NCAT : Nueces River at Calallen, Texas	0	5
RBP : Rincon Bayou Pipeline	0	213
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	1,449	2,183

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru		11,500
Monthly Target: 11,500		
Salinity Relief Credit : 0 Effective:		
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)		0
Return Flow Credit (Effective: 09/01/2012)		500
Passthru Target: 11,500 Reservoir Inflow: 2,183	Comment: 2112 AF of the previously banked 10,294 were delivered in August. The remaining 8182 AF combined with the 202 AF passthru requirement for August brings the banked total to 8384 AF.	2,183
Estuary Inflows (NCAT + RBP)		218
PassThru Surplus / -Deficit:		-1,465

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	September 2012	
				Allocation	Remaining
09/17/2012	138	2,347	33,895	4,100	1,753
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
09/17/2012	42.3	145,671		90.4%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: September 19, 2012**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
09/19/2011	209.9	451,800	65.0%	85.2	115,249	44.8%	567,049	59.5%
09/19/2012	204.8	354,298	51.0%	77.3	41,522	16.1%	395,820	41.6%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
09/18/2012	89	277	0.00	90	154	0.00	431
MTD		6,365	2.04		2,463	0.19	8,828

STREAM FLOWS

Gauging Station	09/18/2012 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	318	10,457
NRTT : Nueces River at Tilden, Texas	0	0
FRTT : Frio River at Tilden, Texas	54	54
SMTT : San Miguel Creek at Tilden, Texas	730	1,753
ARWT : Atascosa River at Whitsett, Texas	157	1,043
Release from Choke Canyon Reservoir	109	9,687
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	204	4,240
NCAT : Nueces River at Calallen, Texas	0	5
RBP : Rincon Bayou Pipeline	0	213
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	993	3,175

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru		11,500
Monthly Target: 11,500		
Salinity Relief Credit : 0 Effective:		
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)		0
Return Flow Credit (Effective: 09/01/2012)		500
Passthru		
Target: 11,500	Comment: 2112 AF of the previously banked 10,294 were delivered in August. The remaining 8182 AF combined with the 202 AF passthru requirement for August brings the banked total to 8384 AF.	3,175
Reservoir Inflow: 3,175		
Estuary Inflows (NCAT + RBP)		218
PassThru Surplus / -Deficit:		-2,457

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	September 2012	
				Allocation	Remaining
09/18/2012	137	2,484	34,033	4,100	1,616
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
09/18/2012	42.4	146,555		91.0%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: September 20, 2012**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
09/20/2011	210.0	452,406	65.1%	85.1	114,362	44.5%	566,768	59.5%
09/20/2012	204.8	354,298	51.0%	77.3	41,651	16.2%	395,949	41.6%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
09/19/2012	88	256	0.00	90	117	0.00	373
MTD		6,621	2.04		2,580	0.19	9,201

STREAM FLOWS

Gauging Station	09/19/2012 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	250	10,707
NRTT : Nueces River at Tilden, Texas	0	0
FRTT : Frio River at Tilden, Texas	185	238
SMTT : San Miguel Creek at Tilden, Texas	141	1,894
ARWT : Atascosa River at Whitsett, Texas	369	1,412
Release from Choke Canyon Reservoir	58	9,744
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	199	4,438
NCAT : Nueces River at Calallen, Texas	4	8
RBP : Rincon Bayou Pipeline	0	213
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	518	3,693

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru		11,500
Monthly Target: 11,500		
Salinity Relief Credit : 0 Effective:		
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)		0
Return Flow Credit (Effective: 09/01/2012)		500
Passthru Target: 11,500 Reservoir Inflow: 3,693	Comment: 2112 AF of the previously banked 10,294 were delivered in August. The remaining 8182 AF combined with the 202 AF passthru requirement for August brings the banked total to 8384 AF.	3,693
Estuary Inflows (NCAT + RBP)		221
PassThru Surplus / -Deficit:		-2,972

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	September 2012	
				Allocation	Remaining
09/19/2012	137	2,622	34,170	4,100	1,478
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
09/19/2012	42.4	146,555		91.0%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: September 21, 2012**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
09/21/2011	209.9	451,800	65.0%	85.1	114,236	44.4%	566,036	59.4%
09/21/2012	204.7	353,600	50.9%	77.3	41,651	16.2%	395,251	41.5%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
09/20/2012	88	328	0.00	91	140	0.00	468
MTD		6,949	2.04		2,720	0.19	9,669

STREAM FLOWS

Gauging Station	09/20/2012 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	335	11,043
NRTT : Nueces River at Tilden, Texas	0	0
FRTT : Frio River at Tilden, Texas	155	393
SMTT : San Miguel Creek at Tilden, Texas	44	1,937
ARWT : Atascosa River at Whitsett, Texas	121	1,533
Release from Choke Canyon Reservoir	58	9,802
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	189	4,627
NCAT : Nueces River at Calallen, Texas	11	19
RBP : Rincon Bayou Pipeline	0	213
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	476	4,169

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru		11,500
Monthly Target: 11,500		
Salinity Relief Credit : 0 Effective:		
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)		0
Return Flow Credit (Effective: 09/01/2012)		500
Passthru Target: 11,500 Reservoir Inflow: 4,169	Comment: 2112 AF of the previously banked 10,294 were delivered in August. The remaining 8182 AF combined with the 202 AF passthru requirement for August brings the banked total to 8384 AF.	4,169
Estuary Inflows (NCAT + RBP)		232
PassThru Surplus / -Deficit:		-3,437

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	September 2012	
				Allocation	Remaining
09/20/2012	136	2,758	34,306	4,100	1,342
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
09/20/2012	42.4	146,555		91.0%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: September 22, 2012**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
09/22/2011	209.9	451,598	65.0%	85.1	113,983	44.3%	565,581	59.4%
09/22/2012	204.8	354,298	51.0%	77.3	41,651	16.2%	395,949	41.6%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
09/21/2012	90	307	0.00	90	125	0.00	432
MTD		7,256	2.04		2,845	0.19	10,101

STREAM FLOWS

Gauging Station	09/21/2012 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	143	11,185
NRTT : Nueces River at Tilden, Texas	0	0
FRTT : Frio River at Tilden, Texas	64	457
SMTT : San Miguel Creek at Tilden, Texas	13	1,950
ARWT : Atascosa River at Whitsett, Texas	58	1,591
Release from Choke Canyon Reservoir	58	9,859
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	185	4,812
NCAT : Nueces River at Calallen, Texas	13	32
RBP : Rincon Bayou Pipeline	0	213
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	162	4,331

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru		11,500
Monthly Target: 11,500		
Salinity Relief Credit : 0 Effective:		
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)		0
Return Flow Credit (Effective: 09/01/2012)		500
Passthru Target: 11,500 Reservoir Inflow: 4,331	Comment: 2112 AF of the previously banked 10,294 were delivered in August. The remaining 8182 AF combined with the 202 AF passthru requirement for August brings the banked total to 8384 AF.	4,331
Estuary Inflows (NCAT + RBP)		245
PassThru Surplus / -Deficit:		-3,587

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	September 2012	
				Allocation	Remaining
09/21/2012	136	2,893	34,442	4,100	1,207
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
09/21/2012	42.4	146,555		91.0%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: September 23, 2012**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
09/23/2011	209.8	449,780	64.7%	85.0	113,731	44.2%	563,511	59.2%
09/23/2012	204.7	353,774	50.9%	77.3	41,522	16.1%	395,296	41.5%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
09/22/2012	91	277	0.00	92	57	0.00	334
MTD		7,533	2.04		2,902	0.19	10,435

STREAM FLOWS

Gauging Station	09/22/2012 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	101	11,287
NRTT : Nueces River at Tilden, Texas	0	0
FRTT : Frio River at Tilden, Texas	30	486
SMTT : San Miguel Creek at Tilden, Texas	5	1,955
ARWT : Atascosa River at Whitsett, Texas	40	1,631
Release from Choke Canyon Reservoir	58	9,917
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	181	4,992
NCAT : Nueces River at Calallen, Texas	9	40
RBP : Rincon Bayou Pipeline	0	213
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	78	4,409

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru		11,500
Monthly Target: 11,500		
Salinity Relief Credit : 0 Effective:		
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)		0
Return Flow Credit (Effective: 09/01/2012)		500
Passthru		
Target: 11,500	Comment: 2112 AF of the previously banked 10,294 were delivered in August. The remaining 8182 AF combined with the 202 AF passthru requirement for August brings the banked total to 8384 AF.	4,409
Reservoir Inflow: 4,409		
Estuary Inflows (NCAT + RBP)		253
PassThru Surplus / -Deficit:		-3,656

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	September 2012	
				Allocation	Remaining
09/22/2012	136	3,029	34,578	4,100	1,071
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
09/22/2012	42.4	146,555		91.0%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: September 24, 2012**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
09/24/2011	209.8	449,982	64.7%	85.0	113,103	44.0%	563,085	59.1%
09/24/2012	204.7	353,600	50.9%	77.3	41,328	16.1%	394,928	41.5%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
09/23/2012	93	287	0.00	94	143	0.00	430
MTD		7,820	2.04		3,045	0.19	10,865

STREAM FLOWS

Gauging Station	09/23/2012 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	85	11,372
NRTT : Nueces River at Tilden, Texas	0	0
FRTT : Frio River at Tilden, Texas	16	502
SMTT : San Miguel Creek at Tilden, Texas	2	1,957
ARWT : Atascosa River at Whitsett, Texas	28	1,658
Release from Choke Canyon Reservoir	58	9,975
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	179	5,171
NCAT : Nueces River at Calallen, Texas	4	44
RBP : Rincon Bayou Pipeline	0	213
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	46	4,455

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru		11,500
Monthly Target: 11,500		
Salinity Relief Credit : 0 Effective:		
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)		0
Return Flow Credit (Effective: 09/01/2012)		500
Passthru Target: 11,500 Reservoir Inflow: 4,455	Comment: 2112 AF of the previously banked 10,294 were delivered in August. The remaining 8182 AF combined with the 202 AF passthru requirement for August brings the banked total to 8384 AF.	4,455
Estuary Inflows (NCAT + RBP)		257
PassThru Surplus / -Deficit:		-3,698

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	September 2012	
				Allocation	Remaining
09/23/2012	136	3,165	34,713	4,100	935
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
09/23/2012	42.3	145,671		90.4%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: September 25, 2012**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
09/25/2011	209.9	450,184	64.7%	84.9	111,852	43.5%	562,036	59.0%
09/25/2012	204.7	353,076	50.8%	77.3	41,070	16.0%	394,146	41.4%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
09/24/2012	93	307	0.00	93	157	0.00	464
MTD		8,127	2.04		3,202	0.19	11,329

STREAM FLOWS

Gauging Station	09/24/2012 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	75	11,447
NRTT : Nueces River at Tilden, Texas	0	0
FRTT : Frio River at Tilden, Texas	10	512
SMTT : San Miguel Creek at Tilden, Texas	1	1,958
ARWT : Atascosa River at Whitsett, Texas	22	1,680
Release from Choke Canyon Reservoir	58	10,032
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	159	5,330
NCAT : Nueces River at Calallen, Texas	12	56
RBP : Rincon Bayou Pipeline	0	213
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	28	4,483

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru		11,500
Monthly Target: 11,500		
Salinity Relief Credit : 0 Effective:		
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)		0
Return Flow Credit (Effective: 09/01/2012)		500
Passthru		
Target: 11,500	Comment: Current banked total: 8384 AF.	4,483
Reservoir Inflow: 4,483		
Estuary Inflows (NCAT + RBP)		269
PassThru Surplus / -Deficit:		-3,714

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	September 2012	
				Allocation	Remaining
09/24/2012	136	3,301	34,849	4,100	799
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
09/24/2012	42.2	144,790		89.9%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: September 26, 2012**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
09/26/2011	209.7	447,775	64.4%	84.9	111,479	43.3%	559,254	58.7%
09/26/2012	204.7	352,723	50.7%	77.2	40,878	15.9%	393,601	41.3%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
09/25/2012	94	429	0.00	94	153	0.00	582
MTD		8,556	2.04		3,355	0.19	11,911

STREAM FLOWS

Gauging Station	09/25/2012 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	67	11,515
NRTT : Nueces River at Tilden, Texas	0	0
FRTT : Frio River at Tilden, Texas	6	518
SMTT : San Miguel Creek at Tilden, Texas	0	1,958
ARWT : Atascosa River at Whitsett, Texas	16	1,697
Release from Choke Canyon Reservoir	58	10,090
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	145	5,475
NCAT : Nueces River at Calallen, Texas	4	60
RBP : Rincon Bayou Pipeline	0	213
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	16	4,499

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru		11,500
Monthly Target: 11,500		
Salinity Relief Credit : 0 Effective:		
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)		0
Return Flow Credit (Effective: 09/01/2012)		500
Passthru		
Target: 11,500	Comment: Current banked total: 8384 AF.	4,499
Reservoir Inflow: 4,499		
Estuary Inflows (NCAT + RBP)		273
PassThru Surplus / -Deficit:		-3,726

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	September 2012	
				Allocation	Remaining
09/25/2012	136	3,436	34,985	4,100	664
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
09/25/2012	42.1	143,911		89.3%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: September 27, 2012**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
09/27/2011	209.8	449,376	64.6%	84.9	111,479	43.3%	560,855	58.9%
09/27/2012	204.7	352,193	50.7%	77.2	40,686	15.8%	392,879	41.2%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
09/26/2012	92	286	0.00	93	160	0.00	446
MTD		8,842	2.04		3,515	0.19	12,357

STREAM FLOWS

Gauging Station	09/26/2012 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	66	11,580
NRTT : Nueces River at Tilden, Texas	0	0
FRTT : Frio River at Tilden, Texas	4	522
SMTT : San Miguel Creek at Tilden, Texas	0	1,958
ARWT : Atascosa River at Whitsett, Texas	14	1,710
Release from Choke Canyon Reservoir	58	10,147
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	143	5,618
NCAT : Nueces River at Calallen, Texas	0	60
RBP : Rincon Bayou Pipeline	0	213
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	12	4,511

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru		11,500
Monthly Target: 11,500		
Salinity Relief Credit : 0 Effective:		
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)		0
Return Flow Credit (Effective: 09/01/2012)		500
Passthru		
Target: 11,500		
Reservoir Inflow: 4,511	Comment: Current banked total: 8384 AF.	4,511
Estuary Inflows (NCAT + RBP)		273
PassThru Surplus / -Deficit:		-3,738

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	September 2012	
				Allocation	Remaining
09/26/2012	135	3,572	35,120	4,100	528
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
09/26/2012	42.1	143,911		89.3%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: September 28, 2012**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
09/28/2011	209.8	448,375	64.5%	84.8	110,982	43.1%	559,357	58.7%
09/28/2012	204.6	351,662	50.6%	77.2	40,430	15.7%	392,092	41.2%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
09/27/2012	93	306	0.00	92	126	0.00	432
MTD		9,148	2.04		3,641	0.19	12,789

STREAM FLOWS

Gauging Station	09/27/2012 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	77	11,658
NRIT : Nueces River at Tilden, Texas	0	0
FRIT : Frio River at Tilden, Texas	3	524
SMIT : San Miguel Creek at Tilden, Texas	0	1,958
ARWT : Atascosa River at Whitsett, Texas	11	1,721
Release from Choke Canyon Reservoir	226	10,374
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	145	5,762
NCAT : Nueces River at Calallen, Texas	0	60
RBP : Rincon Bayou Pipeline	0	213
Reservoir Inflow		
Computed as: NRIT+FRIT+SMIT+ARWT	13	4,525

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru		11,500
Monthly Target: 11,500		
Salinity Relief Credit : 0 Effective:		
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)		0
Return Flow Credit (Effective: 09/01/2012)		500
Passthru		
Target: 11,500	Comment: Current banked total: 8384 AF.	4,525
Reservoir Inflow: 4,525		
Estuary Inflows (NCAT + RBP)		273
PassThru Surplus / -Deficit:		-3,751

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	September 2012	
				Allocation	Remaining
09/27/2012	135	3,707	35,256	4,100	393
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
09/27/2012	42.0	143,036		88.8%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: September 29, 2012**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
09/29/2011	209.8	448,575	64.5%	84.8	110,363	42.9%	558,938	58.7%
09/29/2012	204.8	354,998	51.1%	77.4	41,976	16.3%	396,974	41.7%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
09/28/2012	87	215	3.09	92	Pan overflow	2.86	215
MTD		9,363	5.13		3,641	3.05	13,004

STREAM FLOWS

Gauging Station	09/28/2012 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	326	11,983
NRTT : Nueces River at Tilden, Texas	0	0
FRTT : Frio River at Tilden, Texas	2	526
SMTT : San Miguel Creek at Tilden, Texas	11	1,969
ARWT : Atascosa River at Whitsett, Texas	9	1,730
Release from Choke Canyon Reservoir	397	10,771
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	149	5,911
NCAT : Nueces River at Calallen, Texas	0	60
RBP : Rincon Bayou Pipeline	0	213
Reservoir Inflow		
Computed as: NRRT+FRTT+SMTT+ARWT	23	4,547

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru		11,500
Monthly Target: 11,500		
Salinity Relief Credit : 0 Effective:		
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)		0
Return Flow Credit (Effective: 09/01/2012)		500
Passthru		
Target: 11,500	Comment: Current banked total: 8384 AF.	4,547
Reservoir Inflow: 4,547		
Estuary Inflows (NCAT + RBP)		273
PassThru Surplus / -Deficit:		-3,774

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	September 2012	
				Allocation	Remaining
09/28/2012	135	3,842	35,391	4,100	258
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
09/28/2012	42.1	143,911		89.3%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: September 30, 2012**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
09/30/2011	209.6	445,964	64.1%	84.7	109,993	42.8%	555,957	58.4%
09/30/2012	205.1	359,594	51.7%	77.5	42,367	16.5%	401,961	42.2%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
09/29/2012	85	300	1.19	91	122	0.16	422
MTD		9,663	6.32		3,763	3.21	13,426

STREAM FLOWS

Gauging Station	09/29/2012 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	572	12,555
NRTT : Nueces River at Tilden, Texas	0	0
FRTT : Frio River at Tilden, Texas	183	709
SMTT : San Miguel Creek at Tilden, Texas	1,441	3,410
ARWT : Atascosa River at Whitsett, Texas	36	1,766
Release from Choke Canyon Reservoir	397	11,168
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	157	6,068
NCAT : Nueces River at Calallen, Texas	0	61
RBP : Rincon Bayou Pipeline	0	213
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	1,798	6,346

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru		11,500
Monthly Target: 11,500		
Salinity Relief Credit : 0 Effective:		
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)		0
Return Flow Credit (Effective: 09/01/2012)		500
Passthru		
Target: 11,500	Comment: Current banked total: 8384 AF.	6,346
Reservoir Inflow: 6,346		
Estuary Inflows (NCAT + RBP)		274
PassThru Surplus / -Deficit:		-5,572

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	September 2012	
				Allocation	Remaining
09/29/2012	135	3,978	35,526	4,100	122
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
09/29/2012	42.5	147,442		91.5%	