

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: October 1, 2012**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
10/01/2011	209.7	446,166	64.2%	84.7	109,746	42.7%	555,912	58.4%
10/01/2012	205.1	359,240	51.7%	77.6	43,157	16.8%	402,397	42.2%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
09/30/2012	82	258	0.00	81	123	0.01	381
MTD		9,921	6.32		3,886	3.22	13,807

STREAM FLOWS

Gauging Station	09/30/2012 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	665	13,220
NRIT : Nueces River at Tilden, Texas	0	0
FRIT : Frio River at Tilden, Texas	478	1,187
SMTT : San Miguel Creek at Tilden, Texas	838	4,248
ARWT : Atascosa River at Whitsett, Texas	625	2,391
Release from Choke Canyon Reservoir	171	11,338
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	143	6,211
NCAT : Nueces River at Calallen, Texas	52	112
RBP : Rincon Bayou Pipeline	74	287
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	1,810	8,156

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru		11,500
Monthly Target: 11,500		
Salinity Relief Credit : 0 Effective:		
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)		0
Return Flow Credit (Effective: 09/01/2012)		500
Passthru		
Target: 11,500	Comment: Current banked total: 8384 AF.	8,156
Reservoir Inflow: 8,156		
Estuary Inflows (NCAT + RBP)		399
PassThru Surplus / -Deficit:		-7,257

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	September 2012	
				Allocation	Remaining
09/30/2012	135	4,112	35,661	4,100	-12
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
09/30/2012	43.4	155,551		96.6%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: October 2, 2012**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
10/02/2011	209.6	445,762	64.1%	84.7	109,132	42.4%	554,894	58.3%
10/02/2012	205.1	359,947	51.8%	77.7	43,688	17.0%	403,635	42.4%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
10/01/2012	81	196	0.25	84	74	0.00	270
MTD		196	0.25		74	0.00	270

STREAM FLOWS

Gauging Station	10/01/2012 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	1,002	1,002
NRIT : Nueces River at Tilden, Texas	38	38
FRIT : Frio River at Tilden, Texas	91	91
SMTT : San Miguel Creek at Tilden, Texas	165	165
ARWT : Atascosa River at Whitsett, Texas	885	885
Release from Choke Canyon Reservoir	58	58
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	145	145
NCAT : Nueces River at Calallen, Texas	2	2
RBP : Rincon Bayou Pipeline	61	61
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	1,201	1,201

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru		9,000
Monthly Target: 9,000		
Salinity Relief Credit : 0 Effective:		
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)		0
Return Flow Credit (Effective: 10/01/2012)		500
Passthru		
Target: 9,000		
Reservoir Inflow: 1,201	Comment: Current banked total: 15641 AF.	1,201
Estuary Inflows (NCAT + RBP)		63
PassThru Surplus / -Deficit:		-638

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	October 2012	
				Allocation	Remaining
10/01/2012	135	135	35,796	3,050	2,915
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
10/01/2012	43.9	160,156		99.4%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: October 3, 2012**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
10/03/2011	209.6	445,560	64.1%	84.6	108,641	42.2%	554,201	58.2%
10/03/2012	205.1	360,482	51.8%	77.7	44,290	17.2%	404,772	42.5%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
10/02/2012	82	259	0.00	83	117	0.00	376
MTD		455	0.25		191	0.00	646

STREAM FLOWS

Gauging Station	10/02/2012 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	816	1,818
NRIT : Nueces River at Tilden, Texas	506	544
FRIT : Frio River at Tilden, Texas	73	165
SMIT : San Miguel Creek at Tilden, Texas	44	208
ARWT : Atascosa River at Whitsett, Texas	238	1,124
Release from Choke Canyon Reservoir	58	115
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	147	292
NCAT : Nueces River at Calallen, Texas	9	11
RBP : Rincon Bayou Pipeline	0	61
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMIT)-Release From Choke Canyon	875	2,076

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru		9,000
Monthly Target: 9,000		
Salinity Relief Credit : 0 Effective:		
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)		0
Return Flow Credit (Effective: 10/01/2012)		500
Passthru		
Target: 9,000		
Reservoir Inflow: 2,076	Comment: Current banked total: 15641 AF.	2,076
Estuary Inflows (NCAT + RBP)		72
PassThru Surplus / -Deficit:		-1,504

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	October 2012	
				Allocation	Remaining
10/02/2012	135	270	35,931	3,050	2,780
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
10/02/2012	43.9	160,156		99.4%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: October 4, 2012**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
10/04/2011	209.6	445,358	64.1%	84.6	107,787	41.9%	553,145	58.1%
10/04/2012	205.0	358,533	51.6%	77.8	44,492	17.3%	403,025	42.3%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
10/03/2012	89	237	0.00	90	130	0.00	367
MTD		692	0.25		321	0.00	1,013

STREAM FLOWS

Gauging Station	10/03/2012 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	419	2,237
NRIT : Nueces River at Tilden, Texas	744	1,288
FRIT : Frio River at Tilden, Texas	34	199
SMIT : San Miguel Creek at Tilden, Texas	13	222
ARWT : Atascosa River at Whitsett, Texas	89	1,213
Release from Choke Canyon Reservoir	58	173
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	145	437
NCAT : Nueces River at Calallen, Texas	3	14
RBP : Rincon Bayou Pipeline	0	61
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMIT)-Release From Choke Canyon	408	2,485

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru		9,000
Monthly Target: 9,000		
Salinity Relief Credit : 0 Effective:		
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)		0
Return Flow Credit (Effective: 10/01/2012)		500
Passthru		
Target: 9,000		
Reservoir Inflow: 2,485	Comment: Current banked total: 15641 AF.	2,485
Estuary Inflows (NCAT + RBP)		75
PassThru Surplus / -Deficit:		-1,909

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	October 2012	
				Allocation	Remaining
10/03/2012	135	405	36,066	3,050	2,645
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
10/03/2012	44.0	161,288		100.1%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: October 5, 2012**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
10/05/2011	209.6	444,757	64.0%	84.5	107,300	41.7%	552,057	58.0%
10/05/2012	205.0	358,886	51.6%	77.8	44,830	17.4%	403,716	42.4%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
10/04/2012	93	361	0.00	92	154	0.00	515
MTD		1,053	0.25		475	0.00	1,528

STREAM FLOWS

Gauging Station	10/04/2012 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	643	2,880
NRIT : Nueces River at Tilden, Texas	798	2,086
FRIT : Frio River at Tilden, Texas	330	528
SMIT : San Miguel Creek at Tilden, Texas	6	228
ARWT : Atascosa River at Whitsett, Texas	62	1,274
Release from Choke Canyon Reservoir	58	230
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	143	580
NCAT : Nueces River at Calallen, Texas	7	21
RBP : Rincon Bayou Pipeline	0	61
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMIT)-Release From Choke Canyon	921	3,406

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 9,000 Salinity Relief Credit : 0 Effective:	9,000
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 10/01/2012)	500
Passthru Target: 9,000 Reservoir Inflow: 3,406 Comment: Current banked total: 15641 AF.	3,406
Estuary Inflows (NCAT + RBP)	82
PassThru Surplus / -Deficit:	-2,824

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	October 2012	
				Allocation	Remaining
10/04/2012	135	540	36,201	3,050	2,510
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
10/04/2012	44.0	161,085		100.0%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: October 6, 2012**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
10/06/2011	209.6	444,158	63.9%	84.4	106,331	41.3%	550,489	57.8%
10/06/2012	205.1	360,303	51.8%	77.9	45,237	17.6%	405,540	42.6%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
10/05/2012	90	290	0.00	91	123	0.00	413
MTD		1,343	0.25		598	0.00	1,941

STREAM FLOWS

Gauging Station	10/05/2012 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	683	3,563
NRIT : Nueces River at Tilden, Texas	530	2,616
FRIT : Frio River at Tilden, Texas	790	1,318
SMIT : San Miguel Creek at Tilden, Texas	3	231
ARWT : Atascosa River at Whitsett, Texas	42	1,316
Release from Choke Canyon Reservoir	58	288
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	147	727
NCAT : Nueces River at Calallen, Texas	6	27
RBP : Rincon Bayou Pipeline	36	97
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMIT)-Release From Choke Canyon	1,418	4,824

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru		9,000
Monthly Target: 9,000		
Salinity Relief Credit : 0 Effective:		
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)		0
Return Flow Credit (Effective: 10/01/2012)		500
Passthru		
Target: 9,000		
Reservoir Inflow: 4,824	Comment: Current banked total: 15641 AF.	4,824
Estuary Inflows (NCAT + RBP)		123
PassThru Surplus / -Deficit:		-4,201

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	October 2012	
				Allocation	Remaining
10/05/2012	135	676	36,337	3,050	2,374
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
10/05/2012	44.0	161,085		100.0%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: October 7, 2012**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
10/07/2011	209.5	443,558	63.8%	84.4	105,728	41.1%	549,286	57.7%
10/07/2012	205.1	359,240	51.7%	78.0	45,852	17.8%	405,092	42.5%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
10/06/2012	86	320	0.00	89	116	0.00	436
MTD		1,663	0.25		714	0.00	2,377

STREAM FLOWS

Gauging Station	10/06/2012 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	512	4,075
NRIT : Nueces River at Tilden, Texas	181	2,797
FRIT : Frio River at Tilden, Texas	1,056	2,374
SMIT : San Miguel Creek at Tilden, Texas	2	233
ARWT : Atascosa River at Whitsett, Texas	30	1,346
Release from Choke Canyon Reservoir	58	345
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	165	891
NCAT : Nueces River at Calallen, Texas	0	27
RBP : Rincon Bayou Pipeline	0	97
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMIT)-Release From Choke Canyon	1,512	6,336

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru		9,000
Monthly Target: 9,000		
Salinity Relief Credit : 0 Effective:		
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)		0
Return Flow Credit (Effective: 10/01/2012)		500
Passthru		
Target: 9,000	Comment: Current banked total: 15641 AF.	6,336
Reservoir Inflow: 6,336		
Estuary Inflows (NCAT + RBP)		123
PassThru Surplus / -Deficit:		-5,713

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	October 2012	
				Allocation	Remaining
10/06/2012	135	811	36,472	3,050	2,239
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
10/06/2012	44.0	161,085		100.0%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: October 8, 2012**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
10/08/2011	209.5	442,760	63.7%	84.4	106,331	41.3%	549,091	57.6%
10/08/2012	205.1	359,240	51.7%	77.9	45,510	17.7%	404,750	42.5%

Weather Related Information

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
10/07/2012	63	145	0.00	66	88	0.00	233	
MTD		1,808	0.25		802	0.00	2,610	

STREAM FLOWS

Gauging Station	10/07/2012 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	238	4,313
NRIT : Nueces River at Tilden, Texas	71	2,869
FRIT : Frio River at Tilden, Texas	959	3,333
SMIT : San Miguel Creek at Tilden, Texas	1	233
ARWT : Atascosa River at Whitsett, Texas	22	1,368
Release from Choke Canyon Reservoir	58	403
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	351	1,243
NCAT : Nueces River at Calallen, Texas	1	28
RBP : Rincon Bayou Pipeline	0	97
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMIT)-Release From Choke Canyon	1,140	7,477

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru		9,000
Monthly Target: 9,000		
Salinity Relief Credit : 0 Effective:		
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)		0
Return Flow Credit (Effective: 10/01/2012)		500
Passthru		
Target: 9,000		
Reservoir Inflow: 7,477	Comment: Current banked total: 15,641 AF.	7,477
Estuary Inflows (NCAT + RBP)		125
PassThru Surplus / -Deficit:		-6,852

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	October 2012	
				Allocation	Remaining
10/07/2012	136	947	36,608	3,050	2,103
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
10/07/2012	44.0	161,085		100.0%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: October 9, 2012**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
10/09/2011	209.6	444,956	64.0%	84.5	107,422	41.8%	552,378	58.0%
10/09/2012	205.1	360,840	51.9%	77.9	45,237	17.6%	406,077	42.6%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
10/08/2012	68	155	0.00	67	55	0.00	210
MTD		1,963	0.25		857	0.00	2,820

STREAM FLOWS

Gauging Station	10/08/2012 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	143	4,456
NRIT : Nueces River at Tilden, Texas	32	2,900
FRIT : Frio River at Tilden, Texas	296	3,629
SMIT : San Miguel Creek at Tilden, Texas	0	234
ARWT : Atascosa River at Whitsett, Texas	17	1,385
Release from Choke Canyon Reservoir	58	461
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	357	1,600
NCAT : Nueces River at Calallen, Texas	8	36
RBP : Rincon Bayou Pipeline	156	253
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMIT)-Release From Choke Canyon	381	7,858

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 9,000 Salinity Relief Credit : 0 Effective:	9,000
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 10/01/2012)	500
Passthru Target: 9,000 Reservoir Inflow: 7,858 Comment: Current banked total: 15,641 AF.	7,858
Estuary Inflows (NCAT + RBP)	288
PassThru Surplus / -Deficit:	-7,070

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	October 2012	
				Allocation	Remaining
10/08/2012	135	1,082	36,743	3,050	1,968
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
10/08/2012	44.0	161,085		100.0%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: October 10, 2012**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
10/10/2011	209.6	445,964	64.1%	84.5	107,057	41.6%	553,021	58.1%
10/10/2012	205.1	360,482	51.8%	77.8	44,965	17.5%	405,447	42.6%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
10/09/2012	86	217	0.00	89	91	0.00	308
MTD		2,180	0.25		948	0.00	3,128

STREAM FLOWS

Gauging Station	10/09/2012 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	101	4,558
NRIT : Nueces River at Tilden, Texas	71	2,972
FRIT : Frio River at Tilden, Texas	93	3,722
SMIT : San Miguel Creek at Tilden, Texas	0	234
ARWT : Atascosa River at Whitsett, Texas	15	1,400
Release from Choke Canyon Reservoir	58	518
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	355	1,955
NCAT : Nueces River at Calallen, Texas	0	36
RBP : Rincon Bayou Pipeline	207	460
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMIT)-Release From Choke Canyon	137	7,995

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru		9,000
Monthly Target: 9,000		
Salinity Relief Credit : 0 Effective:		
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)		0
Return Flow Credit (Effective: 10/01/2012)		500
Passthru		
Target: 9,000		
Reservoir Inflow: 7,995	Comment: Current banked total: 15,641 AF.	7,995
Estuary Inflows (NCAT + RBP)		495
PassThru Surplus / -Deficit:		-7,000

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	October 2012	
				Allocation	Remaining
10/09/2012	136	1,218	36,879	3,050	1,832
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
10/09/2012	43.8	159,229		98.8%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: October 11, 2012**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
10/11/2011	209.7	446,974	64.3%	84.5	106,815	41.5%	553,789	58.1%
10/11/2012	205.1	360,303	51.8%	77.8	44,694	17.4%	404,997	42.5%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
10/10/2012	90	207	0.00	91	110	0.00	317
MTD		2,387	0.25		1,058	0.00	3,445

STREAM FLOWS

Gauging Station	10/10/2012 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	85	4,643
NRIT : Nueces River at Tilden, Texas	782	3,754
FRIT : Frio River at Tilden, Texas	52	3,773
SMIT : San Miguel Creek at Tilden, Texas	0	234
ARWT : Atascosa River at Whitsett, Texas	15	1,415
Release from Choke Canyon Reservoir	58	576
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	371	2,326
NCAT : Nueces River at Calallen, Texas	0	36
RBP : Rincon Bayou Pipeline	140	600
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMIT)-Release From Choke Canyon	79	8,074

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 9,000 Salinity Relief Credit : 0 Effective:	9,000
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 10/01/2012)	500
Passthru Target: 9,000 Reservoir Inflow: 8,074 Comment: Current banked total: 15,641 AF.	8,074
Estuary Inflows (NCAT + RBP)	635
PassThru Surplus / -Deficit:	-6,939

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	October 2012	
				Allocation	Remaining
10/10/2012	136	1,353	37,014	3,050	1,697
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
10/10/2012	43.8	159,229		98.8%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: October 12, 2012**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
10/12/2011	209.7	447,376	64.3%	84.5	106,573	41.4%	553,949	58.2%
10/12/2012	205.1	360,482	51.8%	77.8	44,492	17.3%	404,974	42.5%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
10/11/2012	87	228	0.00	87	94	0.00	322
MTD		2,615	0.25		1,152	0.00	3,767

STREAM FLOWS

Gauging Station	10/11/2012 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	459	5,101
NRIT : Nueces River at Tilden, Texas	0	3,754
FRIT : Frio River at Tilden, Texas	30	3,803
SMIT : San Miguel Creek at Tilden, Texas	0	234
ARWT : Atascosa River at Whitsett, Texas	14	1,430
Release from Choke Canyon Reservoir	58	633
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	383	2,710
NCAT : Nueces River at Calallen, Texas	0	36
RBP : Rincon Bayou Pipeline	108	707
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMIT)-Release From Choke Canyon	431	8,505

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru		9,000
Monthly Target: 9,000		
Salinity Relief Credit : 0 Effective:		
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)		0
Return Flow Credit (Effective: 10/01/2012)		500
Passthru		
Target: 9,000		
Reservoir Inflow: 8,505	Comment: Current banked total: 15,641 AF.	8,505
Estuary Inflows (NCAT + RBP)		743
PassThru Surplus / -Deficit:		-7,262

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	October 2012	
				Allocation	Remaining
10/11/2012	135	1,489	37,150	3,050	1,561
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
10/11/2012	43.7	158,306		98.3%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: October 13, 2012**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
10/13/2011	209.6	445,964	64.1%	84.5	107,057	41.6%	553,021	58.1%
10/13/2012	205.1	359,770	51.7%	77.7	44,290	17.2%	404,060	42.4%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
10/12/2012	87	248	0.00	87	86	0.00	334
MTD		2,863	0.25		1,238	0.00	4,101

STREAM FLOWS

Gauging Station	10/12/2012 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	897	5,999
NRIT : Nueces River at Tilden, Texas	1,193	4,947
FRIT : Frio River at Tilden, Texas	18	3,822
SMIT : San Miguel Creek at Tilden, Texas	0	234
ARWT : Atascosa River at Whitsett, Texas	13	1,442
Release from Choke Canyon Reservoir	58	691
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	381	3,091
NCAT : Nueces River at Calallen, Texas	6	42
RBP : Rincon Bayou Pipeline	180	887
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMIT)-Release From Choke Canyon	858	9,363

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 9,000 Salinity Relief Credit : 0 Effective:	9,000
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 10/01/2012)	500
Passthru Target: 9,000 Reservoir Inflow: 9,363 Comment: Current banked total: 15,641 AF.	9,000
Estuary Inflows (NCAT + RBP)	929
PassThru Surplus / -Deficit:	-7,571

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	October 2012	
				Allocation	Remaining
10/12/2012	135	1,624	37,285	3,050	1,426
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
10/12/2012	43.6	157,385		97.7%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: October 14, 2012**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
10/14/2011	209.7	446,772	64.3%	84.5	106,694	41.5%	553,466	58.1%
10/14/2012	205.1	359,594	51.7%	77.8	44,357	17.2%	403,951	42.4%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
10/13/2012	90	248	0.00	90	98	0.00	346
MTD		3,111	0.25		1,336	0.00	4,447

STREAM FLOWS

Gauging Station	10/13/2012 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	1,038	7,037
NRIT : Nueces River at Tilden, Texas	998	5,945
FRIT : Frio River at Tilden, Texas	13	3,834
SMIT : San Miguel Creek at Tilden, Texas	0	234
ARWT : Atascosa River at Whitsett, Texas	11	1,454
Release from Choke Canyon Reservoir	58	748
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	377	3,468
NCAT : Nueces River at Calallen, Texas	15	57
RBP : Rincon Bayou Pipeline	241	1,128
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMIT)-Release From Choke Canyon	993	10,357

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 9,000 Salinity Relief Credit : 0 Effective:	9,000
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 10/01/2012)	500
Passthru Target: 9,000 Reservoir Inflow: 10,357 Comment: Current banked total: 15,641 AF.	9,000
Estuary Inflows (NCAT + RBP)	1,185
PassThru Surplus / -Deficit:	-7,315

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	October 2012	
				Allocation	Remaining
10/13/2012	135	1,759	37,420	3,050	1,291
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
10/13/2012	43.5	156,467		97.1%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: October 15, 2012**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
10/15/2011	209.7	446,368	64.2%	84.5	106,573	41.4%	552,941	58.0%
10/15/2012	205.0	358,533	51.6%	77.8	44,965	17.5%	403,498	42.4%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
10/14/2012	82	72	0.00	86	95	0.00	167
MTD		3,183	0.25		1,431	0.00	4,614

STREAM FLOWS

Gauging Station	10/14/2012 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	907	7,944
NRIT : Nueces River at Tilden, Texas	550	6,495
FRIT : Frio River at Tilden, Texas	9	3,843
SMTT : San Miguel Creek at Tilden, Texas	0	234
ARWT : Atascosa River at Whitsett, Texas	9	1,463
Release from Choke Canyon Reservoir	58	806
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	383	3,851
NCAT : Nueces River at Calallen, Texas	2	59
RBP : Rincon Bayou Pipeline	238	1,365
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	859	11,215

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru		9,000
Monthly Target: 9,000		
Salinity Relief Credit : 0 Effective:		
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)		0
Return Flow Credit (Effective: 10/01/2012)		500
Passthru		
Target: 9,000	Comment: Current banked total: 15,641 AF.	9,000
Reservoir Inflow: 11,215		
Estuary Inflows (NCAT + RBP)		1,424
PassThru Surplus / -Deficit:		-7,076

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	October 2012	
				Allocation	Remaining
10/14/2012	135	1,895	37,556	3,050	1,155
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
10/14/2012	43.5	156,467		97.1%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: October 16, 2012**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
10/16/2011	209.6	445,964	64.1%	84.4	105,608	41.1%	551,572	57.9%
10/16/2012	205.1	359,770	51.7%	77.9	45,169	17.6%	404,939	42.5%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
10/15/2012	81	196	0.00	84	115	0.00	311
MTD		3,379	0.25		1,546	0.00	4,925

STREAM FLOWS

Gauging Station	10/15/2012 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	492	8,436
NRIT : Nueces River at Tilden, Texas	316	6,811
FRIT : Frio River at Tilden, Texas	5	3,848
SMIT : San Miguel Creek at Tilden, Texas	0	234
ARWT : Atascosa River at Whitsett, Texas	8	1,471
Release from Choke Canyon Reservoir	58	863
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	373	4,224
NCAT : Nueces River at Calallen, Texas	0	59
RBP : Rincon Bayou Pipeline	223	1,588
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMIT)-Release From Choke Canyon	440	11,655

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru		9,000
Monthly Target: 9,000		
Salinity Relief Credit : 0 Effective:		
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)		0
Return Flow Credit (Effective: 10/01/2012)		500
Passthru		
Target: 9,000	Comment: Current banked total: 15,641 AF.	9,000
Reservoir Inflow: 11,655		
Estuary Inflows (NCAT + RBP)		1,647
PassThru Surplus / -Deficit:		-6,853

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	October 2012	
				Allocation	Remaining
10/15/2012	135	2,030	37,691	3,050	1,020
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
10/15/2012	43.4	155,551		96.6%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: October 17, 2012**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
10/17/2011	209.6	445,762	64.1%	84.4	106,090	41.2%	551,852	57.9%
10/17/2012	205.1	359,417	51.7%	77.9	45,305	17.6%	404,722	42.5%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
10/16/2012	80	83	0.00	82	40	0.00	123
MTD		3,462	0.25		1,586	0.00	5,048

STREAM FLOWS

Gauging Station	10/16/2012 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	294	8,730
NRIT : Nueces River at Tilden, Texas	204	7,015
FRIT : Frio River at Tilden, Texas	4	3,852
SMIT : San Miguel Creek at Tilden, Texas	0	234
ARWT : Atascosa River at Whitsett, Texas	7	1,478
Release from Choke Canyon Reservoir	58	921
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	361	4,585
NCAT : Nueces River at Calallen, Texas	0	59
RBP : Rincon Bayou Pipeline	201	1,789
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMIT)-Release From Choke Canyon	240	11,895

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru		9,000
Monthly Target: 9,000		
Salinity Relief Credit : 0 Effective:		
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)		0
Return Flow Credit (Effective: 10/01/2012)		500
Passthru		
Target: 9,000	Comment: Current banked total: 15,641 AF.	9,000
Reservoir Inflow: 11,895		
Estuary Inflows (NCAT + RBP)		1,848
PassThru Surplus / -Deficit:		-6,652

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	October 2012	
				Allocation	Remaining
10/16/2012	135	2,164	37,825	3,050	886
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
10/16/2012	43.6	157,385		97.7%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: October 18, 2012**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
10/18/2011	209.7	446,368	64.2%	84.3	104,648	40.7%	551,016	57.8%
10/18/2012	205.0	357,649	51.4%	77.9	45,578	17.7%	403,227	42.3%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
10/17/2012	91	196	0.00	97	104	0.00	300
MTD		3,658	0.25		1,690	0.00	5,348

STREAM FLOWS

Gauging Station	10/17/2012 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	210	8,940
NRIT : Nueces River at Tilden, Texas	145	7,160
FRIT : Frio River at Tilden, Texas	3	3,855
SMTT : San Miguel Creek at Tilden, Texas	0	234
ARWT : Atascosa River at Whitsett, Texas	7	1,485
Release from Choke Canyon Reservoir	58	979
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	137	4,722
NCAT : Nueces River at Calallen, Texas	0	59
RBP : Rincon Bayou Pipeline	199	1,989
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	156	12,051

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 9,000 Salinity Relief Credit : 0 Effective:	9,000
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 10/01/2012)	500
Passthru Target: 9,000 Reservoir Inflow: 12,051 Comment: Current banked total: 15,641 AF.	9,000
Estuary Inflows (NCAT + RBP)	2,047
PassThru Surplus / -Deficit:	-6,453

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	October 2012	
				Allocation	Remaining
10/17/2012	135	2,299	37,960	3,050	751
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
10/17/2012	43.6	157,385		97.7%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: October 19, 2012**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
10/19/2011	209.6	445,762	64.1%	84.2	104,051	40.4%	549,813	57.7%
10/19/2012	204.9	357,296	51.4%	78.0	45,783	17.8%	403,079	42.3%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
10/18/2012	84	329	0.00	82	124	0.00	453
MTD		3,987	0.25		1,814	0.00	5,801

STREAM FLOWS

Gauging Station	10/18/2012 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	165	9,105
NRIT : Nueces River at Tilden, Texas	101	7,261
FRIT : Frio River at Tilden, Texas	2	3,857
SMIT : San Miguel Creek at Tilden, Texas	0	234
ARWT : Atascosa River at Whitsett, Texas	7	1,492
Release from Choke Canyon Reservoir	58	1,036
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	149	4,871
NCAT : Nueces River at Calallen, Texas	0	59
RBP : Rincon Bayou Pipeline	88	2,077
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMIT)-Release From Choke Canyon	109	12,160

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru		9,000
Monthly Target: 9,000		
Salinity Relief Credit : 0 Effective:		
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)		0
Return Flow Credit (Effective: 10/01/2012)		500
Passthru		
Target: 9,000	Comment: Current banked total: 15,641 AF.	9,000
Reservoir Inflow: 12,160		
Estuary Inflows (NCAT + RBP)		2,136
PassThru Surplus / -Deficit:		-6,364

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	October 2012	
				Allocation	Remaining
10/18/2012	135	2,434	38,095	3,050	616
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
10/18/2012	43.7	158,306		98.3%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: October 20, 2012**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
10/20/2011	209.6	445,964	64.1%	84.2	103,694	40.3%	549,658	57.7%
10/20/2012	205.0	358,179	51.5%	77.9	45,510	17.7%	403,689	42.4%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
10/19/2012	84	268	0.00	84	95	0.00	363
MTD		4,255	0.25		1,909	0.00	6,164

STREAM FLOWS

Gauging Station	10/19/2012 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	135	9,240
NRIT : Nueces River at Tilden, Texas	71	7,333
FRIT : Frio River at Tilden, Texas	1	3,858
SMIT : San Miguel Creek at Tilden, Texas	0	234
ARWT : Atascosa River at Whitsett, Texas	6	1,498
Release from Choke Canyon Reservoir	58	1,094
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	149	5,020
NCAT : Nueces River at Calallen, Texas	0	59
RBP : Rincon Bayou Pipeline	0	2,077
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMIT)-Release From Choke Canyon	79	12,238

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru		9,000
Monthly Target: 9,000		
Salinity Relief Credit : 0 Effective:		
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)		0
Return Flow Credit (Effective: 10/01/2012)		500
Passthru		
Target: 9,000		
Reservoir Inflow: 12,238	Comment: Current banked total: 15,641 AF.	9,000
Estuary Inflows (NCAT + RBP)		2,136
PassThru Surplus / -Deficit:		-6,364

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	October 2012	
				Allocation	Remaining
10/19/2012	134	2,568	38,229	3,050	482
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
10/19/2012	43.7	158,306		98.3%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: October 21, 2012**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
10/21/2011	209.6	444,757	64.0%	84.1	102,745	39.9%	547,502	57.5%
10/21/2012	204.9	356,589	51.3%	77.9	45,373	17.6%	401,962	42.2%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
10/20/2012	90	206	0.00	91	111	0.00	317
MTD		4,461	0.25		2,020	0.00	6,481

STREAM FLOWS

Gauging Station	10/20/2012 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	113	9,353
NRIT : Nueces River at Tilden, Texas	54	7,386
FRIT : Frio River at Tilden, Texas	1	3,859
SMIT : San Miguel Creek at Tilden, Texas	0	234
ARWT : Atascosa River at Whitsett, Texas	6	1,504
Release from Choke Canyon Reservoir	58	1,151
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	147	5,167
NCAT : Nueces River at Calallen, Texas	0	59
RBP : Rincon Bayou Pipeline	0	2,077
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMIT)-Release From Choke Canyon	56	12,295

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru		9,000
Monthly Target: 9,000		
Salinity Relief Credit : 0 Effective:		
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)		0
Return Flow Credit (Effective: 10/01/2012)		500
Passthru		
Target: 9,000	Comment: Current banked total: 15,641 AF.	9,000
Reservoir Inflow: 12,295		
Estuary Inflows (NCAT + RBP)		2,136
PassThru Surplus / -Deficit:		-6,364

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	October 2012	
				Allocation	Remaining
10/20/2012	134	2,702	38,363	3,050	348
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
10/20/2012	43.7	158,306		98.3%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: October 22, 2012**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
10/22/2011	209.6	445,156	64.0%	84.2	103,101	40.1%	548,257	57.6%
10/22/2012	204.9	357,119	51.4%	77.9	45,237	17.6%	402,356	42.2%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
10/21/2012	91	309	0.00	90	123	0.00	432
MTD		4,770	0.25		2,143	0.00	6,913

STREAM FLOWS

Gauging Station	10/21/2012 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	99	9,453
NRIT : Nueces River at Tilden, Texas	42	7,428
FRIT : Frio River at Tilden, Texas	1	3,860
SMIT : San Miguel Creek at Tilden, Texas	0	234
ARWT : Atascosa River at Whitsett, Texas	5	1,509
Release from Choke Canyon Reservoir	58	1,209
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	147	5,314
NCAT : Nueces River at Calallen, Texas	0	59
RBP : Rincon Bayou Pipeline	0	2,077
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMIT)-Release From Choke Canyon	42	12,337

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru		9,000
Monthly Target: 9,000		
Salinity Relief Credit : 0 Effective:		
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)		0
Return Flow Credit (Effective: 10/01/2012)		500
Passthru		
Target: 9,000		
Reservoir Inflow: 12,337	Comment: Current banked total: 15,641 AF.	9,000
Estuary Inflows (NCAT + RBP)		2,136
PassThru Surplus / -Deficit:		-6,364

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	October 2012	
				Allocation	Remaining
10/21/2012	134	2,836	38,497	3,050	214
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
10/21/2012	43.7	158,306		98.3%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: October 23, 2012**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
10/23/2011	209.5	443,359	63.8%	84.2	103,694	40.3%	547,053	57.4%
10/23/2012	205.0	357,296	51.4%	77.9	45,169	17.6%	402,465	42.3%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
10/22/2012	89	247	0.00	89	115	0.00	362
MTD		5,017	0.25		2,258	0.00	7,275

STREAM FLOWS

Gauging Station	10/22/2012 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	95	9,548
NRIT : Nueces River at Tilden, Texas	30	7,458
FRIT : Frio River at Tilden, Texas	0	3,860
SMIT : San Miguel Creek at Tilden, Texas	0	234
ARWT : Atascosa River at Whitsett, Texas	5	1,514
Release from Choke Canyon Reservoir	58	1,266
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	147	5,461
NCAT : Nueces River at Calallen, Texas	0	59
RBP : Rincon Bayou Pipeline	0	2,077
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMIT)-Release From Choke Canyon	38	12,375

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 9,000 Salinity Relief Credit : 0 Effective:	9,000
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 10/01/2012)	500
Passthru Target: 9,000 Reservoir Inflow: 12,375 Comment: 1980 AF of the banked passthru requirement were delivered Oct 8 - 18. Current banked total: 13,661 AF.	9,000
Estuary Inflows (NCAT + RBP)	2,136
PassThru Surplus / -Deficit:	-6,364

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	October 2012	
				Allocation	Remaining
10/22/2012	134	2,970	38,631	3,050	80
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
10/22/2012	43.7	158,306		98.3%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: October 24, 2012**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
10/24/2011	209.5	443,758	63.8%	84.3	104,171	40.5%	547,929	57.5%
10/24/2012	204.9	356,766	51.3%	77.8	44,965	17.5%	401,731	42.2%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
10/23/2012	87	237	0.00	89	111	0.00	348
MTD		5,254	0.25		2,369	0.00	7,623

STREAM FLOWS

Gauging Station	10/23/2012 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	87	9,635
NRIT : Nueces River at Tilden, Texas	20	7,478
FRIT : Frio River at Tilden, Texas	0	3,860
SMTT : San Miguel Creek at Tilden, Texas	0	234
ARWT : Atascosa River at Whitsett, Texas	5	1,519
Release from Choke Canyon Reservoir	58	1,324
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	147	5,608
NCAT : Nueces River at Calallen, Texas	0	59
RBP : Rincon Bayou Pipeline	0	2,077
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	30	12,405

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 9,000 Salinity Relief Credit : 0 Effective:	9,000
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 10/01/2012)	500
Passthru Target: 9,000 Reservoir Inflow: 12,405 Comment: 2077 AF of the banked passthru requirement has been delivered. Current banked total: 13,564 AF.	9,000
Estuary Inflows (NCAT + RBP)	2,136
PassThru Surplus / -Deficit:	-6,364

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	October 2012	
				Allocation	Remaining
10/23/2012	135	3,105	38,765	3,050	-55
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
10/23/2012	43.7	158,306		98.3%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: October 25, 2012**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
10/25/2011	209.5	442,959	63.7%	84.3	104,409	40.6%	547,368	57.5%
10/25/2012	204.9	356,766	51.3%	77.8	44,762	17.4%	401,528	42.2%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
10/24/2012	88	257	0.00	89	91	0.00	348
MTD		5,511	0.25		2,460	0.00	7,971

STREAM FLOWS

Gauging Station	10/24/2012 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	81	9,717
NRIT : Nueces River at Tilden, Texas	12	7,489
FRIT : Frio River at Tilden, Texas	0	3,861
SMTT : San Miguel Creek at Tilden, Texas	0	234
ARWT : Atascosa River at Whitsett, Texas	5	1,524
Release from Choke Canyon Reservoir	58	1,382
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	147	5,755
NCAT : Nueces River at Calallen, Texas	0	59
RBP : Rincon Bayou Pipeline	0	2,077
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	24	12,429

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 9,000 Salinity Relief Credit : 0 Effective:	9,000
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 10/01/2012)	500
Passthru Target: 9,000 Reservoir Inflow: 12,429 Comment: 2077 AF of the banked passthru requirement has been delivered. Current banked total: 13,564 AF.	9,000
Estuary Inflows (NCAT + RBP)	2,136
PassThru Surplus / -Deficit:	-6,364

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	October 2012	
				Allocation	Remaining
10/24/2012	134	3,239	38,900	3,050	-189
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
10/24/2012	43.5	156,467		97.1%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: October 26, 2012**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
10/26/2011	209.5	442,360	63.6%	84.2	104,051	40.4%	546,411	57.4%
10/26/2012	204.8	355,351	51.1%	77.8	44,965	17.5%	400,316	42.0%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
10/25/2012	90	267	0.06	91	146	0.02	413
MTD		5,778	0.31		2,606	0.02	8,384

STREAM FLOWS

Gauging Station	10/25/2012 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	77	9,794
NRIT : Nueces River at Tilden, Texas	5	7,495
FRIT : Frio River at Tilden, Texas	0	3,861
SMTT : San Miguel Creek at Tilden, Texas	0	234
ARWT : Atascosa River at Whitsett, Texas	4	1,528
Release from Choke Canyon Reservoir	58	1,439
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	131	5,886
NCAT : Nueces River at Calallen, Texas	0	59
RBP : Rincon Bayou Pipeline	0	2,077
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	20	12,449

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 9,000 Salinity Relief Credit : 0 Effective:	9,000
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 10/01/2012)	500
Passthru Target: 9,000 Reservoir Inflow: 12,449 Comment: 2077 AF of the banked passthru requirement has been delivered. Current banked total: 13,564 AF.	9,000
Estuary Inflows (NCAT + RBP)	2,136
PassThru Surplus / -Deficit:	-6,364

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	October 2012	
				Allocation	Remaining
10/25/2012	134	3,373	39,034	3,050	-323
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
10/25/2012	43.3	154,639		96.0%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: October 27, 2012**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
10/27/2011	209.5	443,159	63.7%	84.2	104,051	40.4%	547,210	57.4%
10/27/2012	204.8	354,821	51.0%	77.9	45,169	17.6%	399,990	42.0%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
10/26/2012	62	164	0.17	65	83	0.01	247
MTD		5,942	0.48		2,689	0.03	8,631

STREAM FLOWS

Gauging Station	10/26/2012 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	71	9,865
NRIT : Nueces River at Tilden, Texas	2	7,496
FRIT : Frio River at Tilden, Texas	0	3,861
SMIT : San Miguel Creek at Tilden, Texas	0	234
ARWT : Atascosa River at Whitsett, Texas	4	1,532
Release from Choke Canyon Reservoir	58	1,497
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	127	6,013
NCAT : Nueces River at Calallen, Texas	0	59
RBP : Rincon Bayou Pipeline	0	2,077
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMIT)-Release From Choke Canyon	14	12,463

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 9,000 Salinity Relief Credit : 0 Effective:	9,000
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 10/01/2012)	500
Passthru Target: 9,000 Reservoir Inflow: 12,463 Comment: 2077 AF of the banked passthru requirement has been delivered. Current banked total: 13,564 AF.	9,000
Estuary Inflows (NCAT + RBP)	2,136
PassThru Surplus / -Deficit:	-6,364

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	October 2012	
				Allocation	Remaining
10/26/2012	134	3,506	39,167	3,050	-456
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
10/26/2012	43.3	154,639		96.0%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: October 28, 2012**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
10/28/2011	209.4	441,761	63.5%	84.3	104,768	40.7%	546,529	57.4%
10/28/2012	204.8	354,298	51.0%	77.8	44,830	17.4%	399,128	41.9%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
10/27/2012	61	184	0.00	63	83	0.00	267
MTD		6,126	0.48		2,772	0.03	8,898

STREAM FLOWS

Gauging Station	10/27/2012 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	69	9,935
NRIT : Nueces River at Tilden, Texas	0	7,496
FRIT : Frio River at Tilden, Texas	0	3,861
SMIT : San Miguel Creek at Tilden, Texas	0	234
ARWT : Atascosa River at Whitsett, Texas	4	1,536
Release from Choke Canyon Reservoir	58	1,554
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	117	6,130
NCAT : Nueces River at Calallen, Texas	0	59
RBP : Rincon Bayou Pipeline	27	2,104
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMIT)-Release From Choke Canyon	12	12,475

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 9,000 Salinity Relief Credit : 0 Effective:	9,000
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 10/01/2012)	500
Passthru Target: 9,000 Reservoir Inflow: 12,475 Comment: 2077 AF of the banked passthru requirement has been delivered. Current banked total: 13,564 AF.	9,000
Estuary Inflows (NCAT + RBP)	2,162
PassThru Surplus / -Deficit:	-6,338

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	October 2012	
				Allocation	Remaining
10/27/2012	134	3,640	39,301	3,050	-590
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
10/27/2012	43.3	154,639		96.0%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: October 29, 2012**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
10/29/2011	209.4	441,162	63.5%	84.2	103,219	40.1%	544,381	57.2%
10/29/2012	204.8	354,821	51.0%	77.8	44,559	17.3%	399,380	41.9%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
10/28/2012	66	164	0.00	68	71	0.00	235
MTD		6,290	0.48		2,843	0.03	9,133

STREAM FLOWS

Gauging Station	10/28/2012 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	66	10,000
NRIT : Nueces River at Tilden, Texas	0	7,497
FRIT : Frio River at Tilden, Texas	0	3,861
SMTT : San Miguel Creek at Tilden, Texas	0	234
ARWT : Atascosa River at Whitsett, Texas	5	1,542
Release from Choke Canyon Reservoir	58	1,612
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	119	6,249
NCAT : Nueces River at Calallen, Texas	0	59
RBP : Rincon Bayou Pipeline	0	2,104
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	8	12,483

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 9,000 Salinity Relief Credit : 0 Effective:	9,000
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 10/01/2012)	500
Passthru Target: 9,000 Reservoir Inflow: 12,483 Comment: 2077 AF of the banked passthru requirement has been delivered. Current banked total: 13,564 AF.	9,000
Estuary Inflows (NCAT + RBP)	2,163
PassThru Surplus / -Deficit:	-6,337

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	October 2012	
				Allocation	Remaining
10/28/2012	134	3,775	39,436	3,050	-725
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
10/28/2012	43.2	153,730		95.4%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: October 30, 2012**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
10/30/2011	209.4	441,362	63.5%	84.1	102,864	40.0%	544,226	57.1%
10/30/2012	204.8	354,472	51.0%	77.8	44,425	17.3%	398,897	41.9%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
10/29/2012	71	185	0.00	72	86	0.00	271
MTD		6,475	0.48		2,929	0.03	9,404

STREAM FLOWS

Gauging Station	10/29/2012 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	64	10,064
NRIT : Nueces River at Tilden, Texas	0	7,497
FRIT : Frio River at Tilden, Texas	0	3,861
SMIT : San Miguel Creek at Tilden, Texas	0	234
ARWT : Atascosa River at Whitsett, Texas	5	1,547
Release from Choke Canyon Reservoir	58	1,669
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	125	6,374
NCAT : Nueces River at Calallen, Texas	0	59
RBP : Rincon Bayou Pipeline	0	2,104
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMIT)-Release From Choke Canyon	6	12,489

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 9,000 Salinity Relief Credit : 0 Effective:	9,000
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 10/01/2012)	500
Passthru Target: 9,000 Reservoir Inflow: 12,489 Comment: 2077 AF of the banked passthru requirement has been delivered. Current banked total: 13,564 AF.	9,000
Estuary Inflows (NCAT + RBP)	2,163
PassThru Surplus / -Deficit:	-6,337

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	October 2012	
				Allocation	Remaining
10/29/2012	134	3,909	39,570	3,050	-859
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
10/29/2012	43.0	151,919		94.3%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: October 31, 2012**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
10/31/2011	209.4	440,570	63.4%	84.1	102,509	39.8%	543,079	57.0%
10/31/2012	204.7	353,774	50.9%	77.7	44,290	17.2%	398,064	41.8%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
10/30/2012	80	174	0.00	82	98	0.00	272
MTD		6,649	0.48		3,027	0.03	9,676

STREAM FLOWS

Gauging Station	10/30/2012 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	64	10,127
NRIT : Nueces River at Tilden, Texas	181	7,677
FRIT : Frio River at Tilden, Texas	0	3,861
SMIT : San Miguel Creek at Tilden, Texas	0	234
ARWT : Atascosa River at Whitsett, Texas	5	1,551
Release from Choke Canyon Reservoir	58	1,727
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	131	6,505
NCAT : Nueces River at Calallen, Texas	0	59
RBP : Rincon Bayou Pipeline	0	2,104
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMIT)-Release From Choke Canyon	6	12,495

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 9,000 Salinity Relief Credit : 0 Effective:	9,000
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 10/01/2012)	500
Passthru Target: 9,000 Reservoir Inflow: 12,495 Comment: 2077 AF of the banked passthru requirement has been delivered. Current banked total: 13,564 AF.	9,000
Estuary Inflows (NCAT + RBP)	2,163
PassThru Surplus / -Deficit:	-6,337

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	October 2012	
				Allocation	Remaining
10/30/2012	135	4,044	39,705	3,050	-994
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
10/30/2012	43.0	151,919		94.3%	