

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: December 1, 2012**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
12/01/2011	208.9	430,675	61.9%	83.1	90,894	35.3%	521,569	54.8%
12/01/2012	204.0	340,886	49.0%	77.2	40,622	15.8%	381,508	40.1%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
11/30/2012	79	80	0.00	84	48	0.00	128
MTD		5,049	0.10		2,325	0.18	7,374

STREAM FLOWS

Gauging Station	11/30/2012 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	242	4,911
NRIT : Nueces River at Tilden, Texas	7	426
FRIT : Frio River at Tilden, Texas	0	3
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	2	80
Release from Choke Canyon Reservoir	298	5,211
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	147	4,909
NCAT : Nueces River at Calallen, Texas	0	5
RBP : Rincon Bayou Pipeline	0	31
Reservoir Inflow		
Computed as: NRIT+FRIT+SMTT+ARWT	9	686

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 4,000 Salinity Relief Credit : 0 Effective:	4,000
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 11/01/2012)	500
Passthru Target: 4,000 Reservoir Inflow: 686 Comment: Current banked total: 21,978 AF.	686
Estuary Inflows (NCAT + RBP)	36
PassThru Surplus / -Deficit:	-150

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	November 2012	
				Allocation	Remaining
11/30/2012	132	3,997	43,836	3,050	-947
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
11/30/2012	41.8	141,293		87.7%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: December 2, 2012**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
12/02/2011	208.9	430,477	61.9%	83.1	90,456	35.2%	520,933	54.7%
12/02/2012	204.0	340,542	49.0%	77.2	40,622	15.8%	381,164	40.0%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
12/01/2012	85	151	0.00	85	71	0.00	222
MTD		151	0.00		71	0.00	222

STREAM FLOWS

Gauging Station	12/01/2012 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	242	242
NRIT : Nueces River at Tilden, Texas	1	1
FRIT : Frio River at Tilden, Texas	0	0
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	2	2
Release from Choke Canyon Reservoir	298	298
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	149	149
NCAT : Nueces River at Calallen, Texas	0	0
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: NRIT+FRIT+SMTT+ARWT	3	3

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 4,500 Salinity Relief Credit : 0 Effective:	4,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 12/01/2012)	500
Passthru Target: 4,500 Reservoir Inflow: 3 Comment: Current banked total: 22,119 AF.	3
Estuary Inflows (NCAT + RBP)	0
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	December 2012	
				Allocation	Remaining
12/01/2012	132	132	43,969	3,050	2,918
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
12/01/2012	41.8	141,293		87.7%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: December 3, 2012**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
12/03/2011	208.8	428,708	61.7%	82.9	89,149	34.7%	517,857	54.4%
12/03/2012	204.0	340,197	48.9%	77.2	40,622	15.8%	380,819	40.0%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
12/02/2012	85	151	0.00	84	63	0.00	214
MTD		302	0.00		134	0.00	436

STREAM FLOWS

Gauging Station	12/02/2012 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	242	484
NRIT : Nueces River at Tilden, Texas	0	1
FRIT : Frio River at Tilden, Texas	0	0
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	2	4
Release from Choke Canyon Reservoir	298	596
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	155	304
NCAT : Nueces River at Calallen, Texas	0	0
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: NRIT+FRIT+SMTT+ARWT	2	5

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 4,500 Salinity Relief Credit : 0 Effective:	4,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 12/01/2012)	500
Passthru Target: 4,500 Reservoir Inflow: 5 Comment: Current banked total: 22,128 AF.	5
Estuary Inflows (NCAT + RBP)	0
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	December 2012	
				Allocation	Remaining
12/02/2012	133	265	44,101	3,050	2,785
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
12/02/2012	41.8	141,293		87.7%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: December 4, 2012**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
12/04/2011	208.8	430,083	61.9%	83.0	89,801	34.9%	519,884	54.6%
12/04/2012	204.0	341,230	49.1%	77.2	40,686	15.8%	381,916	40.1%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
12/03/2012	85	161	0.00	85	78	0.00	239
MTD		463	0.00		212	0.00	675

STREAM FLOWS

Gauging Station	12/03/2012 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	242	727
NRIT : Nueces River at Tilden, Texas	0	1
FRIT : Frio River at Tilden, Texas	0	0
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	2	6
Release from Choke Canyon Reservoir	298	893
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	159	463
NCAT : Nueces River at Calallen, Texas	0	0
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: NRIT+FRIT+SMTT+ARWT	2	8

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 4,500 Salinity Relief Credit : 0 Effective:	4,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 12/01/2012)	500
Passthru Target: 4,500 Reservoir Inflow: 8 Comment: Current banked total: 22,128 AF.	8
Estuary Inflows (NCAT + RBP)	0
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	December 2012	
				Allocation	Remaining
12/03/2012	133	398	44,234	3,050	2,652
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
12/03/2012	41.7	140,426		87.2%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: December 5, 2012**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
12/05/2011	208.8	428,903	61.7%	82.9	89,258	34.7%	518,161	54.4%
12/05/2012	204.0	340,025	48.9%	77.2	40,622	15.8%	380,647	40.0%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
12/04/2012	78	140	0.00	83	93	0.00	233
MTD		603	0.00		305	0.00	908

STREAM FLOWS

Gauging Station	12/04/2012 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	242	969
NRIT : Nueces River at Tilden, Texas	0	1
FRIT : Frio River at Tilden, Texas	0	1
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	2	8
Release from Choke Canyon Reservoir	298	1,191
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	159	621
NCAT : Nueces River at Calallen, Texas	0	0
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: NRIT+FRIT+SMTT+ARWT	2	10

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 4,500 Salinity Relief Credit : 0 Effective:	4,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 12/01/2012)	500
Passthru Target: 4,500 Reservoir Inflow: 10 Comment: Current banked total: 22,128 AF.	10
Estuary Inflows (NCAT + RBP)	0
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	December 2012	
				Allocation	Remaining
12/04/2012	129	527	44,363	3,050	2,523
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
12/04/2012	41.8	141,293		87.7%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: December 6, 2012**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
12/06/2011	208.7	427,927	61.5%	82.9	89,258	34.7%	517,185	54.3%
12/06/2012	204.0	340,542	49.0%	77.2	40,622	15.8%	381,164	40.0%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
12/05/2012	73	131	0.00	74	63	0.00	194
MTD		734	0.00		368	0.00	1,102

STREAM FLOWS

Gauging Station	12/05/2012 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	242	1,211
NRIT : Nueces River at Tilden, Texas	0	1
FRIT : Frio River at Tilden, Texas	0	1
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	2	10
Release from Choke Canyon Reservoir	298	1,489
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	161	782
NCAT : Nueces River at Calallen, Texas	0	0
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: NRIT+FRIT+SMTT+ARWT	2	12

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 4,500 Salinity Relief Credit : 0 Effective:	4,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 12/01/2012)	500
Passthru Target: 4,500 Reservoir Inflow: 12 Comment: Current banked total: 22,128 AF.	12
Estuary Inflows (NCAT + RBP)	0
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	December 2012	
				Allocation	Remaining
12/05/2012	132	659	44,495	3,050	2,391
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
12/05/2012	41.8	141,293		87.7%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: December 7, 2012**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
12/07/2011	208.8	428,708	61.7%	83.0	89,583	34.8%	518,291	54.4%
12/07/2012	203.9	339,681	48.9%	77.2	40,622	15.8%	380,303	39.9%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
12/06/2012	77	90	0.00	77	41	0.01	131
MTD		824	0.00		409	0.01	1,233

STREAM FLOWS

Gauging Station	12/06/2012 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	242	1,453
NRIT : Nueces River at Tilden, Texas	0	1
FRIT : Frio River at Tilden, Texas	0	1
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	2	12
Release from Choke Canyon Reservoir	298	1,787
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	163	945
NCAT : Nueces River at Calallen, Texas	0	0
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: NRIT+FRIT+SMTT+ARWT	2	14

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 4,500 Salinity Relief Credit : 0 Effective:	4,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 12/01/2012)	500
Passthru Target: 4,500 Reservoir Inflow: 14 Comment: Current banked total: 22,128 AF.	14
Estuary Inflows (NCAT + RBP)	0
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	December 2012	
				Allocation	Remaining
12/06/2012	132	791	44,627	3,050	2,259
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
12/06/2012	41.9	141,293		87.7%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: December 8, 2012**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
12/08/2011	208.7	427,927	61.5%	83.0	89,366	34.7%	517,293	54.3%
12/08/2012	203.9	339,336	48.8%	77.2	40,622	15.8%	379,958	39.9%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
12/07/2012	83	130	0.00	83	67	0.00	197
MTD		954	0.00		476	0.01	1,430

STREAM FLOWS

Gauging Station	12/07/2012 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	242	1,695
NRIT : Nueces River at Tilden, Texas	0	1
FRIT : Frio River at Tilden, Texas	0	1
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	2	14
Release from Choke Canyon Reservoir	284	2,070
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	159	1,104
NCAT : Nueces River at Calallen, Texas	0	0
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: NRIT+FRIT+SMTT+ARWT	2	16

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 4,500 Salinity Relief Credit : 0 Effective:	4,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 12/01/2012)	500
Passthru Target: 4,500 Reservoir Inflow: 16 Comment: Current banked total: 22,128 AF.	16
Estuary Inflows (NCAT + RBP)	0
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	December 2012	
				Allocation	Remaining
12/07/2012	132	923	44,759	3,050	2,127
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
12/07/2012	41.8	141,293		87.7%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: December 9, 2012**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
12/09/2011	208.8	428,318	61.6%	82.9	89,041	34.6%	517,359	54.3%
12/09/2012	203.9	338,304	48.7%	77.2	40,686	15.8%	378,990	39.8%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
12/08/2012	84	90	0.00	84	60	0.00	150
MTD		1,044	0.00		536	0.01	1,580

STREAM FLOWS

Gauging Station	12/08/2012 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	226	1,921
NRIT : Nueces River at Tilden, Texas	0	1
FRIT : Frio River at Tilden, Texas	0	1
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	2	16
Release from Choke Canyon Reservoir	268	2,338
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	151	1,255
NCAT : Nueces River at Calallen, Texas	0	0
RBP : Rincon Bayou Pipeline	20	20
Reservoir Inflow		
Computed as: NRIT+FRIT+SMTT+ARWT	2	19

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 4,500 Salinity Relief Credit : 0 Effective:	4,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 12/01/2012)	500
Passthru Target: 4,500 Reservoir Inflow: 19 Comment: Current banked total: 22,128 AF.	19
Estuary Inflows (NCAT + RBP)	20
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	December 2012	
				Allocation	Remaining
12/08/2012	132	1,055	44,891	3,050	1,995
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
12/08/2012	41.8	141,293		87.7%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: December 10, 2012**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
12/10/2011	208.7	427,147	61.4%	83.0	89,366	34.7%	516,513	54.2%
12/10/2012	203.8	338,131	48.6%	77.3	41,651	16.2%	379,782	39.9%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
12/09/2012	82	220	0.00	83	75	0.00	295
MTD		1,264	0.00		611	0.01	1,875

STREAM FLOWS

Gauging Station	12/09/2012 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	224	2,146
NRIT : Nueces River at Tilden, Texas	0	1
FRIT : Frio River at Tilden, Texas	0	2
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	2	18
Release from Choke Canyon Reservoir	268	2,606
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	133	1,388
NCAT : Nueces River at Calallen, Texas	0	0
RBP : Rincon Bayou Pipeline	75	94
Reservoir Inflow		
Computed as: NRIT+FRIT+SMTT+ARWT	2	21

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 4,500 Salinity Relief Credit : 0 Effective:	4,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 12/01/2012)	500
Passthru Target: 4,500 Reservoir Inflow: 21 Comment: Current banked total: 22,128 AF.	21
Estuary Inflows (NCAT + RBP)	94
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	December 2012	
				Allocation	Remaining
12/09/2012	132	1,186	45,022	3,050	1,864
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
12/09/2012	41.8	141,293		87.7%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: December 11, 2012**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
12/11/2011	208.8	428,318	61.6%	83.0	89,366	34.7%	517,684	54.3%
12/11/2012	203.8	338,131	48.6%	77.2	40,814	15.9%	378,945	39.8%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
12/10/2012	58	170	0.00	57	93	0.00	263
MTD		1,434	0.00		704	0.01	2,138

STREAM FLOWS

Gauging Station	12/10/2012 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	222	2,368
NRIT : Nueces River at Tilden, Texas	0	1
FRIT : Frio River at Tilden, Texas	0	2
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	2	20
Release from Choke Canyon Reservoir	268	2,874
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	119	1,507
NCAT : Nueces River at Calallen, Texas	0	0
RBP : Rincon Bayou Pipeline	0	94
Reservoir Inflow		
Computed as: NRIT+FRIT+SMTT+ARWT	2	23

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 4,500 Salinity Relief Credit : 0 Effective:	4,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 12/01/2012)	500
Passthru Target: 4,500 Reservoir Inflow: 23 Comment: Current banked total: 22,128 AF.	23
Estuary Inflows (NCAT + RBP)	94
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	December 2012	
				Allocation	Remaining
12/10/2012	131	1,318	45,154	3,050	1,732
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
12/10/2012	41.9	142,163		88.3%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: December 12, 2012**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
12/12/2011	208.8	428,708	61.7%	82.9	89,258	34.7%	517,966	54.4%
12/12/2012	203.7	336,238	48.4%	77.2	40,686	15.8%	376,924	39.6%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
12/11/2012	52	90	0.00	53	11	0.00	101
MTD		1,524	0.00		715	0.01	2,239

STREAM FLOWS

Gauging Station	12/11/2012 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	224	2,592
NRIT : Nueces River at Tilden, Texas	0	1
FRIT : Frio River at Tilden, Texas	0	2
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	2	22
Release from Choke Canyon Reservoir	268	3,142
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	125	1,632
NCAT : Nueces River at Calallen, Texas	0	0
RBP : Rincon Bayou Pipeline	0	94
Reservoir Inflow		
Computed as: NRIT+FRIT+SMTT+ARWT	2	25

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 4,500 Salinity Relief Credit : 0 Effective:	4,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 12/01/2012)	500
Passthru Target: 4,500 Reservoir Inflow: 25 Comment: Current banked total: 22,128 AF.	25
Estuary Inflows (NCAT + RBP)	94
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	December 2012	
				Allocation	Remaining
12/11/2012	131	1,449	45,285	3,050	1,601
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
12/11/2012	41.7	140,426		87.2%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: December 13, 2012**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
12/13/2011	208.7	427,927	61.5%	82.9	89,149	34.7%	517,076	54.3%
12/13/2012	203.8	337,271	48.5%	77.2	40,750	15.8%	378,021	39.7%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
12/12/2012	63	110	0.00	63	56	0.00	166
MTD		1,634	0.00		771	0.01	2,405

STREAM FLOWS

Gauging Station	12/12/2012 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	224	2,817
NRIT : Nueces River at Tilden, Texas	0	1
FRIT : Frio River at Tilden, Texas	0	2
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	2	24
Release from Choke Canyon Reservoir	268	3,410
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	143	1,775
NCAT : Nueces River at Calallen, Texas	0	0
RBP : Rincon Bayou Pipeline	0	94
Reservoir Inflow		
Computed as: NRIT+FRIT+SMTT+ARWT	2	27

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 4,500 Salinity Relief Credit : 0 Effective:	4,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 12/01/2012)	500
Passthru Target: 4,500 Reservoir Inflow: 27 Comment: Current banked total: 22,128 AF.	27
Estuary Inflows (NCAT + RBP)	94
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	December 2012	
				Allocation	Remaining
12/12/2012	132	1,581	45,417	3,050	1,469
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
12/12/2012	41.6	139,562		86.6%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: December 14, 2012**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
12/14/2011	208.7	427,537	61.5%	82.9	88,501	34.4%	516,038	54.2%
12/14/2012	203.7	335,041	48.2%	77.2	40,750	15.8%	375,791	39.5%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
12/13/2012	65	50	0.00	67	41	0.00	91
MTD		1,684	0.00		812	0.01	2,496

STREAM FLOWS

Gauging Station	12/13/2012 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	224	3,041
NRIT : Nueces River at Tilden, Texas	0	1
FRIT : Frio River at Tilden, Texas	0	2
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	2	26
Release from Choke Canyon Reservoir	268	3,678
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	153	1,927
NCAT : Nueces River at Calallen, Texas	0	0
RBP : Rincon Bayou Pipeline	0	94
Reservoir Inflow		
Computed as: NRIT+FRIT+SMTT+ARWT	2	29

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 4,500 Salinity Relief Credit : 0 Effective:	4,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 12/01/2012)	500
Passthru Target: 4,500 Reservoir Inflow: 29 Comment: Current banked total: 22,128 AF.	29
Estuary Inflows (NCAT + RBP)	94
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	December 2012	
				Allocation	Remaining
12/13/2012	132	1,712	45,549	3,050	1,338
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
12/13/2012	41.6	139,562		86.6%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: December 15, 2012**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
12/15/2011	208.8	429,098	61.7%	82.9	88,933	34.6%	518,031	54.4%
12/15/2012	203.8	336,582	48.4%	77.2	40,814	15.9%	377,396	39.6%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
12/14/2012	75	80	0.00	76	45	0.00	125
MTD		1,764	0.00		857	0.01	2,621

STREAM FLOWS

Gauging Station	12/14/2012 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	224	3,265
NRIT : Nueces River at Tilden, Texas	0	1
FRIT : Frio River at Tilden, Texas	0	3
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	2	28
Release from Choke Canyon Reservoir	268	3,946
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	145	2,072
NCAT : Nueces River at Calallen, Texas	0	0
RBP : Rincon Bayou Pipeline	0	94
Reservoir Inflow		
Computed as: NRIT+FRIT+SMTT+ARWT	2	32

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 4,500 Salinity Relief Credit : 0 Effective:	4,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 12/01/2012)	500
Passthru Target: 4,500 Reservoir Inflow: 32 Comment: Current banked total: 22,128 AF.	32
Estuary Inflows (NCAT + RBP)	94
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	December 2012	
				Allocation	Remaining
12/14/2012	132	1,844	45,680	3,050	1,206
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
12/14/2012	41.5	138,700		86.1%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: December 16, 2012**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
12/16/2011	208.7	426,952	61.4%	82.8	88,178	34.3%	515,130	54.1%
12/16/2012	203.7	335,381	48.2%	77.2	40,814	15.9%	376,195	39.5%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
12/15/2012	79	100	0.00	80	30	0.00	130
MTD		1,864	0.00		887	0.01	2,751

STREAM FLOWS

Gauging Station	12/15/2012 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	224	3,490
NRIT : Nueces River at Tilden, Texas	0	1
FRIT : Frio River at Tilden, Texas	0	3
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	2	30
Release from Choke Canyon Reservoir	268	4,214
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	145	2,217
NCAT : Nueces River at Calallen, Texas	0	0
RBP : Rincon Bayou Pipeline	0	94
Reservoir Inflow		
Computed as: NRIT+FRIT+SMTT+ARWT	3	34

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 4,500 Salinity Relief Credit : 0 Effective:	4,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 12/01/2012)	500
Passthru Target: 4,500 Reservoir Inflow: 34 Comment: Current banked total: 22,128 AF.	34
Estuary Inflows (NCAT + RBP)	94
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	December 2012	
				Allocation	Remaining
12/15/2012	132	1,976	45,812	3,050	1,074
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
12/15/2012	41.5	138,700		86.1%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: December 17, 2012**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
12/17/2011	208.7	427,342	61.5%	82.9	89,041	34.6%	516,383	54.2%
12/17/2012	203.6	334,362	48.1%	77.2	40,814	15.9%	375,176	39.4%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
12/16/2012	79	149	0.00	81	60	0.05	209
MTD		2,013	0.00		947	0.06	2,960

STREAM FLOWS

Gauging Station	12/16/2012 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	224	3,714
NRIT : Nueces River at Tilden, Texas	0	1
FRIT : Frio River at Tilden, Texas	0	3
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	2	32
Release from Choke Canyon Reservoir	268	4,482
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	153	2,370
NCAT : Nueces River at Calallen, Texas	0	0
RBP : Rincon Bayou Pipeline	3	97
Reservoir Inflow		
Computed as: NRIT+FRIT+SMTT+ARWT	3	37

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 4,500 Salinity Relief Credit : 0 Effective:	4,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 12/01/2012)	500
Passthru Target: 4,500 Reservoir Inflow: 37 Comment: Current banked total: 22,128 AF.	37
Estuary Inflows (NCAT + RBP)	97
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	December 2012	
				Allocation	Remaining
12/16/2012	132	2,108	45,945	3,050	942
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
12/16/2012	41.6	139,562		86.6%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: December 18, 2012**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
12/18/2011	208.8	428,318	61.6%	82.9	88,393	34.4%	516,711	54.2%
12/18/2012	203.7	335,211	48.2%	77.2	40,942	15.9%	376,153	39.5%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
12/17/2012	74	130	0.00	77	78	0.00	208
MTD		2,143	0.00		1,025	0.06	3,168

STREAM FLOWS

Gauging Station	12/17/2012 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	222	3,936
NRTT : Nueces River at Tilden, Texas	0	1
FRTT : Frio River at Tilden, Texas	0	4
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	2	34
Release from Choke Canyon Reservoir	252	4,734
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	155	2,525
NCAT : Nueces River at Calallen, Texas	0	0
RBP : Rincon Bayou Pipeline	45	142
Reservoir Inflow		
Computed as: NRRT+FRTT+SMTT+ARWT	3	40

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 4,500 Salinity Relief Credit : 0 Effective:	4,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 12/01/2012)	500
Passthru Target: 4,500 Reservoir Inflow: 40 Comment: Current banked total: 22,128 AF.	40
Estuary Inflows (NCAT + RBP)	142
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	December 2012	
				Allocation	Remaining
12/17/2012	132	2,240	46,077	3,050	810
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
12/17/2012	41.6	139,562		86.6%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: December 19, 2012**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
12/19/2011	208.6	426,171	61.3%	82.8	87,212	33.9%	513,383	53.9%
12/19/2012	203.6	334,022	48.0%	77.2	40,750	15.8%	374,772	39.3%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
12/18/2012	86	169	0.00	85	82	0.00	251
MTD		2,312	0.00		1,107	0.06	3,419

STREAM FLOWS

Gauging Station	12/18/2012 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	199	4,135
NRIT : Nueces River at Tilden, Texas	0	1
FRIT : Frio River at Tilden, Texas	0	4
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	3	37
Release from Choke Canyon Reservoir	238	4,972
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	147	2,672
NCAT : Nueces River at Calallen, Texas	0	0
RBP : Rincon Bayou Pipeline	0	142
Reservoir Inflow		
Computed as: NRIT+FRIT+SMTT+ARWT	3	43

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 4,500 Salinity Relief Credit : 0 Effective:	4,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 12/01/2012)	500
Passthru Target: 4,500 Reservoir Inflow: 43 Comment: Current banked total: 22,128 AF.	43
Estuary Inflows (NCAT + RBP)	142
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	December 2012	
				Allocation	Remaining
12/18/2012	132	2,372	46,208	3,050	678
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
12/18/2012	41.6	139,562		86.6%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: December 20, 2012**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
12/20/2011	208.7	427,147	61.4%	82.8	88,070	34.2%	515,217	54.1%
12/20/2012	203.6	334,362	48.1%	77.2	40,430	15.7%	374,792	39.3%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
12/19/2012	86	269	0.00	85	104	0.00	373
MTD		2,581	0.00		1,211	0.06	3,792

STREAM FLOWS

Gauging Station	12/19/2012 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	197	4,331
NRIT : Nueces River at Tilden, Texas	0	1
FRIT : Frio River at Tilden, Texas	0	5
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	3	40
Release from Choke Canyon Reservoir	238	5,211
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	127	2,799
NCAT : Nueces River at Calallen, Texas	0	0
RBP : Rincon Bayou Pipeline	74	216
Reservoir Inflow		
Computed as: NRIT+FRIT+SMTT+ARWT	3	46

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 4,500 Salinity Relief Credit : 0 Effective:	4,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 12/01/2012)	500
Passthru Target: 4,500 Reservoir Inflow: 46 Comment: Current banked total: 22,128 AF.	46
Estuary Inflows (NCAT + RBP)	216
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	December 2012	
				Allocation	Remaining
12/19/2012	132	2,504	46,340	3,050	546
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
12/19/2012	41.7	140,426		87.2%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: December 21, 2012**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
12/21/2011	208.7	426,756	61.4%	82.8	88,070	34.2%	514,826	54.0%
12/21/2012	203.6	333,682	48.0%	77.2	40,750	15.8%	374,432	39.3%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
12/20/2012	59	248	0.00	59	134	0.00	382
MTD		2,829	0.00		1,345	0.06	4,174

STREAM FLOWS

Gauging Station	12/20/2012 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	197	4,528
NRTT : Nueces River at Tilden, Texas	0	1
FRTT : Frio River at Tilden, Texas	0	5
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	2	42
Release from Choke Canyon Reservoir	238	5,449
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	117	2,916
NCAT : Nueces River at Calallen, Texas	0	0
RBP : Rincon Bayou Pipeline	37	253
Reservoir Inflow		
Computed as: NRRT+FRTT+SMTT+ARWT	3	48

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 4,500 Salinity Relief Credit : 0 Effective:	4,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 12/01/2012)	500
Passthru Target: 4,500 Reservoir Inflow: 48 Comment: Current banked total: 22,128 AF.	48
Estuary Inflows (NCAT + RBP)	253
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	December 2012	
				Allocation	Remaining
12/20/2012	131	2,635	46,471	3,050	415
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
12/20/2012	41.5	138,700		86.1%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: December 22, 2012**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
12/22/2011	208.7	427,147	61.4%	82.8	87,855	34.2%	515,002	54.1%
12/22/2012	203.6	333,852	48.0%	77.2	40,686	15.8%	374,538	39.3%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
12/21/2012	58	99	0.00	56	48	0.00	147
MTD		2,928	0.00		1,393	0.06	4,321

STREAM FLOWS

Gauging Station	12/21/2012 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	199	4,726
NRIT : Nueces River at Tilden, Texas	0	1
FRIT : Frio River at Tilden, Texas	0	5
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	2	44
Release from Choke Canyon Reservoir	238	5,687
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	125	3,041
NCAT : Nueces River at Calallen, Texas	0	0
RBP : Rincon Bayou Pipeline	0	253
Reservoir Inflow		
Computed as: NRIT+FRIT+SMTT+ARWT	2	51

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 4,500 Salinity Relief Credit : 0 Effective:	4,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 12/01/2012)	500
Passthru Target: 4,500 Reservoir Inflow: 51 Comment: Current banked total: 22,128 AF.	51
Estuary Inflows (NCAT + RBP)	253
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	December 2012	
				Allocation	Remaining
12/21/2012	131	2,766	46,602	3,050	284
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
12/21/2012	41.5	138,700		86.1%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: December 23, 2012**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
12/23/2011	208.7	428,122	61.6%	82.8	88,070	34.2%	516,192	54.2%
12/23/2012	203.6	333,173	47.9%	77.2	40,686	15.8%	373,859	39.2%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
12/22/2012	70	60	0.00	70	52	0.00	112
MTD		2,988	0.00		1,445	0.06	4,433

STREAM FLOWS

Gauging Station	12/22/2012 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	199	4,925
NRIT : Nueces River at Tilden, Texas	0	1
FRIT : Frio River at Tilden, Texas	0	5
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	2	46
Release from Choke Canyon Reservoir	238	5,925
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	141	3,182
NCAT : Nueces River at Calallen, Texas	0	0
RBP : Rincon Bayou Pipeline	0	253
Reservoir Inflow		
Computed as: NRIT+FRIT+SMTT+ARWT	2	53

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 4,500 Salinity Relief Credit : 0 Effective:	4,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 12/01/2012)	500
Passthru Target: 4,500 Reservoir Inflow: 53 Comment: Current banked total: 22,128 AF.	53
Estuary Inflows (NCAT + RBP)	253
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	December 2012	
				Allocation	Remaining
12/22/2012	131	2,897	46,734	3,050	153
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
12/22/2012	41.4	137,841		85.6%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: December 24, 2012**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
12/24/2011	208.7	427,147	61.4%	82.8	88,070	34.2%	515,217	54.1%
12/24/2012	203.5	332,493	47.8%	77.2	40,686	15.8%	373,179	39.2%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
12/23/2012	77	89	0.00	80	60	0.00	149
MTD		3,077	0.00		1,505	0.06	4,582

STREAM FLOWS

Gauging Station	12/23/2012 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	199	5,123
NRTT : Nueces River at Tilden, Texas	0	1
FRTT : Frio River at Tilden, Texas	0	6
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	2	48
Release from Choke Canyon Reservoir	238	6,163
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	149	3,331
NCAT : Nueces River at Calallen, Texas	0	0
RBP : Rincon Bayou Pipeline	0	253
Reservoir Inflow		
Computed as: NRRT+FRTT+SMTT+ARWT	2	56

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 4,500 Salinity Relief Credit : 0 Effective:	4,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 12/01/2012)	500
Passthru Target: 4,500 Reservoir Inflow: 56 Comment: Current banked total: 22,128 AF.	56
Estuary Inflows (NCAT + RBP)	253
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	December 2012	
				Allocation	Remaining
12/23/2012	131	3,029	46,865	3,050	21
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
12/23/2012	41.4	137,841		85.6%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: December 25, 2012**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
12/25/2011	208.7	426,561	61.4%	82.7	86,892	33.8%	513,453	53.9%
12/25/2012	203.4	331,134	47.6%	77.1	40,240	15.6%	371,374	39.0%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
12/24/2012	79	139	0.00	80	59	0.00	198
MTD		3,216	0.00		1,564	0.06	4,780

STREAM FLOWS

Gauging Station	12/24/2012 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	199	5,322
NRIT : Nueces River at Tilden, Texas	0	1
FRIT : Frio River at Tilden, Texas	0	6
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	2	51
Release from Choke Canyon Reservoir	238	6,402
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	149	3,480
NCAT : Nueces River at Calallen, Texas	0	0
RBP : Rincon Bayou Pipeline	0	253
Reservoir Inflow		
Computed as: NRIT+FRIT+SMTT+ARWT	3	58

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 4,500 Salinity Relief Credit : 0 Effective:	4,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 12/01/2012)	500
Passthru Target: 4,500 Reservoir Inflow: 58 Comment: Current banked total: 22,128 AF.	58
Estuary Inflows (NCAT + RBP)	253
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	December 2012	
				Allocation	Remaining
12/24/2012	131	3,160	46,996	3,050	-110
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
12/24/2012	41.3	136,986		85.0%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: December 26, 2012**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
12/26/2011	208.7	427,342	61.5%	82.8	87,319	33.9%	514,661	54.0%
12/26/2012	203.5	331,474	47.7%	77.2	40,558	15.8%	372,032	39.1%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
12/25/2012	73	Pan Froze	0.00	71	156	0.00	156
MTD		3,216	0.00		1,720	0.06	4,936

STREAM FLOWS

Gauging Station	12/25/2012 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	195	5,516
NRTT : Nueces River at Tilden, Texas	0	1
FRTT : Frio River at Tilden, Texas	0	6
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	2	53
Release from Choke Canyon Reservoir	238	6,640
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	145	3,625
NCAT : Nueces River at Calallen, Texas	0	0
RBP : Rincon Bayou Pipeline	0	253
Reservoir Inflow		
Computed as: NRRT+FRTT+SMTT+ARWT	3	61

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 4,500 Salinity Relief Credit : 0 Effective:	4,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 12/01/2012)	500
Passthru Target: 4,500 Reservoir Inflow: 61 Comment: Current banked total: 22,128 AF.	61
Estuary Inflows (NCAT + RBP)	253
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	December 2012	
				Allocation	Remaining
12/25/2012	114	3,274	47,110	3,050	-224
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
12/25/2012	41.4	137,841		85.6%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: December 27, 2012**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
12/27/2011	208.7	426,756	61.4%	82.8	87,534	34.0%	514,290	54.0%
12/27/2012	203.4	330,964	47.6%	77.2	40,494	15.7%	371,458	39.0%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
12/26/2012	48	416	0.00	50	56	0.00	472
MTD		3,632	0.00		1,776	0.06	5,408

STREAM FLOWS

Gauging Station	12/26/2012 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	197	5,713
NRIT : Nueces River at Tilden, Texas	0	1
FRIT : Frio River at Tilden, Texas	0	6
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	3	56
Release from Choke Canyon Reservoir	238	6,878
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	147	3,772
NCAT : Nueces River at Calallen, Texas	0	0
RBP : Rincon Bayou Pipeline	0	253
Reservoir Inflow		
Computed as: NRIT+FRIT+SMTT+ARWT	3	64

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 4,500 Salinity Relief Credit : 0 Effective:	4,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 12/01/2012)	500
Passthru Target: 4,500 Reservoir Inflow: 64 Comment: Current banked total: 22,128 AF.	64
Estuary Inflows (NCAT + RBP)	253
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	December 2012	
				Allocation	Remaining
12/26/2012	131	3,405	47,241	3,050	-355
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
12/26/2012	41.3	136,986		85.0%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: December 28, 2012**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
12/28/2011	208.7	427,732	61.5%	82.8	87,319	33.9%	515,051	54.1%
12/28/2012	203.4	329,775	47.4%	77.1	40,367	15.7%	370,142	38.9%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
12/27/2012	55	59	0.00	56	15	0.00	74
MTD		3,691	0.00		1,791	0.06	5,482

STREAM FLOWS

Gauging Station	12/27/2012 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	199	5,911
NRIT : Nueces River at Tilden, Texas	0	1
FRIT : Frio River at Tilden, Texas	0	7
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	3	58
Release from Choke Canyon Reservoir	238	7,116
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	145	3,916
NCAT : Nueces River at Calallen, Texas	0	0
RBP : Rincon Bayou Pipeline	0	253
Reservoir Inflow		
Computed as: NRIT+FRIT+SMTT+ARWT	3	66

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 4,500 Salinity Relief Credit : 0 Effective:	4,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 12/01/2012)	500
Passthru Target: 4,500 Reservoir Inflow: 66 Comment: Current banked total: 22,128 AF.	66
Estuary Inflows (NCAT + RBP)	253
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	December 2012	
				Allocation	Remaining
12/27/2012	132	3,537	47,373	3,050	-487
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
12/27/2012	41.2	136,132		84.5%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: December 29, 2012**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
12/29/2011	208.7	426,952	61.4%	82.8	87,319	33.9%	514,271	54.0%
12/29/2012	203.4	330,454	47.5%	77.1	40,367	15.7%	370,821	38.9%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
12/28/2012	71	218	0.00	70	70	0.00	288
MTD		3,909	0.00		1,861	0.06	5,770

STREAM FLOWS

Gauging Station	12/28/2012 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	200	6,112
NRIT : Nueces River at Tilden, Texas	0	1
FRIT : Frio River at Tilden, Texas	0	7
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	2	61
Release from Choke Canyon Reservoir	238	7,354
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	143	4,059
NCAT : Nueces River at Calallen, Texas	0	0
RBP : Rincon Bayou Pipeline	0	253
Reservoir Inflow		
Computed as: NRIT+FRIT+SMTT+ARWT	3	69

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 4,500 Salinity Relief Credit : 0 Effective:	4,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 12/01/2012)	500
Passthru Target: 4,500 Reservoir Inflow: 69 Comment: Current banked total: 22,128 AF.	69
Estuary Inflows (NCAT + RBP)	253
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	December 2012	
				Allocation	Remaining
12/28/2012	123	3,660	47,496	3,050	-610
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
12/28/2012	41.2	136,132		84.5%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: December 30, 2012**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
12/30/2011	208.7	426,756	61.4%	82.7	86,999	33.8%	513,755	53.9%
12/30/2012	203.3	329,605	47.4%	77.1	40,367	15.7%	369,972	38.8%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
12/29/2012	52	128	0.00	53	44	0.00	172
MTD		4,037	0.00		1,905	0.06	5,942

STREAM FLOWS

Gauging Station	12/29/2012 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	200	6,312
NRIT : Nueces River at Tilden, Texas	0	1
FRIT : Frio River at Tilden, Texas	0	7
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	2	63
Release from Choke Canyon Reservoir	238	7,593
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	133	4,192
NCAT : Nueces River at Calallen, Texas	0	0
RBP : Rincon Bayou Pipeline	0	253
Reservoir Inflow		
Computed as: NRIT+FRIT+SMTT+ARWT	2	72

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 4,500 Salinity Relief Credit : 0 Effective:	4,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 12/01/2012)	500
Passthru Target: 4,500 Reservoir Inflow: 72 Comment: Current banked total: 22,128 AF.	72
Estuary Inflows (NCAT + RBP)	253
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	December 2012	
				Allocation	Remaining
12/29/2012	106	3,766	47,602	3,050	-716
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
12/29/2012	41.2	136,132		84.5%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: December 31, 2012**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
12/31/2011	208.7	427,342	61.5%	82.7	87,106	33.9%	514,448	54.0%
12/31/2012	203.3	329,345	47.4%	77.1	40,176	15.6%	369,521	38.8%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
12/30/2012	61	109	0.01	62	30	0.03	139
MTD		4,146	0.01		1,935	0.09	6,081

STREAM FLOWS

Gauging Station	12/30/2012 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	200	6,513
NRIT : Nueces River at Tilden, Texas	0	1
FRIT : Frio River at Tilden, Texas	0	8
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	2	65
Release from Choke Canyon Reservoir	238	7,831
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	123	4,315
NCAT : Nueces River at Calallen, Texas	0	0
RBP : Rincon Bayou Pipeline	0	253
Reservoir Inflow		
Computed as: NRIT+FRIT+SMTT+ARWT	2	74

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 4,500 Salinity Relief Credit : 0 Effective:	4,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 12/01/2012)	500
Passthru Target: 4,500 Reservoir Inflow: 74 Comment: Current banked total: 22,128 AF.	74
Estuary Inflows (NCAT + RBP)	253
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	December 2012	
				Allocation	Remaining
12/30/2012	105	3,871	47,707	3,050	-821
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
12/30/2012	41.2	136,132		84.5%	