

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: January 1, 2013**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
01/01/2012	208.6	425,195	61.2%	82.7	86,786	33.7%	511,981	53.7%
01/01/2013	203.3	328,416	47.2%	77.1	40,367	15.7%	368,783	38.7%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
12/31/2012	73	39	0.07	77	19	0.11	58
MTD		4,185	0.08		1,954	0.20	6,139

STREAM FLOWS

Gauging Station	12/31/2012 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	200	6,713
NRTT : Nueces River at Tilden, Texas	0	1
FRTT : Frio River at Tilden, Texas	0	8
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	3	68
Release from Choke Canyon Reservoir	238	8,069
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	129	4,444
NCAT : Nueces River at Calallen, Texas	0	0
RBP : Rincon Bayou Pipeline	0	253
Reservoir Inflow		
Computed as: NRRT+FRTT+SMTT+ARWT	3	77

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 4,500 Salinity Relief Credit : 0 Effective:	4,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 12/01/2012)	500
Passthru Target: 4,500 Reservoir Inflow: 77 Comment: Current banked total: 22,128 AF.	77
Estuary Inflows (NCAT + RBP)	253
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	December 2012	
				Allocation	Remaining
12/31/2012	105	3,976	47,813	3,050	-926
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
12/31/2012	41.1	135,282		84.0%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: January 2, 2013**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
01/02/2012	208.6	425,390	61.2%	82.7	86,786	33.7%	512,176	53.8%
01/02/2013	203.2	327,737	47.1%	77.2	40,430	15.7%	368,167	38.7%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
01/01/2013	59	148	0.00	64	52	0.00	200
MTD		148	0.00		52	0.00	200

STREAM FLOWS

Gauging Station	01/01/2013 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	200	200
NRIT : Nueces River at Tilden, Texas	0	0
FRIT : Frio River at Tilden, Texas	0	0
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	3	3
Release from Choke Canyon Reservoir	238	238
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	135	135
NCAT : Nueces River at Calallen, Texas	0	0
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: NRIT+FRIT+SMTT+ARWT	3	3

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru		1,200
Monthly Target: 1,200		
Salinity Relief Credit : 0 Effective:		
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)		0
Return Flow Credit (Effective: 01/01/2013)		500
Passthru		
Target: 1,200		
Reservoir Inflow: 3	Comment: Current banked total: 21,875 AF.	3
Estuary Inflows (NCAT + RBP)		0
PassThru Surplus / -Deficit:		0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	January 2013	
				Allocation	Remaining
01/01/2013	105	105	105	3,050	2,945
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
01/01/2013	41.1	135,282		84.0%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: January 3, 2013**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
01/03/2012	208.6	426,171	61.3%	82.7	86,148	33.5%	512,319	53.8%
01/03/2013	203.2	327,059	47.0%	77.2	40,494	15.7%	367,553	38.6%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
01/02/2013	43	39	0.06	43	7	0.16	46
MTD		187	0.06		59	0.16	246

STREAM FLOWS

Gauging Station	01/02/2013 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	200	401
NRTT : Nueces River at Tilden, Texas	0	0
FRTT : Frio River at Tilden, Texas	0	1
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	3	6
Release from Choke Canyon Reservoir	238	476
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	139	274
NCAT : Nueces River at Calallen, Texas	0	0
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: NRRT+FRTT+SMTT+ARWT	3	6

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru		1,200
Monthly Target: 1,200		
Salinity Relief Credit : 0 Effective:		
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)		0
Return Flow Credit (Effective: 01/01/2013)		500
Passthru		
Target: 1,200		
Reservoir Inflow: 6	Comment: Current banked total: 21,875 AF.	6
Estuary Inflows (NCAT + RBP)		0
PassThru Surplus / -Deficit:		0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	January 2013	
				Allocation	Remaining
01/02/2013	105	210	210	3,050	2,840
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
01/02/2013	41.2	136,132		84.5%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: January 4, 2013**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
01/04/2012	208.7	426,366	61.3%	82.6	85,936	33.4%	512,302	53.8%
01/04/2013	203.2	326,557	47.0%	77.1	40,303	15.7%	366,860	38.5%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
01/03/2013	49	98	0.00	48	30	0.00	128
MTD		285	0.06		89	0.16	374

STREAM FLOWS

Gauging Station	01/03/2013 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	200	601
NRTT : Nueces River at Tilden, Texas	0	0
FRTT : Frio River at Tilden, Texas	0	1
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	3	8
Release from Choke Canyon Reservoir	238	715
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	157	431
NCAT : Nueces River at Calallen, Texas	0	0
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: NRRT+FRTT+SMTT+ARWT	3	9

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 1,200 Salinity Relief Credit : 0 Effective:	1,200
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 01/01/2013)	500
Passthru Target: 1,200 Reservoir Inflow: 9 Comment: Current banked total: 21,875 AF.	9
Estuary Inflows (NCAT + RBP)	0
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	January 2013	
				Allocation	Remaining
01/03/2013	105	314	314	3,050	2,736
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
01/03/2013	41.1	135,282		84.0%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: January 5, 2013**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
01/05/2012	208.7	426,366	61.3%	82.6	86,042	33.4%	512,408	53.8%
01/05/2013	203.2	326,724	47.0%	77.1	40,176	15.6%	366,900	38.5%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
01/04/2013	47	79	0.06	48	30	0.02	109
MTD		364	0.12		119	0.18	483

STREAM FLOWS

Gauging Station	01/04/2013 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	200	802
NRIT : Nueces River at Tilden, Texas	0	0
FRIT : Frio River at Tilden, Texas	0	1
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	2	11
Release from Choke Canyon Reservoir	238	953
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	143	574
NCAT : Nueces River at Calallen, Texas	0	0
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: NRIT+FRIT+SMTT+ARWT	3	12

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru		1,200
Monthly Target: 1,200		
Salinity Relief Credit : 0 Effective:		
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)		0
Return Flow Credit (Effective: 01/01/2013)		500
Passthru		
Target: 1,200	Comment: Current banked total: 21,875 AF.	12
Reservoir Inflow: 12		
Estuary Inflows (NCAT + RBP)		0
PassThru Surplus / -Deficit:		0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	January 2013	
				Allocation	Remaining
01/04/2013	39	354	354	3,050	2,696
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
01/04/2013	41.1	135,282		84.0%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: January 6, 2013**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
01/06/2012	208.6	425,195	61.2%	82.6	86,042	33.4%	511,237	53.7%
01/06/2013	203.2	326,557	47.0%	77.1	40,113	15.6%	366,670	38.5%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
01/05/2013	50	39	0.00	49	15	0.02	54
MTD		403	0.12		134	0.20	537

STREAM FLOWS

Gauging Station	01/05/2013 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	200	1,002
NRIT : Nueces River at Tilden, Texas	0	0
FRIT : Frio River at Tilden, Texas	0	2
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	3	13
Release from Choke Canyon Reservoir	238	1,191
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	143	717
NCAT : Nueces River at Calallen, Texas	0	0
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: NRIT+FRIT+SMTT+ARWT	3	15

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 1,200 Salinity Relief Credit : 0 Effective:	1,200
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 01/01/2013)	500
Passthru Target: 1,200 Reservoir Inflow: 15 Comment: Current banked total: 21,875 AF.	15
Estuary Inflows (NCAT + RBP)	0
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	January 2013	
				Allocation	Remaining
01/05/2013	105	459	459	3,050	2,591
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
01/05/2013	41.1	135,282		84.0%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: January 7, 2013**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
01/07/2012	208.6	425,780	61.2%	82.6	85,619	33.3%	511,399	53.7%
01/07/2013	203.2	326,892	47.0%	77.1	40,367	15.7%	367,259	38.6%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
01/06/2013	63	118	0.00	61	33	0.00	151
MTD		521	0.12		167	0.20	688

STREAM FLOWS

Gauging Station	01/06/2013 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	200	1,203
NRTT : Nueces River at Tilden, Texas	0	0
FRTT : Frio River at Tilden, Texas	0	2
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	3	16
Release from Choke Canyon Reservoir	238	1,429
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	141	858
NCAT : Nueces River at Calallen, Texas	0	0
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: NRRT+FRTT+SMTT+ARWT	3	18

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 1,200 Salinity Relief Credit : 0 Effective:	1,200
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 01/01/2013)	500
Passthru Target: 1,200 Reservoir Inflow: 18 Comment: Current banked total: 21,875 AF.	18
Estuary Inflows (NCAT + RBP)	0
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	January 2013	
				Allocation	Remaining
01/06/2013	105	564	564	3,050	2,486
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
01/06/2013	41.1	135,282		84.0%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: January 8, 2013**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
01/08/2012	208.6	425,976	61.3%	82.6	85,619	33.3%	511,595	53.7%
01/08/2013	203.1	325,551	46.8%	77.2	40,430	15.7%	365,981	38.4%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
01/07/2013	61	69	0.10	63	41	0.19	110
MTD		590	0.22		208	0.39	798

STREAM FLOWS

Gauging Station	01/07/2013 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	200	1,403
NRIT : Nueces River at Tilden, Texas	0	0
FRIT : Frio River at Tilden, Texas	0	3
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	3	19
Release from Choke Canyon Reservoir	238	1,667
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	125	983
NCAT : Nueces River at Calallen, Texas	0	0
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: NRIT+FRIT+SMTT+ARWT	3	22

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 1,200 Salinity Relief Credit : 0 Effective:	1,200
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 01/01/2013)	500
Passthru Target: 1,200 Reservoir Inflow: 22 Comment: Current banked total: 21,875 AF.	22
Estuary Inflows (NCAT + RBP)	0
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	January 2013	
				Allocation	Remaining
01/07/2013	119	683	683	3,050	2,367
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
01/07/2013	41.0	134,434		83.5%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: January 9, 2013**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
01/09/2012	208.5	424,219	61.0%	82.6	85,408	33.2%	509,627	53.5%
01/09/2013	203.2	327,737	47.1%	77.2	40,686	15.8%	368,423	38.7%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
01/08/2013	65	79	0.98	66	15	0.53	94
MTD		669	1.20		223	0.92	892

STREAM FLOWS

Gauging Station	01/08/2013 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	202	1,606
NRIT : Nueces River at Tilden, Texas	0	0
FRIT : Frio River at Tilden, Texas	0	3
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	3	22
Release from Choke Canyon Reservoir	238	1,906
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	113	1,096
NCAT : Nueces River at Calallen, Texas	0	0
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: NRIT+FRIT+SMTT+ARWT	4	26

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 1,200 Salinity Relief Credit : 0 Effective:	1,200
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 01/01/2013)	500
Passthru Target: 1,200 Reservoir Inflow: 26 Comment: Current banked total: 21,875 AF.	26
Estuary Inflows (NCAT + RBP)	0
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	January 2013	
				Allocation	Remaining
01/08/2013	132	814	814	3,050	2,236
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
01/08/2013	41.0	134,434		83.5%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: January 10, 2013**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
01/10/2012	208.5	424,219	61.0%	82.5	84,777	33.0%	508,996	53.4%
01/10/2013	203.2	327,059	47.0%	77.2	41,006	15.9%	368,065	38.6%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
01/09/2013	64	39	0.05	65	37	0.15	76
MTD		708	1.25		260	1.07	968

STREAM FLOWS

Gauging Station	01/09/2013 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	208	1,814
NRIT : Nueces River at Tilden, Texas	0	0
FRIT : Frio River at Tilden, Texas	2	5
SMTT : San Miguel Creek at Tilden, Texas	38	38
ARWT : Atascosa River at Whitsett, Texas	13	35
Release from Choke Canyon Reservoir	238	2,144
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	121	1,217
NCAT : Nueces River at Calallen, Texas	0	0
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: NRIT+FRIT+SMTT+ARWT	52	78

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru		1,200
Monthly Target: 1,200		
Salinity Relief Credit : 0 Effective:		
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)		0
Return Flow Credit (Effective: 01/01/2013)		500
Passthru		
Target: 1,200		
Reservoir Inflow: 78	Comment: Current banked total: 21,875 AF.	78
Estuary Inflows (NCAT + RBP)		0
PassThru Surplus / -Deficit:		0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	January 2013	
				Allocation	Remaining
01/09/2013	132	946	946	3,050	2,104
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
01/09/2013	41.8	141,293		87.7%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: January 11, 2013**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
01/11/2012	208.5	424,024	61.0%	82.5	84,882	33.0%	508,906	53.4%
01/11/2013	203.3	328,077	47.2%	77.2	41,006	15.9%	369,083	38.7%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
01/10/2013	67	89	0.00	69	41	0.00	130
MTD		797	1.25		301	1.07	1,098

STREAM FLOWS

Gauging Station	01/10/2013 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	204	2,019
NRTT : Nueces River at Tilden, Texas	0	0
FRTT : Frio River at Tilden, Texas	1	6
SMTT : San Miguel Creek at Tilden, Texas	1	38
ARWT : Atascosa River at Whitsett, Texas	288	323
Release from Choke Canyon Reservoir	169	2,313
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	123	1,340
NCAT : Nueces River at Calallen, Texas	0	0
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	37	115

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru		1,200
Monthly Target: 1,200		
Salinity Relief Credit : 0 Effective:		
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)		0
Return Flow Credit (Effective: 01/01/2013)		500
Passthru		
Target: 1,200	Comment: Current banked total: 21,875 AF.	115
Reservoir Inflow: 115		
Estuary Inflows (NCAT + RBP)		0
PassThru Surplus / -Deficit:		0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	January 2013	
				Allocation	Remaining
01/10/2013	132	1,078	1,078	3,050	1,972
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
01/10/2013	42.5	147,442		91.5%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: January 12, 2013**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
01/12/2012	208.5	423,634	60.9%	82.5	84,672	32.9%	508,306	53.4%
01/12/2013	203.1	326,221	46.9%	77.2	40,814	15.9%	367,035	38.5%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
01/11/2013	79	49	0.00	79	49	0.00	98
MTD		846	1.25		350	1.07	1,196

STREAM FLOWS

Gauging Station	01/11/2013 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	502	2,521
NRTT : Nueces River at Tilden, Texas	0	0
FRTT : Frio River at Tilden, Texas	1	7
SMTT : San Miguel Creek at Tilden, Texas	0	38
ARWT : Atascosa River at Whitsett, Texas	506	829
Release from Choke Canyon Reservoir	99	2,412
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	115	1,455
NCAT : Nueces River at Calallen, Texas	0	0
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	404	520

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru		1,200
Monthly Target: 1,200		
Salinity Relief Credit : 0 Effective:		
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)		0
Return Flow Credit (Effective: 01/01/2013)		500
Passthru		
Target: 1,200		
Reservoir Inflow: 520	Comment: Current banked total: 21,875 AF.	520
Estuary Inflows (NCAT + RBP)		0
PassThru Surplus / -Deficit:		-20

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	January 2013	
				Allocation	Remaining
01/11/2013	132	1,210	1,210	3,050	1,840
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
01/11/2013	43.0	151,919		94.3%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: January 13, 2013**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
01/13/2012	208.5	423,829	61.0%	82.5	84,253	32.8%	508,082	53.3%
01/13/2013	203.2	327,059	47.0%	77.3	41,586	16.2%	368,645	38.7%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
01/12/2013	78	148	0.00	81	57	0.07	205
MTD		994	1.25		407	1.14	1,401

STREAM FLOWS

Gauging Station	01/12/2013 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	470	2,991
NRTT : Nueces River at Tilden, Texas	0	0
FRTT : Frio River at Tilden, Texas	1	9
SMTT : San Miguel Creek at Tilden, Texas	0	38
ARWT : Atascosa River at Whitsett, Texas	159	988
Release from Choke Canyon Reservoir	99	2,511
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	109	1,564
NCAT : Nueces River at Calallen, Texas	0	0
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	372	892

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 1,200 Salinity Relief Credit : 0 Effective:	1,200
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 01/01/2013)	500
Passthru Target: 1,200 Reservoir Inflow: 892 Comment: Current banked total: 21,875 AF.	892
Estuary Inflows (NCAT + RBP)	0
PassThru Surplus / -Deficit:	-392

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	January 2013	
				Allocation	Remaining
01/12/2013	133	1,343	1,343	3,050	1,707
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
01/12/2013	43.0	151,919		94.3%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: January 14, 2013**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
01/14/2012	208.5	423,634	60.9%	82.5	84,149	32.7%	507,783	53.3%
01/14/2013	203.1	326,054	46.9%	77.4	42,014	16.3%	368,068	38.6%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
01/13/2013	56	157	0.00	56	65	0.00	222
MTD		1,151	1.25		472	1.14	1,623

STREAM FLOWS

Gauging Station	01/13/2013 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	226	3,218
NRTT : Nueces River at Tilden, Texas	0	0
FRTT : Frio River at Tilden, Texas	1	10
SMTT : San Miguel Creek at Tilden, Texas	0	38
ARWT : Atascosa River at Whitsett, Texas	69	1,057
Release from Choke Canyon Reservoir	99	2,610
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	113	1,677
NCAT : Nueces River at Calallen, Texas	0	0
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	128	1,020

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru		1,200
Monthly Target: 1,200		
Salinity Relief Credit : 0 Effective:		
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)		0
Return Flow Credit (Effective: 01/01/2013)		500
Passthru		
Target: 1,200		
Reservoir Inflow: 1,020	Comment: Current banked total: 21,875 AF.	1,020
Estuary Inflows (NCAT + RBP)		0
PassThru Surplus / -Deficit:		-520

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	January 2013	
				Allocation	Remaining
01/13/2013	133	1,476	1,476	3,050	1,574
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
01/13/2013	43.0	151,919		94.3%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: January 15, 2013**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
01/15/2012	208.5	424,219	61.0%	82.5	84,044	32.7%	508,263	53.4%
01/15/2013	203.1	325,719	46.8%	77.4	41,976	16.3%	367,695	38.6%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
01/14/2013	50	98	0.03	47	8	0.06	106
MTD		1,249	1.28		480	1.20	1,729

STREAM FLOWS

Gauging Station	01/14/2013 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	165	3,382
NRTT : Nueces River at Tilden, Texas	0	0
FRTT : Frio River at Tilden, Texas	1	10
SMTT : San Miguel Creek at Tilden, Texas	0	38
ARWT : Atascosa River at Whitsett, Texas	44	1,101
Release from Choke Canyon Reservoir	99	2,710
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	113	1,790
NCAT : Nueces River at Calallen, Texas	0	0
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	66	1,086

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru		1,200
Monthly Target: 1,200		
Salinity Relief Credit : 0 Effective:		
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)		0
Return Flow Credit (Effective: 01/01/2013)		500
Passthru		
Target: 1,200		
Reservoir Inflow: 1,086	Comment: Current banked total: 21,875 AF.	1,086
Estuary Inflows (NCAT + RBP)		0
PassThru Surplus / -Deficit:		-586

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	January 2013	
				Allocation	Remaining
01/14/2013	132	1,609	1,609	3,050	1,441
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
01/14/2013	43.0	151,919		94.3%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: January 16, 2013**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
01/16/2012	208.5	422,854	60.8%	82.4	83,940	32.6%	506,794	53.2%
01/16/2013	203.1	325,551	46.8%	77.3	41,651	16.2%	367,202	38.6%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
01/15/2013	44	78	0.00	43	38	0.01	116
MTD		1,327	1.28		518	1.21	1,845

STREAM FLOWS

Gauging Station	01/15/2013 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	137	3,519
NRIT : Nueces River at Tilden, Texas	0	0
FRIT : Frio River at Tilden, Texas	0	10
SMTT : San Miguel Creek at Tilden, Texas	0	38
ARWT : Atascosa River at Whitsett, Texas	30	1,131
Release from Choke Canyon Reservoir	99	2,809
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	107	1,898
NCAT : Nueces River at Calallen, Texas	0	0
RBP : Rincon Bayou Pipeline	27	27
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	38	1,124

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 1,200 Salinity Relief Credit : 0 Effective:	1,200
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 01/01/2013)	500
Passthru Target: 1,200 Reservoir Inflow: 1,124 Comment: Current banked total: 21,875 AF.	1,124
Estuary Inflows (NCAT + RBP)	28
PassThru Surplus / -Deficit:	-596

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	January 2013	
				Allocation	Remaining
01/15/2013	132	1,741	1,741	3,050	1,309
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
01/15/2013	43.0	151,919		94.3%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: January 17, 2013**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
01/17/2012	208.5	423,049	60.8%	82.4	83,940	32.6%	506,989	53.2%
01/17/2013	203.1	325,719	46.8%	77.4	41,781	16.2%	367,500	38.6%

Weather Related Information

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
01/16/2013	56	108	0.00	56	64	0.00	172
MTD		1,435	1.28		582	1.21	2,017

STREAM FLOWS

Gauging Station	01/16/2013 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	119	3,639
NRTT : Nueces River at Tilden, Texas	0	0
FRTT : Frio River at Tilden, Texas	0	11
SMTT : San Miguel Creek at Tilden, Texas	0	38
ARWT : Atascosa River at Whitsett, Texas	22	1,152
Release from Choke Canyon Reservoir	99	2,908
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	93	1,991
NCAT : Nueces River at Calallen, Texas	0	0
RBP : Rincon Bayou Pipeline	35	62
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	20	1,144

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru		1,200
Monthly Target: 1,200		
Salinity Relief Credit : 0 Effective:		
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)		0
Return Flow Credit (Effective: 01/01/2013)		500
Passthru Target: 1,200	Comment: Current banked total: 21,875 AF.	1,144
Reservoir Inflow: 1,144		
Estuary Inflows (NCAT + RBP)		62
PassThru Surplus / -Deficit:		-582

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	January 2013	
				Allocation	Remaining
01/16/2013	132	1,873	1,873	3,050	1,177
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL		44.0	161,085	100%	
01/16/2013		42.9	151,018	93.8%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: January 18, 2013**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
01/18/2012	208.5	423,049	60.8%	82.4	83,628	32.5%	506,677	53.2%
01/18/2013	203.1	325,719	46.8%	77.4	41,911	16.3%	367,630	38.6%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
01/17/2013	67	98	0.00	64	45	0.00	143
MTD		1,533	1.28		627	1.21	2,160

STREAM FLOWS

Gauging Station	01/17/2013 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	109	3,748
NRTT : Nueces River at Tilden, Texas	0	0
FRTT : Frio River at Tilden, Texas	0	11
SMTT : San Miguel Creek at Tilden, Texas	0	38
ARWT : Atascosa River at Whitsett, Texas	17	1,169
Release from Choke Canyon Reservoir	99	3,007
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	97	2,088
NCAT : Nueces River at Calallen, Texas	0	0
RBP : Rincon Bayou Pipeline	0	62
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	10	1,155

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru		1,200
Monthly Target: 1,200		
Salinity Relief Credit : 0 Effective:		
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)		0
Return Flow Credit (Effective: 01/01/2013)		500
Passthru		
Target: 1,200		
Reservoir Inflow: 1,155	Comment: Current banked total: 21,875 AF.	1,155
Estuary Inflows (NCAT + RBP)		62
PassThru Surplus / -Deficit:		-592

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	January 2013	
				Allocation	Remaining
01/17/2013	132	2,005	2,005	3,050	1,045
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
01/17/2013	42.9	151,018		93.8%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: January 19, 2013**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
01/19/2012	208.5	423,439	60.9%	82.4	83,420	32.4%	506,859	53.2%
01/19/2013	203.1	326,054	46.9%	77.4	41,781	16.2%	367,835	38.6%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
01/18/2013	66	118	0.00	66	53	0.00	171
MTD		1,651	1.28		680	1.21	2,331

STREAM FLOWS

Gauging Station	01/18/2013 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	105	3,853
NRIT : Nueces River at Tilden, Texas	0	0
FRIT : Frio River at Tilden, Texas	0	12
SMTT : San Miguel Creek at Tilden, Texas	0	38
ARWT : Atascosa River at Whitsett, Texas	14	1,183
Release from Choke Canyon Reservoir	99	3,107
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	95	2,184
NCAT : Nueces River at Calallen, Texas	0	0
RBP : Rincon Bayou Pipeline	0	62
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	6	1,161

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 1,200 Salinity Relief Credit : 0 Effective:	1,200
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 01/01/2013)	500
Passthru Target: 1,200 Reservoir Inflow: 1,161 Comment: Current banked total: 21,875 AF.	1,161
Estuary Inflows (NCAT + RBP)	62
PassThru Surplus / -Deficit:	-598

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	January 2013	
				Allocation	Remaining
01/18/2013	132	2,137	2,137	3,050	913
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
01/18/2013	42.9	151,018		93.8%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: January 20, 2013**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
01/20/2012	208.5	423,439	60.9%	82.3	82,798	32.2%	506,237	53.1%
01/20/2013	203.1	325,719	46.8%	77.4	41,781	16.2%	367,500	38.6%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
01/19/2013	72	118	0.00	72	60	0.00	178
MTD		1,769	1.28		740	1.21	2,509

STREAM FLOWS

Gauging Station	01/19/2013 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	101	3,954
NRTT : Nueces River at Tilden, Texas	0	0
FRTT : Frio River at Tilden, Texas	0	12
SMTT : San Miguel Creek at Tilden, Texas	0	38
ARWT : Atascosa River at Whitsett, Texas	12	1,195
Release from Choke Canyon Reservoir	99	3,206
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	105	2,289
NCAT : Nueces River at Calallen, Texas	0	0
RBP : Rincon Bayou Pipeline	0	62
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	2	1,163

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru		1,200
Monthly Target: 1,200		
Salinity Relief Credit : 0 Effective:		
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)		0
Return Flow Credit (Effective: 01/01/2013)		500
Passthru		
Target: 1,200		
Reservoir Inflow: 1,163	Comment: Current banked total: 21,875 AF.	1,163
Estuary Inflows (NCAT + RBP)		62
PassThru Surplus / -Deficit:		-601

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	January 2013	
				Allocation	Remaining
01/19/2013	132	2,269	2,269	3,050	781
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
01/19/2013	42.9	151,018		93.8%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: January 21, 2013**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
01/21/2012	208.5	423,244	60.9%	82.3	82,694	32.1%	505,938	53.1%
01/21/2013	203.1	325,551	46.8%	77.4	41,716	16.2%	367,267	38.6%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
01/20/2013	75	128	0.00	74	60	0.00	188
MTD		1,897	1.28		800	1.21	2,697

STREAM FLOWS

Gauging Station	01/20/2013 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	101	4,055
NRTT : Nueces River at Tilden, Texas	0	0
FRTT : Frio River at Tilden, Texas	0	12
SMTT : San Miguel Creek at Tilden, Texas	0	38
ARWT : Atascosa River at Whitsett, Texas	11	1,206
Release from Choke Canyon Reservoir	99	3,305
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	111	2,400
NCAT : Nueces River at Calallen, Texas	0	0
RBP : Rincon Bayou Pipeline	0	62
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	2	1,165

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 1,200 Salinity Relief Credit : 0 Effective:	1,200
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 01/01/2013)	500
Passthru Target: 1,200 Reservoir Inflow: 1,165 Comment: Current banked total: 21,875 AF.	1,165
Estuary Inflows (NCAT + RBP)	62
PassThru Surplus / -Deficit:	-603

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	January 2013	
				Allocation	Remaining
01/20/2013	132	2,401	2,401	3,050	649
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
01/20/2013	42.8	150,120		93.2%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: January 22, 2013**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
01/22/2012	208.4	422,268	60.7%	82.3	82,694	32.1%	504,962	53.0%
01/22/2013	203.1	325,551	46.8%	77.3	41,651	16.2%	367,202	38.6%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
01/21/2013	75	128	0.00	74	60	0.00	188
MTD		2,025	1.28		860	1.21	2,885

STREAM FLOWS

Gauging Station	01/21/2013 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	99	4,155
NRTT : Nueces River at Tilden, Texas	0	0
FRTT : Frio River at Tilden, Texas	0	13
SMTT : San Miguel Creek at Tilden, Texas	0	38
ARWT : Atascosa River at Whitsett, Texas	10	1,215
Release from Choke Canyon Reservoir	99	3,404
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	119	2,519
NCAT : Nueces River at Calallen, Texas	0	0
RBP : Rincon Bayou Pipeline	0	62
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	0	1,166

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 1,200 Salinity Relief Credit : 0 Effective:	1,200
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 01/01/2013)	500
Passthru Target: 1,200 Reservoir Inflow: 1,166 Comment: Current banked total: 21,875 AF.	1,166
Estuary Inflows (NCAT + RBP)	62
PassThru Surplus / -Deficit:	-603

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	January 2013	
				Allocation	Remaining
01/21/2013	132	2,533	2,533	3,050	517
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
01/21/2013	42.8	150,120		93.2%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: January 23, 2013**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
01/23/2012	208.4	422,073	60.7%	82.3	82,901	32.2%	504,974	53.0%
01/23/2013	203.1	325,551	46.8%	77.3	41,586	16.2%	367,137	38.5%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
01/22/2013	75	177	0.00	73	60	0.00	237
MTD		2,202	1.28		920	1.21	3,122

STREAM FLOWS

Gauging Station	01/22/2013 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	99	4,254
NRTT : Nueces River at Tilden, Texas	0	0
FRTT : Frio River at Tilden, Texas	0	13
SMTT : San Miguel Creek at Tilden, Texas	0	38
ARWT : Atascosa River at Whitsett, Texas	9	1,224
Release from Choke Canyon Reservoir	99	3,504
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	127	2,646
NCAT : Nueces River at Calallen, Texas	0	0
RBP : Rincon Bayou Pipeline	0	62
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	0	1,166

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru		1,200
Monthly Target: 1,200		
Salinity Relief Credit : 0 Effective:		
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)		0
Return Flow Credit (Effective: 01/01/2013)		500
Passthru		
Target: 1,200		
Reservoir Inflow: 1,166	Comment: Current banked total: 21,875 AF.	1,166
Estuary Inflows (NCAT + RBP)		62
PassThru Surplus / -Deficit:		-604

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	January 2013	
				Allocation	Remaining
01/22/2013	132	2,664	2,664	3,050	386
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
01/22/2013	42.7	149,224		92.6%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: January 24, 2013**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
01/24/2012	208.5	422,854	60.8%	82.3	82,798	32.2%	505,652	53.1%
01/24/2013	203.1	325,211	46.8%	77.3	41,392	16.1%	366,603	38.5%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
01/23/2013	80	118	0.00	79	45	0.00	163
MTD		2,320	1.28		965	1.21	3,285

STREAM FLOWS

Gauging Station	01/23/2013 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	99	4,353
NRTT : Nueces River at Tilden, Texas	0	0
FRTT : Frio River at Tilden, Texas	0	13
SMTT : San Miguel Creek at Tilden, Texas	0	38
ARWT : Atascosa River at Whitsett, Texas	9	1,233
Release from Choke Canyon Reservoir	99	3,603
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	127	2,773
NCAT : Nueces River at Calallen, Texas	0	0
RBP : Rincon Bayou Pipeline	0	62
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	0	1,166

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 1,200 Salinity Relief Credit : 0 Effective:	1,200
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 01/01/2013)	500
Passthru Target: 1,200 Reservoir Inflow: 1,166 Comment: Current banked total: 21,875 AF.	1,166
Estuary Inflows (NCAT + RBP)	62
PassThru Surplus / -Deficit:	-604

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	January 2013	
				Allocation	Remaining
01/23/2013	132	2,796	2,796	3,050	254
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
01/23/2013	42.7	149,224		92.6%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: January 25, 2013**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
01/25/2012	208.5	422,464	60.8%	82.4	83,005	32.3%	505,469	53.1%
01/25/2013	203.1	324,871	46.7%	77.3	41,263	16.0%	366,134	38.4%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
01/24/2013	82	176	0.00	82	64	0.00	240
MTD		2,496	1.28		1,029	1.21	3,525

STREAM FLOWS

Gauging Station	01/24/2013 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	97	4,450
NRTT : Nueces River at Tilden, Texas	0	0
FRTT : Frio River at Tilden, Texas	0	14
SMTT : San Miguel Creek at Tilden, Texas	0	38
ARWT : Atascosa River at Whitsett, Texas	9	1,243
Release from Choke Canyon Reservoir	99	3,702
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	133	2,906
NCAT : Nueces River at Calallen, Texas	0	0
RBP : Rincon Bayou Pipeline	0	62
Reservoir Inflow		
Computed as: NRRT+FRTT+SMTT+ARWT	10	1,176

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 1,200 Salinity Relief Credit : 0 Effective:	1,200
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 01/01/2013)	500
Passthru Target: 1,200 Reservoir Inflow: 1,176 Comment: Current banked total: 21,875 AF.	1,176
Estuary Inflows (NCAT + RBP)	62
PassThru Surplus / -Deficit:	-614

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	January 2013	
				Allocation	Remaining
01/24/2013	132	2,928	2,928	3,050	122
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
01/24/2013	42.6	148,332		92.1%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: January 26, 2013**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
01/26/2012	208.4	422,073	60.7%	82.3	81,973	31.9%	504,046	52.9%
01/26/2013	203.0	323,852	46.6%	77.3	41,328	16.1%	365,180	38.3%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
01/25/2013	84	147	0.00	83	98	0.00	245
MTD		2,643	1.28		1,127	1.21	3,770

STREAM FLOWS

Gauging Station	01/25/2013 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	97	4,548
NRTT : Nueces River at Tilden, Texas	0	0
FRTT : Frio River at Tilden, Texas	0	14
SMTT : San Miguel Creek at Tilden, Texas	0	38
ARWT : Atascosa River at Whitsett, Texas	9	1,251
Release from Choke Canyon Reservoir	99	3,801
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	141	3,047
NCAT : Nueces River at Calallen, Texas	0	0
RBP : Rincon Bayou Pipeline	0	62
Reservoir Inflow		
Computed as: NRRT+FRTT+SMTT+ARWT	9	1,185

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 1,200 Salinity Relief Credit : 0 Effective:	1,200
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 01/01/2013)	500
Passthru Target: 1,200 Reservoir Inflow: 1,185 Comment: Current banked total: 21,875 AF.	1,185
Estuary Inflows (NCAT + RBP)	62
PassThru Surplus / -Deficit:	-622

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	January 2013	
				Allocation	Remaining
01/25/2013	131	3,059	3,059	3,050	-9
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
01/25/2013	42.7	149,224		92.6%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: January 27, 2013**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
01/27/2012	208.5	423,439	60.9%	82.2	81,871	31.8%	505,310	53.0%
01/27/2013	203.0	323,517	46.5%	77.3	41,135	16.0%	364,652	38.3%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
01/26/2013	83	215	0.00	81	90	0.00	305
MTD		2,858	1.28		1,217	1.21	4,075

STREAM FLOWS

Gauging Station	01/26/2013 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	97	4,645
NRTT : Nueces River at Tilden, Texas	0	0
FRTT : Frio River at Tilden, Texas	0	14
SMTT : San Miguel Creek at Tilden, Texas	0	38
ARWT : Atascosa River at Whitsett, Texas	8	1,259
Release from Choke Canyon Reservoir	99	3,901
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	125	3,172
NCAT : Nueces River at Calallen, Texas	0	0
RBP : Rincon Bayou Pipeline	50	112
Reservoir Inflow		
Computed as: NRRT+FRTT+SMTT+ARWT	8	1,193

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 1,200 Salinity Relief Credit : 0 Effective:	1,200
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 01/01/2013)	500
Passthru Target: 1,200 Reservoir Inflow: 1,193 Comment: Current banked total: 21,875 AF.	1,193
Estuary Inflows (NCAT + RBP)	112
PassThru Surplus / -Deficit:	-581

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	January 2013	
				Allocation	Remaining
01/26/2013	131	3,190	3,190	3,050	-140
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
01/26/2013	42.7	149,224		92.6%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: January 28, 2013**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
01/28/2012	208.4	421,098	60.6%	82.3	81,973	31.9%	503,071	52.8%
01/28/2013	203.0	323,517	46.5%	77.2	40,814	15.9%	364,331	38.2%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
01/27/2013	83	127	0.00	78	52	0.00	179
MTD		2,985	1.28		1,269	1.21	4,254

STREAM FLOWS

Gauging Station	01/27/2013 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	95	4,740
NRIT : Nueces River at Tilden, Texas	0	0
FRIT : Frio River at Tilden, Texas	0	14
SMTT : San Miguel Creek at Tilden, Texas	0	38
ARWT : Atascosa River at Whitsett, Texas	8	1,267
Release from Choke Canyon Reservoir	99	4,000
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	111	3,283
NCAT : Nueces River at Calallen, Texas	0	1
RBP : Rincon Bayou Pipeline	48	160
Reservoir Inflow		
Computed as: NRIT+FRIT+SMTT+ARWT	8	1,201

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 1,200 Salinity Relief Credit : 0 Effective:	1,200
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 01/01/2013)	500
Passthru Target: 1,200 Reservoir Inflow: 1,201 Comment: Current banked total: 21,875 AF.	1,200
Estuary Inflows (NCAT + RBP)	161
PassThru Surplus / -Deficit:	-539

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	January 2013	
				Allocation	Remaining
01/27/2013	131	3,321	3,321	3,050	-271
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
01/27/2013	42.7	149,224		92.6%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: January 29, 2013**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
01/29/2012	208.4	421,293	60.6%	82.2	81,666	31.7%	502,959	52.8%
01/29/2013	203.0	323,349	46.5%	77.2	40,750	15.8%	364,099	38.2%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
01/28/2013	79	137	0.00	79	56	0.00	193
MTD		3,122	1.28		1,325	1.21	4,447

STREAM FLOWS

Gauging Station	01/28/2013 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	95	4,835
NRIT : Nueces River at Tilden, Texas	0	0
FRIT : Frio River at Tilden, Texas	0	14
SMTT : San Miguel Creek at Tilden, Texas	0	38
ARWT : Atascosa River at Whitsett, Texas	8	1,275
Release from Choke Canyon Reservoir	99	4,099
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	83	3,367
NCAT : Nueces River at Calallen, Texas	0	1
RBP : Rincon Bayou Pipeline	54	214
Reservoir Inflow		
Computed as: NRIT+FRIT+SMTT+ARWT	8	1,209

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 1,200 Salinity Relief Credit : 0 Effective:	1,200
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 01/01/2013)	500
Passthru Target: 1,200 Reservoir Inflow: 1,209 Comment: Current banked total: 21,875 AF.	1,200
Estuary Inflows (NCAT + RBP)	215
PassThru Surplus / -Deficit:	-485

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	January 2013	
				Allocation	Remaining
01/28/2013	131	3,452	3,452	3,050	-402
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
01/28/2013	42.6	148,332		92.1%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: January 30, 2013**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
01/30/2012	208.4	422,073	60.7%	82.2	81,154	31.5%	503,227	52.8%
01/30/2013	203.0	323,684	46.6%	77.2	40,878	15.9%	364,562	38.3%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
01/29/2013	89	293	0.00	89	134	0.00	427
MTD		3,415	1.28		1,459	1.21	4,874

STREAM FLOWS

Gauging Station	01/29/2013 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	99	4,935
NRIT : Nueces River at Tilden, Texas	0	0
FRIT : Frio River at Tilden, Texas	0	15
SMTT : San Miguel Creek at Tilden, Texas	0	38
ARWT : Atascosa River at Whitsett, Texas	8	1,283
Release from Choke Canyon Reservoir	149	4,248
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	75	3,442
NCAT : Nueces River at Calallen, Texas	0	1
RBP : Rincon Bayou Pipeline	0	214
Reservoir Inflow		
Computed as: NRIT+FRIT+SMTT+ARWT	8	1,217

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 1,200 Salinity Relief Credit : 0 Effective:	1,200
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 01/01/2013)	500
Passthru Target: 1,200 Reservoir Inflow: 1,217 Comment: Current banked total: 21,875 AF.	1,200
Estuary Inflows (NCAT + RBP)	215
PassThru Surplus / -Deficit:	-485

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	January 2013	
				Allocation	Remaining
01/29/2013	131	3,583	3,583	3,050	-533
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
01/29/2013	42.7	149,224		92.6%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: January 31, 2013**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
01/31/2012	208.5	422,464	60.8%	82.2	81,052	31.5%	503,516	52.9%
01/31/2013	203.0	323,182	46.5%	77.2	40,686	15.8%	363,868	38.2%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
01/30/2013	63	254	0.00	65	142	0.00	396
MTD		3,669	1.28		1,601	1.21	5,270

STREAM FLOWS

Gauging Station	01/30/2013 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	165	5,099
NRTT : Nueces River at Tilden, Texas	0	0
FRTT : Frio River at Tilden, Texas	0	15
SMTT : San Miguel Creek at Tilden, Texas	0	38
ARWT : Atascosa River at Whitsett, Texas	7	1,290
Release from Choke Canyon Reservoir	199	4,446
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	113	3,555
NCAT : Nueces River at Calallen, Texas	0	1
RBP : Rincon Bayou Pipeline	0	214
Reservoir Inflow		
Computed as: NRRT+FRTT+SMTT+ARWT	7	1,224

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 1,200 Salinity Relief Credit : 0 Effective:	1,200
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 01/01/2013)	500
Passthru Target: 1,200 Reservoir Inflow: 1,224 Comment: Current banked total: 21,875 AF.	1,200
Estuary Inflows (NCAT + RBP)	215
PassThru Surplus / -Deficit:	-485

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	January 2013	
				Allocation	Remaining
01/30/2013	131	3,713	3,713	3,050	-663
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
01/30/2013	42.5	147,442		91.5%	