

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: February 1, 2013**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
02/01/2012	208.3	420,122	60.4%	82.1	80,848	31.4%	500,970	52.6%
02/01/2013	203.0	323,349	46.5%	77.2	40,558	15.8%	363,907	38.2%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
01/31/2013	69	147	0.00	70	78	0.00	225
MTD		3,816	1.28		1,679	1.21	5,495

STREAM FLOWS

Gauging Station	01/31/2013 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	169	5,268
NRIT : Nueces River at Tilden, Texas	0	0
FRIT : Frio River at Tilden, Texas	0	15
SMTT : San Miguel Creek at Tilden, Texas	0	38
ARWT : Atascosa River at Whitsett, Texas	7	1,296
Release from Choke Canyon Reservoir	199	4,645
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	125	3,680
NCAT : Nueces River at Calallen, Texas	0	1
RBP : Rincon Bayou Pipeline	0	214
Reservoir Inflow		
Computed as: NRIT+FRIT+SMTT+ARWT	7	1,231

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru		1,200
Monthly Target: 1,200		
Salinity Relief Credit : 0 Effective:		
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)		0
Return Flow Credit (Effective: 01/01/2013)		500
Passthru		
Target: 1,200	Comment: Current banked total: 22,360 AF.	1,200
Reservoir Inflow: 1,231		
Estuary Inflows (NCAT + RBP)		215
PassThru Surplus / -Deficit:		-485

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	January 2013	
				Allocation	Remaining
01/31/2013	131	3,844	3,844	3,050	-794
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
01/31/2013	42.5	147,442		91.5%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: February 2, 2013**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
02/02/2012	208.4	420,902	60.5%	82.2	81,052	31.5%	501,954	52.7%
02/02/2013	203.0	323,517	46.5%	77.2	40,430	15.7%	363,947	38.2%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
02/01/2013	75	225	0.00	74	85	0.00	310
MTD		225	0.00		85	0.00	310

STREAM FLOWS

Gauging Station	02/01/2013 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	169	169
NRIT : Nueces River at Tilden, Texas	0	0
FRIT : Frio River at Tilden, Texas	0	0
SMIT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	6	6
Release from Choke Canyon Reservoir	199	199
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	123	123
NCAT : Nueces River at Calallen, Texas	0	0
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: NRIT+FRIT+SMIT+ARWT	7	7

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru		1,200
Monthly Target: 1,200		
Salinity Relief Credit : 0 Effective:		
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)		0
Return Flow Credit (Effective: 02/01/2013)		500
Passthru		
Target: 1,200	Comment: Current banked total: 22,360 AF.	7
Reservoir Inflow: 7		
Estuary Inflows (NCAT + RBP)		0
PassThru Surplus / -Deficit:		0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	February 2013	
				Allocation	Remaining
02/01/2013	131	131	3,976	3,040	2,909
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
02/01/2013	42.5	147,442		91.5%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: February 3, 2013**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
02/03/2012	208.4	420,902	60.5%	82.2	81,052	31.5%	501,954	52.7%
02/03/2013	202.9	322,679	46.4%	77.2	40,558	15.8%	363,237	38.1%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
02/02/2013	76	117	0.00	79	56	0.00	173
MTD		342	0.00		141	0.00	483

STREAM FLOWS

Gauging Station	02/02/2013 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	169	337
NRIT : Nueces River at Tilden, Texas	0	0
FRIT : Frio River at Tilden, Texas	0	0
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	6	13
Release from Choke Canyon Reservoir	199	397
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	117	240
NCAT : Nueces River at Calallen, Texas	0	0
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: NRIT+FRIT+SMTT+ARWT	6	13

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru		1,200
Monthly Target: 1,200		
Salinity Relief Credit : 0 Effective:		
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)		0
Return Flow Credit (Effective: 02/01/2013)		500
Passthru		
Target: 1,200	Comment: Current banked total: 22,360 AF.	13
Reservoir Inflow: 13		
Estuary Inflows (NCAT + RBP)		0
PassThru Surplus / -Deficit:		0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	February 2013	
				Allocation	Remaining
02/02/2013	132	263	4,107	3,040	2,777
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
02/02/2013	42.5	147,442		91.5%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: February 4, 2013**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
02/04/2012	208.3	419,150	60.3%	82.2	81,052	31.5%	500,202	52.5%
02/04/2013	202.9	322,846	46.4%	77.2	40,430	15.7%	363,276	38.1%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
02/03/2013	75	147	0.00	75	41	0.00	188
MTD		489	0.00		182	0.00	671

STREAM FLOWS

Gauging Station	02/03/2013 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	169	506
NRIT : Nueces River at Tilden, Texas	0	0
FRIT : Frio River at Tilden, Texas	0	1
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	6	19
Release from Choke Canyon Reservoir	199	596
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	119	359
NCAT : Nueces River at Calallen, Texas	0	0
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: NRIT+FRIT+SMTT+ARWT	7	19

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru		1,200
Monthly Target: 1,200		
Salinity Relief Credit : 0 Effective:		
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)		0
Return Flow Credit (Effective: 02/01/2013)		500
Passthru		
Target: 1,200	Comment: Current banked total: 22,360 AF.	19
Reservoir Inflow: 19		
Estuary Inflows (NCAT + RBP)		0
PassThru Surplus / -Deficit:		0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	February 2013	
				Allocation	Remaining
02/03/2013	132	395	4,239	3,040	2,645
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
02/03/2013	42.5	147,442		91.5%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: February 5, 2013**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
02/05/2012	208.3	420,317	60.5%	82.2	81,768	31.8%	502,085	52.7%
02/05/2013	202.9	322,679	46.4%	77.2	40,494	15.7%	363,173	38.1%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
02/04/2013	80	146	0.00	83	59	0.00	205
MTD		635	0.00		241	0.00	876

STREAM FLOWS

Gauging Station	02/04/2013 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	171	677
NRIT : Nueces River at Tilden, Texas	0	0
FRIT : Frio River at Tilden, Texas	0	1
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	6	25
Release from Choke Canyon Reservoir	199	794
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	125	484
NCAT : Nueces River at Calallen, Texas	0	0
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: NRIT+FRIT+SMTT+ARWT	7	26

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru		1,200
Monthly Target: 1,200		
Salinity Relief Credit : 0 Effective:		
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)		0
Return Flow Credit (Effective: 02/01/2013)		500
Passthru		
Target: 1,200	Comment: Current banked total: 22,360 AF.	26
Reservoir Inflow: 26		
Estuary Inflows (NCAT + RBP)		0
PassThru Surplus / -Deficit:		0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	February 2013	
				Allocation	Remaining
02/04/2013	132	527	4,371	3,040	2,513
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
02/04/2013	42.4	146,555		91.0%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: February 6, 2013**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
02/06/2012	208.3	420,122	60.4%	82.2	81,871	31.8%	501,993	52.7%
02/06/2013	202.9	322,679	46.4%	77.2	40,494	15.7%	363,173	38.1%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
02/05/2013	81	156	1.46	83	63	0.19	219
MTD		791	1.46		304	0.19	1,095

STREAM FLOWS

Gauging Station	02/05/2013 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	171	848
NRIT : Nueces River at Tilden, Texas	0	0
FRIT : Frio River at Tilden, Texas	0	1
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	6	31
Release from Choke Canyon Reservoir	199	993
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	127	611
NCAT : Nueces River at Calallen, Texas	0	0
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: NRIT+FRIT+SMTT+ARWT	6	32

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru		1,200
Monthly Target: 1,200		
Salinity Relief Credit : 0 Effective:		
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)		0
Return Flow Credit (Effective: 02/01/2013)		500
Passthru		
Target: 1,200	Comment: Current banked total: 22,360 AF.	32
Reservoir Inflow: 32		
Estuary Inflows (NCAT + RBP)		0
PassThru Surplus / -Deficit:		0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	February 2013	
				Allocation	Remaining
02/05/2013	132	658	4,502	3,040	2,382
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
02/05/2013	42.4	146,555		91.0%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: February 7, 2013**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
02/07/2012	208.4	421,683	60.7%	82.2	81,461	31.7%	503,144	52.8%
02/07/2013	203.0	324,532	46.7%	77.3	41,199	16.0%	365,731	38.4%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
02/06/2013	71	118	0.31	70	45	0.54	163
MTD		909	1.77		349	0.73	1,258

STREAM FLOWS

Gauging Station	02/06/2013 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	228	1,076
NRTT : Nueces River at Tilden, Texas	85	85
FRTT : Frio River at Tilden, Texas	7	8
SMTT : San Miguel Creek at Tilden, Texas	44	44
ARWT : Atascosa River at Whitsett, Texas	17	48
Release from Choke Canyon Reservoir	199	1,191
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	119	730
NCAT : Nueces River at Calallen, Texas	0	0
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	81	113

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru		1,200
Monthly Target: 1,200		
Salinity Relief Credit : 0 Effective:		
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)		0
Return Flow Credit (Effective: 02/01/2013)		500
Passthru		
Target: 1,200	Comment: Current banked total: 22,360 AF.	113
Reservoir Inflow: 113		
Estuary Inflows (NCAT + RBP)		0
PassThru Surplus / -Deficit:		0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	February 2013	
				Allocation	Remaining
02/06/2013	131	789	4,634	3,040	2,251
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
02/06/2013	42.5	147,442		91.5%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: February 8, 2013**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
02/08/2012	208.3	419,536	60.3%	82.2	81,461	31.7%	500,997	52.6%
02/08/2013	203.0	323,517	46.5%	77.3	41,199	16.0%	364,716	38.3%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
02/07/2013	71	59	0.01	70	19	0.00	78
MTD		968	1.78		368	0.73	1,336

STREAM FLOWS

Gauging Station	02/07/2013 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	258	1,334
NRTT : Nueces River at Tilden, Texas	199	284
FRTT : Frio River at Tilden, Texas	9	18
SMTT : San Miguel Creek at Tilden, Texas	3	46
ARWT : Atascosa River at Whitsett, Texas	22	70
Release from Choke Canyon Reservoir	149	1,340
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	111	842
NCAT : Nueces River at Calallen, Texas	0	0
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	121	234

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru		1,200
Monthly Target: 1,200		
Salinity Relief Credit : 0 Effective:		
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)		0
Return Flow Credit (Effective: 02/01/2013)		500
Passthru		
Target: 1,200	Comment: Current banked total: 22,360 AF.	234
Reservoir Inflow: 234		
Estuary Inflows (NCAT + RBP)		0
PassThru Surplus / -Deficit:		0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	February 2013	
				Allocation	Remaining
02/07/2013	131	921	4,765	3,040	2,119
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
02/07/2013	42.5	147,442		91.5%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: February 9, 2013**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
02/09/2012	208.4	420,512	60.5%	82.2	81,461	31.7%	501,973	52.7%
02/09/2013	203.0	323,684	46.6%	77.3	41,328	16.1%	365,012	38.3%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
02/08/2013	70	147	0.00	70	56	0.00	203
MTD		1,115	1.78		424	0.73	1,539

STREAM FLOWS

Gauging Station	02/08/2013 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	117	1,451
NRTT : Nueces River at Tilden, Texas	30	314
FRTT : Frio River at Tilden, Texas	4	21
SMTT : San Miguel Creek at Tilden, Texas	0	46
ARWT : Atascosa River at Whitsett, Texas	24	93
Release from Choke Canyon Reservoir	99	1,439
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	113	955
NCAT : Nueces River at Calallen, Texas	0	0
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	22	256

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru		1,200
Monthly Target: 1,200		
Salinity Relief Credit : 0 Effective:		
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)		0
Return Flow Credit (Effective: 02/01/2013)		500
Passthru		
Target: 1,200	Comment: Current banked total: 22,360 AF.	256
Reservoir Inflow: 256		
Estuary Inflows (NCAT + RBP)		0
PassThru Surplus / -Deficit:		0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	February 2013	
				Allocation	Remaining
02/08/2013	130	1,051	4,895	3,040	1,989
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
02/08/2013	42.5	147,442		91.5%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: February 10, 2013**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
02/10/2012	208.4	420,707	60.5%	82.2	81,563	31.7%	502,270	52.7%
02/10/2013	203.0	324,022	46.6%	77.3	41,392	16.1%	365,414	38.4%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
02/09/2013	72	20	0.00	72	4	0.01	24
MTD		1,135	1.78		428	0.74	1,563

STREAM FLOWS

Gauging Station	02/09/2013 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	107	1,558
NRTT : Nueces River at Tilden, Texas	3	317
FRTT : Frio River at Tilden, Texas	1	23
SMTT : San Miguel Creek at Tilden, Texas	0	46
ARWT : Atascosa River at Whitsett, Texas	24	117
Release from Choke Canyon Reservoir	99	1,538
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	107	1,062
NCAT : Nueces River at Calallen, Texas	0	0
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	9	265

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru		1,200
Monthly Target: 1,200		
Salinity Relief Credit : 0 Effective:		
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)		0
Return Flow Credit (Effective: 02/01/2013)		500
Passthru		
Target: 1,200	Comment: Current banked total: 22,360 AF.	265
Reservoir Inflow: 265		
Estuary Inflows (NCAT + RBP)		0
PassThru Surplus / -Deficit:		0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	February 2013	
				Allocation	Remaining
02/09/2013	130	1,180	5,025	3,040	1,860
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
02/09/2013	42.4	146,555		91.0%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: February 11, 2013**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
02/11/2012	208.3	419,926	60.4%	82.2	81,563	31.7%	501,489	52.6%
02/11/2013	203.1	324,871	46.7%	77.3	41,457	16.1%	366,328	38.5%

Weather Related Information								
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
02/10/2013	73	186	0.93	75	90	0.02	276	
MTD		1,321	2.71		518	0.76	1,839	

STREAM FLOWS

Gauging Station	02/10/2013 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	107	1,665
NRTT : Nueces River at Tilden, Texas	0	317
FRTT : Frio River at Tilden, Texas	1	23
SMTT : San Miguel Creek at Tilden, Texas	0	46
ARWT : Atascosa River at Whitsett, Texas	22	139
Release from Choke Canyon Reservoir	99	1,638
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	119	1,181
NCAT : Nueces River at Calallen, Texas	0	0
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	9	273

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru		1,200
Monthly Target: 1,200		
Salinity Relief Credit : 0 Effective:		
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)		0
Return Flow Credit (Effective: 02/01/2013)		500
Passthru		
Target: 1,200	Comment: Current banked total: 22,360 AF.	273
Reservoir Inflow: 273		
Estuary Inflows (NCAT + RBP)		0
PassThru Surplus / -Deficit:		0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	February 2013	
				Allocation	Remaining
02/10/2013	130	1,310	5,154	3,040	1,730
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
02/10/2013	42.4	146,555		91.0%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: February 12, 2013**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
02/12/2012	208.3	419,536	60.3%	82.2	81,359	31.6%	500,895	52.6%
02/12/2013	203.1	325,041	46.8%	77.3	41,328	16.1%	366,369	38.5%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
02/11/2013	62	69	0.02	63	38	0.00	107
MTD		1,390	2.73		556	0.76	1,946

STREAM FLOWS

Gauging Station	02/11/2013 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	208	1,874
NRTT : Nueces River at Tilden, Texas	12	329
FRTT : Frio River at Tilden, Texas	28	51
SMTT : San Miguel Creek at Tilden, Texas	34	80
ARWT : Atascosa River at Whitsett, Texas	18	157
Release from Choke Canyon Reservoir	99	1,737
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	131	1,312
NCAT : Nueces River at Calallen, Texas	0	0
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	171	444

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru		1,200
Monthly Target: 1,200		
Salinity Relief Credit : 0 Effective:		
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)		0
Return Flow Credit (Effective: 02/01/2013)		500
Passthru		
Target: 1,200	Comment: Current banked total: 22,360 AF.	444
Reservoir Inflow: 444		
Estuary Inflows (NCAT + RBP)		0
PassThru Surplus / -Deficit:		0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	February 2013	
				Allocation	Remaining
02/11/2013	130	1,440	5,284	3,040	1,600
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
02/11/2013	42.4	146,555		91.0%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: February 13, 2013**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
02/13/2012	208.3	418,958	60.3%	82.2	80,950	31.5%	499,908	52.5%
02/13/2013	203.0	323,517	46.5%	77.3	41,135	16.0%	364,652	38.3%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
02/12/2013	70	98	0.00	66	22	0.00	120
MTD		1,488	2.73		578	0.76	2,066

STREAM FLOWS

Gauging Station	02/12/2013 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	169	2,043
NRTT : Nueces River at Tilden, Texas	254	583
FRTT : Frio River at Tilden, Texas	46	97
SMTT : San Miguel Creek at Tilden, Texas	1	81
ARWT : Atascosa River at Whitsett, Texas	15	172
Release from Choke Canyon Reservoir	99	1,836
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	131	1,443
NCAT : Nueces River at Calallen, Texas	0	0
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	116	561

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru		1,200
Monthly Target: 1,200		
Salinity Relief Credit : 0 Effective:		
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)		0
Return Flow Credit (Effective: 02/01/2013)		500
Passthru		
Target: 1,200	Comment: Current banked total: 22,360 AF.	561
Reservoir Inflow: 561		
Estuary Inflows (NCAT + RBP)		0
PassThru Surplus / -Deficit:		-61

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	February 2013	
				Allocation	Remaining
02/12/2013	130	1,570	5,414	3,040	1,470
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
02/12/2013	42.3	145,671		90.4%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: February 14, 2013**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
02/14/2012	208.4	420,512	60.5%	82.2	81,154	31.5%	501,666	52.7%
02/14/2013	203.0	323,182	46.5%	77.3	41,263	16.0%	364,445	38.3%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
02/13/2013	62	137	0.00	66	79	0.00	216
MTD		1,625	2.73		657	0.76	2,282

STREAM FLOWS

Gauging Station	02/13/2013 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	191	2,233
NRTT : Nueces River at Tilden, Texas	62	644
FRTT : Frio River at Tilden, Texas	19	116
SMTT : San Miguel Creek at Tilden, Texas	0	81
ARWT : Atascosa River at Whitsett, Texas	12	183
Release from Choke Canyon Reservoir	99	1,935
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	131	1,574
NCAT : Nueces River at Calallen, Texas	0	0
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	110	671

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru		1,200
Monthly Target: 1,200		
Salinity Relief Credit : 0 Effective:		
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)		0
Return Flow Credit (Effective: 02/01/2013)		500
Passthru		
Target: 1,200	Comment: Current banked total: 22,360 AF.	671
Reservoir Inflow: 671		
Estuary Inflows (NCAT + RBP)		0
PassThru Surplus / -Deficit:		-171

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	February 2013	
				Allocation	Remaining
02/13/2013	130	1,700	5,544	3,040	1,340
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
02/13/2013	42.3	145,671		90.4%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: February 15, 2013**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
02/15/2012	208.3	419,536	60.3%	82.2	81,052	31.5%	500,588	52.6%
02/15/2013	203.0	324,192	46.6%	77.3	41,263	16.0%	365,455	38.4%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
02/14/2013	71	166	0.00	70	79	0.00	245
MTD		1,791	2.73		736	0.76	2,527

STREAM FLOWS

Gauging Station	02/14/2013 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	193	2,426
NRTT : Nueces River at Tilden, Texas	46	690
FRTT : Frio River at Tilden, Texas	7	122
SMTT : San Miguel Creek at Tilden, Texas	0	81
ARWT : Atascosa River at Whitsett, Texas	11	194
Release from Choke Canyon Reservoir	99	2,035
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	129	1,703
NCAT : Nueces River at Calallen, Texas	0	0
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	100	771

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru		1,200
Monthly Target: 1,200		
Salinity Relief Credit : 0 Effective:		
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)		0
Return Flow Credit (Effective: 02/01/2013)		500
Passthru		
Target: 1,200	Comment: Current banked total: 22,360 AF.	771
Reservoir Inflow: 771		
Estuary Inflows (NCAT + RBP)		0
PassThru Surplus / -Deficit:		-271

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	February 2013	
				Allocation	Remaining
02/14/2013	132	1,832	5,676	3,040	1,208
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
02/14/2013	42.3	145,671		90.4%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: February 16, 2013**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
02/16/2012	208.3	420,122	60.4%	82.2	81,256	31.6%	501,378	52.6%
02/16/2013	202.9	322,344	46.4%	77.3	41,263	16.0%	363,607	38.2%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
02/15/2013	70	234	0.00	70	90	0.00	324
MTD		2,025	2.73		826	0.76	2,851

STREAM FLOWS

Gauging Station	02/15/2013 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	133	2,559
NRTT : Nueces River at Tilden, Texas	22	712
FRTT : Frio River at Tilden, Texas	4	126
SMTT : San Miguel Creek at Tilden, Texas	0	81
ARWT : Atascosa River at Whitsett, Texas	10	204
Release from Choke Canyon Reservoir	99	2,134
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	133	1,836
NCAT : Nueces River at Calallen, Texas	0	0
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	37	808

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru		1,200
Monthly Target: 1,200		
Salinity Relief Credit : 0 Effective:		
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)		0
Return Flow Credit (Effective: 02/01/2013)		500
Passthru		
Target: 1,200	Comment: Current banked total: 22,360 AF.	808
Reservoir Inflow: 808		
Estuary Inflows (NCAT + RBP)		0
PassThru Surplus / -Deficit:		-308

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	February 2013	
				Allocation	Remaining
02/15/2013	132	1,964	5,808	3,040	1,076
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
02/15/2013	42.2	144,790		89.9%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: February 17, 2013**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
02/17/2012	208.3	418,958	60.3%	82.2	80,950	31.5%	499,908	52.5%
02/17/2013	202.9	322,679	46.4%	77.3	41,135	16.0%	363,814	38.2%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
02/16/2013	64	146	0.00	64	71	0.00	217
MTD		2,171	2.73		897	0.76	3,068

STREAM FLOWS

Gauging Station	02/16/2013 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	119	2,678
NRTT : Nueces River at Tilden, Texas	8	720
FRTT : Frio River at Tilden, Texas	2	128
SMTT : San Miguel Creek at Tilden, Texas	0	81
ARWT : Atascosa River at Whitsett, Texas	8	212
Release from Choke Canyon Reservoir	99	2,233
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	137	1,973
NCAT : Nueces River at Calallen, Texas	0	0
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	22	830

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru		1,200
Monthly Target: 1,200		
Salinity Relief Credit : 0 Effective:		
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)		0
Return Flow Credit (Effective: 02/01/2013)		500
Passthru		
Target: 1,200	Comment: Current banked total: 22,360 AF.	830
Reservoir Inflow: 830		
Estuary Inflows (NCAT + RBP)		0
PassThru Surplus / -Deficit:		-330

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	February 2013	
				Allocation	Remaining
02/16/2013	132	2,096	5,940	3,040	944
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
02/16/2013	42.2	144,790		89.9%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: February 18, 2013**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
02/18/2012	208.3	419,536	60.3%	82.2	81,359	31.6%	500,895	52.6%
02/18/2013	202.9	321,506	46.2%	77.2	40,750	15.8%	362,256	38.0%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
02/17/2013	73	214	0.00	71	86	0.00	300
MTD		2,385	2.73		983	0.76	3,368

STREAM FLOWS

Gauging Station	02/17/2013 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	107	2,785
NRTT : Nueces River at Tilden, Texas	3	723
FRTT : Frio River at Tilden, Texas	1	129
SMTT : San Miguel Creek at Tilden, Texas	0	81
ARWT : Atascosa River at Whitsett, Texas	7	219
Release from Choke Canyon Reservoir	99	2,332
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	133	2,106
NCAT : Nueces River at Calallen, Texas	0	0
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	9	839

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru		1,200
Monthly Target: 1,200		
Salinity Relief Credit : 0 Effective:		
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)		0
Return Flow Credit (Effective: 02/01/2013)		500
Passthru		
Target: 1,200	Comment: Current banked total: 22,360 AF.	839
Reservoir Inflow: 839		
Estuary Inflows (NCAT + RBP)		0
PassThru Surplus / -Deficit:		-339

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	February 2013	
				Allocation	Remaining
02/17/2013	132	2,229	6,073	3,040	811
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
02/17/2013	42.1	143,911		89.3%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: February 19, 2013**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
02/19/2012	208.3	419,343	60.3%	82.2	81,154	31.5%	500,497	52.5%
02/19/2013	202.9	322,511	46.4%	77.3	41,199	16.0%	363,710	38.2%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
02/18/2013	79	195	0.00	84	98	0.00	293
MTD		2,580	2.73		1,081	0.76	3,661

STREAM FLOWS

Gauging Station	02/18/2013 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	99	2,884
NRTT : Nueces River at Tilden, Texas	1	724
FRTT : Frio River at Tilden, Texas	1	130
SMTT : San Miguel Creek at Tilden, Texas	0	81
ARWT : Atascosa River at Whitsett, Texas	6	225
Release from Choke Canyon Reservoir	99	2,432
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	143	2,249
NCAT : Nueces River at Calallen, Texas	0	0
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	1	840

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru		1,200
Monthly Target: 1,200		
Salinity Relief Credit : 0 Effective:		
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)		0
Return Flow Credit (Effective: 02/01/2013)		500
Passthru		
Target: 1,200	Comment: Current banked total: 22,360 AF.	840
Reservoir Inflow: 840		
Estuary Inflows (NCAT + RBP)		0
PassThru Surplus / -Deficit:		-340

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	February 2013	
				Allocation	Remaining
02/18/2013	132	2,361	6,205	3,040	679
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
02/18/2013	42.1	143,911		89.3%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: February 20, 2013**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
02/20/2012	208.3	419,926	60.4%	82.2	81,256	31.6%	501,182	52.6%
02/20/2013	202.8	320,668	46.1%	77.2	41,006	15.9%	361,674	38.0%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
02/19/2013	70	204	0.00	67	60	0.00	264
MTD		2,784	2.73		1,141	0.76	3,925

STREAM FLOWS

Gauging Station	02/19/2013 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	93	2,978
NRIT : Nueces River at Tilden, Texas	0	724
FRIT : Frio River at Tilden, Texas	0	130
SMTT : San Miguel Creek at Tilden, Texas	0	81
ARWT : Atascosa River at Whitsett, Texas	5	230
Release from Choke Canyon Reservoir	99	2,531
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	143	2,392
NCAT : Nueces River at Calallen, Texas	0	0
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: NRIT+FRIT+SMTT+ARWT	6	846

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru		1,200
Monthly Target: 1,200		
Salinity Relief Credit : 0 Effective:		
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)		0
Return Flow Credit (Effective: 02/01/2013)		500
Passthru		
Target: 1,200	Comment: Current banked total: 22,360 AF.	846
Reservoir Inflow: 846		
Estuary Inflows (NCAT + RBP)		0
PassThru Surplus / -Deficit:		-346

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	February 2013	
				Allocation	Remaining
02/19/2013	132	2,493	6,337	3,040	547
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
02/19/2013	42.1	143,911		89.3%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: February 21, 2013**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
02/21/2012	208.3	419,731	60.4%	82.2	81,052	31.5%	500,783	52.6%
02/21/2013	202.8	321,003	46.2%	77.1	40,367	15.7%	361,370	37.9%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
02/20/2013	77	117	0.00	75	44	0.09	161
MTD		2,901	2.73		1,185	0.85	4,086

STREAM FLOWS

Gauging Station	02/20/2013 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	91	3,069
NRTT : Nueces River at Tilden, Texas	0	724
FRTT : Frio River at Tilden, Texas	0	131
SMTT : San Miguel Creek at Tilden, Texas	0	81
ARWT : Atascosa River at Whitsett, Texas	5	235
Release from Choke Canyon Reservoir	99	2,630
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	137	2,529
NCAT : Nueces River at Calallen, Texas	0	0
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: NRRT+FRTT+SMTT+ARWT	5	851

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 1,200 Salinity Relief Credit : 0 Effective:	1,200
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 02/01/2013)	500
Passthru Target: 1,200 Reservoir Inflow: 851 Comment: Current banked total: 22,360 AF.	851
Estuary Inflows (NCAT + RBP)	0
PassThru Surplus / -Deficit:	-351

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	February 2013	
				Allocation	Remaining
02/20/2013	132	2,625	6,469	3,040	415
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
02/20/2013	42.0	143,036		88.8%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: February 22, 2013**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
02/22/2012	208.3	419,536	60.3%	82.2	81,052	31.5%	500,588	52.6%
02/22/2013	202.8	321,170	46.2%	77.2	40,942	15.9%	362,112	38.0%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
02/21/2013	75	146	0.00	77	67	0.00	213
MTD		3,047	2.73		1,252	0.85	4,299

STREAM FLOWS

Gauging Station	02/21/2013 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	91	3,160
NRIT : Nueces River at Tilden, Texas	0	724
FRIT : Frio River at Tilden, Texas	0	131
SMTT : San Miguel Creek at Tilden, Texas	0	81
ARWT : Atascosa River at Whitsett, Texas	5	239
Release from Choke Canyon Reservoir	99	2,729
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	137	2,666
NCAT : Nueces River at Calallen, Texas	0	0
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: NRIT+FRIT+SMTT+ARWT	5	856

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru		1,200
Monthly Target: 1,200		
Salinity Relief Credit : 0 Effective:		
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)		0
Return Flow Credit (Effective: 02/01/2013)		500
Passthru		
Target: 1,200	Comment: Current banked total: 22,360 AF.	856
Reservoir Inflow: 856		
Estuary Inflows (NCAT + RBP)		0
PassThru Surplus / -Deficit:		-356

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	February 2013	
				Allocation	Remaining
02/21/2013	132	2,757	6,601	3,040	283
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
02/21/2013	42.0	143,036		88.8%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: February 23, 2013**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
02/23/2012	208.3	419,926	60.4%	82.2	80,950	31.5%	500,876	52.6%
02/23/2013	202.8	320,500	46.1%	77.2	40,686	15.8%	361,186	37.9%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
02/22/2013	70	253	0.00	77	104	0.00	357
MTD		3,300	2.73		1,356	0.85	4,656

STREAM FLOWS

Gauging Station	02/22/2013 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	89	3,249
NRIT : Nueces River at Tilden, Texas	0	724
FRIT : Frio River at Tilden, Texas	0	131
SMTT : San Miguel Creek at Tilden, Texas	0	81
ARWT : Atascosa River at Whitsett, Texas	4	244
Release from Choke Canyon Reservoir	99	2,829
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	139	2,805
NCAT : Nueces River at Calallen, Texas	0	0
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: NRIT+FRIT+SMTT+ARWT	5	861

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru		1,200
Monthly Target: 1,200		
Salinity Relief Credit : 0 Effective:		
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)		0
Return Flow Credit (Effective: 02/01/2013)		500
Passthru		
Target: 1,200		
Reservoir Inflow: 861	Comment: Current banked total: 22,360 AF.	861
Estuary Inflows (NCAT + RBP)		0
PassThru Surplus / -Deficit:		-361

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	February 2013	
				Allocation	Remaining
02/22/2013	133	2,890	6,734	3,040	150
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
02/22/2013	42.0	143,036		88.8%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: February 24, 2013**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
02/24/2012	208.2	417,608	60.1%	82.2	81,052	31.5%	498,660	52.4%
02/24/2013	202.9	321,506	46.2%	77.2	40,558	15.8%	362,064	38.0%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
02/23/2013	68	146	0.00	66	37	0.00	183
MTD		3,446	2.73		1,393	0.85	4,839

STREAM FLOWS

Gauging Station	02/23/2013 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	89	3,339
NRIT : Nueces River at Tilden, Texas	0	724
FRIT : Frio River at Tilden, Texas	0	131
SMTT : San Miguel Creek at Tilden, Texas	0	81
ARWT : Atascosa River at Whitsett, Texas	4	248
Release from Choke Canyon Reservoir	99	2,928
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	141	2,946
NCAT : Nueces River at Calallen, Texas	0	0
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: NRIT+FRIT+SMTT+ARWT	5	865

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru		1,200
Monthly Target: 1,200		
Salinity Relief Credit : 0 Effective:		
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)		0
Return Flow Credit (Effective: 02/01/2013)		500
Passthru		
Target: 1,200	Comment: Current banked total: 22,360 AF.	865
Reservoir Inflow: 865		
Estuary Inflows (NCAT + RBP)		0
PassThru Surplus / -Deficit:		-365

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	February 2013	
				Allocation	Remaining
02/23/2013	133	3,023	6,867	3,040	17
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
02/23/2013	41.9	142,163		88.3%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: February 25, 2013**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
02/25/2012	208.2	416,837	60.0%	82.1	80,645	31.3%	497,482	52.2%
02/25/2013	202.9	321,673	46.3%	77.2	40,430	15.7%	362,103	38.0%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
02/24/2013	70	19	0.00	68	0	0.00	19
MTD		3,465	2.73		1,393	0.85	4,858

STREAM FLOWS

Gauging Station	02/24/2013 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	89	3,428
NRIT : Nueces River at Tilden, Texas	0	724
FRIT : Frio River at Tilden, Texas	0	132
SMTT : San Miguel Creek at Tilden, Texas	0	81
ARWT : Atascosa River at Whitsett, Texas	4	252
Release from Choke Canyon Reservoir	99	3,027
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	149	3,095
NCAT : Nueces River at Calallen, Texas	0	0
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: NRIT+FRIT+SMTT+ARWT	5	870

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru		1,200
Monthly Target: 1,200		
Salinity Relief Credit : 0 Effective:		
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)		0
Return Flow Credit (Effective: 02/01/2013)		500
Passthru		
Target: 1,200	Comment: Current banked total: 22,360 AF.	870
Reservoir Inflow: 870		
Estuary Inflows (NCAT + RBP)		0
PassThru Surplus / -Deficit:		-370

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	February 2013	
				Allocation	Remaining
02/24/2013	133	3,157	7,001	3,040	-117
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
02/24/2013	42.0	143,036		88.8%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: February 26, 2013**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
02/26/2012	208.2	418,379	60.2%	82.1	80,848	31.4%	499,227	52.4%
02/26/2013	202.8	320,004	46.0%	77.1	40,176	15.6%	360,180	37.8%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
02/25/2013	66	379	0.00	69	266	0.00	645
MTD		3,844	2.73		1,659	0.85	5,503

STREAM FLOWS

Gauging Station	02/25/2013 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	87	3,515
NRIT : Nueces River at Tilden, Texas	0	724
FRIT : Frio River at Tilden, Texas	0	132
SMTT : San Miguel Creek at Tilden, Texas	0	81
ARWT : Atascosa River at Whitsett, Texas	4	256
Release from Choke Canyon Reservoir	99	3,126
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	141	3,236
NCAT : Nueces River at Calallen, Texas	0	0
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: NRIT+FRIT+SMTT+ARWT	4	874

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru		1,200
Monthly Target: 1,200		
Salinity Relief Credit : 0 Effective:		
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)		0
Return Flow Credit (Effective: 02/01/2013)		500
Passthru		
Target: 1,200	Comment: Current banked total: 22,360 AF.	874
Reservoir Inflow: 874		
Estuary Inflows (NCAT + RBP)		0
PassThru Surplus / -Deficit:		-374

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	February 2013	
				Allocation	Remaining
02/25/2013	133	3,289	7,134	3,040	-249
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
02/25/2013	41.9	142,163		88.3%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: February 27, 2013**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
02/27/2012	208.2	418,186	60.1%	82.1	80,747	31.4%	498,933	52.4%
02/27/2013	202.8	320,170	46.0%	77.1	40,176	15.6%	360,346	37.8%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
02/26/2013	65	136	0.00	74	55	0.00	191
MTD		3,980	2.73		1,714	0.85	5,694

STREAM FLOWS

Gauging Station	02/26/2013 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	89	3,605
NRIT : Nueces River at Tilden, Texas	0	724
FRIT : Frio River at Tilden, Texas	0	132
SMTT : San Miguel Creek at Tilden, Texas	0	81
ARWT : Atascosa River at Whitsett, Texas	3	259
Release from Choke Canyon Reservoir	99	3,226
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	155	3,390
NCAT : Nueces River at Calallen, Texas	0	0
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: NRIT+FRIT+SMTT+ARWT	3	876

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru		1,200
Monthly Target: 1,200		
Salinity Relief Credit : 0 Effective:		
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)		0
Return Flow Credit (Effective: 02/01/2013)		500
Passthru		
Target: 1,200	Comment: Current banked total: 22,360 AF.	876
Reservoir Inflow: 876		
Estuary Inflows (NCAT + RBP)		0
PassThru Surplus / -Deficit:		-376

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	February 2013	
				Allocation	Remaining
02/26/2013	132	3,421	7,265	3,040	-381
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
02/26/2013	41.9	142,163		88.3%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: February 28, 2013**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
02/28/2012	208.2	416,837	60.0%	82.1	80,645	31.3%	497,482	52.2%
02/28/2013	202.7	318,860	45.9%	77.1	39,986	15.5%	358,846	37.7%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
02/27/2013	70	272	0.00	70	107	0.00	379
MTD		4,252	2.73		1,821	0.85	6,073

STREAM FLOWS

Gauging Station	02/27/2013 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	93	3,698
NRIT : Nueces River at Tilden, Texas	0	724
FRIT : Frio River at Tilden, Texas	0	132
SMIT : San Miguel Creek at Tilden, Texas	0	81
ARWT : Atascosa River at Whitsett, Texas	3	262
Release from Choke Canyon Reservoir	149	3,375
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	83	3,474
NCAT : Nueces River at Calallen, Texas	0	0
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: NRIT+FRIT+SMIT+ARWT	3	879

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru		1,200
Monthly Target: 1,200		
Salinity Relief Credit : 0 Effective:		
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)		0
Return Flow Credit (Effective: 02/01/2013)		500
Passthru		
Target: 1,200	Comment: Current banked total: 22,360 AF.	879
Reservoir Inflow: 879		
Estuary Inflows (NCAT + RBP)		0
PassThru Surplus / -Deficit:		-379

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	February 2013	
				Allocation	Remaining
02/27/2013	132	3,554	7,398	3,040	-514
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
02/27/2013	41.8	141,293		87.7%	