

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: May 1, 2013**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
05/01/2012	207.7	407,037	58.5%	81.6	75,573	29.4%	482,610	50.7%
05/01/2013	200.8	287,428	41.3%	77.5	42,367	16.5%	329,795	34.6%

Weather Related Information								
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
04/30/2013	87	220	0.00	84	84	0.00		304
MTD		6,911	1.57		2,896	2.01		9,807

STREAM FLOWS

Gauging Station	04/30/2013 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	594	9,951
NRTT : Nueces River at Tilden, Texas	0	0
FRTT : Frio River at Tilden, Texas	0	5
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	101	578
Release from Choke Canyon Reservoir	206	11,122
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	95	4,885
NCAT : Nueces River at Calallen, Texas	137	140
RBP : Rincon Bayou Pipeline	0	40
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	387	875

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 1,200 Salinity Relief Credit : 0 Effective:	1,200
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 04/01/2013)	500
Passthru Target: 1,200 Reservoir Inflow: 875 Comment: Current banked total: 22,743 AF.	875
Estuary Inflows (NCAT + RBP)	179
PassThru Surplus / -Deficit:	-195

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	April 2013	
				Allocation	Remaining
04/30/2013	131	3,917	15,521	3,050	-867
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
04/30/2013	43.9	160,156		99.4%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: May 2, 2013**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
05/02/2012	207.6	406,084	58.4%	81.6	75,282	29.3%	481,366	50.5%
05/02/2013	200.6	285,541	41.1%	77.5	42,367	16.5%	327,908	34.4%

Weather Related Information								
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
05/01/2013	89	301	0.00	85	149	0.02		450
MTD		301	0.00		149	0.02		450

STREAM FLOWS

Gauging Station	05/01/2013 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	165	165
NRTT : Nueces River at Tilden, Texas	0	0
FRTT : Frio River at Tilden, Texas	0	0
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	44	44
Release from Choke Canyon Reservoir	58	58
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	111	111
NCAT : Nueces River at Calallen, Texas	139	139
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	108	108

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 1,200 Salinity Relief Credit : 0 Effective:	1,200
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	-195
Return Flow Credit (Effective:)	0
Passthru Target: 1,200 Reservoir Inflow: 108 Comment: Current banked total: 22,743 AF.	108
Estuary Inflows (NCAT + RBP)	139
PassThru Surplus / -Deficit:	-164

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	May 2013	
				Allocation	Remaining
05/01/2013	131	131	15,652	4,100	3,969
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
05/01/2013	44.4	161,085		100.0%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: May 3, 2013**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
05/03/2012	207.6	406,846	58.5%	81.6	74,992	29.2%	481,838	50.6%
05/03/2013	200.7	285,698	41.1%	77.5	42,498	16.5%	328,196	34.5%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
05/02/2013	71	292	0.00	74	172	0.00	464
MTD		593	0.00		321	0.02	914

STREAM FLOWS

Gauging Station	05/02/2013 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	310	474
NRTT : Nueces River at Tilden, Texas	0	0
FRTT : Frio River at Tilden, Texas	0	1
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	28	71
Release from Choke Canyon Reservoir	58	115
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	147	258
NCAT : Nueces River at Calallen, Texas	30	169
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	252	360

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 1,200 Salinity Relief Credit : 0 Effective:	1,200
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	-195
Return Flow Credit (Effective:)	0
Passthru Target: 1,200 Reservoir Inflow: 360 Comment: Current banked total: 22,743 AF.	360
Estuary Inflows (NCAT + RBP)	169
PassThru Surplus / -Deficit:	-386

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	May 2013	
				Allocation	Remaining
05/02/2013	131	262	15,783	4,100	3,838
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
05/02/2013	44.3	161,085		100.0%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: May 4, 2013**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
05/04/2012	207.7	407,037	58.5%	81.5	74,510	29.0%	481,547	50.6%
05/04/2013	200.6	284,917	41.0%	77.5	42,498	16.5%	327,415	34.4%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
05/03/2013	70	310	0.00	68	134	0.00	444
MTD		903	0.00		455	0.02	1,358

STREAM FLOWS

Gauging Station	05/03/2013 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	93	568
NRTT : Nueces River at Tilden, Texas	71	72
FRTT : Frio River at Tilden, Texas	0	1
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	19	90
Release from Choke Canyon Reservoir	58	173
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	147	405
NCAT : Nueces River at Calallen, Texas	8	176
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	36	396

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 1,200 Salinity Relief Credit : 0 Effective:	1,200
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	-195
Return Flow Credit (Effective:)	0
Passthru Target: 1,200 Reservoir Inflow: 396 Comment: Current banked total: 22,743 AF.	396
Estuary Inflows (NCAT + RBP)	176
PassThru Surplus / -Deficit:	-415

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	May 2013	
				Allocation	Remaining
05/03/2013	130	392	15,913	4,100	3,708
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
05/03/2013	44.2	161,085		100.0%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: May 5, 2013**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
05/05/2012	207.6	405,322	58.3%	81.5	74,127	28.8%	479,449	50.3%
05/05/2013	200.6	284,293	40.9%	77.5	42,564	16.5%	326,857	34.3%

Weather Related Information								
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
05/04/2013	83	291	0.00	82	134	0.00		425
MTD		1,194	0.00		589	0.02		1,783

STREAM FLOWS

Gauging Station	05/04/2013 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	66	633
NRTT : Nueces River at Tilden, Texas	30	101
FRTT : Frio River at Tilden, Texas	0	1
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	13	103
Release from Choke Canyon Reservoir	58	230
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	127	532
NCAT : Nueces River at Calallen, Texas	6	182
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	8	404

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 1,200 Salinity Relief Credit : 0 Effective:	1,200
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	-195
Return Flow Credit (Effective:)	0
Passthru Target: 1,200 Reservoir Inflow: 404 Comment: Current banked total: 22,743 AF.	404
Estuary Inflows (NCAT + RBP)	182
PassThru Surplus / -Deficit:	-417

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	May 2013	
				Allocation	Remaining
05/04/2013	130	522	16,043	4,100	3,578
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
05/04/2013	44.2	161,085		100.0%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: May 6, 2013**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
05/06/2012	207.5	404,178	58.1%	81.5	74,031	28.8%	478,209	50.2%
05/06/2013	200.6	285,385	41.0%	77.5	42,498	16.5%	327,883	34.4%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
05/05/2013	83	337	0.00	82	160	0.00	497
MTD		1,531	0.00		749	0.02	2,280

STREAM FLOWS

Gauging Station	05/05/2013 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	56	689
NRIT : Nueces River at Tilden, Texas	7	108
FRIT : Frio River at Tilden, Texas	0	1
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	10	113
Release from Choke Canyon Reservoir	58	288
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	107	639
NCAT : Nueces River at Calallen, Texas	1	183
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: NRIT+FRIT+SMTT+ARWT	17	420

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 1,200 Salinity Relief Credit : 0 Effective:	1,200
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	-195
Return Flow Credit (Effective:)	0
Passthru Target: 1,200 Reservoir Inflow: 420 Comment: Current banked total: 22,743 AF.	420
Estuary Inflows (NCAT + RBP)	183
PassThru Surplus / -Deficit:	-433

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	May 2013	
				Allocation	Remaining
05/05/2013	130	652	16,173	4,100	3,448
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
05/05/2013	44.2	161,085		100.0%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: May 7, 2013**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
05/07/2012	207.5	404,750	58.2%	81.4	73,460	28.6%	478,210	50.2%
05/07/2013	200.6	285,073	41.0%	77.5	42,367	16.5%	327,440	34.4%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
05/06/2013	83	237	0.00	82	80	0.00	317
MTD		1,768	0.00		829	0.02	2,597

STREAM FLOWS

Gauging Station	05/06/2013 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	50	738
NRTT : Nueces River at Tilden, Texas	1	109
FRTT : Frio River at Tilden, Texas	0	1
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	8	121
Release from Choke Canyon Reservoir	58	345
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	105	744
NCAT : Nueces River at Calallen, Texas	0	183
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: NRRT+FRTT+SMTT+ARWT	9	430

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 1,200 Salinity Relief Credit : 0 Effective:	1,200
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	-195
Return Flow Credit (Effective:)	0
Passthru Target: 1,200 Reservoir Inflow: 430 Comment: Current banked total: 22,743 AF.	430
Estuary Inflows (NCAT + RBP)	183
PassThru Surplus / -Deficit:	-442

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	May 2013	
				Allocation	Remaining
05/06/2013	130	782	16,303	4,100	3,318
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
05/06/2013	44.1	161,085		100.0%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: May 8, 2013**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
05/08/2012	207.5	404,369	58.2%	81.4	73,460	28.6%	477,829	50.2%
05/08/2013	200.6	284,605	40.9%	77.4	42,041	16.3%	326,646	34.3%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
05/07/2013	87	319	0.00	83	163	0.00	482
MTD		2,087	0.00		992	0.02	3,079

STREAM FLOWS

Gauging Station	05/07/2013 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	71	810
NRTT : Nueces River at Tilden, Texas	0	109
FRTT : Frio River at Tilden, Texas	0	1
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	7	128
Release from Choke Canyon Reservoir	58	403
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	103	848
NCAT : Nueces River at Calallen, Texas	0	183
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	14	444

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 1,200 Salinity Relief Credit : 0 Effective:	1,200
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	-195
Return Flow Credit (Effective:)	0
Passthru Target: 1,200 Reservoir Inflow: 444 Comment: Current banked total: 22,743 AF.	444
Estuary Inflows (NCAT + RBP)	183
PassThru Surplus / -Deficit:	-456

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	May 2013	
				Allocation	Remaining
05/07/2013	130	912	16,433	4,100	3,188
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
05/07/2013	44.0	161,085		100.0%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: May 9, 2013**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
05/09/2012	207.5	404,750	58.2%	81.4	73,175	28.4%	477,925	50.2%
05/09/2013	200.5	283,044	40.7%	77.4	41,781	16.2%	324,825	34.1%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
05/08/2013	89	345	0.00	86	136	0.00	481
MTD		2,432	0.00		1,128	0.02	3,560

STREAM FLOWS

Gauging Station	05/08/2013 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	69	879
NRTT : Nueces River at Tilden, Texas	0	109
FRTT : Frio River at Tilden, Texas	0	1
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	6	134
Release from Choke Canyon Reservoir	58	461
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	109	957
NCAT : Nueces River at Calallen, Texas	0	183
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	12	455

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 1,200 Salinity Relief Credit : 0 Effective:	1,200
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	-195
Return Flow Credit (Effective:)	0
Passthru Target: 1,200 Reservoir Inflow: 455 Comment: Current banked total: 22,743 AF.	455
Estuary Inflows (NCAT + RBP)	183
PassThru Surplus / -Deficit:	-468

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	May 2013	
				Allocation	Remaining
05/08/2013	130	1,042	16,563	4,100	3,058
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
05/08/2013	43.9	160,156		99.4%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: May 10, 2013**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
05/10/2012	207.5	404,940	58.2%	81.4	73,270	28.5%	478,210	50.2%
05/10/2013	200.5	282,888	40.7%	77.3	41,586	16.2%	324,474	34.1%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
05/09/2013	86	165	0.00	84	136	0.00	301
MTD		2,597	0.00		1,264	0.02	3,861

STREAM FLOWS

Gauging Station	05/09/2013 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	66	945
NRTT : Nueces River at Tilden, Texas	0	109
FRTT : Frio River at Tilden, Texas	0	1
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	5	140
Release from Choke Canyon Reservoir	58	518
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	121	1,078
NCAT : Nueces River at Calallen, Texas	0	183
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	8	464

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 1,200 Salinity Relief Credit : 0 Effective:	1,200
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	-195
Return Flow Credit (Effective:)	0
Passthru Target: 1,200 Reservoir Inflow: 464 Comment: Current banked total: 22,743 AF.	464
Estuary Inflows (NCAT + RBP)	183
PassThru Surplus / -Deficit:	-476

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	May 2013	
				Allocation	Remaining
05/09/2013	130	1,173	16,694	4,100	2,927
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
05/09/2013	43.8	159,229		98.8%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: May 11, 2013**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
05/11/2012	207.8	409,531	58.9%	81.6	75,573	29.4%	485,104	50.9%
05/11/2013	200.6	284,293	40.9%	77.4	41,976	16.3%	326,269	34.3%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
05/10/2013	89	227	1.03	84	140	0.35	367
MTD		2,824	1.03		1,404	0.37	4,228

STREAM FLOWS

Gauging Station	05/10/2013 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	67	1,012
NRTT : Nueces River at Tilden, Texas	0	109
FRTT : Frio River at Tilden, Texas	0	1
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	5	145
Release from Choke Canyon Reservoir	58	576
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	125	1,203
NCAT : Nueces River at Calallen, Texas	0	183
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	10	474

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 1,200 Salinity Relief Credit : 0 Effective:	1,200
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	-195
Return Flow Credit (Effective:)	0
Passthru Target: 1,200 Reservoir Inflow: 474 Comment: Current banked total: 22,743 AF.	474
Estuary Inflows (NCAT + RBP)	183
PassThru Surplus / -Deficit:	-486

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	May 2013	
				Allocation	Remaining
05/10/2013	131	1,304	16,825	4,100	2,796
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
05/10/2013	43.8	159,229		98.8%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: May 12, 2013**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
05/12/2012	207.9	411,632	59.2%	81.7	76,647	29.8%	488,279	51.3%
05/12/2013	200.6	284,293	40.9%	77.4	41,716	16.2%	326,009	34.2%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
05/11/2013	91	309	0.00	84	128	0.06	437
MTD		3,133	1.03		1,532	0.43	4,665

STREAM FLOWS

Gauging Station	05/11/2013 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	73	1,086
NRTT : Nueces River at Tilden, Texas	0	109
FRTT : Frio River at Tilden, Texas	0	2
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	5	149
Release from Choke Canyon Reservoir	58	633
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	145	1,348
NCAT : Nueces River at Calallen, Texas	0	183
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	16	490

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 1,200 Salinity Relief Credit : 0 Effective:	1,200
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	-195
Return Flow Credit (Effective:)	0
Passthru Target: 1,200 Reservoir Inflow: 490 Comment: Current banked total: 22,743 AF.	490
Estuary Inflows (NCAT + RBP)	183
PassThru Surplus / -Deficit:	-502

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	May 2013	
				Allocation	Remaining
05/11/2013	130	1,434	16,955	4,100	2,666
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
05/11/2013	43.9	160,156		99.4%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: May 13, 2013**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
05/13/2012	207.9	412,209	59.3%	81.9	77,931	30.3%	490,140	51.5%
05/13/2013	200.6	284,449	40.9%	77.4	41,716	16.2%	326,165	34.2%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
05/12/2013	84	200	0.00	77	30	0.14	230
MTD		3,333	1.03		1,562	0.57	4,895

STREAM FLOWS

Gauging Station	05/12/2013 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	66	1,151
NRTT : Nueces River at Tilden, Texas	0	109
FRTT : Frio River at Tilden, Texas	0	2
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	4	154
Release from Choke Canyon Reservoir	58	691
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	161	1,509
NCAT : Nueces River at Calallen, Texas	0	183
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	8	498

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 1,200 Salinity Relief Credit : 0 Effective:	1,200
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	-195
Return Flow Credit (Effective:)	0
Passthru Target: 1,200 Reservoir Inflow: 498 Comment: Current banked total: 22,743 AF.	498
Estuary Inflows (NCAT + RBP)	183
PassThru Surplus / -Deficit:	-510

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	May 2013	
				Allocation	Remaining
05/12/2013	129	1,562	17,083	4,100	2,538
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
05/12/2013	43.9	160,156		99.4%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: May 14, 2013**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
05/14/2012	208.0	412,980	59.4%	82.2	81,563	31.7%	494,543	51.9%
05/14/2013	200.5	283,512	40.8%	77.3	41,392	16.1%	324,904	34.1%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
05/13/2013	86	327	0.00	81	120	0.00	447
MTD		3,660	1.03		1,682	0.57	5,342

STREAM FLOWS

Gauging Station	05/13/2013 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	64	1,215
NRTT : Nueces River at Tilden, Texas	0	109
FRTT : Frio River at Tilden, Texas	0	2
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	4	157
Release from Choke Canyon Reservoir	58	748
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	161	1,669
NCAT : Nueces River at Calallen, Texas	0	183
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	6	504

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 1,200 Salinity Relief Credit : 0 Effective:	1,200
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	-195
Return Flow Credit (Effective:)	0
Passthru Target: 1,200 Reservoir Inflow: 504 Comment: Current banked total: 22,743 AF.	504
Estuary Inflows (NCAT + RBP)	183
PassThru Surplus / -Deficit:	-517

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	May 2013	
				Allocation	Remaining
05/13/2013	129	1,691	17,212	4,100	2,409
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
05/13/2013	44.0	161,085		100.0%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: May 15, 2013**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
05/15/2012	208.0	413,944	59.5%	82.6	85,197	33.1%	499,141	52.4%
05/15/2013	200.5	283,044	40.7%	77.3	41,328	16.1%	324,372	34.1%

Weather Related Information								
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
05/14/2013	86	209	0.12	83	98	0.04	307	
MTD		3,869	1.15		1,780	0.61	5,649	

STREAM FLOWS

Gauging Station	05/14/2013 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	64	1,278
NRTT : Nueces River at Tilden, Texas	0	109
FRTT : Frio River at Tilden, Texas	0	2
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	3	161
Release from Choke Canyon Reservoir	58	806
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	163	1,832
NCAT : Nueces River at Calallen, Texas	0	183
RBP : Rincon Bayou Pipeline	3	3
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	6	510

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 1,200 Salinity Relief Credit : 0 Effective:	1,200
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	-195
Return Flow Credit (Effective:)	0
Passthru Target: 1,200 Reservoir Inflow: 510 Comment: Current banked total: 22,743 AF.	510
Estuary Inflows (NCAT + RBP)	185
PassThru Surplus / -Deficit:	-520

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	May 2013	
				Allocation	Remaining
05/14/2013	129	1,820	17,341	4,100	2,280
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
05/14/2013	44.0	161,085		100.0%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: May 16, 2013**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
05/16/2012	208.1	415,101	59.7%	82.7	87,106	33.9%	502,207	52.7%
05/16/2013	200.5	283,200	40.7%	77.2	40,814	15.9%	324,014	34.0%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
05/15/2013	86	218	0.00	80	82	0.06	300
MTD		4,087	1.15		1,862	0.67	5,949

STREAM FLOWS

Gauging Station	05/15/2013 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	64	1,342
NRTT : Nueces River at Tilden, Texas	0	109
FRTT : Frio River at Tilden, Texas	0	3
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	3	164
Release from Choke Canyon Reservoir	58	863
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	159	1,991
NCAT : Nueces River at Calallen, Texas	0	183
RBP : Rincon Bayou Pipeline	12	15
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	6	516

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 1,200 Salinity Relief Credit : 0 Effective:	1,200
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 05/15/2013)	-195
Return Flow Credit (Effective: 05/15/2013)	500
Passthru Target: 1,200 Reservoir Inflow: 516 Comment: Current banked total: 22,743 AF.	516
Estuary Inflows (NCAT + RBP)	198
PassThru Surplus / -Deficit:	-14

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	May 2013	
				Allocation	Remaining
05/15/2013	130	1,950	17,471	4,100	2,150
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
05/15/2013	43.8	159,229		98.8%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: May 17, 2013**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
05/17/2012	208.1	415,294	59.7%	82.8	87,855	34.2%	503,149	52.8%
05/17/2013	200.5	282,732	40.7%	77.2	40,750	15.8%	323,482	34.0%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
05/16/2013	97	390	0.00	92	134	0.00	524
MTD		4,477	1.15		1,996	0.67	6,473

STREAM FLOWS

Gauging Station	05/16/2013 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	64	1,405
NRTT : Nueces River at Tilden, Texas	0	109
FRTT : Frio River at Tilden, Texas	0	3
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	3	167
Release from Choke Canyon Reservoir	58	921
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	157	2,148
NCAT : Nueces River at Calallen, Texas	0	183
RBP : Rincon Bayou Pipeline	0	15
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	6	523

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 1,200 Salinity Relief Credit : 0 Effective:	1,200
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 05/15/2013)	-195
Return Flow Credit (Effective: 05/15/2013)	500
Passthru Target: 1,200 Reservoir Inflow: 523 Comment: Current banked total: 22,743 AF.	523
Estuary Inflows (NCAT + RBP)	198
PassThru Surplus / -Deficit:	-20

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	May 2013	
				Allocation	Remaining
05/16/2013	130	2,080	17,601	4,100	2,020
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
05/16/2013	43.8	159,229		98.8%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: May 18, 2013**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
05/18/2012	208.1	416,258	59.9%	82.9	88,717	34.5%	504,975	53.0%
05/18/2013	200.4	282,263	40.6%	77.2	40,430	15.7%	322,693	33.9%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
05/17/2013	99	326	0.00	93	148	0.00	474
MTD		4,803	1.15		2,144	0.67	6,947

STREAM FLOWS

Gauging Station	05/17/2013 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	64	1,469
NRTT : Nueces River at Tilden, Texas	0	109
FRTT : Frio River at Tilden, Texas	0	3
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	3	169
Release from Choke Canyon Reservoir	58	979
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	163	2,311
NCAT : Nueces River at Calallen, Texas	0	183
RBP : Rincon Bayou Pipeline	0	15
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	6	529

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 1,200 Salinity Relief Credit : 0 Effective:	1,200
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 05/15/2013)	-195
Return Flow Credit (Effective: 05/15/2013)	500
Passthru Target: 1,200 Reservoir Inflow: 529 Comment: Current banked total: 22,743 AF.	529
Estuary Inflows (NCAT + RBP)	198
PassThru Surplus / -Deficit:	-26

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	May 2013	
				Allocation	Remaining
05/17/2013	130	2,210	17,731	4,100	1,890
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
05/17/2013	43.8	159,229		98.8%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: May 19, 2013**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
05/19/2012	208.1	415,680	59.8%	83.0	89,366	34.7%	505,046	53.0%
05/19/2013	200.4	281,487	40.5%	77.1	39,797	15.5%	321,284	33.7%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
05/18/2013	94	344	0.00	91	151	0.00	495
MTD		5,147	1.15		2,295	0.67	7,442

STREAM FLOWS

Gauging Station	05/18/2013 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	64	1,532
NRTT : Nueces River at Tilden, Texas	0	109
FRTT : Frio River at Tilden, Texas	0	3
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	2	171
Release from Choke Canyon Reservoir	58	1,036
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	161	2,471
NCAT : Nueces River at Calallen, Texas	0	183
RBP : Rincon Bayou Pipeline	0	15
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	6	535

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 1,200 Salinity Relief Credit : 0 Effective:	1,200
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 05/15/2013)	-195
Return Flow Credit (Effective: 05/15/2013)	500
Passthru Target: 1,200 Reservoir Inflow: 535 Comment: Current banked total: 22,743 AF.	535
Estuary Inflows (NCAT + RBP)	198
PassThru Surplus / -Deficit:	-32

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	May 2013	
				Allocation	Remaining
05/18/2013	130	2,340	17,861	4,100	1,760
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
05/18/2013	43.8	159,229		98.8%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: May 20, 2013**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
05/20/2012	208.1	415,294	59.7%	83.0	90,237	35.1%	505,531	53.1%
05/20/2013	200.4	281,641	40.5%	77.0	39,545	15.4%	321,186	33.7%

Weather Related Information								
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
05/19/2013	95	371	0.00	91	187	0.00		558
MTD		5,518	1.15		2,482	0.67		8,000

STREAM FLOWS

Gauging Station	05/19/2013 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	64	1,596
NRTT : Nueces River at Tilden, Texas	0	109
FRTT : Frio River at Tilden, Texas	0	3
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	2	173
Release from Choke Canyon Reservoir	58	1,094
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	159	2,630
NCAT : Nueces River at Calallen, Texas	0	183
RBP : Rincon Bayou Pipeline	0	15
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	6	541

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 1,200 Salinity Relief Credit : 0 Effective:	1,200
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 05/15/2013)	-195
Return Flow Credit (Effective: 05/15/2013)	500
Passthru Target: 1,200 Reservoir Inflow: 541 Comment: Current banked total: 22,743 AF.	541
Estuary Inflows (NCAT + RBP)	198
PassThru Surplus / -Deficit:	-38

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	May 2013	
				Allocation	Remaining
05/19/2013	130	2,470	17,991	4,100	1,630
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
05/19/2013	43.6	157,385		97.7%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: May 21, 2013**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
05/21/2012	208.1	414,908	59.7%	83.1	91,113	35.4%	506,021	53.1%
05/21/2013	200.3	280,718	40.4%	77.0	39,357	15.3%	320,075	33.6%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
05/20/2013	93	379	0.00	90	157	0.00	536
MTD		5,897	1.15		2,639	0.67	8,536

STREAM FLOWS

Gauging Station	05/20/2013 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	75	1,671
NRTT : Nueces River at Tilden, Texas	0	109
FRTT : Frio River at Tilden, Texas	0	3
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	2	175
Release from Choke Canyon Reservoir	206	1,300
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	161	2,791
NCAT : Nueces River at Calallen, Texas	0	183
RBP : Rincon Bayou Pipeline	0	15
Reservoir Inflow		
Computed as: NRRT+FRTT+SMTT+ARWT	2	542

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 1,200 Salinity Relief Credit : 0 Effective:	1,200
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 05/15/2013)	-195
Return Flow Credit (Effective: 05/15/2013)	500
Passthru Target: 1,200 Reservoir Inflow: 542 Comment: Current banked total: 22,743 AF.	542
Estuary Inflows (NCAT + RBP)	198
PassThru Surplus / -Deficit:	-40

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	May 2013	
				Allocation	Remaining
05/20/2013	130	2,601	18,122	4,100	1,499
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
05/20/2013	43.6	157,385		97.7%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: May 22, 2013**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
05/22/2012	208.0	414,330	59.6%	83.1	91,333	35.5%	505,663	53.1%
05/22/2013	200.4	281,795	40.5%	77.0	39,734	15.4%	321,529	33.8%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
05/21/2013	91	253	0.00	90	114	0.00	367
MTD		6,150	1.15		2,753	0.67	8,903

STREAM FLOWS

Gauging Station	05/21/2013 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	286	1,957
NRTT : Nueces River at Tilden, Texas	0	109
FRTT : Frio River at Tilden, Texas	0	3
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	2	177
Release from Choke Canyon Reservoir	357	1,657
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	165	2,956
NCAT : Nueces River at Calallen, Texas	0	183
RBP : Rincon Bayou Pipeline	0	15
Reservoir Inflow		
Computed as: NRRT+FRTT+SMTT+ARWT	2	544

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 1,200 Salinity Relief Credit : 0 Effective:	1,200
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 05/15/2013)	-195
Return Flow Credit (Effective: 05/15/2013)	500
Passthru Target: 1,200 Reservoir Inflow: 544 Comment: Current banked total: 22,743 AF.	544
Estuary Inflows (NCAT + RBP)	198
PassThru Surplus / -Deficit:	-42

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	May 2013	
				Allocation	Remaining
05/21/2013	130	2,731	18,252	4,100	1,369
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
05/21/2013	43.5	156,467		97.1%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: May 23, 2013**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
05/23/2012	207.9	412,594	59.3%	83.1	91,333	35.5%	503,927	52.9%
05/23/2013	200.3	280,257	40.3%	77.0	39,545	15.4%	319,802	33.6%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
05/22/2013	92	235	0.00	89	99	0.00	334
MTD		6,385	1.15		2,852	0.67	9,237

STREAM FLOWS

Gauging Station	05/22/2013 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	306	2,263
NRTT : Nueces River at Tilden, Texas	0	109
FRTT : Frio River at Tilden, Texas	0	3
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	1	178
Release from Choke Canyon Reservoir	357	2,015
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	175	3,130
NCAT : Nueces River at Calallen, Texas	0	183
RBP : Rincon Bayou Pipeline	0	15
Reservoir Inflow		
Computed as: NRRT+FRTT+SMTT+ARWT	2	546

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 1,200 Salinity Relief Credit : 0 Effective:	1,200
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 05/15/2013)	-195
Return Flow Credit (Effective: 05/15/2013)	500
Passthru Target: 1,200 Reservoir Inflow: 546 Comment: Current banked total: 22,743 AF.	546
Estuary Inflows (NCAT + RBP)	198
PassThru Surplus / -Deficit:	-43

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	May 2013	
				Allocation	Remaining
05/22/2013	120	2,851	18,372	4,100	1,249
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
05/22/2013	43.5	156,467		97.1%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: May 24, 2013**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
05/24/2012	207.9	412,209	59.3%	83.2	92,105	35.8%	504,314	52.9%
05/24/2013	200.2	279,008	40.1%	77.0	39,608	15.4%	318,616	33.4%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
05/23/2013	94	234	0.00	92	143	0.00	377
MTD		6,619	1.15		2,995	0.67	9,614

STREAM FLOWS

Gauging Station	05/23/2013 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	308	2,571
NRTT : Nueces River at Tilden, Texas	0	109
FRTT : Frio River at Tilden, Texas	0	3
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	1	180
Release from Choke Canyon Reservoir	357	2,372
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	171	3,301
NCAT : Nueces River at Calallen, Texas	0	183
RBP : Rincon Bayou Pipeline	0	15
Reservoir Inflow		
Computed as: NRRT+FRTT+SMTT+ARWT	1	547

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 1,200 Salinity Relief Credit : 0 Effective:	1,200
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 05/15/2013)	-195
Return Flow Credit (Effective: 05/15/2013)	500
Passthru Target: 1,200 Reservoir Inflow: 547 Comment: Current banked total: 22,743 AF.	547
Estuary Inflows (NCAT + RBP)	198
PassThru Surplus / -Deficit:	-45

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	May 2013	
				Allocation	Remaining
05/23/2013	132	2,983	18,504	4,100	1,117
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
05/23/2013	43.5	156,467		97.1%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: May 25, 2013**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
05/25/2012	207.9	411,632	59.2%	83.3	92,881	36.1%	504,513	53.0%
05/25/2013	200.3	280,257	40.3%	77.1	40,113	15.6%	320,370	33.6%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
05/24/2013	86	153	1.57	92	96	0.90	249
MTD		6,772	2.72		3,091	1.57	9,863

STREAM FLOWS

Gauging Station	05/24/2013 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	328	2,898
NRTT : Nueces River at Tilden, Texas	0	109
FRTT : Frio River at Tilden, Texas	5	8
SMTT : San Miguel Creek at Tilden, Texas	36	36
ARWT : Atascosa River at Whitsett, Texas	2	182
Release from Choke Canyon Reservoir	357	2,729
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	175	3,476
NCAT : Nueces River at Calallen, Texas	0	183
RBP : Rincon Bayou Pipeline	0	15
Reservoir Inflow		
Computed as: NRRT+FRTT+SMTT+ARWT	43	590

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 1,200 Salinity Relief Credit : 0 Effective:	1,200
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 05/15/2013)	-195
Return Flow Credit (Effective: 05/15/2013)	500
Passthru Target: 1,200 Reservoir Inflow: 590 Comment: Current banked total: 22,743 AF.	590
Estuary Inflows (NCAT + RBP)	198
PassThru Surplus / -Deficit:	-88

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	May 2013	
				Allocation	Remaining
05/24/2013	133	3,116	18,637	4,100	984
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
05/24/2013	43.5	156,467		97.1%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: May 26, 2013**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
05/26/2012	207.9	411,632	59.2%	83.3	93,661	36.4%	505,293	53.0%
05/26/2013	200.5	283,512	40.8%	77.2	41,006	15.9%	324,518	34.1%

Weather Related Information								
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
05/25/2013	84	91	3.09	92	217	0.87		308
MTD		6,863	5.81		3,308	2.44		10,171

STREAM FLOWS

Gauging Station	05/25/2013 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	4,228	7,126
NRTT : Nueces River at Tilden, Texas	0	109
FRTT : Frio River at Tilden, Texas	10	18
SMTT : San Miguel Creek at Tilden, Texas	3	39
ARWT : Atascosa River at Whitsett, Texas	1,745	1,927
Release from Choke Canyon Reservoir	200	2,930
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	177	3,652
NCAT : Nueces River at Calallen, Texas	0	183
RBP : Rincon Bayou Pipeline	0	15
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	4,040	4,631

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 1,200 Salinity Relief Credit : 0 Effective:	1,200
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 05/15/2013)	-195
Return Flow Credit (Effective: 05/15/2013)	500
Passthru Target: 1,200 Reservoir Inflow: 4,631 Comment: Current banked total: 22,743 AF.	1,200
Estuary Inflows (NCAT + RBP)	198
PassThru Surplus / -Deficit:	-697

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	May 2013	
				Allocation	Remaining
05/25/2013	133	3,248	18,770	4,100	852
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
05/25/2013	43.4	155,551		96.6%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: May 27, 2013**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
05/27/2012	207.9	411,061	59.1%	83.4	94,108	36.6%	505,169	53.0%
05/27/2013	200.5	283,824	40.8%	77.8	44,694	17.4%	328,518	34.5%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
05/26/2013	88	200	0.02	87	146	0.00	346
MTD		7,063	5.83		3,454	2.44	10,517

STREAM FLOWS

Gauging Station	05/26/2013 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	12,069	19,195
NRTT : Nueces River at Tilden, Texas	0	109
FRTT : Frio River at Tilden, Texas	3	22
SMTT : San Miguel Creek at Tilden, Texas	0	39
ARWT : Atascosa River at Whitsett, Texas	1,312	3,239
Release from Choke Canyon Reservoir	0	2,930
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	167	3,819
NCAT : Nueces River at Calallen, Texas	0	183
RBP : Rincon Bayou Pipeline	0	15
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	12,072	16,703

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 1,200 Salinity Relief Credit : 0 Effective:	1,200
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 05/15/2013)	-195
Return Flow Credit (Effective: 05/15/2013)	500
Passthru Target: 1,200 Reservoir Inflow: 16,703 Comment: Current banked total: 22,743 AF.	1,200
Estuary Inflows (NCAT + RBP)	198
PassThru Surplus / -Deficit:	-697

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	May 2013	
				Allocation	Remaining
05/26/2013	133	3,381	18,902	4,100	719
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
05/26/2013	43.4	155,551		96.6%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: May 28, 2013**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
05/28/2012	207.9	411,251	59.1%	83.4	94,220	36.6%	505,471	53.1%
05/28/2013	200.5	282,732	40.7%	78.9	52,800	20.5%	335,532	35.2%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
05/27/2013	89	317	0.00	87	140	0.00	457
MTD		7,380	5.83		3,594	2.44	10,974

STREAM FLOWS

Gauging Station	05/27/2013 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	5,618	24,813
NRTT : Nueces River at Tilden, Texas	0	109
FRTT : Frio River at Tilden, Texas	1	22
SMTT : San Miguel Creek at Tilden, Texas	0	39
ARWT : Atascosa River at Whitsett, Texas	752	3,991
Release from Choke Canyon Reservoir	36	2,966
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	165	3,984
NCAT : Nueces River at Calallen, Texas	0	183
RBP : Rincon Bayou Pipeline	0	15
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	5,583	22,286

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 1,200 Salinity Relief Credit : 0 Effective:	1,200
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 05/15/2013)	-195
Return Flow Credit (Effective: 05/15/2013)	500
Passthru Target: 1,200 Reservoir Inflow: 22,286 Comment: Current banked total: 22,743 AF.	1,200
Estuary Inflows (NCAT + RBP)	198
PassThru Surplus / -Deficit:	-697

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	May 2013	
				Allocation	Remaining
05/27/2013	133	3,514	19,035	4,100	586
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
05/27/2013	43.4	155,551		96.6%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: May 29, 2013**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
05/29/2012	207.8	410,298	59.0%	83.4	94,333	36.7%	504,631	53.0%
05/29/2013	200.5	283,356	40.8%	79.7	58,850	22.9%	342,206	35.9%

Weather Related Information								
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
05/28/2013	91	309	0.00	88	191	0.00		500
MTD		7,689	5.83		3,785	2.44		11,474

STREAM FLOWS

Gauging Station	05/28/2013 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	393	25,206
NRTT : Nueces River at Tilden, Texas	0	109
FRTT : Frio River at Tilden, Texas	0	23
SMTT : San Miguel Creek at Tilden, Texas	0	39
ARWT : Atascosa River at Whitsett, Texas	252	4,243
Release from Choke Canyon Reservoir	58	3,023
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	179	4,163
NCAT : Nueces River at Calallen, Texas	0	183
RBP : Rincon Bayou Pipeline	0	15
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	336	22,622

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 1,200 Salinity Relief Credit : 0 Effective:	1,200
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 05/15/2013)	-195
Return Flow Credit (Effective: 05/15/2013)	500
Passthru Target: 1,200 Reservoir Inflow: 22,622 Comment: Current banked total: 22,743 AF.	1,200
Estuary Inflows (NCAT + RBP)	198
PassThru Surplus / -Deficit:	-697

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	May 2013	
				Allocation	Remaining
05/28/2013	132	3,646	19,167	4,100	454
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
05/28/2013	43.3	154,639		96.0%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: May 30, 2013**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
05/30/2012	207.8	410,108	59.0%	83.3	93,661	36.4%	503,769	52.9%
05/30/2013	200.4	282,263	40.6%	79.9	60,222	23.4%	342,485	36.0%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
05/29/2013	87	245	0.00	85	147	0.00	392
MTD		7,934	5.83		3,932	2.44	11,866

STREAM FLOWS

Gauging Station	05/29/2013 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	407	25,612
NRTT : Nueces River at Tilden, Texas	0	109
FRTT : Frio River at Tilden, Texas	0	23
SMTT : San Miguel Creek at Tilden, Texas	0	39
ARWT : Atascosa River at Whitsett, Texas	113	4,356
Release from Choke Canyon Reservoir	58	3,081
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	195	4,357
NCAT : Nueces River at Calallen, Texas	0	183
RBP : Rincon Bayou Pipeline	0	15
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	350	22,971

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 1,200 Salinity Relief Credit : 0 Effective:	1,200
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 05/15/2013)	-195
Return Flow Credit (Effective: 05/15/2013)	500
Passthru Target: 1,200 Reservoir Inflow: 22,971 Comment: Current banked total: 22,743 AF.	1,200
Estuary Inflows (NCAT + RBP)	198
PassThru Surplus / -Deficit:	-697

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	May 2013	
				Allocation	Remaining
05/29/2013	133	3,779	19,300	4,100	321
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
05/29/2013	43.2	153,730		95.4%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: May 31, 2013**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
05/31/2012	207.8	408,953	58.8%	83.2	91,994	35.8%	500,947	52.6%
05/31/2013	200.4	282,263	40.6%	80.0	60,956	23.7%	343,219	36.0%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
05/30/2013	91	254	0.00	89	172	0.00	426
MTD		8,188	5.83		4,104	2.44	12,292

STREAM FLOWS

Gauging Station	05/30/2013 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	226	25,839
NRTT : Nueces River at Tilden, Texas	0	109
FRTT : Frio River at Tilden, Texas	0	23
SMTT : San Miguel Creek at Tilden, Texas	0	39
ARWT : Atascosa River at Whitsett, Texas	42	4,398
Release from Choke Canyon Reservoir	58	3,138
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	206	4,564
NCAT : Nueces River at Calallen, Texas	0	183
RBP : Rincon Bayou Pipeline	0	15
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	169	23,140

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 1,200 Salinity Relief Credit : 0 Effective:	1,200
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 05/15/2013)	-195
Return Flow Credit (Effective: 05/15/2013)	500
Passthru Target: 1,200 Reservoir Inflow: 23,140 Comment: Current banked total: 22,743 AF.	1,200
Estuary Inflows (NCAT + RBP)	198
PassThru Surplus / -Deficit:	-697

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	May 2013	
				Allocation	Remaining
05/30/2013	133	3,911	19,433	4,100	189
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
05/30/2013	43.2	153,730		95.4%	