

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: July 1, 2013**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
07/01/2012	207.1	396,060	57.0%	80.3	64,041	24.9%	460,101	48.3%
07/01/2013	200.0	274,863	39.5%	80.4	64,126	24.9%	338,989	35.6%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
06/30/2013	79	89	0.73	86	119	0.18	208
MTD		9,147	5.03		5,433	1.30	14,580

STREAM FLOWS

Gauging Station	06/30/2013 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	1,638	19,945
NRTT : Nueces River at Tilden, Texas	2,402	23,445
FRTT : Frio River at Tilden, Texas	0	9
SMTT : San Miguel Creek at Tilden, Texas	0	1
ARWT : Atascosa River at Whitsett, Texas	3	274
Release from Choke Canyon Reservoir	58	1,727
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	256	7,716
NCAT : Nueces River at Calallen, Texas	0	2
RBP : Rincon Bayou Pipeline	50	1,450
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	1,580	18,228

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 1,200 Salinity Relief Credit : 0 Effective:	1,200
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 06/10/2013)	-697
Return Flow Credit (Effective: 06/10/2013)	500
Passthru Target: 1,200 Reservoir Inflow: 18,228 Comment: Current banked total: 22,743 AF.	1,200
Estuary Inflows (NCAT + RBP)	1,452
PassThru Surplus / -Deficit:	55

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	June 2013	
				Allocation	Remaining
06/30/2013	133	3,950	23,516	4,100	150
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
06/30/2013	42.0	143,036		88.8%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: July 2, 2013**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
07/02/2012	207.0	394,931	56.8%	80.3	63,449	24.7%	458,380	48.1%
07/02/2013	199.9	274,257	39.4%	80.5	65,324	25.4%	339,581	35.7%

Weather Related Information								
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
07/01/2013	92	311	0.00	94	201	0.01		512
MTD		311	0.00		201	0.01		512

STREAM FLOWS

Gauging Station	07/01/2013 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	1,818	1,818
NRTT : Nueces River at Tilden, Texas	3,037	3,037
FRTT : Frio River at Tilden, Texas	0	0
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	4	4
Release from Choke Canyon Reservoir	58	58
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	218	218
NCAT : Nueces River at Calallen, Texas	0	0
RBP : Rincon Bayou Pipeline	65	65
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	1,761	1,761

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 1,200 Salinity Relief Credit : 0 Effective:	1,200
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	55
Return Flow Credit (Effective: 07/01/2013)	500
Passthru Target: 1,200 Reservoir Inflow: 1,761 Comment: Current banked total: 22,743 AF.	1,200
Estuary Inflows (NCAT + RBP)	65
PassThru Surplus / -Deficit:	-580

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	July 2013	
				Allocation	Remaining
07/01/2013	133	133	23,648	4,100	3,967
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
07/01/2013	42.0	143,036		88.8%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: July 3, 2013**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
07/03/2012	207.1	395,872	56.9%	80.2	62,777	24.4%	458,649	48.2%
07/03/2013	199.9	274,257	39.4%	80.6	66,538	25.9%	340,795	35.8%

Weather Related Information								
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
07/02/2013	92	303	0.00	93	229	0.00		532
MTD		614	0.00		430	0.01		1,044

STREAM FLOWS

Gauging Station	07/02/2013 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	2,025	3,843
NRTT : Nueces River at Tilden, Texas	4,546	7,583
FRTT : Frio River at Tilden, Texas	0	0
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	3	7
Release from Choke Canyon Reservoir	58	115
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	199	417
NCAT : Nueces River at Calallen, Texas	0	0
RBP : Rincon Bayou Pipeline	61	126
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	1,967	3,728

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 1,200 Salinity Relief Credit : 0 Effective:	1,200
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	55
Return Flow Credit (Effective: 07/01/2013)	500
Passthru Target: 1,200 Reservoir Inflow: 3,728 Comment: Current banked total: 22,743 AF.	1,200
Estuary Inflows (NCAT + RBP)	126
PassThru Surplus / -Deficit:	-519

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	July 2013	
				Allocation	Remaining
07/02/2013	133	265	23,781	4,100	3,835
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
07/02/2013	41.9	142,163		88.3%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: July 4, 2013**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
07/04/2012	207.0	394,371	56.7%	80.1	61,945	24.1%	456,316	47.9%
07/04/2013	199.9	274,711	39.5%	80.8	68,037	26.4%	342,748	36.0%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
07/03/2013	92	249	0.00	93	145	0.00	394
MTD		863	0.00		575	0.01	1,438

STREAM FLOWS

Gauging Station	07/03/2013 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	2,283	6,126
NRTT : Nueces River at Tilden, Texas	5,082	12,664
FRTT : Frio River at Tilden, Texas	0	0
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	6	13
Release from Choke Canyon Reservoir	58	173
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	191	607
NCAT : Nueces River at Calallen, Texas	0	0
RBP : Rincon Bayou Pipeline	0	126
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	2,225	5,953

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 1,200 Salinity Relief Credit : 0 Effective:	1,200
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	55
Return Flow Credit (Effective: 07/01/2013)	500
Passthru Target: 1,200 Reservoir Inflow: 5,953 Comment: Current banked total: 22,743 AF.	1,200
Estuary Inflows (NCAT + RBP)	126
PassThru Surplus / -Deficit:	-519

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	July 2013	
				Allocation	Remaining
07/03/2013	132	398	23,913	4,100	3,702
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
07/03/2013	41.9	142,163		88.3%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: July 5, 2013**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
07/05/2012	207.0	394,371	56.7%	80.0	61,449	23.9%	455,820	47.9%
07/05/2013	199.9	274,105	39.4%	81.0	69,744	27.1%	343,849	36.1%

Weather Related Information								
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
07/04/2013	94	338	0.00	94	206	0.00		544
MTD		1,201	0.00		781	0.01		1,982

STREAM FLOWS

Gauging Station	07/04/2013 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	2,640	8,766
NRTT : Nueces River at Tilden, Texas	4,089	16,753
FRTT : Frio River at Tilden, Texas	0	0
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	6	19
Release from Choke Canyon Reservoir	58	230
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	193	800
NCAT : Nueces River at Calallen, Texas	0	0
RBP : Rincon Bayou Pipeline	0	126
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	2,582	8,536

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 1,200 Salinity Relief Credit : 0 Effective:	1,200
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	55
Return Flow Credit (Effective: 07/01/2013)	500
Passthru Target: 1,200 Reservoir Inflow: 8,536 Comment: Current banked total: 22,743 AF.	1,200
Estuary Inflows (NCAT + RBP)	126
PassThru Surplus / -Deficit:	-519

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	July 2013	
				Allocation	Remaining
07/04/2013	132	530	24,045	4,100	3,570
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
07/04/2013	41.8	141,293		87.7%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: July 6, 2013**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
07/06/2012	207.0	393,999	56.7%	80.0	61,366	23.9%	455,365	47.8%
07/06/2013	199.8	273,182	39.3%	81.2	71,995	28.0%	345,177	36.2%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
07/05/2013	95	320	0.00	94	201	0.00	521
MTD		1,521	0.00		982	0.01	2,503

STREAM FLOWS

Gauging Station	07/05/2013 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	3,017	11,783
NRTT : Nueces River at Tilden, Texas	1,737	18,490
FRTT : Frio River at Tilden, Texas	0	0
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	5	24
Release from Choke Canyon Reservoir	58	288
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	197	996
NCAT : Nueces River at Calallen, Texas	0	0
RBP : Rincon Bayou Pipeline	0	126
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	2,960	11,495

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 1,200 Salinity Relief Credit : 0 Effective:	1,200
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	55
Return Flow Credit (Effective: 07/01/2013)	500
Passthru Target: 1,200 Reservoir Inflow: 11,495 Comment: Current banked total: 22,743 AF.	1,200
Estuary Inflows (NCAT + RBP)	126
PassThru Surplus / -Deficit:	-519

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	July 2013	
				Allocation	Remaining
07/05/2013	132	662	24,177	4,100	3,438
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
07/05/2013	41.8	141,293		87.7%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: July 7, 2013**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
07/07/2012	206.9	393,441	56.6%	80.0	60,956	23.7%	454,397	47.7%
07/07/2013	199.9	273,336	39.3%	81.5	74,510	29.0%	347,846	36.5%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
07/06/2013	96	355	0.00	93	224	0.00	579
MTD		1,876	0.00		1,206	0.01	3,082

STREAM FLOWS

Gauging Station	07/06/2013 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	2,819	14,602
NRTT : Nueces River at Tilden, Texas	286	18,776
FRTT : Frio River at Tilden, Texas	0	0
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	4	29
Release from Choke Canyon Reservoir	58	345
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	206	1,203
NCAT : Nueces River at Calallen, Texas	0	0
RBP : Rincon Bayou Pipeline	0	126
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	2,761	14,256

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 1,200 Salinity Relief Credit : 0 Effective:	1,200
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	55
Return Flow Credit (Effective: 07/01/2013)	500
Passthru Target: 1,200 Reservoir Inflow: 14,256 Comment: Current banked total: 22,743 AF.	1,200
Estuary Inflows (NCAT + RBP)	126
PassThru Surplus / -Deficit:	-519

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	July 2013	
				Allocation	Remaining
07/06/2013	132	794	24,309	4,100	3,306
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
07/06/2013	41.7	140,426		87.2%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: July 8, 2013**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
07/08/2012	206.9	393,441	56.6%	79.9	60,547	23.5%	453,988	47.7%
07/08/2013	199.8	273,182	39.3%	81.8	76,942	29.9%	350,124	36.8%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
07/07/2013	95	293	0.27	93	103	0.42	396
MTD		2,169	0.27		1,309	0.43	3,478

STREAM FLOWS

Gauging Station	07/07/2013 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	778	15,380
NRTT : Nueces River at Tilden, Texas	139	18,915
FRTT : Frio River at Tilden, Texas	0	0
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	4	32
Release from Choke Canyon Reservoir	58	403
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	228	1,431
NCAT : Nueces River at Calallen, Texas	0	0
RBP : Rincon Bayou Pipeline	0	126
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	721	14,977

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 1,200 Salinity Relief Credit : 0 Effective:	1,200
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	55
Return Flow Credit (Effective: 07/01/2013)	500
Passthru Target: 1,200 Reservoir Inflow: 14,977 Comment: Current banked total: 22,743 AF.	1,200
Estuary Inflows (NCAT + RBP)	126
PassThru Surplus / -Deficit:	-519

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	July 2013	
				Allocation	Remaining
07/07/2013	132	926	24,442	4,100	3,174
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
07/07/2013	41.7	140,426		87.2%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: July 9, 2013**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
07/09/2012	206.9	392,883	56.5%	79.9	59,978	23.3%	452,861	47.5%
07/09/2013	199.8	272,721	39.2%	81.7	76,843	29.9%	349,564	36.7%

Weather Related Information								
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
07/08/2013	93	186	0.12	91	155	0.00	341	
MTD		2,355	0.39		1,464	0.43	3,819	

STREAM FLOWS

Gauging Station	07/08/2013 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	260	15,640
NRTT : Nueces River at Tilden, Texas	81	18,996
FRTT : Frio River at Tilden, Texas	0	0
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	3	36
Release from Choke Canyon Reservoir	58	461
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	236	1,667
NCAT : Nueces River at Calallen, Texas	0	0
RBP : Rincon Bayou Pipeline	0	126
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	202	15,179

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 1,200 Salinity Relief Credit : 0 Effective:	1,200
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	55
Return Flow Credit (Effective: 07/01/2013)	500
Passthru Target: 1,200 Reservoir Inflow: 15,179 Comment: Current banked total: 22,743 AF.	1,200
Estuary Inflows (NCAT + RBP)	126
PassThru Surplus / -Deficit:	-519

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	July 2013	
				Allocation	Remaining
07/08/2013	132	1,059	24,574	4,100	3,041
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
07/08/2013	41.9	142,163		88.3%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: July 10, 2013**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
07/10/2012	206.9	393,069	56.5%	79.7	58,930	22.9%	451,999	47.5%
07/10/2013	199.8	272,567	39.2%	81.7	76,549	29.8%	349,116	36.7%

Weather Related Information								
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
07/09/2013	96	319	0.00	95	251	0.00		570
MTD		2,674	0.39		1,715	0.43		4,389

STREAM FLOWS

Gauging Station	07/09/2013 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	175	15,814
NRTT : Nueces River at Tilden, Texas	52	19,048
FRTT : Frio River at Tilden, Texas	0	0
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	3	39
Release from Choke Canyon Reservoir	58	518
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	238	1,906
NCAT : Nueces River at Calallen, Texas	0	0
RBP : Rincon Bayou Pipeline	0	126
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	117	15,296

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 1,200 Salinity Relief Credit : 0 Effective:	1,200
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	55
Return Flow Credit (Effective: 07/01/2013)	500
Passthru Target: 1,200 Reservoir Inflow: 15,296 Comment: Current banked total: 22,743 AF.	1,200
Estuary Inflows (NCAT + RBP)	126
PassThru Surplus / -Deficit:	-519

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	July 2013	
				Allocation	Remaining
07/09/2013	133	1,191	24,707	4,100	2,909
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
07/09/2013	41.8	141,293		87.7%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: July 11, 2013**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
07/11/2012	206.9	393,255	56.6%	79.7	59,010	22.9%	452,265	47.5%
07/11/2013	199.8	271,961	39.1%	81.7	76,255	29.6%	348,216	36.6%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
07/10/2013	97	354	0.00	94	205	0.00	559
MTD		3,028	0.39		1,920	0.43	4,948

STREAM FLOWS

Gauging Station	07/10/2013 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	133	15,947
NRTT : Nueces River at Tilden, Texas	36	19,084
FRTT : Frio River at Tilden, Texas	0	0
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	3	42
Release from Choke Canyon Reservoir	58	576
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	246	2,152
NCAT : Nueces River at Calallen, Texas	0	0
RBP : Rincon Bayou Pipeline	0	126
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	75	15,372

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 1,200 Salinity Relief Credit : 0 Effective:	1,200
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	55
Return Flow Credit (Effective: 07/01/2013)	500
Passthru Target: 1,200 Reservoir Inflow: 15,372 Comment: Current banked total: 22,743 AF.	1,200
Estuary Inflows (NCAT + RBP)	126
PassThru Surplus / -Deficit:	-519

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	July 2013	
				Allocation	Remaining
07/10/2013	132	1,323	24,839	4,100	2,777
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
07/10/2013	41.8	141,293		87.7%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: July 12, 2013**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
07/12/2012	206.9	393,627	56.6%	79.7	58,850	22.9%	452,477	47.5%
07/12/2013	199.7	271,657	39.1%	81.6	75,670	29.4%	347,327	36.5%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
07/11/2013	97	363	0.00	98	232	0.00	595
MTD		3,391	0.39		2,152	0.43	5,543

STREAM FLOWS

Gauging Station	07/11/2013 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	107	16,055
NRTT : Nueces River at Tilden, Texas	26	19,110
FRTT : Frio River at Tilden, Texas	0	0
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	3	44
Release from Choke Canyon Reservoir	58	633
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	244	2,396
NCAT : Nueces River at Calallen, Texas	0	0
RBP : Rincon Bayou Pipeline	0	126
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	50	15,422

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 1,200 Salinity Relief Credit : 0 Effective:	1,200
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	55
Return Flow Credit (Effective: 07/01/2013)	500
Passthru Target: 1,200 Reservoir Inflow: 15,422 Comment: Current banked total: 22,743 AF.	1,200
Estuary Inflows (NCAT + RBP)	126
PassThru Surplus / -Deficit:	-519

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	July 2013	
				Allocation	Remaining
07/11/2013	126	1,450	24,966	4,100	2,650
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
07/11/2013	41.8	141,293		87.7%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: July 13, 2013**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
07/13/2012	206.9	392,883	56.5%	79.7	58,930	22.9%	451,813	47.4%
07/13/2013	199.7	271,051	39.0%	81.6	75,379	29.3%	346,430	36.4%

Weather Related Information								
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
07/12/2013	99	371	0.00	98	271	0.00		642
MTD		3,762	0.39		2,423	0.43		6,185

STREAM FLOWS

Gauging Station	07/12/2013 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	93	16,148
NRTT : Nueces River at Tilden, Texas	18	19,127
FRTT : Frio River at Tilden, Texas	0	0
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	3	47
Release from Choke Canyon Reservoir	58	691
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	244	2,640
NCAT : Nueces River at Calallen, Texas	0	0
RBP : Rincon Bayou Pipeline	0	126
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	36	15,457

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 1,200 Salinity Relief Credit : 0 Effective:	1,200
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	55
Return Flow Credit (Effective: 07/01/2013)	500
Passthru Target: 1,200 Reservoir Inflow: 15,457 Comment: Current banked total: 22,743 AF.	1,200
Estuary Inflows (NCAT + RBP)	126
PassThru Surplus / -Deficit:	-519

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	July 2013	
				Allocation	Remaining
07/12/2013	135	1,585	25,101	4,100	2,515
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
07/12/2013	41.8	141,293		87.7%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: July 14, 2013**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
07/14/2012	206.9	393,441	56.6%	79.8	59,171	23.0%	452,612	47.5%
07/14/2013	199.7	270,748	38.9%	81.5	74,799	29.1%	345,547	36.3%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
07/13/2013	98	397	0.00	98	247	0.00	644
MTD		4,159	0.39		2,670	0.43	6,829

STREAM FLOWS

Gauging Station	07/13/2013 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	83	16,231
NRTT : Nueces River at Tilden, Texas	10	19,137
FRTT : Frio River at Tilden, Texas	0	0
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	3	50
Release from Choke Canyon Reservoir	58	748
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	252	2,892
NCAT : Nueces River at Calallen, Texas	0	0
RBP : Rincon Bayou Pipeline	0	126
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	26	15,483

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 1,200 Salinity Relief Credit : 0 Effective:	1,200
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	55
Return Flow Credit (Effective: 07/01/2013)	500
Passthru Target: 1,200 Reservoir Inflow: 15,483 Comment: Current banked total: 22,743 AF.	1,200
Estuary Inflows (NCAT + RBP)	126
PassThru Surplus / -Deficit:	-519

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	July 2013	
				Allocation	Remaining
07/13/2013	135	1,721	25,236	4,100	2,379
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
07/13/2013	41.7	140,426		87.2%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: July 15, 2013**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
07/15/2012	206.9	393,069	56.5%	79.7	58,930	22.9%	451,999	47.5%
07/15/2013	199.6	268,939	38.7%	81.5	74,223	28.9%	343,162	36.0%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
07/14/2013	98	395	0.00	97	245	0.00	640
MTD		4,554	0.39		2,915	0.43	7,469

STREAM FLOWS

Gauging Station	07/14/2013 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	75	16,307
NRTT : Nueces River at Tilden, Texas	4	19,141
FRTT : Frio River at Tilden, Texas	0	0
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	3	52
Release from Choke Canyon Reservoir	58	806
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	256	3,148
NCAT : Nueces River at Calallen, Texas	0	0
RBP : Rincon Bayou Pipeline	0	126
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	18	15,501

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru		1,200
Monthly Target: 1,200		
Salinity Relief Credit : 0 Effective:		
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)		55
Return Flow Credit (Effective: 07/01/2013)		500
Passthru		1,200
Target: 1,200	Comment: Current banked total: 22,743 AF.	
Reservoir Inflow: 15,501		
Estuary Inflows (NCAT + RBP)		126
PassThru Surplus / -Deficit:		-519

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	July 2013	
				Allocation	Remaining
07/14/2013	136	1,856	25,372	4,100	2,244
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
07/14/2013	41.7	140,426		87.2%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: July 16, 2013**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
07/16/2012	206.8	391,396	56.3%	79.7	58,770	22.8%	450,166	47.3%
07/16/2013	199.6	269,688	38.8%	81.5	74,031	28.8%	343,719	36.1%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
07/15/2013	92	246	0.19	94	228	0.14	474
MTD		4,800	0.58		3,143	0.57	7,943

STREAM FLOWS

Gauging Station	07/15/2013 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	71	16,378
NRTT : Nueces River at Tilden, Texas	1	19,142
FRTT : Frio River at Tilden, Texas	0	0
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	3	55
Release from Choke Canyon Reservoir	58	863
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	254	3,402
NCAT : Nueces River at Calallen, Texas	0	0
RBP : Rincon Bayou Pipeline	0	126
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	14	15,515

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 1,200 Salinity Relief Credit : 0 Effective:	1,200
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	55
Return Flow Credit (Effective: 07/01/2013)	500
Passthru Target: 1,200 Reservoir Inflow: 15,515 Comment: Current banked total: 22,743 AF.	1,200
Estuary Inflows (NCAT + RBP)	126
PassThru Surplus / -Deficit:	-519

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	July 2013	
				Allocation	Remaining
07/15/2013	136	1,992	25,508	4,100	2,108
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
07/15/2013	41.7	140,426		87.2%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: July 17, 2013**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
07/17/2012	206.9	392,139	56.4%	79.7	58,450	22.7%	450,589	47.3%
07/17/2013	199.6	269,387	38.7%	81.6	75,475	29.3%	344,862	36.2%

Weather Related Information								
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
07/16/2013	83	88	0.57	87	Pan overflow	1.71	88	
MTD		4,888	1.15		3,143	2.28	8,031	

STREAM FLOWS

Gauging Station	07/16/2013 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	69	16,448
NRTT : Nueces River at Tilden, Texas	1	19,143
FRTT : Frio River at Tilden, Texas	0	0
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	3	58
Release from Choke Canyon Reservoir	58	921
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	246	3,648
NCAT : Nueces River at Calallen, Texas	0	0
RBP : Rincon Bayou Pipeline	0	126
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	12	15,527

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 1,200 Salinity Relief Credit : 0 Effective:	1,200
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	55
Return Flow Credit (Effective: 07/01/2013)	500
Passthru Target: 1,200 Reservoir Inflow: 15,527 Comment: Current banked total: 22,743 AF.	1,200
Estuary Inflows (NCAT + RBP)	126
PassThru Surplus / -Deficit:	-519

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	July 2013	
				Allocation	Remaining
07/16/2013	136	2,128	25,643	4,100	1,972
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
07/16/2013	41.7	140,426		87.2%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: July 18, 2013**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
07/18/2012	206.8	391,582	56.3%	79.6	58,291	22.7%	449,873	47.2%
07/18/2013	199.6	269,991	38.8%	81.6	75,767	29.5%	345,758	36.3%

Weather Related Information								
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
07/17/2013	83	132	0.09	76	45	0.20		177
MTD		5,020	1.24		3,188	2.48		8,208

STREAM FLOWS

Gauging Station	07/17/2013 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	87	16,535
NRTT : Nueces River at Tilden, Texas	2	19,144
FRTT : Frio River at Tilden, Texas	0	0
SMTT : San Miguel Creek at Tilden, Texas	13	13
ARWT : Atascosa River at Whitsett, Texas	8	67
Release from Choke Canyon Reservoir	58	979
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	197	3,845
NCAT : Nueces River at Calallen, Texas	3	3
RBP : Rincon Bayou Pipeline	90	216
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	43	15,569

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 1,200 Salinity Relief Credit : 0 Effective:	1,200
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	55
Return Flow Credit (Effective: 07/01/2013)	500
Passthru Target: 1,200 Reservoir Inflow: 15,569 Comment: Current banked total: 22,743 AF.	1,200
Estuary Inflows (NCAT + RBP)	218
PassThru Surplus / -Deficit:	-427

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	July 2013	
				Allocation	Remaining
07/17/2013	136	2,264	25,779	4,100	1,836
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
07/17/2013	41.6	139,562		86.6%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: July 19, 2013**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
07/19/2012	206.8	391,024	56.2%	79.6	58,211	22.6%	449,235	47.2%
07/19/2013	199.6	269,991	38.8%	81.6	75,475	29.3%	345,466	36.3%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
07/18/2013	89	132	0.00	87	107	0.00	239
MTD		5,152	1.24		3,295	2.48	8,447

STREAM FLOWS

Gauging Station	07/18/2013 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	107	16,642
NRTT : Nueces River at Tilden, Texas	228	19,373
FRTT : Frio River at Tilden, Texas	69	70
SMTT : San Miguel Creek at Tilden, Texas	4	17
ARWT : Atascosa River at Whitsett, Texas	5	72
Release from Choke Canyon Reservoir	58	1,036
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	246	4,091
NCAT : Nueces River at Calallen, Texas	0	3
RBP : Rincon Bayou Pipeline	127	343
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	123	15,693

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 1,200 Salinity Relief Credit : 0 Effective:	1,200
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	55
Return Flow Credit (Effective: 07/01/2013)	500
Passthru Target: 1,200 Reservoir Inflow: 15,693 Comment: Current banked total: 22,743 AF.	1,200
Estuary Inflows (NCAT + RBP)	346
PassThru Surplus / -Deficit:	-299

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	July 2013	
				Allocation	Remaining
07/18/2013	136	2,399	25,915	4,100	1,701
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
07/18/2013	41.7	140,426		87.2%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: July 20, 2013**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
07/20/2012	206.8	390,094	56.1%	79.6	58,052	22.6%	448,146	47.0%
07/20/2013	199.6	269,688	38.8%	81.6	75,088	29.2%	344,776	36.2%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
07/19/2013	94	299	0.00	91	152	0.00	451
MTD		5,451	1.24		3,447	2.48	8,898

STREAM FLOWS

Gauging Station	07/19/2013 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	129	16,771
NRTT : Nueces River at Tilden, Texas	246	19,619
FRTT : Frio River at Tilden, Texas	32	101
SMTT : San Miguel Creek at Tilden, Texas	1	18
ARWT : Atascosa River at Whitsett, Texas	5	77
Release from Choke Canyon Reservoir	58	1,094
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	292	4,383
NCAT : Nueces River at Calallen, Texas	0	3
RBP : Rincon Bayou Pipeline	127	470
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	104	15,797

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 1,200 Salinity Relief Credit : 0 Effective:	1,200
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	55
Return Flow Credit (Effective: 07/01/2013)	500
Passthru Target: 1,200 Reservoir Inflow: 15,797 Comment: Current banked total: 22,743 AF.	1,200
Estuary Inflows (NCAT + RBP)	472
PassThru Surplus / -Deficit:	-173

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	July 2013	
				Allocation	Remaining
07/19/2013	135	2,534	26,050	4,100	1,566
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
07/19/2013	41.8	141,239		87.7%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: July 21, 2013**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
07/21/2012	206.7	389,908	56.1%	79.6	57,656	22.4%	447,564	47.0%
07/21/2013	199.5	268,342	38.6%	81.5	74,799	29.1%	343,141	36.0%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
07/20/2013	93	307	0.00	90	185	0.00	492
MTD		5,758	1.24		3,632	2.48	9,390

STREAM FLOWS

Gauging Station	07/20/2013 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	286	17,057
NRTT : Nueces River at Tilden, Texas	143	19,762
FRTT : Frio River at Tilden, Texas	16	118
SMTT : San Miguel Creek at Tilden, Texas	0	19
ARWT : Atascosa River at Whitsett, Texas	5	81
Release from Choke Canyon Reservoir	58	1,151
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	240	4,623
NCAT : Nueces River at Calallen, Texas	0	3
RBP : Rincon Bayou Pipeline	126	596
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	245	16,042

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 1,200 Salinity Relief Credit : 0 Effective:	1,200
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	55
Return Flow Credit (Effective: 07/01/2013)	500
Passthru Target: 1,200 Reservoir Inflow: 16,042 Comment: Current banked total: 22,743 AF.	1,200
Estuary Inflows (NCAT + RBP)	598
PassThru Surplus / -Deficit:	-47

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	July 2013	
				Allocation	Remaining
07/20/2013	135	2,669	26,185	4,100	1,431
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
07/20/2013	41.8	141,239		87.7%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: July 22, 2013**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
07/22/2012	206.8	390,094	56.1%	79.5	57,182	22.2%	447,276	47.0%
07/22/2013	199.5	268,044	38.6%	81.5	74,510	29.0%	342,554	36.0%

Weather Related Information								
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
07/21/2013	94	254	0.00	92	190	0.00	444	
MTD		6,012	1.24		3,822	2.48	9,834	

STREAM FLOWS

Gauging Station	07/21/2013 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	208	17,266
NRTT : Nueces River at Tilden, Texas	97	19,859
FRTT : Frio River at Tilden, Texas	8	125
SMTT : San Miguel Creek at Tilden, Texas	0	19
ARWT : Atascosa River at Whitsett, Texas	4	85
Release from Choke Canyon Reservoir	58	1,209
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	189	4,812
NCAT : Nueces River at Calallen, Texas	0	3
RBP : Rincon Bayou Pipeline	56	652
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	159	16,201

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 1,200 Salinity Relief Credit : 0 Effective:	1,200
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	55
Return Flow Credit (Effective: 07/01/2013)	500
Passthru Target: 1,200 Reservoir Inflow: 16,201 Comment: Current banked total: 22,743 AF.	1,200
Estuary Inflows (NCAT + RBP)	655
PassThru Surplus / -Deficit:	10

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	July 2013	
				Allocation	Remaining
07/21/2013	135	2,804	26,320	4,100	1,296
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
07/21/2013	41.8	141,239		87.7%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: July 23, 2013**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
07/23/2012	206.8	390,094	56.1%	79.5	56,946	22.1%	447,040	46.9%
07/23/2013	199.5	267,438	38.5%	81.5	74,127	28.8%	341,565	35.9%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
07/22/2013	96	385	0.00	92	217	0.00	602
MTD		6,397	1.24		4,039	2.48	10,436

STREAM FLOWS

Gauging Station	07/22/2013 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	159	17,424
NRTT : Nueces River at Tilden, Texas	234	20,093
FRTT : Frio River at Tilden, Texas	4	129
SMTT : San Miguel Creek at Tilden, Texas	0	19
ARWT : Atascosa River at Whitsett, Texas	4	89
Release from Choke Canyon Reservoir	58	1,266
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	187	4,998
NCAT : Nueces River at Calallen, Texas	0	3
RBP : Rincon Bayou Pipeline	2	655
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	105	16,306

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 1,200 Salinity Relief Credit : 0 Effective:	1,200
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	55
Return Flow Credit (Effective: 07/01/2013)	500
Passthru Target: 1,200 Reservoir Inflow: 16,306 Comment: Current banked total: 22,743 AF.	1,200
Estuary Inflows (NCAT + RBP)	657
PassThru Surplus / -Deficit:	12

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	July 2013	
				Allocation	Remaining
07/22/2013	135	2,939	26,455	4,100	1,161
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
07/22/2013	41.8	141,239		87.7%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: July 24, 2013**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
07/24/2012	206.7	388,420	55.9%	79.4	56,632	22.0%	445,052	46.7%
07/24/2013	199.5	267,438	38.5%	81.4	73,936	28.7%	341,374	35.8%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
07/23/2013	99	394	0.00	96	245	0.00	639
MTD		6,791	1.24		4,284	2.48	11,075

STREAM FLOWS

Gauging Station	07/23/2013 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	179	17,603
NRTT : Nueces River at Tilden, Texas	597	20,691
FRTT : Frio River at Tilden, Texas	2	131
SMTT : San Miguel Creek at Tilden, Texas	0	19
ARWT : Atascosa River at Whitsett, Texas	3	92
Release from Choke Canyon Reservoir	58	1,324
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	185	5,183
NCAT : Nueces River at Calallen, Texas	0	3
RBP : Rincon Bayou Pipeline	76	730
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	123	16,428

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 1,200 Salinity Relief Credit : 0 Effective:	1,200
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	55
Return Flow Credit (Effective: 07/01/2013)	500
Passthru Target: 1,200 Reservoir Inflow: 16,428 Comment: Current banked total: 22,743 AF.	1,200
Estuary Inflows (NCAT + RBP)	733
PassThru Surplus / -Deficit:	88

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	July 2013	
				Allocation	Remaining
07/23/2013	136	3,075	26,591	4,100	1,025
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
07/23/2013	41.7	140,426		87.2%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: July 25, 2013**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
07/25/2012	206.7	388,792	55.9%	79.4	56,241	21.9%	445,033	46.7%
07/25/2013	199.5	267,590	38.5%	81.4	73,840	28.7%	341,430	35.8%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
07/24/2013	97	350	0.00	96	217	0.00	567
MTD		7,141	1.24		4,501	2.48	11,642

STREAM FLOWS

Gauging Station	07/24/2013 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	508	18,111
NRTT : Nueces River at Tilden, Texas	474	21,165
FRTT : Frio River at Tilden, Texas	1	132
SMTT : San Miguel Creek at Tilden, Texas	0	19
ARWT : Atascosa River at Whitsett, Texas	3	95
Release from Choke Canyon Reservoir	58	1,382
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	181	5,363
NCAT : Nueces River at Calallen, Texas	0	3
RBP : Rincon Bayou Pipeline	61	791
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	451	16,880

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 1,200 Salinity Relief Credit : 0 Effective:	1,200
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	55
Return Flow Credit (Effective: 07/01/2013)	500
Passthru Target: 1,200 Reservoir Inflow: 16,880 Comment: Current banked total: 22,743 AF.	1,200
Estuary Inflows (NCAT + RBP)	794
PassThru Surplus / -Deficit:	149

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	July 2013	
				Allocation	Remaining
07/24/2013	136	3,211	26,727	4,100	889
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
07/24/2013	41.7	140,426		87.2%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: July 26, 2013**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
07/26/2012	206.6	386,933	55.7%	79.3	55,774	21.7%	442,707	46.5%
07/26/2013	199.4	266,231	38.3%	81.4	73,650	28.6%	339,881	35.7%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
07/25/2013	99	393	0.00	97	216	0.00	609
MTD		7,534	1.24		4,717	2.48	12,251

STREAM FLOWS

Gauging Station	07/25/2013 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	492	18,603
NRTT : Nueces River at Tilden, Texas	208	21,374
FRTT : Frio River at Tilden, Texas	0	132
SMTT : San Miguel Creek at Tilden, Texas	0	19
ARWT : Atascosa River at Whitsett, Texas	3	98
Release from Choke Canyon Reservoir	58	1,439
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	181	5,544
NCAT : Nueces River at Calallen, Texas	0	3
RBP : Rincon Bayou Pipeline	0	791
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	435	17,315

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 1,200 Salinity Relief Credit : 0 Effective:	1,200
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	55
Return Flow Credit (Effective: 07/01/2013)	500
Passthru Target: 1,200 Reservoir Inflow: 17,315 Comment: Current banked total: 22,743 AF.	1,200
Estuary Inflows (NCAT + RBP)	794
PassThru Surplus / -Deficit:	149

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	July 2013	
				Allocation	Remaining
07/25/2013	136	3,347	26,862	4,100	753
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
07/25/2013	41.6	139,562		86.6%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: July 27, 2013**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
07/27/2012	206.6	386,561	55.6%	79.3	55,310	21.5%	441,871	46.4%
07/27/2013	199.4	266,984	38.4%	81.4	73,840	28.7%	340,824	35.8%

Weather Related Information								
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
07/26/2013	98	332	0.00	97	189	0.00		521
MTD		7,866	1.24		4,906	2.48		12,772

STREAM FLOWS

Gauging Station	07/26/2013 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	274	18,877
NRTT : Nueces River at Tilden, Texas	202	21,576
FRTT : Frio River at Tilden, Texas	0	132
SMTT : San Miguel Creek at Tilden, Texas	0	19
ARWT : Atascosa River at Whitsett, Texas	3	100
Release from Choke Canyon Reservoir	58	1,497
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	187	5,731
NCAT : Nueces River at Calallen, Texas	0	3
RBP : Rincon Bayou Pipeline	0	791
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	217	17,531

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 1,200 Salinity Relief Credit : 0 Effective:	1,200
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	55
Return Flow Credit (Effective: 07/01/2013)	500
Passthru Target: 1,200 Reservoir Inflow: 17,531 Comment: Current banked total: 22,743 AF.	1,200
Estuary Inflows (NCAT + RBP)	794
PassThru Surplus / -Deficit:	149

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	July 2013	
				Allocation	Remaining
07/26/2013	136	3,483	26,998	4,100	617
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
07/26/2013	41.6	139,562		86.6%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: July 28, 2013**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
07/28/2012	206.6	387,119	55.7%	79.2	55,002	21.4%	442,121	46.4%
07/28/2013	199.5	268,044	38.6%	81.4	73,555	28.6%	341,599	35.9%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
07/27/2013	99	280	0.04	98	233	0.00	513
MTD		8,146	1.28		5,139	2.48	13,285

STREAM FLOWS

Gauging Station	07/27/2013 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	216	19,094
NRTT : Nueces River at Tilden, Texas	185	21,761
FRTT : Frio River at Tilden, Texas	1	133
SMTT : San Miguel Creek at Tilden, Texas	0	19
ARWT : Atascosa River at Whitsett, Texas	5	105
Release from Choke Canyon Reservoir	58	1,554
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	195	5,925
NCAT : Nueces River at Calallen, Texas	0	3
RBP : Rincon Bayou Pipeline	0	791
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	160	17,691

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 1,200 Salinity Relief Credit : 0 Effective:	1,200
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	55
Return Flow Credit (Effective: 07/01/2013)	500
Passthru Target: 1,200 Reservoir Inflow: 17,691 Comment: Current banked total: 22,743 AF.	1,200
Estuary Inflows (NCAT + RBP)	794
PassThru Surplus / -Deficit:	149

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	July 2013	
				Allocation	Remaining
07/27/2013	136	3,618	27,134	4,100	482
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
07/27/2013	41.6	139,562		86.6%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: July 29, 2013**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
07/29/2012	206.6	386,561	55.6%	79.2	54,541	21.2%	441,102	46.3%
07/29/2013	199.4	266,681	38.4%	81.3	72,986	28.4%	339,667	35.7%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
07/28/2013	98	384	0.00	98	264	0.00	648
MTD		8,530	1.28		5,403	2.48	13,933

STREAM FLOWS

Gauging Station	07/28/2013 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	357	19,451
NRTT : Nueces River at Tilden, Texas	139	21,900
FRTT : Frio River at Tilden, Texas	1	134
SMTT : San Miguel Creek at Tilden, Texas	0	19
ARWT : Atascosa River at Whitsett, Texas	3	108
Release from Choke Canyon Reservoir	58	1,612
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	193	6,118
NCAT : Nueces River at Calallen, Texas	0	3
RBP : Rincon Bayou Pipeline	0	791
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	300	17,992

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 1,200 Salinity Relief Credit : 0 Effective:	1,200
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	55
Return Flow Credit (Effective: 07/01/2013)	500
Passthru Target: 1,200 Reservoir Inflow: 17,992 Comment: Current banked total: 22,743 AF.	1,200
Estuary Inflows (NCAT + RBP)	794
PassThru Surplus / -Deficit:	149

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	July 2013	
				Allocation	Remaining
07/28/2013	136	3,754	27,270	4,100	346
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
07/28/2013	41.5	138,700		86.1%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: July 30, 2013**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
07/30/2012	206.6	386,375	55.6%	79.1	54,083	21.0%	440,458	46.2%
07/30/2013	199.4	266,832	38.4%	81.3	72,986	28.4%	339,818	35.7%

Weather Related Information								
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
07/29/2013	98	384	0.00	94	253	0.00	637	
MTD		8,914	1.28		5,656	2.48	14,570	

STREAM FLOWS

Gauging Station	07/29/2013 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	310	19,761
NRTT : Nueces River at Tilden, Texas	99	21,999
FRTT : Frio River at Tilden, Texas	0	134
SMTT : San Miguel Creek at Tilden, Texas	0	19
ARWT : Atascosa River at Whitsett, Texas	2	110
Release from Choke Canyon Reservoir	58	1,669
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	193	6,310
NCAT : Nueces River at Calallen, Texas	0	3
RBP : Rincon Bayou Pipeline	0	791
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	252	18,244

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 1,200 Salinity Relief Credit : 0 Effective:	1,200
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	55
Return Flow Credit (Effective: 07/01/2013)	500
Passthru Target: 1,200 Reservoir Inflow: 18,244 Comment: Current banked total: 22,743 AF.	1,200
Estuary Inflows (NCAT + RBP)	794
PassThru Surplus / -Deficit:	149

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	July 2013	
				Allocation	Remaining
07/29/2013	136	3,890	27,406	4,100	210
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
07/29/2013	41.5	138,700		86.1%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: July 31, 2013**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
07/31/2012	206.5	386,003	55.5%	79.1	53,703	20.9%	439,706	46.2%
07/31/2013	199.4	266,984	38.4%	81.3	72,986	28.4%	339,970	35.7%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
07/30/2013	100	411	0.00	97	264	0.00	675
MTD		9,325	1.28		5,920	2.48	15,245

STREAM FLOWS

Gauging Station	07/30/2013 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	167	19,927
NRTT : Nueces River at Tilden, Texas	52	22,050
FRTT : Frio River at Tilden, Texas	85	219
SMTT : San Miguel Creek at Tilden, Texas	0	19
ARWT : Atascosa River at Whitsett, Texas	1	112
Release from Choke Canyon Reservoir	58	1,727
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	183	6,493
NCAT : Nueces River at Calallen, Texas	0	3
RBP : Rincon Bayou Pipeline	0	791
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	195	18,438

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 1,200 Salinity Relief Credit : 0 Effective:	1,200
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	55
Return Flow Credit (Effective: 07/01/2013)	500
Passthru Target: 1,200 Reservoir Inflow: 18,438 Comment: Current banked total: 22,743 AF.	1,200
Estuary Inflows (NCAT + RBP)	794
PassThru Surplus / -Deficit:	149

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	July 2013	
				Allocation	Remaining
07/30/2013	136	4,026	27,542	4,100	74
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
07/30/2013	41.5	138,700		86.1%	