

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: October 1, 2013**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
10/01/2012	205.1	359,240	51.7%	77.6	43,157	16.8%	402,397	42.2%
10/01/2013	198.3	250,294	36.0%	80.3	63,871	24.8%	314,165	33.0%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
09/30/2013	91	216	0.00	89	113	0.00	329
MTD		6,284	3.58		3,845	10.30	10,129

STREAM FLOWS

Gauging Station	09/30/2013 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	101	3,327
NRTT : Nueces River at Tilden, Texas	8	239
FRTT : Frio River at Tilden, Texas	1	32
SMTT : San Miguel Creek at Tilden, Texas	0	76
ARWT : Atascosa River at Whitsett, Texas	46	621
Release from Choke Canyon Reservoir	58	1,727
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	175	4,742
NCAT : Nueces River at Calallen, Texas	0	624
RBP : Rincon Bayou Pipeline	0	1,097
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	45	1,754

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 1,200 Salinity Relief Credit : 0 Effective:	1,200
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	558
Return Flow Credit (Effective: 09/01/2013)	500
Passthru Target: 1,200 Reservoir Inflow: 1,754 Comment: Current banked total: 22,743 AF.	1,200
Estuary Inflows (NCAT + RBP)	1,721
PassThru Surplus / -Deficit:	1,579

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	September 2013	
				Allocation	Remaining
09/30/2013	135	4,030	35,890	4,100	70
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
09/30/2013	40.5	126,098		78.3%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: October 2, 2013**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
10/02/2012	205.1	359,947	51.8%	77.7	43,688	17.0%	403,635	42.4%
10/02/2013	198.3	249,867	35.9%	80.3	63,956	24.9%	313,823	32.9%

Weather Related Information								
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
10/01/2013	93	223	0.00	91	158	0.55		381
MTD		223	0.00		158	0.55		381

STREAM FLOWS

Gauging Station	10/01/2013 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	290	290
NRTT : Nueces River at Tilden, Texas	60	60
FRTT : Frio River at Tilden, Texas	15	15
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	681	681
Release from Choke Canyon Reservoir	58	58
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	153	153
NCAT : Nueces River at Calallen, Texas	0	0
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	247	247

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 3,213 Salinity Relief Credit : 0 Effective:	3,213
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	600
Return Flow Credit (Effective: 10/01/2013)	500
Passthru Target: 3,213 Reservoir Inflow: 247 Comment: Current banked total: 22,743 AF.	247
Estuary Inflows (NCAT + RBP)	0
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	October 2013	
				Allocation	Remaining
10/01/2013	135	135	36,025	3,050	2,915
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
10/01/2013	40.5	126,098		78.3%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: October 3, 2013**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
10/03/2012	205.1	360,482	51.8%	77.7	44,290	17.2%	404,772	42.5%
10/03/2013	198.3	249,725	35.9%	80.4	64,126	24.9%	313,851	32.9%

Weather Related Information								
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
10/02/2013	93	256	0.00	91	134	0.00	390	
MTD		479	0.00		292	0.55	771	

STREAM FLOWS

Gauging Station	10/02/2013 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	572	861
NRTT : Nueces River at Tilden, Texas	689	748
FRTT : Frio River at Tilden, Texas	8	23
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	145	826
Release from Choke Canyon Reservoir	58	115
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	145	298
NCAT : Nueces River at Calallen, Texas	0	0
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	522	769

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 3,213 Salinity Relief Credit : 0 Effective:	3,213
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	600
Return Flow Credit (Effective: 10/01/2013)	500
Passthru Target: 3,213 Reservoir Inflow: 769 Comment: Current banked total: 22,743 AF.	769
Estuary Inflows (NCAT + RBP)	0
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	October 2013	
				Allocation	Remaining
10/02/2013	135	269	36,160	3,050	2,781
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
10/02/2013	40.6	131,068		81.4%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: October 4, 2013**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
10/04/2012	205.0	358,533	51.6%	77.8	44,492	17.3%	403,025	42.3%
10/04/2013	198.2	249,440	35.9%	80.4	64,296	25.0%	313,736	32.9%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
10/03/2013	92	240	0.00	89	139	0.00	379
MTD		719	0.00		431	0.55	1,150

STREAM FLOWS

Gauging Station	10/03/2013 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	187	1,048
NRTT : Nueces River at Tilden, Texas	911	1,659
FRTT : Frio River at Tilden, Texas	4	27
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	54	879
Release from Choke Canyon Reservoir	58	173
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	145	443
NCAT : Nueces River at Calallen, Texas	0	0
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	133	902

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 3,213 Salinity Relief Credit : 0 Effective:	3,213
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	600
Return Flow Credit (Effective: 10/01/2013)	500
Passthru Target: 3,213 Reservoir Inflow: 902 Comment: Current banked total: 22,743 AF.	902
Estuary Inflows (NCAT + RBP)	0
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	October 2013	
				Allocation	Remaining
10/03/2013	135	404	36,295	3,050	2,646
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
10/03/2013	40.5	126,098		78.3%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: October 5, 2013**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
10/05/2012	205.0	358,886	51.6%	77.8	44,830	17.4%	403,716	42.4%
10/05/2013	198.2	248,733	35.8%	80.4	64,126	24.9%	312,859	32.8%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
10/04/2013	92	247	0.00	91	129	0.00	376
MTD		966	0.00		560	0.55	1,526

STREAM FLOWS

Gauging Station	10/04/2013 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	580	1,628
NRTT : Nueces River at Tilden, Texas	1,034	2,694
FRTT : Frio River at Tilden, Texas	2	29
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	28	907
Release from Choke Canyon Reservoir	58	230
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	165	607
NCAT : Nueces River at Calallen, Texas	0	0
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	524	1,426

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 3,213 Salinity Relief Credit : 0 Effective:	3,213
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	600
Return Flow Credit (Effective: 10/01/2013)	500
Passthru Target: 3,213 Reservoir Inflow: 1,426 Comment: Current banked total: 22,743 AF.	1,426
Estuary Inflows (NCAT + RBP)	0
PassThru Surplus / -Deficit:	-326

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	October 2013	
				Allocation	Remaining
10/04/2013	135	540	36,430	3,050	2,510
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
10/04/2013	40.4	126,098		78.3%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: October 6, 2013**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
10/06/2012	205.1	360,303	51.8%	77.9	45,237	17.6%	405,540	42.6%
10/06/2013	198.1	247,892	35.7%	80.4	64,637	25.1%	312,529	32.8%

Weather Related Information								
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
10/05/2013	93	230	0.58	90	159	0.00		389
MTD		1,196	0.58		719	0.55		1,915

STREAM FLOWS

Gauging Station	10/05/2013 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	764	2,392
NRTT : Nueces River at Tilden, Texas	699	3,392
FRTT : Frio River at Tilden, Texas	13	41
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	17	924
Release from Choke Canyon Reservoir	58	288
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	204	812
NCAT : Nueces River at Calallen, Texas	0	0
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	719	2,145

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 3,213 Salinity Relief Credit : 0 Effective:	3,213
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	600
Return Flow Credit (Effective: 10/01/2013)	500
Passthru Target: 3,213 Reservoir Inflow: 2,145 Comment: Current banked total: 22,743 AF.	2,145
Estuary Inflows (NCAT + RBP)	0
PassThru Surplus / -Deficit:	-1,045

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	October 2013	
				Allocation	Remaining
10/05/2013	133	672	36,562	3,050	2,378
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
10/05/2013	40.5	126,098		78.3%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: October 7, 2013**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
10/07/2012	205.1	359,240	51.7%	78.0	45,852	17.8%	405,092	42.5%
10/07/2013	198.1	247,752	35.6%	80.4	64,723	25.2%	312,475	32.8%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
10/06/2013	78	123	0.01	77	125	0.00	248
MTD		1,319	0.59		844	0.55	2,163

STREAM FLOWS

Gauging Station	10/06/2013 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	719	3,110
NRTT : Nueces River at Tilden, Texas	641	4,034
FRTT : Frio River at Tilden, Texas	141	182
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	10	934
Release from Choke Canyon Reservoir	58	345
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	193	1,004
NCAT : Nueces River at Calallen, Texas	0	0
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	802	2,947

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 3,213 Salinity Relief Credit : 0 Effective:	3,213
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	600
Return Flow Credit (Effective: 10/01/2013)	500
Passthru Target: 3,213 Reservoir Inflow: 2,947 Comment: Current banked total: 22,743 AF.	2,947
Estuary Inflows (NCAT + RBP)	0
PassThru Surplus / -Deficit:	-1,847

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	October 2013	
				Allocation	Remaining
10/06/2013	134	806	36,696	3,050	2,244
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
10/06/2013	40.5	126,098		78.3%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: October 8, 2013**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
10/08/2012	205.1	359,240	51.7%	77.9	45,510	17.7%	404,750	42.5%
10/08/2013	198.1	248,172	35.7%	80.4	64,894	25.2%	313,066	32.9%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
10/07/2013	85	165	0.00	83	125	0.00	290
MTD		1,484	0.59		969	0.55	2,453

STREAM FLOWS

Gauging Station	10/07/2013 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	480	3,591
NRTT : Nueces River at Tilden, Texas	328	4,361
FRTT : Frio River at Tilden, Texas	14	197
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	7	941
Release from Choke Canyon Reservoir	58	403
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	187	1,191
NCAT : Nueces River at Calallen, Texas	0	0
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	437	3,385

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 3,213 Salinity Relief Credit : 0 Effective:	3,213
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	600
Return Flow Credit (Effective: 10/01/2013)	500
Passthru Target: 3,213 Reservoir Inflow: 3,385 Comment: Current banked total: 22,743 AF.	3,213
Estuary Inflows (NCAT + RBP)	0
PassThru Surplus / -Deficit:	-2,113

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	October 2013	
				Allocation	Remaining
10/07/2013	134	940	36,830	3,050	2,110
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
10/07/2013	40.4	129,400		80.3%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: October 9, 2013**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
10/09/2012	205.1	360,840	51.9%	77.9	45,237	17.6%	406,077	42.6%
10/09/2013	198.2	248,313	35.7%	80.4	64,894	25.2%	313,207	32.9%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
10/08/2013	84	189	0.00	83	120	0.00	309
MTD		1,673	0.59		1,089	0.55	2,762

STREAM FLOWS

Gauging Station	10/08/2013 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	351	3,942
NRTT : Nueces River at Tilden, Texas	185	4,546
FRTT : Frio River at Tilden, Texas	4	201
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	5	947
Release from Choke Canyon Reservoir	58	461
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	183	1,374
NCAT : Nueces River at Calallen, Texas	0	0
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	298	3,683

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 3,213 Salinity Relief Credit : 0 Effective:	3,213
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	600
Return Flow Credit (Effective: 10/01/2013)	500
Passthru Target: 3,213 Reservoir Inflow: 3,683 Comment: Current banked total: 22,743 AF.	3,213
Estuary Inflows (NCAT + RBP)	0
PassThru Surplus / -Deficit:	-2,113

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	October 2013	
				Allocation	Remaining
10/08/2013	133	1,073	36,963	3,050	1,977
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
10/08/2013	40.4	129,400		80.3%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: October 10, 2013**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
10/10/2012	205.1	360,482	51.8%	77.8	44,965	17.5%	405,447	42.6%
10/10/2013	198.1	247,892	35.7%	80.4	64,808	25.2%	312,700	32.8%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
10/09/2013	85	189	0.00	84	140	0.00	329
MTD		1,862	0.59		1,229	0.55	3,091

STREAM FLOWS

Gauging Station	10/09/2013 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	187	4,129
NRTT : Nueces River at Tilden, Texas	197	4,742
FRTT : Frio River at Tilden, Texas	2	203
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	6	953
Release from Choke Canyon Reservoir	58	518
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	179	1,552
NCAT : Nueces River at Calallen, Texas	0	0
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	131	3,813

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 3,213 Salinity Relief Credit : 0 Effective:	3,213
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	600
Return Flow Credit (Effective: 10/01/2013)	500
Passthru Target: 3,213 Reservoir Inflow: 3,813 Comment: Current banked total: 22,743 AF.	3,213
Estuary Inflows (NCAT + RBP)	0
PassThru Surplus / -Deficit:	-2,113

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	October 2013	
				Allocation	Remaining
10/09/2013	133	1,206	37,096	3,050	1,844
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
10/09/2013	40.4	129,400		80.3%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: October 11, 2013**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
10/11/2012	205.1	360,303	51.8%	77.8	44,694	17.4%	404,997	42.5%
10/11/2013	198.0	246,492	35.5%	80.4	64,637	25.1%	311,129	32.7%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
10/10/2013	88	196	0.00	87	159	0.00	355
MTD		2,058	0.59		1,388	0.55	3,446

STREAM FLOWS

Gauging Station	10/10/2013 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	177	4,305
NRTT : Nueces River at Tilden, Texas	139	4,881
FRTT : Frio River at Tilden, Texas	1	204
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	12	965
Release from Choke Canyon Reservoir	58	576
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	161	1,713
NCAT : Nueces River at Calallen, Texas	1	1
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	120	3,933

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 3,213 Salinity Relief Credit : 0 Effective:	3,213
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	600
Return Flow Credit (Effective: 10/01/2013)	500
Passthru Target: 3,213 Reservoir Inflow: 3,933 Comment: Current banked total: 22,743 AF.	3,213
Estuary Inflows (NCAT + RBP)	1
PassThru Surplus / -Deficit:	-2,112

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	October 2013	
				Allocation	Remaining
10/10/2013	132	1,338	37,228	3,050	1,712
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
10/10/2013	40.3	128,570		79.8%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: October 12, 2013**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
10/12/2012	205.1	360,482	51.8%	77.8	44,492	17.3%	404,974	42.5%
10/12/2013	198.0	245,792	35.4%	80.4	64,552	25.1%	310,344	32.6%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
10/11/2013	93	163	0.00	92	85	0.00	248
MTD		2,221	0.59		1,473	0.55	3,694

STREAM FLOWS

Gauging Station	10/11/2013 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	169	4,474
NRTT : Nueces River at Tilden, Texas	103	4,984
FRTT : Frio River at Tilden, Texas	1	204
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	9	974
Release from Choke Canyon Reservoir	58	633
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	149	1,862
NCAT : Nueces River at Calallen, Texas	0	1
RBP : Rincon Bayou Pipeline	45	45
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	112	4,045

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 3,213 Salinity Relief Credit : 0 Effective:	3,213
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	600
Return Flow Credit (Effective: 10/01/2013)	500
Passthru Target: 3,213 Reservoir Inflow: 4,045 Comment: Current banked total: 22,743 AF.	3,213
Estuary Inflows (NCAT + RBP)	46
PassThru Surplus / -Deficit:	-2,067

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	October 2013	
				Allocation	Remaining
10/11/2013	133	1,471	37,361	3,050	1,579
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
10/11/2013	40.2	127,743		79.3%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: October 13, 2013**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
10/13/2012	205.1	359,770	51.7%	77.7	44,290	17.2%	404,060	42.4%
10/13/2013	198.0	245,792	35.4%	80.4	64,466	25.1%	310,258	32.6%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
10/12/2013	93	204	0.00	90	119	0.00	323
MTD		2,425	0.59		1,592	0.55	4,017

STREAM FLOWS

Gauging Station	10/12/2013 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	141	4,615
NRTT : Nueces River at Tilden, Texas	91	5,076
FRTT : Frio River at Tilden, Texas	1	205
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	6	980
Release from Choke Canyon Reservoir	58	691
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	151	2,013
NCAT : Nueces River at Calallen, Texas	0	1
RBP : Rincon Bayou Pipeline	0	45
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	84	4,129

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 3,213 Salinity Relief Credit : 0 Effective:	3,213
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	600
Return Flow Credit (Effective: 10/01/2013)	500
Passthru Target: 3,213 Reservoir Inflow: 4,129 Comment: Current banked total: 22,743 AF.	3,213
Estuary Inflows (NCAT + RBP)	46
PassThru Surplus / -Deficit:	-2,067

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	October 2013	
				Allocation	Remaining
10/12/2013	133	1,604	37,494	3,050	1,446
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
10/12/2013	40.2	127,743		79.3%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: October 14, 2013**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
10/14/2012	205.1	359,594	51.7%	77.8	44,357	17.2%	403,951	42.4%
10/14/2013	198.1	248,032	35.7%	80.4	64,381	25.0%	312,413	32.8%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
10/13/2013	83	99	1.15	85	40	0.03	139
MTD		2,524	1.74		1,632	0.58	4,156

STREAM FLOWS

Gauging Station	10/13/2013 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	123	4,738
NRTT : Nueces River at Tilden, Texas	64	5,139
FRTT : Frio River at Tilden, Texas	1	206
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	5	985
Release from Choke Canyon Reservoir	58	748
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	149	2,162
NCAT : Nueces River at Calallen, Texas	0	1
RBP : Rincon Bayou Pipeline	0	45
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	67	4,196

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 3,213 Salinity Relief Credit : 0 Effective:	3,213
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	600
Return Flow Credit (Effective: 10/01/2013)	500
Passthru Target: 3,213 Reservoir Inflow: 4,196 Comment: Current banked total: 22,743 AF.	3,213
Estuary Inflows (NCAT + RBP)	46
PassThru Surplus / -Deficit:	-2,067

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	October 2013	
				Allocation	Remaining
10/13/2013	133	1,736	37,627	3,050	1,314
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
10/13/2013	40.3	128,570		79.8%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: October 15, 2013**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
10/15/2012	205.0	358,533	51.6%	77.8	44,965	17.5%	403,498	42.4%
10/15/2013	198.1	248,032	35.7%	80.4	64,211	25.0%	312,243	32.8%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
10/14/2013	86	115	0.00	85	139	0.00	254
MTD		2,639	1.74		1,771	0.58	4,410

STREAM FLOWS

Gauging Station	10/14/2013 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	133	4,871
NRTT : Nueces River at Tilden, Texas	899	6,038
FRTT : Frio River at Tilden, Texas	4	210
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	7	992
Release from Choke Canyon Reservoir	58	806
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	145	2,307
NCAT : Nueces River at Calallen, Texas	0	1
RBP : Rincon Bayou Pipeline	0	45
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	80	4,276

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 3,213 Salinity Relief Credit : 0 Effective:	3,213
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	600
Return Flow Credit (Effective: 10/01/2013)	500
Passthru Target: 3,213 Reservoir Inflow: 4,276 Comment: Current banked total: 22,743 AF.	3,213
Estuary Inflows (NCAT + RBP)	46
PassThru Surplus / -Deficit:	-2,067

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	October 2013	
				Allocation	Remaining
10/14/2013	132	1,869	37,759	3,050	1,181
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
10/14/2013	40.3	128,570		79.8%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: October 16, 2013**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
10/16/2012	205.1	359,770	51.7%	77.9	45,169	17.6%	404,939	42.5%
10/16/2013	198.0	246,772	35.5%	80.4	64,466	25.1%	311,238	32.7%

Weather Related Information								
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
10/15/2013	88	188	0.00	88	124	0.00		312
MTD		2,827	1.74		1,895	0.58		4,722

STREAM FLOWS

Gauging Station	10/15/2013 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	445	5,316
NRTT : Nueces River at Tilden, Texas	2,362	8,401
FRTT : Frio River at Tilden, Texas	109	320
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	7	998
Release from Choke Canyon Reservoir	58	863
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	143	2,449
NCAT : Nueces River at Calallen, Texas	0	1
RBP : Rincon Bayou Pipeline	0	45
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	496	4,772

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 3,213 Salinity Relief Credit : 0 Effective:	3,213
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	600
Return Flow Credit (Effective: 10/01/2013)	500
Passthru Target: 3,213 Reservoir Inflow: 4,772 Comment: Current banked total: 22,743 AF.	3,213
Estuary Inflows (NCAT + RBP)	46
PassThru Surplus / -Deficit:	-2,067

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	October 2013	
				Allocation	Remaining
10/15/2013	132	2,001	37,891	3,050	1,049
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
10/15/2013	40.8	132,746		82.4%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: October 17, 2013**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
10/17/2012	205.1	359,417	51.7%	77.9	45,305	17.6%	404,722	42.5%
10/17/2013	198.1	248,032	35.7%	80.4	64,466	25.1%	312,498	32.8%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
10/16/2013	64	123	0.00	73	84	0.00	207
MTD		2,950	1.74		1,979	0.58	4,929

STREAM FLOWS

Gauging Station	10/16/2013 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	1,679	6,995
NRTT : Nueces River at Tilden, Texas	6,074	14,475
FRTT : Frio River at Tilden, Texas	1,449	1,769
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	6	1,004
Release from Choke Canyon Reservoir	58	921
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	143	2,592
NCAT : Nueces River at Calallen, Texas	0	1
RBP : Rincon Bayou Pipeline	0	45
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	3,071	7,843

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 3,213 Salinity Relief Credit : 0 Effective:	3,213
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	600
Return Flow Credit (Effective: 10/01/2013)	500
Passthru Target: 3,213 Reservoir Inflow: 7,843 Comment: Current banked total: 22,743 AF.	3,213
Estuary Inflows (NCAT + RBP)	46
PassThru Surplus / -Deficit:	-2,067

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	October 2013	
				Allocation	Remaining
10/16/2013	132	2,134	38,024	3,050	916
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
10/16/2013	41.0	134,434		83.5%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: October 18, 2013**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
10/18/2012	205.0	357,649	51.4%	77.9	45,578	17.7%	403,227	42.3%
10/18/2013	198.3	250,436	36.0%	80.5	65,324	25.4%	315,760	33.1%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
10/17/2013	76	124	0.00	80	100	0.00	224
MTD		3,074	1.74		2,079	0.58	5,153

STREAM FLOWS

Gauging Station	10/17/2013 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	2,382	9,377
NRTT : Nueces River at Tilden, Texas	54,985	69,459
FRTT : Frio River at Tilden, Texas	3,811	5,580
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	5	1,009
Release from Choke Canyon Reservoir	58	979
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	137	2,729
NCAT : Nueces River at Calallen, Texas	0	1
RBP : Rincon Bayou Pipeline	0	45
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	6,136	13,978

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 3,213 Salinity Relief Credit : 0 Effective:	3,213
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	600
Return Flow Credit (Effective: 10/01/2013)	500
Passthru Target: 3,213 Reservoir Inflow: 13,978 Comment: Current banked total: 22,743 AF.	3,213
Estuary Inflows (NCAT + RBP)	46
PassThru Surplus / -Deficit:	-2,067

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	October 2013	
				Allocation	Remaining
10/17/2013	133	2,266	38,157	3,050	784
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
10/17/2013	41.1	134,434		83.5%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: October 19, 2013**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
10/19/2012	204.9	357,296	51.4%	78.0	45,783	17.8%	403,079	42.3%
10/19/2013	198.4	251,718	36.2%	80.8	67,948	26.4%	319,666	33.6%

Weather Related Information								
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
10/18/2013	77	117	0.29	75	47	0.07		164
MTD		3,191	2.03		2,126	0.65		5,317

STREAM FLOWS

Gauging Station	10/18/2013 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	3,851	13,228
NRTT : Nueces River at Tilden, Texas	47,442	116,901
FRTT : Frio River at Tilden, Texas	2,184	7,763
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	8	1,017
Release from Choke Canyon Reservoir	58	1,036
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	131	2,860
NCAT : Nueces River at Calallen, Texas	0	1
RBP : Rincon Bayou Pipeline	0	45
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	5,977	19,955

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 3,213 Salinity Relief Credit : 0 Effective:	3,213
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	600
Return Flow Credit (Effective: 10/01/2013)	500
Passthru Target: 3,213 Reservoir Inflow: 19,955 Comment: Current banked total: 22,743 AF.	3,213
Estuary Inflows (NCAT + RBP)	46
PassThru Surplus / -Deficit:	-2,067

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	October 2013	
				Allocation	Remaining
10/18/2013	133	2,399	38,289	3,050	651
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
10/18/2013	41.1	135,282		84.0%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: October 20, 2013**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
10/20/2012	205.0	358,179	51.5%	77.9	45,510	17.7%	403,689	42.4%
10/20/2013	198.5	253,306	36.4%	81.2	71,397	27.8%	324,703	34.1%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
10/19/2013	69	184	0.00	71	97	0.00	281
MTD		3,375	2.03		2,223	0.65	5,598

STREAM FLOWS

Gauging Station	10/19/2013 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	14,252	27,480
NRTT : Nueces River at Tilden, Texas	34,341	151,241
FRTT : Frio River at Tilden, Texas	897	8,661
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	10	1,027
Release from Choke Canyon Reservoir	36	1,072
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	137	2,997
NCAT : Nueces River at Calallen, Texas	0	1
RBP : Rincon Bayou Pipeline	0	45
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	15,114	35,069

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 3,213 Salinity Relief Credit : 0 Effective:	3,213
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	600
Return Flow Credit (Effective: 10/01/2013)	500
Passthru Target: 3,213 Reservoir Inflow: 35,069 Comment: Current banked total: 22,743 AF.	3,213
Estuary Inflows (NCAT + RBP)	46
PassThru Surplus / -Deficit:	-2,067

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	October 2013	
				Allocation	Remaining
10/19/2013	133	2,532	38,422	3,050	518
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
10/19/2013	41.1	135,282		84.0%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: October 21, 2013**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
10/21/2012	204.9	356,589	51.3%	77.9	45,373	17.6%	401,962	42.2%
10/21/2013	198.5	252,438	36.3%	82.4	83,316	32.4%	335,754	35.2%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
10/20/2013	77	117	0.00	78	91	0.00	208
MTD		3,492	2.03		2,314	0.65	5,806

STREAM FLOWS

Gauging Station	10/20/2013 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	29,180	56,660
NRTT : Nueces River at Tilden, Texas	24,217	175,458
FRTT : Frio River at Tilden, Texas	286	8,946
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	8	1,035
Release from Choke Canyon Reservoir	0	1,072
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	175	3,172
NCAT : Nueces River at Calallen, Texas	0	1
RBP : Rincon Bayou Pipeline	0	45
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	29,465	64,534

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 3,213 Salinity Relief Credit : 0 Effective:	3,213
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	600
Return Flow Credit (Effective: 10/01/2013)	500
Passthru Target: 3,213 Reservoir Inflow: 64,534 Comment: Current banked total: 22,743 AF.	3,213
Estuary Inflows (NCAT + RBP)	46
PassThru Surplus / -Deficit:	-2,067

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	October 2013	
				Allocation	Remaining
10/20/2013	133	2,664	38,554	3,050	386
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
10/20/2013	41.1	135,282		84.0%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: October 22, 2013**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
10/22/2012	204.9	357,119	51.4%	77.9	45,237	17.6%	402,356	42.2%
10/22/2013	198.4	252,294	36.3%	84.1	102,627	39.9%	354,921	37.3%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
10/21/2013	84	159	0.00	83	103	0.00	262
MTD		3,651	2.03		2,417	0.65	6,068

STREAM FLOWS

Gauging Station	10/21/2013 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	33,150	89,809
NRTT : Nueces River at Tilden, Texas	23,622	199,080
FRTT : Frio River at Tilden, Texas	123	9,069
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	6	1,041
Release from Choke Canyon Reservoir	0	1,072
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	181	3,353
NCAT : Nueces River at Calallen, Texas	0	1
RBP : Rincon Bayou Pipeline	27	71
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	33,273	97,807

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 3,213 Salinity Relief Credit : 0 Effective:	3,213
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	600
Return Flow Credit (Effective: 10/01/2013)	500
Passthru Target: 3,213 Reservoir Inflow: 97,807 Comment: Current banked total: 22,743 AF.	3,213
Estuary Inflows (NCAT + RBP)	72
PassThru Surplus / -Deficit:	-2,041

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	October 2013	
				Allocation	Remaining
10/21/2013	132	2,797	38,687	3,050	253
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
10/21/2013	41.1	135,282		84.0%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: October 23, 2013**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
10/23/2012	205.0	357,296	51.4%	77.9	45,169	17.6%	402,465	42.3%
10/23/2013	198.4	252,294	36.3%	86.1	127,014	49.4%	379,308	39.8%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
10/22/2013	84	192	0.00	76	227	0.00	419
MTD		3,843	2.03		2,644	0.65	6,487

STREAM FLOWS

Gauging Station	10/22/2013 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	29,180	118,989
NRTT : Nueces River at Tilden, Texas	29,378	228,458
FRTT : Frio River at Tilden, Texas	79	9,149
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	5	1,046
Release from Choke Canyon Reservoir	0	1,072
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	189	3,541
NCAT : Nueces River at Calallen, Texas	0	1
RBP : Rincon Bayou Pipeline	0	71
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	29,259	127,066

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 3,213 Salinity Relief Credit : 0 Effective:	3,213
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	600
Return Flow Credit (Effective: 10/01/2013)	500
Passthru Target: 3,213 Reservoir Inflow: 127,066 Comment: Current banked total: 22,743 AF.	3,213
Estuary Inflows (NCAT + RBP)	72
PassThru Surplus / -Deficit:	-2,041

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	October 2013	
				Allocation	Remaining
10/22/2013	132	2,929	38,819	3,050	121
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
10/22/2013	41.0	134,434		83.5%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: October 24, 2013**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
10/24/2012	204.9	356,766	51.3%	77.8	44,965	17.5%	401,731	42.2%
10/24/2013	198.4	252,149	36.3%	87.9	153,175	59.5%	405,324	42.6%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
10/23/2013	84	150	0.00	81	196	0.00	346
MTD		3,993	2.03		2,840	0.65	6,833

STREAM FLOWS

Gauging Station	10/23/2013 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	25,011	144,000
NRTT : Nueces River at Tilden, Texas	26,202	254,660
FRTT : Frio River at Tilden, Texas	54	9,202
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	4	1,049
Release from Choke Canyon Reservoir	0	1,072
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	197	3,738
NCAT : Nueces River at Calallen, Texas	0	1
RBP : Rincon Bayou Pipeline	0	71
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	25,065	152,130

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 3,213 Salinity Relief Credit : 0 Effective:	3,213
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	600
Return Flow Credit (Effective: 10/01/2013)	500
Passthru Target: 3,213 Reservoir Inflow: 152,130 Comment: Current banked total: 22,743 AF. The combined reservoir system reached 40% on 10/23/2013 . The passthru target is now 3213 AF based on 23 days at the <40% target of 1200 AF and 8 days at >= 40% 9000 Af target.	3,213
Estuary Inflows (NCAT + RBP)	72
PassThru Surplus / -Deficit:	-2,041

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	October 2013	
				Allocation	Remaining
10/23/2013	132	3,061	38,951	3,050	-11
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
10/23/2013	40.9	133,588		82.9%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: October 26, 2013**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
10/26/2012	204.8	355,351	51.1%	77.8	44,965	17.5%	400,316	42.0%
10/26/2013	198.5	252,438	36.3%	90.4	194,672	75.7%	447,110	46.9%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
10/25/2013	83	159	0.00	82	216	0.00	375
MTD		4,319	2.03		3,274	0.65	7,593

STREAM FLOWS

Gauging Station	10/25/2013 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	25,011	194,022
NRTT : Nueces River at Tilden, Texas	16,337	291,839
FRTT : Frio River at Tilden, Texas	26	9,268
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	3	1,056
Release from Choke Canyon Reservoir	30	1,102
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	3,513	8,353
NCAT : Nueces River at Calallen, Texas	286	287
RBP : Rincon Bayou Pipeline	149	299
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	25,007	202,188

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 3,213 Salinity Relief Credit : 0 Effective:	3,213
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	600
Return Flow Credit (Effective: 10/01/2013)	500
Passthru Target: 3,213 Reservoir Inflow: 202,188 Comment: Current banked total: 22,743 AF. The combined reservoir system reached 40% on 10/23/2013 . The passthru target is now 3213 AF based on 23 days at the <40% target of 1200 AF and 8 days at >= 40% 9000 Af target.	3,213
Estuary Inflows (NCAT + RBP)	586
PassThru Surplus / -Deficit:	-1,527

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	October 2013	
				Allocation	Remaining
10/25/2013	132	3,325	39,215	3,050	-275
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
10/25/2013	40.7	131,905		81.9%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: October 27, 2013**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
10/27/2012	204.8	354,821	51.0%	77.9	45,169	17.6%	399,990	42.0%
10/27/2013	198.4	252,294	36.3%	91.4	211,072	82.0%	463,366	48.6%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
10/26/2013	83	150	0.00	83	171	0.00	321
MTD		4,469	2.03		3,445	0.65	7,914

STREAM FLOWS

Gauging Station	10/26/2013 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	23,026	217,048
NRTT : Nueces River at Tilden, Texas	13,061	304,900
FRTT : Frio River at Tilden, Texas	18	9,286
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	2	1,058
Release from Choke Canyon Reservoir	58	1,159
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	3,236	11,588
NCAT : Nueces River at Calallen, Texas	1,560	1,847
RBP : Rincon Bayou Pipeline	204	504
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	22,986	225,174

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 3,213 Salinity Relief Credit : 0 Effective:	3,213
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	600
Return Flow Credit (Effective: 10/01/2013)	500
Passthru Target: 3,213 Reservoir Inflow: 225,174 Comment: Current banked total: 22,743 AF. The combined reservoir system reached 40% on 10/23/2013 . The passthru target is now 3213 AF based on 23 days at the <40% target of 1200 AF and 8 days at >= 40% 9000 Af target.	3,213
Estuary Inflows (NCAT + RBP)	2,351
PassThru Surplus / -Deficit:	238

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	October 2013	
				Allocation	Remaining
10/26/2013	131	3,456	39,346	3,050	-406
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
10/26/2013	40.6	131,068		81.4%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: October 28, 2013**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
10/28/2012	204.8	354,298	51.0%	77.8	44,830	17.4%	399,128	41.9%
10/28/2013	198.4	251,148	36.1%	92.3	226,418	88.0%	477,566	50.1%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
10/27/2013	85	133	0.00	86	185	0.00	318
MTD		4,602	2.03		3,630	0.65	8,232

STREAM FLOWS

Gauging Station	10/27/2013 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	19,076	236,124
NRTT : Nueces River at Tilden, Texas	10,580	315,480
FRTT : Frio River at Tilden, Texas	14	9,300
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	2	1,060
Release from Choke Canyon Reservoir	58	1,217
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	3,275	14,864
NCAT : Nueces River at Calallen, Texas	1,840	3,687
RBP : Rincon Bayou Pipeline	204	708
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	19,032	244,207

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 3,213 Salinity Relief Credit : 0 Effective:	3,213
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	600
Return Flow Credit (Effective: 10/01/2013)	500
Passthru Target: 3,213 Reservoir Inflow: 244,207 Comment: Current banked total: 22,743 AF. The combined reservoir system reached 40% on 10/23/2013 . The passthru target is now 3213 AF based on 23 days at the <40% target of 1200 AF and 8 days at >= 40% 9000 Af target.	3,213
Estuary Inflows (NCAT + RBP)	4,395
PassThru Surplus / -Deficit:	2,282

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	October 2013	
				Allocation	Remaining
10/27/2013	131	3,588	39,478	3,050	-538
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
10/27/2013	40.5	126,098		78.3%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: October 29, 2013**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
10/29/2012	204.8	354,821	51.0%	77.8	44,559	17.3%	399,380	41.9%
10/29/2013	198.3	251,006	36.1%	93.0	238,836	92.8%	489,842	51.4%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
10/28/2013	87	175	0.02	86	281	0.02	456
MTD		4,777	2.05		3,911	0.67	8,688

STREAM FLOWS

Gauging Station	10/28/2013 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	14,074	250,197
NRTT : Nueces River at Tilden, Texas	8,734	324,214
FRTT : Frio River at Tilden, Texas	11	9,311
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	2	1,063
Release from Choke Canyon Reservoir	58	1,274
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	2,640	17,504
NCAT : Nueces River at Calallen, Texas	1,925	5,612
RBP : Rincon Bayou Pipeline	204	912
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	14,027	258,234

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 3,213 Salinity Relief Credit : 0 Effective:	3,213
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	600
Return Flow Credit (Effective: 10/01/2013)	500
Passthru Target: 3,213 Reservoir Inflow: 258,234 Comment: Current banked total: 22,743 AF. The combined reservoir system reached 40% on 10/23/2013 . The passthru target is now 3213 AF based on 23 days at the <40% target of 1200 AF and 8 days at >= 40% 9000 Af target.	3,213
Estuary Inflows (NCAT + RBP)	6,524
PassThru Surplus / -Deficit:	4,411

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	October 2013	
				Allocation	Remaining
10/28/2013	131	3,718	39,609	3,050	-668
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
10/28/2013	40.5	126,098		78.3%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: October 30, 2013**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
10/30/2012	204.8	354,472	51.0%	77.8	44,425	17.3%	398,897	41.9%
10/30/2013	198.3	251,006	36.1%	93.5	248,722	96.7%	499,728	52.5%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
10/29/2013	88	166	0.01	86	263	0.00	429
MTD		4,943	2.06		4,174	0.67	9,117

STREAM FLOWS

Gauging Station	10/29/2013 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	9,806	260,003
NRTT : Nueces River at Tilden, Texas	7,384	331,598
FRTT : Frio River at Tilden, Texas	9	9,319
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	2	1,065
Release from Choke Canyon Reservoir	58	1,332
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	885	18,389
NCAT : Nueces River at Calallen, Texas	1,691	7,304
RBP : Rincon Bayou Pipeline	203	1,115
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	9,757	267,991

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 3,213 Salinity Relief Credit : 0 Effective:	3,213
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	600
Return Flow Credit (Effective: 10/01/2013)	500
Passthru Target: 3,213 Reservoir Inflow: 267,991 Comment: Current banked total: 22,743 AF. The combined reservoir system reached 40% on 10/23/2013 . The passthru target is now 3213 AF based on 23 days at the <40% target of 1200 AF and 8 days at >= 40% 9000 Af target.	3,213
Estuary Inflows (NCAT + RBP)	8,419
PassThru Surplus / -Deficit:	6,306

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	October 2013	
				Allocation	Remaining
10/29/2013	131	3,849	39,739	3,050	-799
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
10/29/2013	40.4	129,400		80.3%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: October 31, 2013**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
10/31/2012	204.7	353,774	50.9%	77.7	44,290	17.2%	398,064	41.8%
10/31/2013	198.4	251,148	36.1%	93.9	255,801	99.4%	506,949	53.2%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
10/30/2013	88	108	0.01	88	212	0.00	320
MTD		5,051	2.07		4,386	0.67	9,437

STREAM FLOWS

Gauging Station	10/30/2013 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	7,404	267,407
NRTT : Nueces River at Tilden, Texas	5,975	337,573
FRTT : Frio River at Tilden, Texas	7	9,326
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	2	1,067
Release from Choke Canyon Reservoir	58	1,390
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	8	18,397
NCAT : Nueces River at Calallen, Texas	875	8,179
RBP : Rincon Bayou Pipeline	79	1,194
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	7,353	275,344

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 3,213 Salinity Relief Credit : 0 Effective:	3,213
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	600
Return Flow Credit (Effective: 10/01/2013)	500
Passthru Target: 3,213 Reservoir Inflow: 275,344 Comment: Current banked total: 22,743 AF. The combined reservoir system reached 40% on 10/23/2013 . The passthru target is now 3213 AF based on 23 days at the <40% target of 1200 AF and 8 days at >= 40% 9000 Af target.	3,213
Estuary Inflows (NCAT + RBP)	9,373
PassThru Surplus / -Deficit:	7,260

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	October 2013	
				Allocation	Remaining
10/30/2013	130	3,980	39,870	3,050	-930
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
10/30/2013	40.4	129,400		80.3%	