

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: November 1, 2013**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
11/01/2012	204.7	353,774	50.9%	77.7	44,089	17.1%	397,863	41.8%
11/01/2013	198.3	250,294	36.0%	94.0	257,260	100.0%	507,554	53.3%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
10/31/2013	86	182	0.02	86	191	0.00	373
MTD		5,233	2.09		4,577	0.67	9,810

STREAM FLOWS

Gauging Station	10/31/2013 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	6,015	273,422
NRTT : Nueces River at Tilden, Texas	4,387	341,960
FRTT : Frio River at Tilden, Texas	6	9,332
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	2	1,070
Release from Choke Canyon Reservoir	58	1,447
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	159	18,556
NCAT : Nueces River at Calallen, Texas	264	8,443
RBP : Rincon Bayou Pipeline	0	1,194
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	5,963	281,307

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 3,213 Salinity Relief Credit : 0 Effective:	3,213
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	600
Return Flow Credit (Effective: 10/01/2013)	500
Passthru Target: 3,213 Reservoir Inflow: 281,307 Comment: Current banked total: 22,743 AF. .	3,213
Estuary Inflows (NCAT + RBP)	9,637
PassThru Surplus / -Deficit:	7,524

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	October 2013	
				Allocation	Remaining
10/31/2013	131	4,111	40,001	3,050	-1,061
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
10/31/2013	41.1	135,282		84.0%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: November 2, 2013**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
11/02/2012	204.7	353,425	50.8%	77.7	43,955	17.1%	397,380	41.7%
11/02/2013	198.3	250,294	36.0%	94.0	257,260	100.0%	507,554	53.3%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
11/01/2013	87	207	0.00	87	160	0.00	367
MTD		207	0.00		160	0.00	367

STREAM FLOWS

Gauging Station	11/01/2013 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	4,903	4,903
NRTT : Nueces River at Tilden, Texas	2,005	2,005
FRTT : Frio River at Tilden, Texas	4	4
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	2	2
Release from Choke Canyon Reservoir	58	58
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	657	657
NCAT : Nueces River at Calallen, Texas	71	71
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	4,850	4,850

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 4,000 Salinity Relief Credit : 0 Effective:	4,000
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	2,000
Return Flow Credit (Effective: 11/01/2013)	500
Passthru Target: 4,000 Reservoir Inflow: 4,850 Comment: Current banked total: 22,743 AF.	4,000
Estuary Inflows (NCAT + RBP)	71
PassThru Surplus / -Deficit:	-1,429

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	November 2013	
				Allocation	Remaining
11/01/2013	130	130	40,193	3,050	2,920
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
11/01/2013	42.0	143,036		88.8%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: November 3, 2013**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
11/03/2012	204.7	352,899	50.8%	77.7	43,755	17.0%	396,654	41.6%
11/03/2013	198.3	250,863	36.1%	94.0	257,260	100.0%	508,123	53.3%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
11/02/2013	77	208	0.00	77	447	0.00	655
MTD		415	0.00		607	0.00	1,022

STREAM FLOWS

Gauging Station	11/02/2013 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	3,613	8,516
NRTT : Nueces River at Tilden, Texas	548	2,553
FRTT : Frio River at Tilden, Texas	3	8
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	2	4
Release from Choke Canyon Reservoir	58	115
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	2,680	3,337
NCAT : Nueces River at Calallen, Texas	304	375
RBP : Rincon Bayou Pipeline	122	122
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	3,559	8,408

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 4,000 Salinity Relief Credit : 0 Effective:	4,000
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	2,000
Return Flow Credit (Effective: 11/01/2013)	500
Passthru Target: 4,000 Reservoir Inflow: 8,408 Comment: Current banked total: 22,743 AF.	4,000
Estuary Inflows (NCAT + RBP)	497
PassThru Surplus / -Deficit:	-1,003

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	November 2013	
				Allocation	Remaining
11/02/2013	131	261	40,324	3,050	2,789
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
11/02/2013	42.3	145,671		90.4%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: November 4, 2013**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
11/04/2012	204.7	353,251	50.8%	77.6	43,422	16.9%	396,673	41.6%
11/04/2013	198.3	250,578	36.0%	94.0	257,260	100.0%	507,838	53.3%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
11/03/2013	76	166	0.00	75	255	0.00	421
MTD		581	0.00		862	0.00	1,443

STREAM FLOWS

Gauging Station	11/03/2013 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	1,048	9,564
NRTT : Nueces River at Tilden, Texas	355	2,908
FRTT : Frio River at Tilden, Texas	385	393
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	2	7
Release from Choke Canyon Reservoir	58	173
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	2,620	5,957
NCAT : Nueces River at Calallen, Texas	1,358	1,733
RBP : Rincon Bayou Pipeline	131	253
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	1,376	9,784

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 4,000 Salinity Relief Credit : 0 Effective:	4,000
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	2,000
Return Flow Credit (Effective: 11/01/2013)	500
Passthru Target: 4,000 Reservoir Inflow: 9,784 Comment: Current banked total: 22,743 AF.	4,000
Estuary Inflows (NCAT + RBP)	1,986
PassThru Surplus / -Deficit:	486

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	November 2013	
				Allocation	Remaining
11/03/2013	131	392	40,455	3,050	2,658
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
11/03/2013	42.5	147,442		91.5%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: November 5, 2013**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
11/05/2012	204.6	351,839	50.6%	77.6	43,621	17.0%	395,460	41.5%
11/05/2013	198.3	250,578	36.0%	94.0	257,260	100.0%	507,838	53.3%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
11/04/2013	76	58	0.00	77	170	0.00	228
MTD		639	0.00		1,032	0.00	1,671

STREAM FLOWS

Gauging Station	11/04/2013 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	496	10,060
NRTT : Nueces River at Tilden, Texas	369	3,277
FRTT : Frio River at Tilden, Texas	322	714
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	4	11
Release from Choke Canyon Reservoir	58	230
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	2,144	8,101
NCAT : Nueces River at Calallen, Texas	1,693	3,426
RBP : Rincon Bayou Pipeline	131	383
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	760	10,544

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 4,000 Salinity Relief Credit : 0 Effective:	4,000
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	2,000
Return Flow Credit (Effective: 11/01/2013)	500
Passthru Target: 4,000 Reservoir Inflow: 10,544 Comment: Current banked total: 22,743 AF.	4,000
Estuary Inflows (NCAT + RBP)	3,810
PassThru Surplus / -Deficit:	2,310

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	November 2013	
				Allocation	Remaining
11/04/2013	131	523	40,586	3,050	2,527
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
11/04/2013	42.5	147,442		91.5%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: November 6, 2013**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
11/06/2012	204.7	352,546	50.7%	77.6	43,621	17.0%	396,167	41.6%
11/06/2013	198.3	249,867	35.9%	94.1	257,260	100.0%	507,127	53.2%

Weather Related Information								
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
11/05/2013	84	108	0.00	84	149	0.01		257
MTD		747	0.00		1,181	0.01		1,928

STREAM FLOWS

Gauging Station	11/05/2013 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	443	10,503
NRTT : Nueces River at Tilden, Texas	302	3,579
FRTT : Frio River at Tilden, Texas	131	845
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	3	13
Release from Choke Canyon Reservoir	58	288
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	1,209	9,310
NCAT : Nueces River at Calallen, Texas	1,552	4,978
RBP : Rincon Bayou Pipeline	126	509
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	516	11,060

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 4,000 Salinity Relief Credit : 0 Effective:	4,000
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	2,000
Return Flow Credit (Effective: 11/01/2013)	500
Passthru Target: 4,000 Reservoir Inflow: 11,060 Comment: Current banked total: 22,743 AF.	4,000
Estuary Inflows (NCAT + RBP)	5,488
PassThru Surplus / -Deficit:	3,988

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	November 2013	
				Allocation	Remaining
11/05/2013	131	654	40,717	3,050	2,396
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
11/05/2013	42.6	148,332		92.1%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: November 7, 2013**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
11/07/2012	204.6	351,135	50.5%	77.6	43,289	16.8%	394,424	41.4%
11/07/2013	198.1	247,612	35.6%	94.0	257,260	100.0%	504,872	53.0%

Weather Related Information								
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
11/06/2013	81	189	0.01	83	234	0.11		423
MTD		936	0.01		1,415	0.12		2,351

STREAM FLOWS

Gauging Station	11/06/2013 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	391	10,894
NRTT : Nueces River at Tilden, Texas	214	3,793
FRTT : Frio River at Tilden, Texas	69	915
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	3	16
Release from Choke Canyon Reservoir	58	345
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	359	9,669
NCAT : Nueces River at Calallen, Texas	955	5,933
RBP : Rincon Bayou Pipeline	203	713
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	403	11,463

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 4,000 Salinity Relief Credit : 0 Effective:	4,000
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	2,000
Return Flow Credit (Effective: 11/01/2013)	500
Passthru Target: 4,000 Reservoir Inflow: 11,463 Comment: Current banked total: 22,743 AF.	4,000
Estuary Inflows (NCAT + RBP)	6,646
PassThru Surplus / -Deficit:	5,146

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	November 2013	
				Allocation	Remaining
11/06/2013	131	785	40,847	3,050	2,265
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
11/06/2013	42.7	149,224		92.6%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: November 8, 2013**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
11/08/2012	204.6	351,309	50.5%	77.6	43,025	16.7%	394,334	41.4%
11/08/2013	198.1	248,172	35.7%	94.0	257,078	99.9%	505,250	53.0%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
11/07/2013	62	123	0.00	63	202	0.00	325
MTD		1,059	0.01		1,617	0.12	2,676

STREAM FLOWS

Gauging Station	11/07/2013 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	236	11,130
NRTT : Nueces River at Tilden, Texas	183	3,976
FRTT : Frio River at Tilden, Texas	46	961
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	3	19
Release from Choke Canyon Reservoir	58	403
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	522	10,191
NCAT : Nueces River at Calallen, Texas	280	6,213
RBP : Rincon Bayou Pipeline	202	915
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	224	11,687

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru		4,000
Monthly Target: 4,000		
Salinity Relief Credit : 0 Effective:		
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)		2,000
Return Flow Credit (Effective: 11/01/2013)		500
Passthru		4,000
Target: 4,000	Comment: Current banked total: 22,743 AF.	
Reservoir Inflow: 11,687		
Estuary Inflows (NCAT + RBP)		7,128
PassThru Surplus / -Deficit:		5,628

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	November 2013	
				Allocation	Remaining
11/07/2013	131	915	40,978	3,050	2,135
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
11/07/2013	42.7	149,224		92.6%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: November 9, 2013**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
11/09/2012	204.6	350,611	50.4%	77.5	42,761	16.6%	393,372	41.3%
11/09/2013	198.1	247,892	35.7%	93.9	255,983	99.5%	503,875	52.9%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
11/08/2013	68	90	0.00	71	159	0.00	249
MTD		1,149	0.01		1,776	0.12	2,925

STREAM FLOWS

Gauging Station	11/08/2013 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	185	11,315
NRTT : Nueces River at Tilden, Texas	161	4,137
FRTT : Frio River at Tilden, Texas	32	992
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	3	22
Release from Choke Canyon Reservoir	58	461
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	139	10,330
NCAT : Nueces River at Calallen, Texas	189	6,402
RBP : Rincon Bayou Pipeline	200	1,114
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	159	11,846

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 4,000 Salinity Relief Credit : 0 Effective:	4,000
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	2,000
Return Flow Credit (Effective: 11/01/2013)	500
Passthru Target: 4,000 Reservoir Inflow: 11,846 Comment: Current banked total: 22,743 AF.	4,000
Estuary Inflows (NCAT + RBP)	7,516
PassThru Surplus / -Deficit:	6,016

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	November 2013	
				Allocation	Remaining
11/08/2013	131	1,046	41,108	3,050	2,004
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
11/08/2013	42.7	149,224		92.6%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: November 10, 2013**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
11/10/2012	204.6	351,135	50.5%	77.5	42,498	16.5%	393,633	41.3%
11/10/2013	198.1	247,192	35.6%	93.9	255,619	99.4%	502,811	52.8%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
11/09/2013	75	90	0.00	75	106	0.00	196
MTD		1,239	0.01		1,882	0.12	3,121

STREAM FLOWS

Gauging Station	11/09/2013 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	163	11,477
NRTT : Nueces River at Tilden, Texas	135	4,272
FRTT : Frio River at Tilden, Texas	20	1,012
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	3	25
Release from Choke Canyon Reservoir	58	518
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	123	10,453
NCAT : Nueces River at Calallen, Texas	34	6,435
RBP : Rincon Bayou Pipeline	75	1,189
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	125	11,971

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 4,000 Salinity Relief Credit : 0 Effective:	4,000
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	2,000
Return Flow Credit (Effective: 11/01/2013)	500
Passthru Target: 4,000 Reservoir Inflow: 11,971 Comment: Current banked total: 22,743 AF.	4,000
Estuary Inflows (NCAT + RBP)	7,624
PassThru Surplus / -Deficit:	6,124

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	November 2013	
				Allocation	Remaining
11/09/2013	130	1,176	41,239	3,050	1,874
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
11/09/2013	42.7	149,224		92.6%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: November 11, 2013**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
11/11/2012	204.5	349,913	50.3%	77.4	42,041	16.3%	391,954	41.1%
11/11/2013	198.1	247,612	35.6%	93.9	255,254	99.2%	502,866	52.8%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
11/10/2013	73	123	0.00	70	106	0.00	229
MTD		1,362	0.01		1,988	0.12	3,350

STREAM FLOWS

Gauging Station	11/10/2013 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	141	11,618
NRTT : Nueces River at Tilden, Texas	123	4,395
FRTT : Frio River at Tilden, Texas	14	1,027
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	3	28
Release from Choke Canyon Reservoir	58	576
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	141	10,594
NCAT : Nueces River at Calallen, Texas	44	6,479
RBP : Rincon Bayou Pipeline	0	1,189
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	98	12,069

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 4,000 Salinity Relief Credit : 0 Effective:	4,000
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	2,000
Return Flow Credit (Effective: 11/01/2013)	500
Passthru Target: 4,000 Reservoir Inflow: 12,069 Comment: Current banked total: 22,743 AF.	4,000
Estuary Inflows (NCAT + RBP)	7,668
PassThru Surplus / -Deficit:	6,168

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	November 2013	
				Allocation	Remaining
11/10/2013	130	1,306	41,369	3,050	1,744
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
11/10/2013	42.5	148,332		92.1%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: November 12, 2013**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
11/12/2012	204.5	349,041	50.2%	77.5	42,564	16.5%	391,605	41.1%
11/12/2013	198.0	246,352	35.4%	93.9	255,072	99.1%	501,424	52.6%

Weather Related Information								
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
11/11/2013	77	123	0.00	78	191	0.00		314
MTD		1,485	0.01		2,179	0.12		3,664

STREAM FLOWS

Gauging Station	11/11/2013 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	121	11,739
NRTT : Nueces River at Tilden, Texas	151	4,546
FRTT : Frio River at Tilden, Texas	11	1,037
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	3	31
Release from Choke Canyon Reservoir	58	633
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	157	10,751
NCAT : Nueces River at Calallen, Texas	26	6,505
RBP : Rincon Bayou Pipeline	0	1,189
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	74	12,143

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 4,000 Salinity Relief Credit : 0 Effective:	4,000
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	2,000
Return Flow Credit (Effective: 11/01/2013)	500
Passthru Target: 4,000 Reservoir Inflow: 12,143 Comment: Current banked total: 22,743 AF.	4,000
Estuary Inflows (NCAT + RBP)	7,694
PassThru Surplus / -Deficit:	6,194

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	November 2013	
				Allocation	Remaining
11/11/2013	130	1,436	41,499	3,050	1,614
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
11/11/2013	42.5	148,332		92.1%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: November 13, 2013**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
11/13/2012	204.5	348,866	50.2%	77.4	42,041	16.3%	390,907	41.0%
11/13/2013	198.0	246,212	35.4%	93.9	254,526	98.9%	500,738	52.6%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
11/12/2013	72	221	0.00	72	233	0.00	454
MTD		1,706	0.01		2,412	0.12	4,118

STREAM FLOWS

Gauging Station	11/12/2013 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	117	11,856
NRTT : Nueces River at Tilden, Texas	83	4,629
FRTT : Frio River at Tilden, Texas	8	1,045
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	3	33
Release from Choke Canyon Reservoir	58	691
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	304	11,054
NCAT : Nueces River at Calallen, Texas	19	6,524
RBP : Rincon Bayou Pipeline	0	1,189
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	67	12,211

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 4,000 Salinity Relief Credit : 0 Effective:	4,000
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	2,000
Return Flow Credit (Effective: 11/01/2013)	500
Passthru Target: 4,000 Reservoir Inflow: 12,211 Comment: Current banked total: 22,743 AF.	4,000
Estuary Inflows (NCAT + RBP)	7,713
PassThru Surplus / -Deficit:	6,213

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	November 2013	
				Allocation	Remaining
11/12/2013	120	1,557	41,619	3,050	1,493
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
11/12/2013	42.5	147,442		91.5%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: November 14, 2013**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
11/14/2012	204.5	349,215	50.2%	77.3	41,586	16.2%	390,801	41.0%
11/14/2013	198.1	246,912	35.5%	93.8	252,708	98.2%	499,620	52.5%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
11/13/2013	57	115	0.00	58	317	0.00	432
MTD		1,821	0.01		2,729	0.12	4,550

STREAM FLOWS

Gauging Station	11/13/2013 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	123	11,979
NRTT : Nueces River at Tilden, Texas	71	4,700
FRTT : Frio River at Tilden, Texas	8	1,053
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	3	36
Release from Choke Canyon Reservoir	58	748
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	242	11,297
NCAT : Nueces River at Calallen, Texas	101	6,625
RBP : Rincon Bayou Pipeline	0	1,189
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	73	12,284

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 4,000 Salinity Relief Credit : 0 Effective:	4,000
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	2,000
Return Flow Credit (Effective: 11/01/2013)	500
Passthru Target: 4,000 Reservoir Inflow: 12,284 Comment: Current banked total: 22,743 AF.	4,000
Estuary Inflows (NCAT + RBP)	7,814
PassThru Surplus / -Deficit:	6,314

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	November 2013	
				Allocation	Remaining
11/13/2013	112	1,669	41,732	3,050	1,381
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
11/13/2013	42.4	147,442		91.5%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: November 15, 2013**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
11/15/2012	204.5	349,041	50.2%	77.3	41,392	16.1%	390,433	41.0%
11/15/2013	198.0	246,772	35.5%	93.7	252,345	98.1%	499,117	52.4%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
11/14/2013	65	57	0.00	63	63	0.00	120
MTD		1,878	0.01		2,792	0.12	4,670

STREAM FLOWS

Gauging Station	11/14/2013 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	107	12,087
NRTT : Nueces River at Tilden, Texas	60	4,760
FRTT : Frio River at Tilden, Texas	6	1,058
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	3	39
Release from Choke Canyon Reservoir	58	806
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	157	11,453
NCAT : Nueces River at Calallen, Texas	109	6,734
RBP : Rincon Bayou Pipeline	0	1,189
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	55	12,339

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 4,000 Salinity Relief Credit : 0 Effective:	4,000
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	2,000
Return Flow Credit (Effective: 11/01/2013)	500
Passthru Target: 4,000 Reservoir Inflow: 12,339 Comment: Current banked total: 22,743 AF.	4,000
Estuary Inflows (NCAT + RBP)	7,923
PassThru Surplus / -Deficit:	6,423

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	November 2013	
				Allocation	Remaining
11/14/2013	111	1,780	41,782	3,050	1,270
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
11/14/2013	42.4	146,555		91.0%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: November 16, 2013**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
11/16/2012	204.4	348,517	50.1%	77.3	41,263	16.0%	389,780	40.9%
11/16/2013	198.0	246,352	35.4%	93.7	251,982	97.9%	498,334	52.3%

Weather Related Information								
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
11/15/2013	81	115	0.00	79	63	0.00		178
MTD		1,993	0.01		2,855	0.12		4,848

STREAM FLOWS

Gauging Station	11/15/2013 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	103	12,190
NRTT : Nueces River at Tilden, Texas	42	4,802
FRTT : Frio River at Tilden, Texas	5	1,063
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	3	41
Release from Choke Canyon Reservoir	58	863
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	167	11,620
NCAT : Nueces River at Calallen, Texas	22	6,756
RBP : Rincon Bayou Pipeline	0	1,189
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	50	12,390

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 4,000 Salinity Relief Credit : 0 Effective:	4,000
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	2,000
Return Flow Credit (Effective: 11/01/2013)	500
Passthru Target: 4,000 Reservoir Inflow: 12,390 Comment: Current banked total: 22,743 AF.	4,000
Estuary Inflows (NCAT + RBP)	7,945
PassThru Surplus / -Deficit:	6,445

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	November 2013	
				Allocation	Remaining
11/15/2013	111	1,892	41,893	3,050	1,158
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
11/15/2013	42.4	146,555		91.0%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: November 17, 2013**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
11/17/2012	204.4	347,296	50.0%	77.2	41,006	15.9%	388,302	40.8%
11/17/2013	198.0	246,212	35.4%	93.7	251,619	97.8%	497,831	52.3%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
11/16/2013	81	90	0.00	79	85	0.00	175
MTD		2,083	0.01		2,940	0.12	5,023

STREAM FLOWS

Gauging Station	11/16/2013 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	91	12,281
NRTT : Nueces River at Tilden, Texas	30	4,831
FRTT : Frio River at Tilden, Texas	4	1,067
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	3	44
Release from Choke Canyon Reservoir	58	921
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	165	11,785
NCAT : Nueces River at Calallen, Texas	14	6,770
RBP : Rincon Bayou Pipeline	0	1,189
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	38	12,427

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 4,000 Salinity Relief Credit : 0 Effective:	4,000
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	2,000
Return Flow Credit (Effective: 11/01/2013)	500
Passthru Target: 4,000 Reservoir Inflow: 12,427 Comment: Current banked total: 22,743 AF.	4,000
Estuary Inflows (NCAT + RBP)	7,959
PassThru Surplus / -Deficit:	6,459

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	November 2013	
				Allocation	Remaining
11/16/2013	112	2,003	42,004	3,050	1,047
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
11/16/2013	42.3	145,671		90.4%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: November 18, 2013**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
11/18/2012	204.4	347,645	50.0%	77.2	40,750	15.8%	388,395	40.8%
11/18/2013	197.9	244,952	35.2%	93.7	251,619	97.8%	496,571	52.1%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
11/17/2013	88	122	0.00	87	158	0.00	280
MTD		2,205	0.01		3,098	0.12	5,303

STREAM FLOWS

Gauging Station	11/17/2013 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	81	12,363
NRTT : Nueces River at Tilden, Texas	22	4,853
FRTT : Frio River at Tilden, Texas	4	1,071
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	3	47
Release from Choke Canyon Reservoir	58	979
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	165	11,950
NCAT : Nueces River at Calallen, Texas	15	6,785
RBP : Rincon Bayou Pipeline	0	1,189
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	27	12,455

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 4,000 Salinity Relief Credit : 0 Effective:	4,000
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	2,000
Return Flow Credit (Effective: 11/01/2013)	500
Passthru Target: 4,000 Reservoir Inflow: 12,455 Comment: Current banked total: 22,743 AF.	4,000
Estuary Inflows (NCAT + RBP)	7,974
PassThru Surplus / -Deficit:	6,474

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	November 2013	
				Allocation	Remaining
11/17/2013	112	2,115	42,116	3,050	935
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
11/17/2013	42.3	145,671		90.4%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: November 19, 2013**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
11/19/2012	204.4	347,296	50.0%	77.2	40,622	15.8%	387,918	40.7%
11/19/2013	198.0	245,652	35.3%	93.7	251,075	97.6%	496,727	52.1%

Weather Related Information								
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
11/18/2013	78	114	0.00	76	106	0.00		220
MTD		2,319	0.01		3,204	0.12		5,523

STREAM FLOWS

Gauging Station	11/18/2013 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	69	12,432
NRTT : Nueces River at Tilden, Texas	16	4,869
FRTT : Frio River at Tilden, Texas	3	1,074
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	3	50
Release from Choke Canyon Reservoir	58	1,036
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	163	12,112
NCAT : Nueces River at Calallen, Texas	16	6,801
RBP : Rincon Bayou Pipeline	0	1,189
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	15	12,470

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 4,000 Salinity Relief Credit : 0 Effective:	4,000
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	2,000
Return Flow Credit (Effective: 11/01/2013)	500
Passthru Target: 4,000 Reservoir Inflow: 12,470 Comment: Current banked total: 22,743 AF.	4,000
Estuary Inflows (NCAT + RBP)	7,990
PassThru Surplus / -Deficit:	6,490

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	November 2013	
				Allocation	Remaining
11/18/2013	112	2,227	42,228	3,050	823
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
11/18/2013	42.3	145,671		90.4%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: November 20, 2013**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
11/20/2012	204.3	346,249	49.8%	77.2	40,558	15.8%	386,807	40.6%
11/20/2013	198.0	245,652	35.3%	93.6	250,713	97.5%	496,365	52.1%

Weather Related Information								
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
11/19/2013	72	98	0.00	71	190	0.00		288
MTD		2,417	0.01		3,394	0.12		5,811

STREAM FLOWS

Gauging Station	11/19/2013 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	64	12,496
NRTT : Nueces River at Tilden, Texas	11	4,880
FRTT : Frio River at Tilden, Texas	2	1,076
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	3	52
Release from Choke Canyon Reservoir	58	1,094
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	163	12,275
NCAT : Nueces River at Calallen, Texas	16	6,817
RBP : Rincon Bayou Pipeline	0	1,189
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	8	12,478

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 4,000 Salinity Relief Credit : 0 Effective:	4,000
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	2,000
Return Flow Credit (Effective: 11/01/2013)	500
Passthru Target: 4,000 Reservoir Inflow: 12,478 Comment: Current banked total: 22,743 AF.	4,000
Estuary Inflows (NCAT + RBP)	8,006
PassThru Surplus / -Deficit:	6,506

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	November 2013	
				Allocation	Remaining
11/19/2013	112	2,339	42,340	3,050	711
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
11/19/2013	42.3	145,671		90.4%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: November 21, 2013**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
11/21/2012	204.3	346,598	49.9%	77.2	40,558	15.8%	387,156	40.6%
11/21/2013	197.9	245,372	35.3%	93.6	249,807	97.1%	495,179	52.0%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
11/20/2013	81	82	0.00	82	53	0.01	135
MTD		2,499	0.01		3,447	0.13	5,946

STREAM FLOWS

Gauging Station	11/20/2013 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	58	12,553
NRTT : Nueces River at Tilden, Texas	9	4,889
FRTT : Frio River at Tilden, Texas	2	1,079
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	2	55
Release from Choke Canyon Reservoir	58	1,151
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	161	12,436
NCAT : Nueces River at Calallen, Texas	9	6,826
RBP : Rincon Bayou Pipeline	0	1,189
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	2	12,480

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 4,000 Salinity Relief Credit : 0 Effective:	4,000
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	2,000
Return Flow Credit (Effective: 11/01/2013)	500
Passthru Target: 4,000 Reservoir Inflow: 12,480 Comment: Current banked total: 22,743 AF.	4,000
Estuary Inflows (NCAT + RBP)	8,015
PassThru Surplus / -Deficit:	6,515

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	November 2013	
				Allocation	Remaining
11/20/2013	112	2,450	42,452	3,050	600
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
11/20/2013	42.2	144,790		89.9%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: November 22, 2013**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
11/22/2012	204.3	346,249	49.8%	77.2	40,558	15.8%	386,807	40.6%
11/22/2013	198.0	245,512	35.3%	93.6	249,988	97.2%	495,500	52.0%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
11/21/2013	86	122	0.00	85	200	0.00	322
MTD		2,621	0.01		3,647	0.13	6,268

STREAM FLOWS

Gauging Station	11/21/2013 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	60	12,613
NRTT : Nueces River at Tilden, Texas	7	4,895
FRTT : Frio River at Tilden, Texas	2	1,081
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	2	57
Release from Choke Canyon Reservoir	58	1,209
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	137	12,573
NCAT : Nueces River at Calallen, Texas	1	6,827
RBP : Rincon Bayou Pipeline	0	1,189
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	4	12,485

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 4,000 Salinity Relief Credit : 0 Effective:	4,000
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	2,000
Return Flow Credit (Effective: 11/01/2013)	500
Passthru Target: 4,000 Reservoir Inflow: 12,485 Comment: Current banked total: 22,743 AF.	4,000
Estuary Inflows (NCAT + RBP)	8,017
PassThru Surplus / -Deficit:	6,517

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	November 2013	
				Allocation	Remaining
11/21/2013	111	2,562	42,563	3,050	488
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
11/21/2013	42.2	144,790		89.9%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: November 23, 2013**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
11/23/2012	204.3	345,558	49.7%	77.2	40,430	15.7%	385,988	40.5%
11/23/2013	197.9	244,252	35.1%	93.7	251,982	97.9%	496,234	52.1%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
11/22/2013	58	57	0.18	72	127	0.47	184
MTD		2,678	0.19		3,774	0.60	6,452

STREAM FLOWS

Gauging Station	11/22/2013 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	60	12,672
NRTT : Nueces River at Tilden, Texas	5	4,900
FRTT : Frio River at Tilden, Texas	2	1,083
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	2	59
Release from Choke Canyon Reservoir	58	1,266
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	254	12,827
NCAT : Nueces River at Calallen, Texas	56	6,883
RBP : Rincon Bayou Pipeline	45	1,234
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	4	12,488

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 4,000 Salinity Relief Credit : 0 Effective:	4,000
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	2,000
Return Flow Credit (Effective: 11/01/2013)	500
Passthru Target: 4,000 Reservoir Inflow: 12,488 Comment: Current banked total: 22,743 AF.	4,000
Estuary Inflows (NCAT + RBP)	8,117
PassThru Surplus / -Deficit:	6,617

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	November 2013	
				Allocation	Remaining
11/22/2013	112	2,673	42,675	3,050	377
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
11/22/2013	42.3	145,671		90.4%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: November 24, 2013**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
11/24/2012	204.2	344,004	49.5%	77.2	40,558	15.8%	384,562	40.4%
11/24/2013	197.8	243,971	35.1%	93.6	249,988	97.2%	493,959	51.9%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
11/23/2013	46	24	0.14	46	11	0.06	35
MTD		2,702	0.33		3,785	0.66	6,487

STREAM FLOWS

Gauging Station	11/23/2013 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	48	12,720
NRIT : Nueces River at Tilden, Texas	3	4,904
FRIT : Frio River at Tilden, Texas	1	1,084
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	2	61
Release from Choke Canyon Reservoir	58	1,324
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	397	13,224
NCAT : Nueces River at Calallen, Texas	24	6,907
RBP : Rincon Bayou Pipeline	67	1,301
Reservoir Inflow		
Computed as: NRIT+FRIT+SMTT+ARWT	7	12,495

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 4,000 Salinity Relief Credit : 0 Effective:	4,000
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	2,000
Return Flow Credit (Effective: 11/01/2013)	500
Passthru Target: 4,000 Reservoir Inflow: 12,495 Comment: Current banked total: 22,743 AF.	4,000
Estuary Inflows (NCAT + RBP)	8,208
PassThru Surplus / -Deficit:	6,708

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	November 2013	
				Allocation	Remaining
11/23/2013	110	2,784	42,785	3,050	266
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
11/23/2013	42.3	145,671		90.4%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: November 25, 2013**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
11/25/2012	204.2	343,481	49.4%	77.2	40,558	15.8%	384,039	40.3%
11/25/2013	197.9	244,392	35.2%	93.6	250,531	97.4%	494,923	52.0%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
11/24/2013	42	8	0.29	47	32	0.16	40
MTD		2,710	0.62		3,817	0.82	6,527

STREAM FLOWS

Gauging Station	11/24/2013 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	50	12,770
NRIT : Nueces River at Tilden, Texas	3	4,906
FRIT : Frio River at Tilden, Texas	1	1,086
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	2	64
Release from Choke Canyon Reservoir	58	1,382
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	52	13,276
NCAT : Nueces River at Calallen, Texas	121	7,028
RBP : Rincon Bayou Pipeline	67	1,368
Reservoir Inflow		
Computed as: NRIT+FRIT+SMTT+ARWT	7	12,502

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 4,000 Salinity Relief Credit : 0 Effective:	4,000
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	2,000
Return Flow Credit (Effective: 11/01/2013)	500
Passthru Target: 4,000 Reservoir Inflow: 12,502 Comment: Current banked total: 22,743 AF.	4,000
Estuary Inflows (NCAT + RBP)	8,396
PassThru Surplus / -Deficit:	6,896

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	November 2013	
				Allocation	Remaining
11/24/2013	112	2,895	42,897	3,050	155
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
11/24/2013	42.1	143,911		89.3%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: November 26, 2013**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
11/26/2012	204.2	344,353	49.5%	77.2	40,558	15.8%	384,911	40.4%
11/26/2013	197.9	244,392	35.2%	93.6	249,988	97.2%	494,380	51.9%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
11/25/2013	43	8	0.50	44	105	0.20	113
MTD		2,718	1.12		3,922	1.02	6,640

STREAM FLOWS

Gauging Station	11/25/2013 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	52	12,821
NRTT : Nueces River at Tilden, Texas	3	4,909
FRTT : Frio River at Tilden, Texas	3	1,088
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	3	67
Release from Choke Canyon Reservoir	58	1,439
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	91	13,367
NCAT : Nueces River at Calallen, Texas	16	7,044
RBP : Rincon Bayou Pipeline	67	1,435
Reservoir Inflow		
Computed as: NRRT+FRTT+SMTT+ARWT	9	12,511

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 4,000 Salinity Relief Credit : 0 Effective:	4,000
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	2,000
Return Flow Credit (Effective: 11/01/2013)	500
Passthru Target: 4,000 Reservoir Inflow: 12,511 Comment: Current banked total: 22,743 AF.	4,000
Estuary Inflows (NCAT + RBP)	8,479
PassThru Surplus / -Deficit:	6,979

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	November 2013	
				Allocation	Remaining
11/25/2013	112	3,007	43,008	3,050	43
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
11/25/2013	42.1	143,911		89.3%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: November 27, 2013**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
11/27/2012	204.1	342,608	49.3%	77.2	40,558	15.8%	383,166	40.2%
11/27/2013	197.8	243,691	35.0%	93.5	248,722	96.7%	492,413	51.7%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
11/26/2013	49	57	0.00	49	126	0.00	183
MTD		2,775	1.12		4,048	1.02	6,823

STREAM FLOWS

Gauging Station	11/26/2013 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	52	12,873
NRTT : Nueces River at Tilden, Texas	2	4,912
FRTT : Frio River at Tilden, Texas	2	1,090
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	4	71
Release from Choke Canyon Reservoir	58	1,497
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	498	13,865
NCAT : Nueces River at Calallen, Texas	0	7,044
RBP : Rincon Bayou Pipeline	35	1,471
Reservoir Inflow		
Computed as: NRRT+FRTT+SMTT+ARWT	9	12,519

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 4,000 Salinity Relief Credit : 0 Effective:	4,000
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	2,000
Return Flow Credit (Effective: 11/01/2013)	500
Passthru Target: 4,000 Reservoir Inflow: 12,519 Comment: Current banked total: 22,743 AF.	4,000
Estuary Inflows (NCAT + RBP)	8,515
PassThru Surplus / -Deficit:	7,015

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	November 2013	
				Allocation	Remaining
11/26/2013	112	3,119	43,120	3,050	-69
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
11/26/2013	42.1	143,911		89.3%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: November 28, 2013**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
11/28/2012	204.1	342,264	49.2%	77.2	40,622	15.8%	382,886	40.2%
11/28/2013	197.9	244,952	35.2%	93.5	247,457	96.2%	492,409	51.7%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
11/27/2013	51	90	0.00	51	116	0.00	206
MTD		2,865	1.12		4,164	1.02	7,029

STREAM FLOWS

Gauging Station	11/27/2013 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	50	12,922
NRIT : Nueces River at Tilden, Texas	2	4,913
FRIT : Frio River at Tilden, Texas	2	1,092
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	4	75
Release from Choke Canyon Reservoir	58	1,554
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	115	13,980
NCAT : Nueces River at Calallen, Texas	9	7,053
RBP : Rincon Bayou Pipeline	40	1,510
Reservoir Inflow		
Computed as: NRIT+FRIT+SMTT+ARWT	8	12,527

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 4,000 Salinity Relief Credit : 0 Effective:	4,000
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	2,000
Return Flow Credit (Effective: 11/01/2013)	500
Passthru Target: 4,000 Reservoir Inflow: 12,527 Comment: Current banked total: 22,743 AF.	4,000
Estuary Inflows (NCAT + RBP)	8,563
PassThru Surplus / -Deficit:	7,063

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	November 2013	
				Allocation	Remaining
11/27/2013	112	3,231	43,232	3,050	-181
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
11/27/2013	42.2	144,790		89.9%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: November 29, 2013**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
11/29/2012	204.1	342,957	49.3%	77.2	40,558	15.8%	383,515	40.3%
11/29/2013	197.8	243,971	35.1%	93.4	247,096	96.0%	491,067	51.6%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
11/28/2013	59	57	0.00	58	42	0.00	99
MTD		2,922	1.12		4,206	1.02	7,128

STREAM FLOWS

Gauging Station	11/28/2013 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	48	12,970
NRIT : Nueces River at Tilden, Texas	1	4,914
FRIT : Frio River at Tilden, Texas	2	1,094
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	4	80
Release from Choke Canyon Reservoir	58	1,612
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	159	14,139
NCAT : Nueces River at Calallen, Texas	7	7,059
RBP : Rincon Bayou Pipeline	108	1,618
Reservoir Inflow		
Computed as: NRIT+FRIT+SMTT+ARWT	7	12,534

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 4,000 Salinity Relief Credit : 0 Effective:	4,000
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	2,000
Return Flow Credit (Effective: 11/01/2013)	500
Passthru Target: 4,000 Reservoir Inflow: 12,534 Comment: Current banked total: 22,743 AF.	4,000
Estuary Inflows (NCAT + RBP)	8,678
PassThru Surplus / -Deficit:	7,178

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	November 2013	
				Allocation	Remaining
11/28/2013	112	3,342	43,344	3,050	-292
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
11/28/2013	42.1	143,911		89.3%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: November 30, 2013**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
11/30/2012	204.1	342,608	49.3%	77.2	40,558	15.8%	383,166	40.2%
11/30/2013	197.9	244,252	35.1%	93.4	246,555	95.8%	490,807	51.5%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
11/29/2013	67	57	0.00	68	126	0.00	183
MTD		2,979	1.12		4,332	1.02	7,311

STREAM FLOWS

Gauging Station	11/29/2013 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	46	13,016
NRIT : Nueces River at Tilden, Texas	1	4,915
FRIT : Frio River at Tilden, Texas	1	1,095
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	4	84
Release from Choke Canyon Reservoir	58	1,669
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	175	14,314
NCAT : Nueces River at Calallen, Texas	0	7,059
RBP : Rincon Bayou Pipeline	45	1,663
Reservoir Inflow		
Computed as: NRIT+FRIT+SMTT+ARWT	6	12,540

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 4,000 Salinity Relief Credit : 0 Effective:	4,000
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	2,000
Return Flow Credit (Effective: 11/01/2013)	500
Passthru Target: 4,000 Reservoir Inflow: 12,540 Comment: Current banked total: 22,743 AF.	4,000
Estuary Inflows (NCAT + RBP)	8,723
PassThru Surplus / -Deficit:	7,223

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	November 2013	
				Allocation	Remaining
11/29/2013	112	3,454	43,456	3,050	-404
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
11/29/2013	42.1	143,911		89.3%	