

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: December 1, 2013**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
12/01/2012	204.0	340,886	49.0%	77.2	40,622	15.8%	381,508	40.1%
12/01/2013	197.9	244,392	35.2%	93.4	246,195	95.7%	490,587	51.5%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
11/30/2013	74	81	0.00	74	116	0.00	197
MTD		3,060	1.12		4,448	1.02	7,508

STREAM FLOWS

Gauging Station	11/30/2013 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	46	13,061
NRIT : Nueces River at Tilden, Texas	1	4,916
FRIT : Frio River at Tilden, Texas	1	1,096
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	4	88
Release from Choke Canyon Reservoir	58	1,727
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	199	14,512
NCAT : Nueces River at Calallen, Texas	0	7,059
RBP : Rincon Bayou Pipeline	0	1,663
Reservoir Inflow		
Computed as: NRIT+FRIT+SMTT+ARWT	6	12,546

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 4,000 Salinity Relief Credit : 0 Effective:	4,000
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	2,000
Return Flow Credit (Effective: 11/01/2013)	500
Passthru Target: 4,000 Reservoir Inflow: 12,546 Comment: Current banked total: 22,743 AF.	4,000
Estuary Inflows (NCAT + RBP)	8,723
PassThru Surplus / -Deficit:	7,223

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	November 2013	
				Allocation	Remaining
11/30/2013	112	3,566	43,568	3,050	-516
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
11/30/2013	42.1	143,911		89.3%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: December 2, 2013**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
12/02/2012	204.0	340,542	49.0%	77.2	40,622	15.8%	381,164	40.0%
12/02/2013	197.8	243,831	35.1%	93.4	245,654	95.5%	489,485	51.4%

Weather Related Information

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
12/01/2013	76	73	0.00	77	73	0.00	146	
MTD		73	0.00		73	0.00	146	

STREAM FLOWS

Gauging Station	12/01/2013 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	46	46
NRIT : Nueces River at Tilden, Texas	1	1
FRIT : Frio River at Tilden, Texas	1	1
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	4	4
Release from Choke Canyon Reservoir	58	58
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	171	171
NCAT : Nueces River at Calallen, Texas	0	0
RBP : Rincon Bayou Pipeline	35	35
Reservoir Inflow		
Computed as: NRIT+FRIT+SMTT+ARWT	6	6

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 4,500 Salinity Relief Credit : 0 Effective:	4,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	2,250
Return Flow Credit (Effective: 12/01/2013)	500
Passthru Target: 4,500 Reservoir Inflow: 6 Comment: Current banked total: 22,743 AF.	6
Estuary Inflows (NCAT + RBP)	35
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	December 2013	
				Allocation	Remaining
12/01/2013	112	112	43,679	3,050	2,938
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
12/01/2013	42.1	143,911		89.3%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: December 3, 2013**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
12/03/2012	204.0	340,197	48.9%	77.2	40,622	15.8%	380,819	40.0%
12/03/2013	197.8	243,411	35.0%	93.3	245,294	95.3%	488,705	51.3%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
12/02/2013	78	73	0.00	80	147	0.00	220
MTD		146	0.00		220	0.00	366

STREAM FLOWS

Gauging Station	12/02/2013 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	46	91
NRIT : Nueces River at Tilden, Texas	1	1
FRIT : Frio River at Tilden, Texas	1	2
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	5	9
Release from Choke Canyon Reservoir	58	115
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	143	314
NCAT : Nueces River at Calallen, Texas	0	0
RBP : Rincon Bayou Pipeline	0	35
Reservoir Inflow		
Computed as: NRIT+FRIT+SMTT+ARWT	6	12

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 4,500 Salinity Relief Credit : 0 Effective:	4,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	2,250
Return Flow Credit (Effective: 12/01/2013)	500
Passthru Target: 4,500 Reservoir Inflow: 12 Comment: Current banked total: 22,743 AF.	12
Estuary Inflows (NCAT + RBP)	35
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	December 2013	
				Allocation	Remaining
12/02/2013	112	224	43,792	3,050	2,826
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
12/02/2013	42.1	143,911		89.3%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: December 4, 2013**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
12/04/2012	204.0	341,230	49.1%	77.2	40,686	15.8%	381,916	40.1%
12/04/2013	197.8	242,991	34.9%	93.3	244,934	95.2%	487,925	51.2%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
12/03/2013	79	57	0.00	83	105	0.00	162
MTD		203	0.00		325	0.00	528

STREAM FLOWS

Gauging Station	12/03/2013 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	44	135
NRTT : Nueces River at Tilden, Texas	1	2
FRTT : Frio River at Tilden, Texas	1	2
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	5	14
Release from Choke Canyon Reservoir	58	173
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	143	457
NCAT : Nueces River at Calallen, Texas	0	0
RBP : Rincon Bayou Pipeline	0	35
Reservoir Inflow		
Computed as: NRRT+FRTT+SMTT+ARWT	6	19

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 4,500 Salinity Relief Credit : 0 Effective:	4,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	2,250
Return Flow Credit (Effective: 12/01/2013)	500
Passthru Target: 4,500 Reservoir Inflow: 19 Comment: Current banked total: 22,743 AF.	19
Estuary Inflows (NCAT + RBP)	35
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	December 2013	
				Allocation	Remaining
12/03/2013	112	336	43,904	3,050	2,714
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
12/03/2013	42.0	143,036		88.8%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: December 5, 2013**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
12/05/2012	204.0	340,025	48.9%	77.2	40,622	15.8%	380,647	40.0%
12/05/2013	197.8	243,831	35.1%	93.3	244,934	95.2%	488,765	51.3%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
12/04/2013	83	81	0.00	81	115	0.00	196
MTD		284	0.00		440	0.00	724

STREAM FLOWS

Gauging Station	12/04/2013 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	42	177
NRIT : Nueces River at Tilden, Texas	0	3
FRIT : Frio River at Tilden, Texas	1	3
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	5	19
Release from Choke Canyon Reservoir	58	230
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	143	599
NCAT : Nueces River at Calallen, Texas	1	1
RBP : Rincon Bayou Pipeline	31	66
Reservoir Inflow		
Computed as: NRIT+FRIT+SMTT+ARWT	6	25

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 4,500 Salinity Relief Credit : 0 Effective:	4,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	2,250
Return Flow Credit (Effective: 12/01/2013)	500
Passthru Target: 4,500 Reservoir Inflow: 25 Comment: Current banked total: 22,743 AF.	25
Estuary Inflows (NCAT + RBP)	67
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	December 2013	
				Allocation	Remaining
12/04/2013	112	448	44,015	3,050	2,602
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
12/04/2013	42.0	143,036		88.8%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: December 6, 2013**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
12/06/2012	204.0	340,542	49.0%	77.2	40,622	15.8%	381,164	40.0%
12/06/2013	197.8	242,851	34.9%	93.4	245,474	95.4%	488,325	51.3%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
12/05/2013	73	121	0.01	75	210	0.00	331
MTD		405	0.01		650	0.00	1,055

STREAM FLOWS

Gauging Station	12/05/2013 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	42	218
NRTT : Nueces River at Tilden, Texas	0	3
FRTT : Frio River at Tilden, Texas	1	4
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	5	24
Release from Choke Canyon Reservoir	58	288
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	151	750
NCAT : Nueces River at Calallen, Texas	0	1
RBP : Rincon Bayou Pipeline	0	66
Reservoir Inflow		
Computed as: NRRT+FRTT+SMTT+ARWT	6	31

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 4,500 Salinity Relief Credit : 0 Effective:	4,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	2,250
Return Flow Credit (Effective: 12/01/2013)	500
Passthru Target: 4,500 Reservoir Inflow: 31 Comment: Current banked total: 22,743 AF.	31
Estuary Inflows (NCAT + RBP)	67
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	December 2013	
				Allocation	Remaining
12/05/2013	112	560	44,127	3,050	2,490
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
12/05/2013	42.0	143,036		88.8%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: December 7, 2013**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
12/07/2012	203.9	339,681	48.9%	77.2	40,622	15.8%	380,303	39.9%
12/07/2013	197.7	242,571	34.9%	93.3	245,294	95.3%	487,865	51.2%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
12/06/2013	45	65	0.00	45	84	0.00	149
MTD		470	0.01		734	0.00	1,204

STREAM FLOWS

Gauging Station	12/06/2013 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	42	260
NRTT : Nueces River at Tilden, Texas	0	3
FRTT : Frio River at Tilden, Texas	1	5
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	5	28
Release from Choke Canyon Reservoir	58	345
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	153	903
NCAT : Nueces River at Calallen, Texas	0	1
RBP : Rincon Bayou Pipeline	0	66
Reservoir Inflow		
Computed as: NRRT+FRTT+SMTT+ARWT	5	36

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 4,500 Salinity Relief Credit : 0 Effective:	4,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	2,250
Return Flow Credit (Effective: 12/01/2013)	500
Passthru Target: 4,500 Reservoir Inflow: 36 Comment: Current banked total: 22,743 AF.	36
Estuary Inflows (NCAT + RBP)	67
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	December 2013	
				Allocation	Remaining
12/06/2013	112	671	44,239	3,050	2,379
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
12/06/2013	42.0	143,036		88.8%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: December 8, 2013**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
12/08/2012	203.9	339,336	48.8%	77.2	40,622	15.8%	379,958	39.9%
12/08/2013	197.7	242,151	34.8%	93.3	243,675	94.7%	485,826	51.0%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
12/07/2013	33	8	0.02	40	10	0.00	18
MTD		478	0.03		744	0.00	1,222

STREAM FLOWS

Gauging Station	12/07/2013 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	42	302
NRIT : Nueces River at Tilden, Texas	0	3
FRIT : Frio River at Tilden, Texas	1	5
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	4	32
Release from Choke Canyon Reservoir	58	403
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	119	1,022
NCAT : Nueces River at Calallen, Texas	7	8
RBP : Rincon Bayou Pipeline	45	111
Reservoir Inflow		
Computed as: NRIT+FRIT+SMTT+ARWT	5	41

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 4,500 Salinity Relief Credit : 0 Effective:	4,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	2,250
Return Flow Credit (Effective: 12/01/2013)	500
Passthru Target: 4,500 Reservoir Inflow: 41 Comment: Current banked total: 22,743 AF.	41
Estuary Inflows (NCAT + RBP)	118
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	December 2013	
				Allocation	Remaining
12/07/2013	112	783	44,351	3,050	2,267
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
12/07/2013	42.0	143,036		88.8%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: December 9, 2013**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
12/09/2012	203.9	338,304	48.7%	77.2	40,686	15.8%	378,990	39.8%
12/09/2013	197.7	241,736	34.8%	93.2	243,315	94.6%	485,051	50.9%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
12/08/2013	44	16	0.02	46	21	0.12	37
MTD		494	0.05		765	0.12	1,259

STREAM FLOWS

Gauging Station	12/08/2013 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	40	341
NRIT : Nueces River at Tilden, Texas	0	3
FRIT : Frio River at Tilden, Texas	1	6
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	4	37
Release from Choke Canyon Reservoir	58	461
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	163	1,185
NCAT : Nueces River at Calallen, Texas	0	8
RBP : Rincon Bayou Pipeline	28	138
Reservoir Inflow		
Computed as: NRIT+FRIT+SMTT+ARWT	5	46

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 4,500 Salinity Relief Credit : 0 Effective:	4,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	2,250
Return Flow Credit (Effective: 12/01/2013)	500
Passthru Target: 4,500 Reservoir Inflow: 46 Comment: Current banked total: 22,743 AF.	46
Estuary Inflows (NCAT + RBP)	146
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	December 2013	
				Allocation	Remaining
12/08/2013	112	894	44,462	3,050	2,156
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
12/08/2013	42.0	143,036		88.8%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: December 10, 2013**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
12/10/2012	203.8	338,131	48.6%	77.3	41,651	16.2%	379,782	39.9%
12/10/2013	197.7	241,736	34.8%	93.3	244,214	94.9%	485,950	51.0%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
12/09/2013	47	8	0.06	50	10	0.08	18
MTD		502	0.11		775	0.20	1,277

STREAM FLOWS

Gauging Station	12/09/2013 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	42	383
NRIT : Nueces River at Tilden, Texas	0	3
FRIT : Frio River at Tilden, Texas	1	7
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	5	41
Release from Choke Canyon Reservoir	58	518
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	171	1,356
NCAT : Nueces River at Calallen, Texas	0	8
RBP : Rincon Bayou Pipeline	0	138
Reservoir Inflow		
Computed as: NRIT+FRIT+SMTT+ARWT	5	51

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 4,500 Salinity Relief Credit : 0 Effective:	4,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	2,250
Return Flow Credit (Effective: 12/01/2013)	500
Passthru Target: 4,500 Reservoir Inflow: 51 Comment: Current banked total: 22,743 AF.	51
Estuary Inflows (NCAT + RBP)	146
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	December 2013	
				Allocation	Remaining
12/09/2013	112	1,006	44,574	3,050	2,044
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
12/09/2013	41.9	142,163		88.3%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: December 11, 2013**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
12/11/2012	203.8	338,131	48.6%	77.2	40,814	15.9%	378,945	39.8%
12/11/2013	197.7	241,323	34.7%	93.2	242,597	94.3%	483,920	50.8%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
12/10/2013	49	81	0.00	47	125	0.00	206
MTD		583	0.11		900	0.20	1,483

STREAM FLOWS

Gauging Station	12/10/2013 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	42	425
NRIT : Nueces River at Tilden, Texas	0	4
FRIT : Frio River at Tilden, Texas	1	7
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	5	46
Release from Choke Canyon Reservoir	58	576
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	183	1,538
NCAT : Nueces River at Calallen, Texas	0	8
RBP : Rincon Bayou Pipeline	0	138
Reservoir Inflow		
Computed as: NRIT+FRIT+SMTT+ARWT	5	57

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 4,500 Salinity Relief Credit : 0 Effective:	4,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	2,250
Return Flow Credit (Effective: 12/01/2013)	500
Passthru Target: 4,500 Reservoir Inflow: 57 Comment: Current banked total: 22,743 AF.	57
Estuary Inflows (NCAT + RBP)	146
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	December 2013	
				Allocation	Remaining
12/10/2013	112	1,118	44,685	3,050	1,932
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
12/10/2013	41.9	142,163		88.3%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: December 12, 2013**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
12/12/2012	203.7	336,238	48.4%	77.2	40,686	15.8%	376,924	39.6%
12/12/2013	197.6	241,047	34.7%	93.2	242,238	94.2%	483,285	50.7%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
12/11/2013	49	64	0.00	52	73	0.00	137
MTD		647	0.11		973	0.20	1,620

STREAM FLOWS

Gauging Station	12/11/2013 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	40	464
NRIT : Nueces River at Tilden, Texas	0	4
FRIT : Frio River at Tilden, Texas	1	8
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	5	51
Release from Choke Canyon Reservoir	58	633
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	151	1,689
NCAT : Nueces River at Calallen, Texas	0	8
RBP : Rincon Bayou Pipeline	0	138
Reservoir Inflow		
Computed as: NRIT+FRIT+SMTT+ARWT	6	63

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 4,500 Salinity Relief Credit : 0 Effective:	4,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	2,250
Return Flow Credit (Effective: 12/01/2013)	500
Passthru Target: 4,500 Reservoir Inflow: 63 Comment: Current banked total: 22,743 AF.	63
Estuary Inflows (NCAT + RBP)	146
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	December 2013	
				Allocation	Remaining
12/11/2013	111	1,229	44,797	3,050	1,821
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
12/11/2013	41.8	141,293		87.7%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: December 13, 2013**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
12/13/2012	203.8	337,271	48.5%	77.2	40,750	15.8%	378,021	39.7%
12/13/2013	197.7	242,011	34.8%	93.1	241,341	93.8%	483,352	50.7%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
12/12/2013	53	65	0.00	53	63	0.00	128
MTD		712	0.11		1,036	0.20	1,748

STREAM FLOWS

Gauging Station	12/12/2013 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	40	504
NRIT : Nueces River at Tilden, Texas	0	4
FRIT : Frio River at Tilden, Texas	1	9
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	5	56
Release from Choke Canyon Reservoir	58	691
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	163	1,852
NCAT : Nueces River at Calallen, Texas	0	8
RBP : Rincon Bayou Pipeline	0	138
Reservoir Inflow		
Computed as: NRIT+FRIT+SMTT+ARWT	6	68

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 4,500 Salinity Relief Credit : 0 Effective:	4,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	2,250
Return Flow Credit (Effective: 12/01/2013)	500
Passthru Target: 4,500 Reservoir Inflow: 68 Comment: Current banked total: 22,743 AF.	68
Estuary Inflows (NCAT + RBP)	146
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	December 2013	
				Allocation	Remaining
12/12/2013	111	1,340	44,908	3,050	1,710
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
12/12/2013	41.7	140,426		87.2%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: December 14, 2013**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
12/14/2012	203.7	335,041	48.2%	77.2	40,750	15.8%	375,791	39.5%
12/14/2013	197.6	240,909	34.6%	93.2	241,879	94.0%	482,788	50.7%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
12/13/2013	54	16	0.00	59	94	0.00	110
MTD		728	0.11		1,130	0.20	1,858

STREAM FLOWS

Gauging Station	12/13/2013 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	40	544
NRTT : Nueces River at Tilden, Texas	0	4
FRTT : Frio River at Tilden, Texas	1	9
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	5	61
Release from Choke Canyon Reservoir	58	748
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	155	2,007
NCAT : Nueces River at Calallen, Texas	0	8
RBP : Rincon Bayou Pipeline	0	138
Reservoir Inflow		
Computed as: NRRT+FRTT+SMTT+ARWT	6	74

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 4,500 Salinity Relief Credit : 0 Effective:	4,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	2,250
Return Flow Credit (Effective: 12/01/2013)	500
Passthru Target: 4,500 Reservoir Inflow: 74 Comment: Current banked total: 22,743 AF.	74
Estuary Inflows (NCAT + RBP)	146
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	December 2013	
				Allocation	Remaining
12/13/2013	111	1,452	45,019	3,050	1,598
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
12/13/2013	41.7	140,423		87.2%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: December 15, 2013**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
12/15/2012	203.8	336,582	48.4%	77.2	40,814	15.9%	377,396	39.6%
12/15/2013	197.6	240,909	34.6%	93.1	241,341	93.8%	482,250	50.6%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
12/14/2013	64	89	0.00	64	198	0.00	287
MTD		817	0.11		1,328	0.20	2,145

STREAM FLOWS

Gauging Station	12/14/2013 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	40	584
NRTT : Nueces River at Tilden, Texas	0	4
FRTT : Frio River at Tilden, Texas	1	10
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	5	66
Release from Choke Canyon Reservoir	58	806
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	159	2,166
NCAT : Nueces River at Calallen, Texas	0	8
RBP : Rincon Bayou Pipeline	0	138
Reservoir Inflow		
Computed as: NRRT+FRTT+SMTT+ARWT	6	80

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 4,500 Salinity Relief Credit : 0 Effective:	4,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	2,250
Return Flow Credit (Effective: 12/01/2013)	500
Passthru Target: 4,500 Reservoir Inflow: 80 Comment: Current banked total: 22,743 AF.	80
Estuary Inflows (NCAT + RBP)	146
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	December 2013	
				Allocation	Remaining
12/14/2013	111	1,563	45,131	3,050	1,487
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
12/14/2013	41.7	140,426		87.2%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: December 16, 2013**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
12/16/2012	203.7	335,381	48.2%	77.2	40,814	15.9%	376,195	39.5%
12/16/2013	197.7	241,323	34.7%	93.1	240,446	93.5%	481,769	50.6%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
12/15/2013	59	64	0.00	59	115	0.00	179
MTD		881	0.11		1,443	0.20	2,324

STREAM FLOWS

Gauging Station	12/15/2013 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	40	623
NRTT : Nueces River at Tilden, Texas	0	4
FRTT : Frio River at Tilden, Texas	1	11
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	5	70
Release from Choke Canyon Reservoir	58	863
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	151	2,316
NCAT : Nueces River at Calallen, Texas	0	8
RBP : Rincon Bayou Pipeline	0	138
Reservoir Inflow		
Computed as: NRRT+FRRT+SMTT+ARWT	5	85

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 4,500 Salinity Relief Credit : 0 Effective:	4,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	2,250
Return Flow Credit (Effective: 12/01/2013)	500
Passthru Target: 4,500 Reservoir Inflow: 85 Comment: Current banked total: 22,743 AF.	85
Estuary Inflows (NCAT + RBP)	146
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	December 2013	
				Allocation	Remaining
12/15/2013	112	1,675	45,242	3,050	1,375
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
12/15/2013	41.6	139,526		86.6%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: December 17, 2013**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
12/17/2012	203.6	334,362	48.1%	77.2	40,814	15.9%	375,176	39.4%
12/17/2013	197.6	240,772	34.6%	93.1	240,446	93.5%	481,218	50.5%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
12/16/2013	68	80	0.00	66	94	0.00	174
MTD		961	0.11		1,537	0.20	2,498

STREAM FLOWS

Gauging Station	12/16/2013 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	40	663
NRIT : Nueces River at Tilden, Texas	0	5
FRIT : Frio River at Tilden, Texas	1	11
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	5	75
Release from Choke Canyon Reservoir	58	921
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	151	2,467
NCAT : Nueces River at Calallen, Texas	5	13
RBP : Rincon Bayou Pipeline	0	138
Reservoir Inflow		
Computed as: NRIT+FRIT+SMTT+ARWT	5	91

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 4,500 Salinity Relief Credit : 0 Effective:	4,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	2,250
Return Flow Credit (Effective: 12/01/2013)	500
Passthru Target: 4,500 Reservoir Inflow: 91 Comment: Current banked total: 22,743 AF.	91
Estuary Inflows (NCAT + RBP)	152
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	December 2013	
				Allocation	Remaining
12/16/2013	111	1,786	45,354	3,050	1,264
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
12/16/2013	41.6	139,562		86.6%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: December 18, 2013**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
12/18/2012	203.7	335,211	48.2%	77.2	40,942	15.9%	376,153	39.5%
12/18/2013	197.7	241,460	34.7%	93.1	240,088	93.3%	481,548	50.6%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
12/17/2013	69	65	0.00	71	115	0.00	180
MTD		1,026	0.11		1,652	0.20	2,678

STREAM FLOWS

Gauging Station	12/17/2013 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	40	703
NRIT : Nueces River at Tilden, Texas	0	5
FRIT : Frio River at Tilden, Texas	1	12
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	5	80
Release from Choke Canyon Reservoir	58	979
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	151	2,618
NCAT : Nueces River at Calallen, Texas	4	18
RBP : Rincon Bayou Pipeline	17	155
Reservoir Inflow		
Computed as: NRIT+FRIT+SMTT+ARWT	6	96

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 4,500 Salinity Relief Credit : 0 Effective:	4,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	2,250
Return Flow Credit (Effective: 12/01/2013)	500
Passthru Target: 4,500 Reservoir Inflow: 96 Comment: Current banked total: 22,743 AF.	96
Estuary Inflows (NCAT + RBP)	173
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	December 2013	
				Allocation	Remaining
12/17/2013	112	1,898	45,465	3,050	1,152
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
12/17/2013	41.6	139,562		86.6%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: December 19, 2013**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
12/19/2012	203.6	334,022	48.0%	77.2	40,750	15.8%	374,772	39.3%
12/19/2013	197.7	241,598	34.7%	93.0	239,909	93.3%	481,507	50.6%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
12/18/2013	74	89	0.00	74	146	0.00	235
MTD		1,115	0.11		1,798	0.20	2,913

STREAM FLOWS

Gauging Station	12/18/2013 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	40	742
NRIT : Nueces River at Tilden, Texas	0	5
FRIT : Frio River at Tilden, Texas	1	12
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	6	86
Release from Choke Canyon Reservoir	58	1,036
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	149	2,767
NCAT : Nueces River at Calallen, Texas	0	18
RBP : Rincon Bayou Pipeline	0	155
Reservoir Inflow		
Computed as: NRIT+FRIT+SMTT+ARWT	6	103

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 4,500 Salinity Relief Credit : 0 Effective:	4,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	2,250
Return Flow Credit (Effective: 12/01/2013)	500
Passthru Target: 4,500 Reservoir Inflow: 103 Comment: Current banked total: 22,743 AF.	103
Estuary Inflows (NCAT + RBP)	173
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	December 2013	
				Allocation	Remaining
12/18/2013	112	2,009	45,577	3,050	1,041
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
12/18/2013	41.6	139,562		86.6%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: December 20, 2013**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
12/20/2012	203.6	334,362	48.1%	77.2	40,430	15.7%	374,792	39.3%
12/20/2013	197.6	239,945	34.5%	93.0	239,193	93.0%	479,138	50.3%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
12/19/2013	81	88	0.00	81	125	0.00	213
MTD		1,203	0.11		1,923	0.20	3,126

STREAM FLOWS

Gauging Station	12/19/2013 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	40	782
NRIT : Nueces River at Tilden, Texas	0	5
FRIT : Frio River at Tilden, Texas	1	13
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	6	91
Release from Choke Canyon Reservoir	58	1,094
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	149	2,916
NCAT : Nueces River at Calallen, Texas	0	18
RBP : Rincon Bayou Pipeline	0	155
Reservoir Inflow		
Computed as: NRIT+FRIT+SMTT+ARWT	6	109

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 4,500 Salinity Relief Credit : 0 Effective:	4,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	2,250
Return Flow Credit (Effective: 12/01/2013)	500
Passthru Target: 4,500 Reservoir Inflow: 109 Comment: Current banked total: 22,743 AF.	109
Estuary Inflows (NCAT + RBP)	173
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	December 2013	
				Allocation	Remaining
12/19/2013	112	2,121	45,689	3,050	929
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
12/19/2013	41.5	138,700		86.1%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: December 21, 2013**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
12/21/2012	203.6	333,682	48.0%	77.2	40,750	15.8%	374,432	39.3%
12/21/2013	197.5	239,118	34.4%	93.0	239,014	92.9%	478,132	50.2%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
12/20/2013	80	88	0.02	82	187	0.00	275
MTD		1,291	0.13		2,110	0.20	3,401

STREAM FLOWS

Gauging Station	12/20/2013 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	38	820
NRIT : Nueces River at Tilden, Texas	0	5
FRIT : Frio River at Tilden, Texas	1	14
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	6	97
Release from Choke Canyon Reservoir	58	1,151
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	149	3,065
NCAT : Nueces River at Calallen, Texas	0	18
RBP : Rincon Bayou Pipeline	0	155
Reservoir Inflow		
Computed as: NRIT+FRIT+SMTT+ARWT	7	116

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 4,500 Salinity Relief Credit : 0 Effective:	4,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	2,250
Return Flow Credit (Effective: 12/01/2013)	500
Passthru Target: 4,500 Reservoir Inflow: 116 Comment: Current banked total: 22,743 AF.	116
Estuary Inflows (NCAT + RBP)	173
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	December 2013	
				Allocation	Remaining
12/20/2013	111	2,233	45,800	3,050	817
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
12/20/2013	41.5	138,700		86.1%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: December 22, 2013**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
12/22/2012	203.6	333,852	48.0%	77.2	40,686	15.8%	374,538	39.3%
12/22/2013	197.6	240,221	34.6%	93.0	239,909	93.3%	480,130	50.4%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
12/21/2013	72	80	0.00	76	125	0.00	205
MTD		1,371	0.13		2,235	0.20	3,606

STREAM FLOWS

Gauging Station	12/21/2013 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	38	858
NRIT : Nueces River at Tilden, Texas	0	5
FRIT : Frio River at Tilden, Texas	1	15
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	6	103
Release from Choke Canyon Reservoir	58	1,209
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	151	3,216
NCAT : Nueces River at Calallen, Texas	0	18
RBP : Rincon Bayou Pipeline	0	155
Reservoir Inflow		
Computed as: NRIT+FRIT+SMTT+ARWT	7	123

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 4,500 Salinity Relief Credit : 0 Effective:	4,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	2,250
Return Flow Credit (Effective: 12/01/2013)	500
Passthru Target: 4,500 Reservoir Inflow: 123 Comment: Current banked total: 22,743 AF.	123
Estuary Inflows (NCAT + RBP)	173
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	December 2013	
				Allocation	Remaining
12/21/2013	111	2,344	45,912	3,050	706
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
12/21/2013	41.5	138,700		86.1%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: December 23, 2013**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
12/23/2012	203.6	333,173	47.9%	77.2	40,686	15.8%	373,859	39.2%
12/23/2013	197.6	240,221	34.6%	93.0	239,193	93.0%	479,414	50.3%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
12/22/2013	70	161	0.00	69	250	0.00	411
MTD		1,532	0.13		2,485	0.20	4,017

STREAM FLOWS

Gauging Station	12/22/2013 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	38	895
NRIT : Nueces River at Tilden, Texas	0	5
FRIT : Frio River at Tilden, Texas	1	15
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	6	109
Release from Choke Canyon Reservoir	58	1,266
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	153	3,369
NCAT : Nueces River at Calallen, Texas	0	18
RBP : Rincon Bayou Pipeline	0	155
Reservoir Inflow		
Computed as: NRIT+FRIT+SMTT+ARWT	7	130

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 4,500 Salinity Relief Credit : 0 Effective:	4,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	2,250
Return Flow Credit (Effective: 12/01/2013)	500
Passthru Target: 4,500 Reservoir Inflow: 130 Comment: Current banked total: 22,743 AF.	130
Estuary Inflows (NCAT + RBP)	173
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	December 2013	
				Allocation	Remaining
12/22/2013	112	2,455	46,023	3,050	595
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
12/22/2013	41.5	138,700		86.1%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: December 24, 2013**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
12/24/2012	203.5	332,493	47.8%	77.2	40,686	15.8%	373,179	39.2%
12/24/2013	197.6	240,634	34.6%	93.0	238,300	92.6%	478,934	50.3%

Weather Related Information								
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
12/23/2013	57	97	0.00	59	260	0.00		357
MTD		1,629	0.13		2,745	0.20		4,374

STREAM FLOWS

Gauging Station	12/23/2013 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	64	959
NRTT : Nueces River at Tilden, Texas	0	5
FRTT : Frio River at Tilden, Texas	1	16
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	6	115
Release from Choke Canyon Reservoir	58	1,324
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	153	3,521
NCAT : Nueces River at Calallen, Texas	0	18
RBP : Rincon Bayou Pipeline	0	155
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	7	136

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 4,500 Salinity Relief Credit : 0 Effective:	4,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	2,250
Return Flow Credit (Effective: 12/01/2013)	500
Passthru Target: 4,500 Reservoir Inflow: 136 Comment: Current banked total: 22,743 AF.	136
Estuary Inflows (NCAT + RBP)	173
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	December 2013	
				Allocation	Remaining
12/23/2013	111	2,567	46,135	3,050	483
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
12/23/2013	41.5	138,700		86.1%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: December 25, 2013**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
12/25/2012	203.4	331,134	47.6%	77.1	40,240	15.6%	371,374	39.0%
12/25/2013	197.6	240,772	34.6%	93.0	238,300	92.6%	479,072	50.3%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
12/24/2013	61	97	0.00	62	42	0.00	139
MTD		1,726	0.13		2,787	0.20	4,513

STREAM FLOWS

Gauging Station	12/24/2013 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	64	1,022
NRTT : Nueces River at Tilden, Texas	0	5
FRTT : Frio River at Tilden, Texas	1	17
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	5	120
Release from Choke Canyon Reservoir	58	1,382
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	151	3,672
NCAT : Nueces River at Calallen, Texas	0	18
RBP : Rincon Bayou Pipeline	0	155
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	7	143

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 4,500 Salinity Relief Credit : 0 Effective:	4,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	2,250
Return Flow Credit (Effective: 12/01/2013)	500
Passthru Target: 4,500 Reservoir Inflow: 143 Comment: Current banked total: 22,743 AF.	143
Estuary Inflows (NCAT + RBP)	173
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	December 2013	
				Allocation	Remaining
12/24/2013	112	2,678	46,246	3,050	372
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
12/24/2013	41.4	137,841		85.6%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: December 26, 2013**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
12/26/2012	203.5	331,474	47.7%	77.2	40,558	15.8%	372,032	39.1%
12/26/2013	197.6	240,634	34.6%	92.9	238,121	92.6%	478,755	50.3%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
12/25/2013	63	32	0.10	65	62	0.02	94
MTD		1,758	0.23		2,849	0.22	4,607

STREAM FLOWS

Gauging Station	12/25/2013 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	64	1,086
NRIT : Nueces River at Tilden, Texas	0	5
FRIT : Frio River at Tilden, Texas	1	17
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	5	124
Release from Choke Canyon Reservoir	58	1,439
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	151	3,823
NCAT : Nueces River at Calallen, Texas	0	18
RBP : Rincon Bayou Pipeline	0	155
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	7	149

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 4,500 Salinity Relief Credit : 0 Effective:	4,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	2,250
Return Flow Credit (Effective: 12/01/2013)	500
Passthru Target: 4,500 Reservoir Inflow: 149 Comment: Current banked total: 22,743 AF.	149
Estuary Inflows (NCAT + RBP)	173
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	December 2013	
				Allocation	Remaining
12/25/2013	112	2,790	46,358	3,050	260
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
12/25/2013	41.4	137,841		85.6%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: December 27, 2013**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
12/27/2012	203.4	330,964	47.6%	77.2	40,494	15.7%	371,458	39.0%
12/27/2013	197.6	240,083	34.5%	92.9	237,942	92.5%	478,025	50.2%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
12/26/2013	46	8	0.27	52	10	0.16	18
MTD		1,766	0.50		2,859	0.38	4,625

STREAM FLOWS

Gauging Station	12/26/2013 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	66	1,151
NRTT : Nueces River at Tilden, Texas	0	6
FRTT : Frio River at Tilden, Texas	1	18
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	5	130
Release from Choke Canyon Reservoir	58	1,497
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	151	3,974
NCAT : Nueces River at Calallen, Texas	0	18
RBP : Rincon Bayou Pipeline	0	155
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	9	158

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 4,500 Salinity Relief Credit : 0 Effective:	4,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	2,250
Return Flow Credit (Effective: 12/01/2013)	500
Passthru Target: 4,500 Reservoir Inflow: 158 Comment: Current banked total: 22,743 AF.	158
Estuary Inflows (NCAT + RBP)	173
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	December 2013	
				Allocation	Remaining
12/26/2013	111	2,901	46,469	3,050	149
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
12/26/2013	41.4	137,841		85.6%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: December 28, 2013**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
12/28/2012	203.4	329,775	47.4%	77.1	40,367	15.7%	370,142	38.9%
12/28/2013	197.6	240,221	34.6%	92.9	237,764	92.4%	477,985	50.2%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
12/27/2013	53	16	0.07	54	31	0.06	47
MTD		1,782	0.57		2,890	0.44	4,672

STREAM FLOWS

Gauging Station	12/27/2013 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	66	1,217
NRTT : Nueces River at Tilden, Texas	0	6
FRTT : Frio River at Tilden, Texas	2	19
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	6	136
Release from Choke Canyon Reservoir	58	1,554
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	147	4,121
NCAT : Nueces River at Calallen, Texas	0	18
RBP : Rincon Bayou Pipeline	0	155
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	9	167

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 4,500 Salinity Relief Credit : 0 Effective:	4,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	2,250
Return Flow Credit (Effective: 12/01/2013)	500
Passthru Target: 4,500 Reservoir Inflow: 167 Comment: Current banked total: 22,743 AF.	167
Estuary Inflows (NCAT + RBP)	173
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	December 2013	
				Allocation	Remaining
12/27/2013	111	3,013	46,580	3,050	37
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
12/27/2013	41.4	137,841		85.6%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: December 29, 2013**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
12/29/2012	203.4	330,454	47.5%	77.1	40,367	15.7%	370,821	38.9%
12/29/2013	197.6	240,772	34.6%	92.9	237,229	92.2%	478,001	50.2%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
12/28/2013	58	40	0.00	60	104	0.00	144
MTD		1,822	0.57		2,994	0.44	4,816

STREAM FLOWS

Gauging Station	12/28/2013 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	66	1,282
NRIT : Nueces River at Tilden, Texas	0	6
FRIT : Frio River at Tilden, Texas	1	20
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	7	143
Release from Choke Canyon Reservoir	58	1,612
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	141	4,262
NCAT : Nueces River at Calallen, Texas	0	18
RBP : Rincon Bayou Pipeline	0	155
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	9	176

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 4,500 Salinity Relief Credit : 0 Effective:	4,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	2,250
Return Flow Credit (Effective: 12/01/2013)	500
Passthru Target: 4,500 Reservoir Inflow: 176 Comment: Current banked total: 22,743 AF.	176
Estuary Inflows (NCAT + RBP)	173
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	December 2013	
				Allocation	Remaining
12/28/2013	111	3,124	46,691	3,050	-74
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
12/28/2013	41.3	136,986		85.0%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: December 30, 2013**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
12/30/2012	203.3	329,605	47.4%	77.1	40,367	15.7%	369,972	38.8%
12/30/2013	197.5	239,394	34.4%	93.0	238,300	92.6%	477,694	50.1%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
12/29/2013	67	112	0.00	68	156	0.00	268
MTD		1,934	0.57		3,150	0.44	5,084

STREAM FLOWS

Gauging Station	12/29/2013 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	66	1,348
NRTT : Nueces River at Tilden, Texas	0	7
FRTT : Frio River at Tilden, Texas	1	21
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	7	150
Release from Choke Canyon Reservoir	58	1,669
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	139	4,401
NCAT : Nueces River at Calallen, Texas	0	18
RBP : Rincon Bayou Pipeline	0	155
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	9	185

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 4,500 Salinity Relief Credit : 0 Effective:	4,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	2,250
Return Flow Credit (Effective: 12/01/2013)	500
Passthru Target: 4,500 Reservoir Inflow: 185 Comment: Current banked total: 22,743 AF.	185
Estuary Inflows (NCAT + RBP)	173
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	December 2013	
				Allocation	Remaining
12/29/2013	112	3,235	46,803	3,050	-185
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
12/29/2013	41.3	136,986		85.0%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: December 31, 2013**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
12/31/2012	203.3	329,345	47.4%	77.1	40,176	15.6%	369,521	38.8%
12/31/2013	197.5	238,843	34.4%	92.9	237,050	92.1%	475,893	50.0%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
12/30/2013	43	88	0.00	45	73	0.00	161
MTD		2,022	0.57		3,223	0.44	5,245

STREAM FLOWS

Gauging Station	12/30/2013 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	66	1,413
NRTT : Nueces River at Tilden, Texas	0	7
FRTT : Frio River at Tilden, Texas	1	22
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	7	157
Release from Choke Canyon Reservoir	58	1,727
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	115	4,516
NCAT : Nueces River at Calallen, Texas	2	20
RBP : Rincon Bayou Pipeline	73	228
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	9	194

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 4,500 Salinity Relief Credit : 0 Effective:	4,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	2,250
Return Flow Credit (Effective: 12/01/2013)	500
Passthru Target: 4,500 Reservoir Inflow: 194 Comment: Current banked total: 22,743 AF.	194
Estuary Inflows (NCAT + RBP)	249
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	December 2013	
				Allocation	Remaining
12/30/2013	112	3,347	46,915	3,050	-297
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
12/30/2013	41.3	136,986		85.0%	