

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: February 1, 2014**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
02/01/2013	203.0	323,349	46.5%	77.2	40,558	15.8%	363,907	38.2%
02/01/2014	197.1	233,928	33.6%	92.3	227,475	88.4%	461,403	48.4%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
01/31/2014	81	166	0.00	80	246	0.00	412
MTD		2,872	0.16		4,721	0.19	7,593

STREAM FLOWS

Gauging Station	01/31/2014 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	64	1,993
NRTT : Nueces River at Tilden, Texas	0	6
FRTT : Frio River at Tilden, Texas	0	8
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	2	99
Release from Choke Canyon Reservoir	58	1,785
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	127	4,446
NCAT : Nueces River at Calallen, Texas	0	5
RBP : Rincon Bayou Pipeline	0	408
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	6	220

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 2,500 Salinity Relief Credit : 0 Effective:	2,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	283
Return Flow Credit (Effective: 01/01/2014)	500
Passthru Target: 2,500 Reservoir Inflow: 220 Comment: Current banked total: 10,855 AF. 11,625 Ac/Ft was deducted from the banked water due to Octobers large releases. This number includes 413 Ac/Ft released this month. Remaining banked water is 10,855 Ac/Ft	220
Estuary Inflows (NCAT + RBP)	413
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	January 2014	
				Allocation	Remaining
01/31/2014	130	3,768	3,768	3,050	-718
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
01/31/2014	41.0	134,434		83.5%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: February 2, 2014**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
02/02/2013	203.0	323,517	46.5%	77.2	40,430	15.7%	363,947	38.2%
02/02/2014	197.2	234,470	33.7%	92.3	227,475	88.4%	461,945	48.5%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
02/01/2014	82	119	0.00	83	175	0.00	294
MTD		119	0.00		175	0.00	294

STREAM FLOWS

Gauging Station	02/01/2014 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	64	64
NRTT : Nueces River at Tilden, Texas	0	0
FRTT : Frio River at Tilden, Texas	0	0
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	3	3
Release from Choke Canyon Reservoir	58	58
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	151	151
NCAT : Nueces River at Calallen, Texas	0	0
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	6	6

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 2,500 Salinity Relief Credit : 0 Effective:	2,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 02/01/2014)	500
Passthru Target: 2,500 Reservoir Inflow: 6 Comment: Current banked total: 10,855 AF.	6
Estuary Inflows (NCAT + RBP)	0
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	February 2014	
				Allocation	Remaining
02/01/2014	143	143	3,910	3,040	2,897
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
02/01/2014	41.0	134,434		83.5%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: February 3, 2014**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
02/03/2013	202.9	322,679	46.4%	77.2	40,558	15.8%	363,237	38.1%
02/03/2014	197.1	233,792	33.6%	92.4	227,828	88.6%	461,620	48.5%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
02/02/2014	67	95	0.02	67	113	0.00	208
MTD		214	0.02		288	0.00	502

STREAM FLOWS

Gauging Station	02/02/2014 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	64	127
NRTT : Nueces River at Tilden, Texas	0	1
FRTT : Frio River at Tilden, Texas	0	0
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	3	6
Release from Choke Canyon Reservoir	58	115
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	222	373
NCAT : Nueces River at Calallen, Texas	0	0
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	6	12

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 2,500 Salinity Relief Credit : 0 Effective:	2,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 02/01/2014)	500
Passthru Target: 2,500 Reservoir Inflow: 12 Comment: Current banked total: 10,855 AF.	12
Estuary Inflows (NCAT + RBP)	0
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	February 2014	
				Allocation	Remaining
02/02/2014	158	300	4,068	3,040	2,740
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
02/02/2014	41.0	134,434		83.5%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: February 4, 2014**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
02/04/2013	202.9	322,846	46.4%	77.2	40,430	15.7%	363,276	38.1%
02/04/2014	197.1	233,521	33.6%	92.4	227,828	88.6%	461,349	48.4%

Weather Related Information								
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
02/03/2014	42	39	0.12	43	51	0.02		90
MTD		253	0.14		339	0.02		592

STREAM FLOWS

Gauging Station	02/03/2014 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	64	191
NRTT : Nueces River at Tilden, Texas	0	1
FRTT : Frio River at Tilden, Texas	0	0
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	3	9
Release from Choke Canyon Reservoir	58	173
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	264	637
NCAT : Nueces River at Calallen, Texas	0	0
RBP : Rincon Bayou Pipeline	70	70
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	6	18

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 2,500 Salinity Relief Credit : 0 Effective:	2,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 02/01/2014)	500
Passthru Target: 2,500 Reservoir Inflow: 18 Comment: Current banked total: 10,855 AF.	18
Estuary Inflows (NCAT + RBP)	70
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	February 2014	
				Allocation	Remaining
02/03/2014	156	456	4,224	3,040	2,584
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
02/03/2014	41.1	135,282		84.0%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: February 5, 2014**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
02/05/2013	202.9	322,679	46.4%	77.2	40,494	15.7%	363,173	38.1%
02/05/2014	197.1	233,521	33.6%	92.3	226,418	88.0%	459,939	48.3%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
02/04/2014	60	47	0.02	58	62	0.02	109
MTD		300	0.16		401	0.04	701

STREAM FLOWS

Gauging Station	02/04/2014 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	64	254
NRTT : Nueces River at Tilden, Texas	0	1
FRTT : Frio River at Tilden, Texas	0	0
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	4	13
Release from Choke Canyon Reservoir	58	230
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	318	955
NCAT : Nueces River at Calallen, Texas	0	0
RBP : Rincon Bayou Pipeline	202	271
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	6	24

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 2,500 Salinity Relief Credit : 0 Effective:	2,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 02/01/2014)	500
Passthru Target: 2,500 Reservoir Inflow: 24 Comment: Current banked total: 10,855 AF.	24
Estuary Inflows (NCAT + RBP)	271
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	February 2014	
				Allocation	Remaining
02/04/2014	156	612	4,380	3,040	2,428
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
02/04/2014	41.1	135,282		84.0%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: February 6, 2014**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
02/06/2013	202.9	322,679	46.4%	77.2	40,494	15.7%	363,173	38.1%
02/06/2014	197.1	233,115	33.5%	92.3	227,475	88.4%	460,590	48.4%

Weather Related Information								
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
02/05/2014	54	157	0.00	56	216	0.00		373
MTD		457	0.16		617	0.04		1,074

STREAM FLOWS

Gauging Station	02/05/2014 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	64	318
NRTT : Nueces River at Tilden, Texas	0	2
FRTT : Frio River at Tilden, Texas	0	1
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	4	17
Release from Choke Canyon Reservoir	58	288
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	326	1,280
NCAT : Nueces River at Calallen, Texas	0	0
RBP : Rincon Bayou Pipeline	202	473
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	6	30

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 2,500 Salinity Relief Credit : 0 Effective:	2,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 02/01/2014)	500
Passthru Target: 2,500 Reservoir Inflow: 30 Comment: Current banked total: 10,855 AcFt.	30
Estuary Inflows (NCAT + RBP)	473
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	February 2014	
				Allocation	Remaining
02/05/2014	157	768	4,536	3,040	2,272
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
02/05/2014	41.1	135,282		84.0%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: February 7, 2014**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
02/07/2013	203.0	324,532	46.7%	77.3	41,199	16.0%	365,731	38.4%
02/07/2014	197.0	232,980	33.5%	92.2	225,714	87.7%	458,694	48.2%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
02/06/2014	35	0	0.00	36	41	0.00	41
MTD		457	0.16		658	0.04	1,115

STREAM FLOWS

Gauging Station	02/06/2014 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	64	381
NRTT : Nueces River at Tilden, Texas	0	2
FRTT : Frio River at Tilden, Texas	0	1
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	4	21
Release from Choke Canyon Reservoir	58	345
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	331	1,612
NCAT : Nueces River at Calallen, Texas	0	0
RBP : Rincon Bayou Pipeline	223	696
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	6	36

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 2,500 Salinity Relief Credit : 0 Effective:	2,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 02/01/2014)	500
Passthru Target: 2,500 Reservoir Inflow: 36 Comment: Current banked total: 10,855 AcFt.	36
Estuary Inflows (NCAT + RBP)	696
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	February 2014	
				Allocation	Remaining
02/06/2014	162	931	4,698	3,040	2,109
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
02/06/2014	40.9	133,588		82.9%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: February 8, 2014**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
02/08/2013	203.0	323,517	46.5%	77.3	41,199	16.0%	364,716	38.3%
02/08/2014	197.0	232,709	33.5%	92.2	225,011	87.5%	457,720	48.1%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
02/07/2014	38	0	0.07	39	0	0.02	0
MTD		457	0.23		658	0.06	1,115

STREAM FLOWS

Gauging Station	02/07/2014 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	64	445
NRTT : Nueces River at Tilden, Texas	0	2
FRTT : Frio River at Tilden, Texas	0	1
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	4	25
Release from Choke Canyon Reservoir	58	403
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	355	1,967
NCAT : Nueces River at Calallen, Texas	0	0
RBP : Rincon Bayou Pipeline	215	911
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	6	42

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 2,500 Salinity Relief Credit : 0 Effective:	2,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 02/01/2014)	500
Passthru Target: 2,500 Reservoir Inflow: 42 Comment: Current banked total: 10,855 AcFt.	42
Estuary Inflows (NCAT + RBP)	911
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	February 2014	
				Allocation	Remaining
02/07/2014	149	1,079	4,847	3,040	1,961
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
02/07/2014	40.9	133,588		82.9%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: February 9, 2014**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
02/09/2013	203.0	323,684	46.6%	77.3	41,328	16.1%	365,012	38.3%
02/09/2014	197.1	233,792	33.6%	92.2	224,484	87.3%	458,276	48.1%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
02/08/2014	54	39	0.03	48	0	0.02	39
MTD		496	0.26		658	0.08	1,154

STREAM FLOWS

Gauging Station	02/08/2014 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	64	508
NRTT : Nueces River at Tilden, Texas	0	3
FRTT : Frio River at Tilden, Texas	0	1
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	4	29
Release from Choke Canyon Reservoir	58	461
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	401	2,368
NCAT : Nueces River at Calallen, Texas	0	0
RBP : Rincon Bayou Pipeline	203	1,115
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	6	49

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 2,500 Salinity Relief Credit : 0 Effective:	2,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 02/01/2014)	500
Passthru Target: 2,500 Reservoir Inflow: 49 Comment: Current banked total: 10,855 AcFt.	49
Estuary Inflows (NCAT + RBP)	1,115
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	February 2014	
				Allocation	Remaining
02/08/2014	134	1,214	4,981	3,040	1,826
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
02/08/2014	40.9	133,588		82.9%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: February 10, 2014**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
02/10/2013	203.0	324,022	46.6%	77.3	41,392	16.1%	365,414	38.4%
02/10/2014	197.1	233,928	33.6%	92.1	223,957	87.1%	457,885	48.1%

Weather Related Information								
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
02/09/2014	73	16	0.05	72	61	0.00		77
MTD		512	0.31		719	0.08		1,231

STREAM FLOWS

Gauging Station	02/09/2014 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	64	572
NRTT : Nueces River at Tilden, Texas	0	3
FRTT : Frio River at Tilden, Texas	0	1
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	5	34
Release from Choke Canyon Reservoir	58	518
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	401	2,769
NCAT : Nueces River at Calallen, Texas	0	0
RBP : Rincon Bayou Pipeline	228	1,342
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	6	55

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 2,500 Salinity Relief Credit : 0 Effective:	2,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 02/01/2014)	500
Passthru Target: 2,500 Reservoir Inflow: 55 Comment: Current banked total: 10,855 AcFt.	55
Estuary Inflows (NCAT + RBP)	1,342
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	February 2014	
				Allocation	Remaining
02/09/2014	134	1,348	5,116	3,040	1,692
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
02/09/2014	40.8	132,746		82.4%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: February 11, 2014**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
02/11/2013	203.1	324,871	46.7%	77.3	41,457	16.1%	366,328	38.5%
02/11/2014	197.0	232,709	33.5%	92.2	224,659	87.3%	457,368	48.0%

Weather Related Information								
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
02/10/2014	63	55	0.13	66	0	0.01		55
MTD		567	0.44		719	0.09		1,286

STREAM FLOWS

Gauging Station	02/10/2014 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	64	635
NRTT : Nueces River at Tilden, Texas	0	4
FRTT : Frio River at Tilden, Texas	0	1
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	5	39
Release from Choke Canyon Reservoir	58	576
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	401	3,170
NCAT : Nueces River at Calallen, Texas	0	0
RBP : Rincon Bayou Pipeline	238	1,580
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	6	61

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 2,500 Salinity Relief Credit : 0 Effective:	2,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 02/01/2014)	500
Passthru Target: 2,500 Reservoir Inflow: 61 Comment: Current banked total: 10,855 AcFt.	61
Estuary Inflows (NCAT + RBP)	1,581
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	February 2014	
				Allocation	Remaining
02/10/2014	109	1,457	5,225	3,040	1,583
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
02/10/2014	40.9	133,588		82.9%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: February 12, 2014**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
02/12/2013	203.1	325,041	46.8%	77.3	41,328	16.1%	366,369	38.5%
02/12/2014	197.0	232,438	33.4%	92.1	223,606	86.9%	456,044	47.9%

Weather Related Information								
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
02/11/2014	37	24	0.04	38	92	0.00		116
MTD		591	0.48		811	0.09		1,402

STREAM FLOWS

Gauging Station	02/11/2014 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	64	699
NRTT : Nueces River at Tilden, Texas	0	4
FRTT : Frio River at Tilden, Texas	0	1
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	5	44
Release from Choke Canyon Reservoir	58	633
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	399	3,569
NCAT : Nueces River at Calallen, Texas	2	2
RBP : Rincon Bayou Pipeline	238	1,818
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	6	67

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 2,500 Salinity Relief Credit : 0 Effective:	2,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 02/01/2014)	500
Passthru Target: 2,500 Reservoir Inflow: 67 Comment: Current banked total: 10,855 AcFt.	67
Estuary Inflows (NCAT + RBP)	1,820
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	February 2014	
				Allocation	Remaining
02/11/2014	32	1,489	5,257	3,040	1,551
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
02/11/2014	40.8	132,746		82.4%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: February 13, 2014**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
02/13/2013	203.0	323,517	46.5%	77.3	41,135	16.0%	364,652	38.3%
02/13/2014	197.1	233,521	33.6%	92.1	222,379	86.4%	455,900	47.9%

Weather Related Information								
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
02/12/2014	60	95	0.00	53	82	0.01		177
MTD		686	0.48		893	0.10		1,579

STREAM FLOWS

Gauging Station	02/12/2014 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	66	764
NRTT : Nueces River at Tilden, Texas	0	5
FRTT : Frio River at Tilden, Texas	4	6
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	7	51
Release from Choke Canyon Reservoir	58	691
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	397	3,966
NCAT : Nueces River at Calallen, Texas	0	2
RBP : Rincon Bayou Pipeline	223	2,041
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	12	79

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 2,500 Salinity Relief Credit : 0 Effective:	2,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 02/01/2014)	500
Passthru Target: 2,500 Reservoir Inflow: 79 Comment: Current banked total: 10,855 AcFt.	79
Estuary Inflows (NCAT + RBP)	2,043
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	February 2014	
				Allocation	Remaining
02/12/2014	0	1,489	5,257	3,040	1,551
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
02/12/2014	40.8	132,746		82.4%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: February 14, 2014**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
02/14/2013	203.0	323,182	46.5%	77.3	41,263	16.0%	364,445	38.3%
02/14/2014	197.1	233,250	33.5%	92.0	222,028	86.3%	455,278	47.8%

Weather Related Information								
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
02/13/2014	71	126	0.00	70	194	0.00		320
MTD		812	0.48		1,087	0.10		1,899

STREAM FLOWS

Gauging Station	02/13/2014 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	64	828
NRTT : Nueces River at Tilden, Texas	0	5
FRTT : Frio River at Tilden, Texas	0	6
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	7	58
Release from Choke Canyon Reservoir	58	748
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	322	4,288
NCAT : Nueces River at Calallen, Texas	0	2
RBP : Rincon Bayou Pipeline	203	2,244
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	6	85

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 2,500 Salinity Relief Credit : 0 Effective:	2,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 02/01/2014)	500
Passthru Target: 2,500 Reservoir Inflow: 85 Comment: Current banked total: 10,855 AcFt.	85
Estuary Inflows (NCAT + RBP)	2,246
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	February 2014	
				Allocation	Remaining
02/13/2014	75	1,564	5,332	3,040	1,476
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
02/13/2014	40.7	131,905		81.9%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: February 15, 2014**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
02/15/2013	203.0	324,192	46.6%	77.3	41,263	16.0%	365,455	38.4%
02/15/2014	197.1	233,250	33.5%	92.0	222,028	86.3%	455,278	47.8%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
02/14/2014	83	142	0.00	87	306	0.00	448
MTD		954	0.48		1,393	0.10	2,347

STREAM FLOWS

Gauging Station	02/14/2014 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	64	891
NRTT : Nueces River at Tilden, Texas	0	5
FRTT : Frio River at Tilden, Texas	0	6
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	7	65
Release from Choke Canyon Reservoir	58	806
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	131	4,419
NCAT : Nueces River at Calallen, Texas	0	2
RBP : Rincon Bayou Pipeline	191	2,436
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	6	91

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 2,500 Salinity Relief Credit : 0 Effective:	2,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 02/01/2014)	500
Passthru Target: 2,500 Reservoir Inflow: 91 Comment: Current banked total: 10,855 AcFt.	91
Estuary Inflows (NCAT + RBP)	2,437
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	February 2014	
				Allocation	Remaining
02/14/2014	133	1,697	5,465	3,040	1,343
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
02/14/2014	40.7	131,905		81.9%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: February 16, 2014**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
02/16/2013	202.9	322,344	46.4%	77.3	41,263	16.0%	363,607	38.2%
02/16/2014	197.0	231,639	33.3%	92.0	221,678	86.2%	453,317	47.6%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
02/15/2014	79	165	0.00	78	204	0.00	369
MTD		1,119	0.48		1,597	0.10	2,716

STREAM FLOWS

Gauging Station	02/15/2014 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	64	955
NRTT : Nueces River at Tilden, Texas	0	6
FRTT : Frio River at Tilden, Texas	0	6
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	6	71
Release from Choke Canyon Reservoir	58	863
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	129	4,548
NCAT : Nueces River at Calallen, Texas	0	2
RBP : Rincon Bayou Pipeline	30	2,466
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	6	97

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 2,500 Salinity Relief Credit : 0 Effective:	2,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 02/01/2014)	500
Passthru Target: 2,500 Reservoir Inflow: 97 Comment: Current banked total: 10,855 AcFt.	97
Estuary Inflows (NCAT + RBP)	2,468
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	February 2014	
				Allocation	Remaining
02/15/2014	134	1,831	5,599	3,040	1,209
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
02/15/2014	40.7	131,905		81.9%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: February 17, 2014**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
02/17/2013	202.9	322,679	46.4%	77.3	41,135	16.0%	363,814	38.2%
02/17/2014	197.0	232,039	33.4%	92.0	221,678	86.2%	453,717	47.6%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
02/16/2014	82	133	0.00	81	214	0.00	347
MTD		1,252	0.48		1,811	0.10	3,063

STREAM FLOWS

Gauging Station	02/16/2014 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	64	1,018
NRTT : Nueces River at Tilden, Texas	0	6
FRTT : Frio River at Tilden, Texas	0	6
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	6	77
Release from Choke Canyon Reservoir	58	921
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	133	4,681
NCAT : Nueces River at Calallen, Texas	0	2
RBP : Rincon Bayou Pipeline	0	2,466
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	6	103

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 2,500 Salinity Relief Credit : 0 Effective:	2,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 02/01/2014)	500
Passthru Target: 2,500 Reservoir Inflow: 103 Comment: Current banked total: 10,855 Ac/Ft.	103
Estuary Inflows (NCAT + RBP)	2,468
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	February 2014	
				Allocation	Remaining
02/16/2014	134	1,965	5,732	3,040	1,075
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
02/16/2014	40.6	131,068		81.4%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: February 18, 2014**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
02/18/2013	202.9	321,506	46.2%	77.2	40,750	15.8%	362,256	38.0%
02/18/2014	197.0	232,172	33.4%	92.0	221,153	86.0%	453,325	47.6%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
02/17/2014	83	173	0.00	86	214	0.00	387
MTD		1,425	0.48		2,025	0.10	3,450

STREAM FLOWS

Gauging Station	02/17/2014 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	64	1,082
NRTT : Nueces River at Tilden, Texas	0	6
FRTT : Frio River at Tilden, Texas	0	6
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	6	83
Release from Choke Canyon Reservoir	58	979
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	111	4,792
NCAT : Nueces River at Calallen, Texas	0	2
RBP : Rincon Bayou Pipeline	0	2,466
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	6	109

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 2,500 Salinity Relief Credit : 0 Effective:	2,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 02/01/2014)	500
Passthru Target: 2,500 Reservoir Inflow: 109 Comment: Current banked total: 10,855 Ac/Ft.	109
Estuary Inflows (NCAT + RBP)	2,468
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	February 2014	
				Allocation	Remaining
02/17/2014	134	2,098	5,866	3,040	942
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
02/17/2014	40.6	131,068		81.4%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: February 19, 2014**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
02/19/2013	202.9	322,511	46.4%	77.3	41,199	16.0%	363,710	38.2%
02/19/2014	196.9	231,639	33.3%	92.0	221,153	86.0%	452,792	47.5%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
02/18/2014	81	86	0.00	84	122	0.00	208
MTD		1,511	0.48		2,147	0.10	3,658

STREAM FLOWS

Gauging Station	02/18/2014 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	62	1,143
NRTT : Nueces River at Tilden, Texas	0	7
FRTT : Frio River at Tilden, Texas	0	6
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	6	89
Release from Choke Canyon Reservoir	58	1,036
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	93	4,885
NCAT : Nueces River at Calallen, Texas	0	2
RBP : Rincon Bayou Pipeline	0	2,466
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	4	114

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 2,500 Salinity Relief Credit : 0 Effective:	2,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 02/01/2014)	500
Passthru Target: 2,500 Reservoir Inflow: 114 Comment: Current banked total: 10,855 Ac/Ft.	114
Estuary Inflows (NCAT + RBP)	2,468
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	February 2014	
				Allocation	Remaining
02/18/2014	134	2,232	6,000	3,040	808
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
02/18/2014	40.6	131,068		81.4%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: February 20, 2014**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
02/20/2013	202.8	320,668	46.1%	77.2	41,006	15.9%	361,674	38.0%
02/20/2014	197.0	231,773	33.3%	92.0	220,978	85.9%	452,751	47.5%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
02/19/2014	86	180	0.00	84	357	0.00	537
MTD		1,691	0.48		2,504	0.10	4,195

STREAM FLOWS

Gauging Station	02/19/2014 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	62	1,205
NRTT : Nueces River at Tilden, Texas	0	7
FRTT : Frio River at Tilden, Texas	0	7
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	6	95
Release from Choke Canyon Reservoir	58	1,094
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	91	4,976
NCAT : Nueces River at Calallen, Texas	0	2
RBP : Rincon Bayou Pipeline	0	2,466
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	4	118

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 2,500 Salinity Relief Credit : 0 Effective:	2,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 02/01/2014)	500
Passthru Target: 2,500 Reservoir Inflow: 118 Comment: Current banked total: 10,855 Ac/Ft.	118
Estuary Inflows (NCAT + RBP)	2,468
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	February 2014	
				Allocation	Remaining
02/19/2014	133	2,365	6,133	3,040	675
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
02/19/2014	40.6	131,068		81.4%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: February 21, 2014**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
02/21/2013	202.8	321,003	46.2%	77.1	40,367	15.7%	361,370	37.9%
02/21/2014	197.1	233,115	33.5%	92.0	221,153	86.0%	454,268	47.7%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
02/20/2014	83	268	0.00	82	295	0.00	563
MTD		1,959	0.48		2,799	0.10	4,758

STREAM FLOWS

Gauging Station	02/20/2014 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	62	1,266
NRTT : Nueces River at Tilden, Texas	0	7
FRTT : Frio River at Tilden, Texas	0	7
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	6	101
Release from Choke Canyon Reservoir	58	1,151
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	107	5,084
NCAT : Nueces River at Calallen, Texas	0	2
RBP : Rincon Bayou Pipeline	0	2,466
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	4	122

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 2,500 Salinity Relief Credit : 0 Effective:	2,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 02/01/2014)	500
Passthru Target: 2,500 Reservoir Inflow: 122 Comment: Current banked total: 10,855 Ac/Ft.	122
Estuary Inflows (NCAT + RBP)	2,468
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	February 2014	
				Allocation	Remaining
02/20/2014	133	2,498	6,266	3,040	542
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
02/20/2014	40.5	130,232		80.8%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: February 22, 2014**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
02/22/2013	202.8	321,170	46.2%	77.2	40,942	15.9%	362,112	38.0%
02/22/2014	197.0	232,573	33.5%	92.0	220,629	85.8%	453,202	47.6%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
02/21/2014	74	204	0.00	71	316	0.00	520
MTD		2,163	0.48		3,115	0.10	5,278

STREAM FLOWS

Gauging Station	02/21/2014 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	62	1,328
NRTT : Nueces River at Tilden, Texas	0	8
FRTT : Frio River at Tilden, Texas	0	7
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	5	106
Release from Choke Canyon Reservoir	58	1,209
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	119	5,203
NCAT : Nueces River at Calallen, Texas	0	2
RBP : Rincon Bayou Pipeline	0	2,466
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	4	126

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 2,500 Salinity Relief Credit : 0 Effective:	2,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 02/01/2014)	500
Passthru Target: 2,500 Reservoir Inflow: 126 Comment: Current banked total: 10,855 Ac/Ft.	126
Estuary Inflows (NCAT + RBP)	2,468
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	February 2014	
				Allocation	Remaining
02/21/2014	133	2,632	6,399	3,040	408
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
02/21/2014	40.5	130,232		80.8%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: February 23, 2014**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
02/23/2013	202.8	320,500	46.1%	77.2	40,686	15.8%	361,186	37.9%
02/23/2014	197.0	232,305	33.4%	91.9	220,454	85.7%	452,759	47.5%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
02/22/2014	70	39	0.00	68	10	0.00	49
MTD		2,202	0.48		3,125	0.10	5,327

STREAM FLOWS

Gauging Station	02/22/2014 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	62	1,390
NRTT : Nueces River at Tilden, Texas	0	8
FRTT : Frio River at Tilden, Texas	0	7
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	4	110
Release from Choke Canyon Reservoir	58	1,266
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	131	5,334
NCAT : Nueces River at Calallen, Texas	0	2
RBP : Rincon Bayou Pipeline	0	2,466
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	4	130

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 2,500 Salinity Relief Credit : 0 Effective:	2,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 02/01/2014)	500
Passthru Target: 2,500 Reservoir Inflow: 130 Comment: Current banked total: 10,855 Ac/Ft.	130
Estuary Inflows (NCAT + RBP)	2,468
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	February 2014	
				Allocation	Remaining
02/22/2014	133	2,765	6,533	3,040	275
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
02/22/2014	40.5	130,232		80.8%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: February 24, 2014**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
02/24/2013	202.9	321,506	46.2%	77.2	40,558	15.8%	362,064	38.0%
02/24/2014	196.9	231,107	33.2%	91.9	220,279	85.6%	451,386	47.4%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
02/23/2014	82	133	0.00	78	0	0.00	133
MTD		2,335	0.48		3,125	0.10	5,460

STREAM FLOWS

Gauging Station	02/23/2014 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	60	1,449
NRTT : Nueces River at Tilden, Texas	0	8
FRTT : Frio River at Tilden, Texas	0	7
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	4	114
Release from Choke Canyon Reservoir	58	1,324
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	133	5,467
NCAT : Nueces River at Calallen, Texas	0	2
RBP : Rincon Bayou Pipeline	0	2,466
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	2	132

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 2,500 Salinity Relief Credit : 0 Effective:	2,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 02/01/2014)	500
Passthru Target: 2,500 Reservoir Inflow: 132 Comment: Current banked total: 10,855 Ac/Ft.	132
Estuary Inflows (NCAT + RBP)	2,468
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	February 2014	
				Allocation	Remaining
02/23/2014	133	2,898	6,666	3,040	142
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
02/23/2014	40.5	130,232		80.8%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: February 25, 2014**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
02/25/2013	202.9	321,673	46.3%	77.2	40,430	15.7%	362,103	38.0%
02/25/2014	196.9	231,373	33.3%	91.9	220,104	85.6%	451,477	47.4%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
02/24/2014	79	118	0.00	78	92	0.00	210
MTD		2,453	0.48		3,217	0.10	5,670

STREAM FLOWS

Gauging Station	02/24/2014 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	60	1,509
NRTT : Nueces River at Tilden, Texas	0	8
FRTT : Frio River at Tilden, Texas	0	7
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	4	118
Release from Choke Canyon Reservoir	58	1,382
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	129	5,596
NCAT : Nueces River at Calallen, Texas	0	2
RBP : Rincon Bayou Pipeline	0	2,466
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	2	134

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 2,500 Salinity Relief Credit : 0 Effective:	2,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 02/01/2014)	500
Passthru Target: 2,500 Reservoir Inflow: 134 Comment: Current banked total: 10,855 Ac/Ft.	134
Estuary Inflows (NCAT + RBP)	2,468
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	February 2014	
				Allocation	Remaining
02/24/2014	133	3,031	6,799	3,040	9
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
02/24/2014	40.5	130,232		80.8%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: February 26, 2014**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
02/26/2013	202.8	320,004	46.0%	77.1	40,176	15.6%	360,180	37.8%
02/26/2014	196.9	230,972	33.2%	92.0	222,028	86.3%	453,000	47.6%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
02/25/2014	74	55	0.03	79	61	0.05	116
MTD		2,508	0.51		3,278	0.15	5,786

STREAM FLOWS

Gauging Station	02/25/2014 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	58	1,566
NRTT : Nueces River at Tilden, Texas	0	8
FRTT : Frio River at Tilden, Texas	0	7
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	4	121
Release from Choke Canyon Reservoir	58	1,439
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	113	5,709
NCAT : Nueces River at Calallen, Texas	1	3
RBP : Rincon Bayou Pipeline	0	2,466
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	0	134

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 2,500 Salinity Relief Credit : 0 Effective:	2,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 02/01/2014)	500
Passthru Target: 2,500 Reservoir Inflow: 134 Comment: Current banked total: 10,855 Ac/Ft.	134
Estuary Inflows (NCAT + RBP)	2,469
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	February 2014	
				Allocation	Remaining
02/25/2014	132	3,163	6,931	3,040	-123
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
02/25/2014	40.6	131,068		81.4%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: February 27, 2014**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
02/27/2013	202.8	320,170	46.0%	77.1	40,176	15.6%	360,346	37.8%
02/27/2014	196.9	231,639	33.3%	91.9	220,104	85.6%	451,743	47.4%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
02/26/2014	43	31	0.30	50	102	0.22	133
MTD		2,539	0.81		3,380	0.37	5,919

STREAM FLOWS

Gauging Station	02/26/2014 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	62	1,628
NRTT : Nueces River at Tilden, Texas	0	9
FRTT : Frio River at Tilden, Texas	0	7
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	3	124
Release from Choke Canyon Reservoir	58	1,497
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	95	5,804
NCAT : Nueces River at Calallen, Texas	10	13
RBP : Rincon Bayou Pipeline	65	2,530
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	4	138

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 2,500 Salinity Relief Credit : 0 Effective:	2,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 02/01/2014)	500
Passthru Target: 2,500 Reservoir Inflow: 138 Comment: Current banked total: 10,855 Ac/Ft.	138
Estuary Inflows (NCAT + RBP)	2,543
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	February 2014	
				Allocation	Remaining
02/26/2014	132	3,296	7,063	3,040	-256
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
02/26/2014	40.5	130,232		80.8%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: February 28, 2014**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
02/28/2013	202.7	318,860	45.9%	77.1	39,986	15.5%	358,846	37.7%
02/28/2014	197.0	232,172	33.4%	91.9	219,406	85.3%	451,578	47.4%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
02/27/2014	56	79	0.00	57	122	0.00	201
MTD		2,618	0.81		3,502	0.37	6,120

STREAM FLOWS

Gauging Station	02/27/2014 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	60	1,687
NRTT : Nueces River at Tilden, Texas	0	9
FRTT : Frio River at Tilden, Texas	0	8
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	3	126
Release from Choke Canyon Reservoir	58	1,554
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	109	5,913
NCAT : Nueces River at Calallen, Texas	0	13
RBP : Rincon Bayou Pipeline	40	2,570
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	2	141

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 2,500 Salinity Relief Credit : 0 Effective:	2,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 02/01/2014)	500
Passthru Target: 2,500 Reservoir Inflow: 141 Comment: Current banked total: 10,855 Ac/Ft.	141
Estuary Inflows (NCAT + RBP)	2,583
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	February 2014	
				Allocation	Remaining
02/27/2014	131	3,427	7,194	3,040	-387
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
02/27/2014	40.4	129,400		80.3%	