

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: March 1, 2014**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
03/01/2013	202.7	318,860	45.9%	77.1	39,797	15.5%	358,657	37.7%
03/01/2014	197.0	231,906	33.4%	91.9	219,057	85.2%	450,963	47.3%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
02/28/2014	78	118	0.00	82	122	0.00	240
MTD		2,736	0.81		3,624	0.37	6,360

STREAM FLOWS

Gauging Station	02/28/2014 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	60	1,747
NRTT : Nueces River at Tilden, Texas	0	9
FRTT : Frio River at Tilden, Texas	0	8
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	3	129
Release from Choke Canyon Reservoir	58	1,612
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	109	6,022
NCAT : Nueces River at Calallen, Texas	0	13
RBP : Rincon Bayou Pipeline	0	2,570
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	2	143

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 2,500 Salinity Relief Credit : 0 Effective:	2,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 02/01/2014)	500
Passthru Target: 2,500 Reservoir Inflow: 143 Comment: Current banked total: 10,855 Ac/Ft.	143
Estuary Inflows (NCAT + RBP)	2,583
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	February 2014	
				Allocation	Remaining
02/28/2014	131	3,557	7,325	3,040	-517
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
02/28/2014	40.4	129,400		80.3%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: March 2, 2014**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
03/02/2013	202.6	317,842	45.7%	77.0	39,734	15.4%	357,576	37.5%
03/02/2014	196.9	230,701	33.2%	91.8	218,534	84.9%	449,235	47.2%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
03/01/2014	83	172	0.00	79	173	0.00	345
MTD		172	0.00		173	0.00	345

STREAM FLOWS

Gauging Station	03/01/2014 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	58	58
NRTT : Nueces River at Tilden, Texas	0	0
FRTT : Frio River at Tilden, Texas	0	0
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	3	3
Release from Choke Canyon Reservoir	58	58
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	111	111
NCAT : Nueces River at Calallen, Texas	0	0
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	0	0

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit : 0 Effective:	3,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 03/01/2014)	500
Passthru Target: 3,500 Reservoir Inflow: 0 Comment: Current banked total: 8,272 Ac/Ft.	0
Estuary Inflows (NCAT + RBP)	0
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	March 2014	
				Allocation	Remaining
03/01/2014	130	130	7,456	3,050	2,920
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
03/01/2014	40.4	129,400		80.3%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: March 3, 2014**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
03/03/2013	202.6	317,507	45.7%	77.0	39,608	15.4%	357,115	37.5%
03/03/2014	196.9	230,430	33.1%	92.0	222,028	86.3%	452,458	47.5%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
03/02/2014	84	141	0.00	84	143	0.00	284
MTD		313	0.00		316	0.00	629

STREAM FLOWS

Gauging Station	03/02/2014 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	56	113
NRIT : Nueces River at Tilden, Texas	0	1
FRIT : Frio River at Tilden, Texas	0	0
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	3	5
Release from Choke Canyon Reservoir	58	115
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	121	232
NCAT : Nueces River at Calallen, Texas	0	0
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: NRIT+FRIT+SMTT+ARWT	3	3

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit : 0 Effective:	3,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 03/01/2014)	500
Passthru Target: 3,500 Reservoir Inflow: 3 Comment: Current banked total: 8,272 Ac/Ft.	3
Estuary Inflows (NCAT + RBP)	0
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	March 2014	
				Allocation	Remaining
03/02/2014	130	260	7,586	3,050	2,790
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
03/02/2014	40.5	130,232		80.8%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: March 4, 2014**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
03/04/2013	202.7	318,345	45.8%	76.9	39,107	15.2%	357,452	37.5%
03/04/2014	197.0	232,305	33.4%	91.9	219,057	85.2%	451,362	47.4%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
03/03/2014	42	86	1.05	42	163	0.40	249
MTD		399	1.05		479	0.40	878

STREAM FLOWS

Gauging Station	03/03/2014 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	56	169
NRIT : Nueces River at Tilden, Texas	0	1
FRIT : Frio River at Tilden, Texas	0	0
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	2	8
Release from Choke Canyon Reservoir	58	173
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	115	347
NCAT : Nueces River at Calallen, Texas	0	0
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: NRIT+FRIT+SMTT+ARWT	3	6

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit : 0 Effective:	3,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 03/01/2014)	500
Passthru Target: 3,500 Reservoir Inflow: 6 Comment: Current banked total: 8,272 Ac/Ft.	6
Estuary Inflows (NCAT + RBP)	0
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	March 2014	
				Allocation	Remaining
03/03/2014	130	390	7,716	3,050	2,660
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
03/03/2014	40.4	129,400		80.3%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: March 5, 2014**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
03/05/2013	202.6	317,172	45.6%	77.0	39,294	15.3%	356,466	37.4%
03/05/2014	197.0	232,039	33.4%	91.8	218,708	85.0%	450,747	47.3%

Weather Related Information								
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
03/04/2014	45	55	0.01	41	30	0.13		85
MTD		454	1.06		509	0.53		963

STREAM FLOWS

Gauging Station	03/04/2014 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	62	230
NRTT : Nueces River at Tilden, Texas	0	1
FRTT : Frio River at Tilden, Texas	1	2
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	3	10
Release from Choke Canyon Reservoir	58	230
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	103	451
NCAT : Nueces River at Calallen, Texas	0	0
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	5	11

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit : 0 Effective:	3,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 03/01/2014)	500
Passthru Target: 3,500 Reservoir Inflow: 11 Comment: Current banked total: 8,272 Ac/Ft.	11
Estuary Inflows (NCAT + RBP)	0
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	March 2014	
				Allocation	Remaining
03/04/2014	130	520	7,845	3,050	2,530
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
03/04/2014	40.4	129,400		80.3%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: March 6, 2014**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
03/06/2013	202.5	316,180	45.5%	77.0	39,294	15.3%	355,474	37.3%
03/06/2014	196.9	230,836	33.2%	91.8	218,534	84.9%	449,370	47.2%

Weather Related Information								
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
03/05/2014	59	47	0.00	58	51	0.00		98
MTD		501	1.06		560	0.53		1,061

STREAM FLOWS

Gauging Station	03/05/2014 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	62	292
NRTT : Nueces River at Tilden, Texas	0	1
FRTT : Frio River at Tilden, Texas	0	2
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	2	13
Release from Choke Canyon Reservoir	58	288
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	101	552
NCAT : Nueces River at Calallen, Texas	0	0
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	4	15

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit : 0 Effective:	3,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 03/01/2014)	500
Passthru Target: 3,500 Reservoir Inflow: 15 Comment: Current banked total: 8,272 Ac/Ft.	15
Estuary Inflows (NCAT + RBP)	0
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	March 2014	
				Allocation	Remaining
03/05/2014	130	650	7,975	3,050	2,400
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
03/05/2014	40.4	129,400		80.3%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: March 7, 2014**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
03/07/2013	202.6	316,511	45.5%	77.0	39,232	15.2%	355,743	37.3%
03/07/2014	197.0	231,773	33.3%	91.8	218,359	84.9%	450,132	47.3%

Weather Related Information								
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
03/06/2014	67	133	0.00	64	183	0.00	316	
MTD		634	1.06		743	0.53	1,377	

STREAM FLOWS

Gauging Station	03/06/2014 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	60	351
NRTT : Nueces River at Tilden, Texas	0	2
FRTT : Frio River at Tilden, Texas	0	2
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	2	15
Release from Choke Canyon Reservoir	58	345
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	101	653
NCAT : Nueces River at Calallen, Texas	0	0
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	2	17

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit : 0 Effective:	3,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 03/01/2014)	500
Passthru Target: 3,500 Reservoir Inflow: 17 Comment: Current banked total: 8,272 Ac/Ft.	17
Estuary Inflows (NCAT + RBP)	0
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	March 2014	
				Allocation	Remaining
03/06/2014	130	780	8,106	3,050	2,270
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
03/06/2014	40.3	128,570		79.8%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: March 8, 2014**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
03/08/2013	202.5	315,684	45.4%	77.0	39,232	15.2%	354,916	37.3%
03/08/2014	196.9	230,565	33.2%	91.8	218,185	84.8%	448,750	47.1%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
03/07/2014	74	149	0.00	71	274	0.00	423
MTD		783	1.06		1,017	0.53	1,800

STREAM FLOWS

Gauging Station	03/07/2014 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	60	411
NRTT : Nueces River at Tilden, Texas	0	2
FRTT : Frio River at Tilden, Texas	0	2
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	2	17
Release from Choke Canyon Reservoir	58	403
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	103	756
NCAT : Nueces River at Calallen, Texas	0	0
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	2	19

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit : 0 Effective:	3,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 03/01/2014)	500
Passthru Target: 3,500 Reservoir Inflow: 19 Comment: Current banked total: 8,272 Ac/Ft.	19
Estuary Inflows (NCAT + RBP)	0
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	March 2014	
				Allocation	Remaining
03/07/2014	130	911	8,236	3,050	2,139
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
03/07/2014	40.3	128,570		79.8%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: March 9, 2014**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
03/09/2013	202.4	314,031	45.2%	76.9	38,920	15.1%	352,951	37.1%
03/09/2014	196.9	230,972	33.2%	92.0	221,678	86.2%	452,650	47.5%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
03/08/2014	67	31	1.02	65	122	0.70	153
MTD		814	2.08		1,139	1.23	1,953

STREAM FLOWS

Gauging Station	03/08/2014 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	58	468
NRTT : Nueces River at Tilden, Texas	0	2
FRTT : Frio River at Tilden, Texas	0	2
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	2	19
Release from Choke Canyon Reservoir	58	461
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	113	869
NCAT : Nueces River at Calallen, Texas	0	0
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	0	20

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit : 0 Effective:	3,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 03/01/2014)	500
Passthru Target: 3,500 Reservoir Inflow: 20 Comment: Current banked total: 8,272 Ac/Ft.	20
Estuary Inflows (NCAT + RBP)	0
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	March 2014	
				Allocation	Remaining
03/08/2014	131	1,041	8,367	3,050	2,009
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
03/08/2014	40.4	129,400		80.3%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: March 10, 2014**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
03/10/2013	202.4	313,535	45.1%	77.0	39,608	15.4%	353,143	37.1%
03/10/2014	196.9	231,107	33.2%	91.9	220,279	85.6%	451,386	47.4%

Weather Related Information								
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
03/09/2014	51	47	0.07	51	71	0.01		118
MTD		861	2.15		1,210	1.24		2,071

STREAM FLOWS

Gauging Station	03/09/2014 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	69	538
NRTT : Nueces River at Tilden, Texas	0	3
FRTT : Frio River at Tilden, Texas	0	3
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	3	22
Release from Choke Canyon Reservoir	58	518
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	109	979
NCAT : Nueces River at Calallen, Texas	0	0
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	12	32

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit : 0 Effective:	3,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 03/01/2014)	500
Passthru Target: 3,500 Reservoir Inflow: 32 Comment: Current banked total: 8,272 Ac/Ft.	32
Estuary Inflows (NCAT + RBP)	0
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	March 2014	
				Allocation	Remaining
03/09/2014	131	1,172	8,497	3,050	1,878
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
03/09/2014	40.4	129,400		80.3%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: March 11, 2014**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
03/11/2013	202.3	312,874	45.0%	77.0	39,545	15.4%	352,419	37.0%
03/11/2014	196.9	231,240	33.3%	91.9	220,454	85.7%	451,694	47.4%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
03/10/2014	58	16	0.25	58	10	0.33	26
MTD		877	2.40		1,220	1.57	2,097

STREAM FLOWS

Gauging Station	03/10/2014 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	64	601
NRTT : Nueces River at Tilden, Texas	1	4
FRTT : Frio River at Tilden, Texas	1	4
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	3	25
Release from Choke Canyon Reservoir	58	576
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	93	1,072
NCAT : Nueces River at Calallen, Texas	2	2
RBP : Rincon Bayou Pipeline	87	87
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	7	39

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit : 0 Effective:	3,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 03/01/2014)	500
Passthru Target: 3,500 Reservoir Inflow: 39 Comment: Current banked total: 8,272 Ac/Ft.	39
Estuary Inflows (NCAT + RBP)	89
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	March 2014	
				Allocation	Remaining
03/10/2014	131	1,303	8,628	3,050	1,747
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
03/10/2014	40.6	131,068		81.4%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: March 12, 2014**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
03/12/2013	202.4	313,866	45.1%	77.0	39,608	15.4%	353,474	37.1%
03/12/2014	197.0	232,039	33.4%	92.1	223,606	86.9%	455,645	47.8%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
03/11/2014	79	94	0.00	78	184	0.00	278
MTD		971	2.40		1,404	1.57	2,375

STREAM FLOWS

Gauging Station	03/11/2014 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	64	665
NRTT : Nueces River at Tilden, Texas	1	5
FRTT : Frio River at Tilden, Texas	1	4
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	4	28
Release from Choke Canyon Reservoir	58	633
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	93	1,165
NCAT : Nueces River at Calallen, Texas	0	2
RBP : Rincon Bayou Pipeline	0	87
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	7	45

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit : 0 Effective:	3,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 03/01/2014)	500
Passthru Target: 3,500 Reservoir Inflow: 45 Comment: Current banked total: 8,272 Ac/Ft.	45
Estuary Inflows (NCAT + RBP)	89
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	March 2014	
				Allocation	Remaining
03/11/2014	131	1,434	8,759	3,050	1,616
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
03/11/2014	41.2	136,132		84.5%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: March 13, 2014**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
03/13/2013	202.3	312,050	44.9%	77.0	39,734	15.4%	351,784	36.9%
03/13/2014	196.9	231,107	33.2%	91.9	220,104	85.6%	451,211	47.4%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
03/12/2014	67	235	0.00	74	315	0.00	550
MTD		1,206	2.40		1,719	1.57	2,925

STREAM FLOWS

Gauging Station	03/12/2014 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	60	725
NRTT : Nueces River at Tilden, Texas	1	5
FRTT : Frio River at Tilden, Texas	0	4
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	4	32
Release from Choke Canyon Reservoir	58	691
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	107	1,272
NCAT : Nueces River at Calallen, Texas	0	2
RBP : Rincon Bayou Pipeline	0	87
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	2	47

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit : 0 Effective:	3,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 03/01/2014)	500
Passthru Target: 3,500 Reservoir Inflow: 47 Comment: Current banked total: 8,272 Ac/Ft.	47
Estuary Inflows (NCAT + RBP)	89
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	March 2014	
				Allocation	Remaining
03/12/2014	131	1,565	8,890	3,050	1,485
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
03/12/2014	41.2	136,132		84.5%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: March 14, 2014**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
03/14/2013	202.3	312,544	45.0%	77.1	39,860	15.5%	352,404	37.0%
03/14/2014	197.0	231,906	33.4%	91.9	219,580	85.4%	451,486	47.4%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
03/13/2014	69	181	0.00	67	214	0.00	395
MTD		1,387	2.40		1,933	1.57	3,320

STREAM FLOWS

Gauging Station	03/13/2014 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	60	784
NRTT : Nueces River at Tilden, Texas	0	6
FRTT : Frio River at Tilden, Texas	0	5
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	3	35
Release from Choke Canyon Reservoir	58	748
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	123	1,395
NCAT : Nueces River at Calallen, Texas	0	2
RBP : Rincon Bayou Pipeline	0	87
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	2	50

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit : 0 Effective:	3,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 03/01/2014)	500
Passthru Target: 3,500 Reservoir Inflow: 50 Comment: Current banked total: 8,272 Ac/Ft.	50
Estuary Inflows (NCAT + RBP)	89
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	March 2014	
				Allocation	Remaining
03/13/2014	131	1,696	9,021	3,050	1,354
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
03/13/2014	41.6	139,562		86.6%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: March 15, 2014**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
03/15/2013	202.3	311,887	44.9%	77.1	39,923	15.5%	351,810	36.9%
03/15/2014	197.0	231,773	33.3%	91.9	219,231	85.2%	451,004	47.3%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
03/14/2014	74	78	0.00	73	102	0.00	180
MTD		1,465	2.40		2,035	1.57	3,500

STREAM FLOWS

Gauging Station	03/14/2014 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	60	844
NRTT : Nueces River at Tilden, Texas	0	6
FRTT : Frio River at Tilden, Texas	0	5
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	3	38
Release from Choke Canyon Reservoir	58	806
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	159	1,554
NCAT : Nueces River at Calallen, Texas	0	2
RBP : Rincon Bayou Pipeline	0	87
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	2	52

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit : 0 Effective:	3,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 03/01/2014)	500
Passthru Target: 3,500 Reservoir Inflow: 52 Comment: Current banked total: 8,272 Ac/Ft.	52
Estuary Inflows (NCAT + RBP)	89
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	March 2014	
				Allocation	Remaining
03/14/2014	131	1,827	9,152	3,050	1,223
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
03/14/2014	41.6	139,562		86.6%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: March 16, 2014**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
03/16/2013	202.2	310,087	44.6%	77.1	39,986	15.5%	350,073	36.8%
03/16/2014	196.9	231,373	33.3%	91.9	219,057	85.2%	450,430	47.3%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
03/15/2014	81	110	0.00	82	173	0.00	283
MTD		1,575	2.40		2,208	1.57	3,783

STREAM FLOWS

Gauging Station	03/15/2014 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	58	901
NRTT : Nueces River at Tilden, Texas	0	6
FRTT : Frio River at Tilden, Texas	0	5
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	3	40
Release from Choke Canyon Reservoir	58	863
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	159	1,713
NCAT : Nueces River at Calallen, Texas	0	2
RBP : Rincon Bayou Pipeline	0	87
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	0	52

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit : 0 Effective:	3,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 03/01/2014)	500
Passthru Target: 3,500 Reservoir Inflow: 52 Comment: Current banked total: 8,272 Ac/Ft.	52
Estuary Inflows (NCAT + RBP)	89
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	March 2014	
				Allocation	Remaining
03/15/2014	131	1,958	9,283	3,050	1,092
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
03/15/2014	41.6	139,562		86.6%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: March 17, 2014**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
03/17/2013	202.1	309,261	44.5%	77.1	39,923	15.5%	349,184	36.7%
03/17/2014	196.9	230,565	33.2%	91.9	219,406	85.3%	449,971	47.2%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
03/16/2014	70	211	0.02	67	122	0.11	333
MTD		1,786	2.42		2,330	1.68	4,116

STREAM FLOWS

Gauging Station	03/16/2014 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	58	959
NRTT : Nueces River at Tilden, Texas	0	7
FRTT : Frio River at Tilden, Texas	0	5
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	3	43
Release from Choke Canyon Reservoir	58	921
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	163	1,876
NCAT : Nueces River at Calallen, Texas	0	2
RBP : Rincon Bayou Pipeline	0	87
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	0	52

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit : 0 Effective:	3,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 03/01/2014)	500
Passthru Target: 3,500 Reservoir Inflow: 52 Comment: Current banked total: 8,272 Ac/Ft.	52
Estuary Inflows (NCAT + RBP)	89
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	March 2014	
				Allocation	Remaining
03/16/2014	131	2,089	9,414	3,050	961
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
03/16/2014	41.7	140,426		87.2%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: March 18, 2014**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
03/18/2013	202.1	308,441	44.4%	77.1	40,176	15.6%	348,617	36.6%
03/18/2014	196.8	229,752	33.0%	91.8	218,011	84.7%	447,763	47.0%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
03/17/2014	69	218	0.00	67	304	0.00	522
MTD		2,004	2.42		2,634	1.68	4,638

STREAM FLOWS

Gauging Station	03/17/2014 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	58	1,016
NRTT : Nueces River at Tilden, Texas	0	7
FRTT : Frio River at Tilden, Texas	0	5
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	4	47
Release from Choke Canyon Reservoir	58	979
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	149	2,025
NCAT : Nueces River at Calallen, Texas	0	2
RBP : Rincon Bayou Pipeline	0	87
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	0	52

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit : 0 Effective:	3,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 03/01/2014)	500
Passthru Target: 3,500 Reservoir Inflow: 52 Comment: Current banked total: 8,272 Ac/Ft.	52
Estuary Inflows (NCAT + RBP)	89
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	March 2014	
				Allocation	Remaining
03/17/2014	131	2,220	9,545	3,050	830
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
03/17/2014	41.7	140,426		87.2%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: March 19, 2014**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
03/19/2013	202.1	309,095	44.5%	77.2	40,494	15.7%	349,589	36.7%
03/19/2014	196.8	229,888	33.1%	91.8	218,534	84.9%	448,422	47.1%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
03/18/2014	89	226	0.00	86	315	0.00	541
MTD		2,230	2.42		2,949	1.68	5,179

STREAM FLOWS

Gauging Station	03/18/2014 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	60	1,076
NRTT : Nueces River at Tilden, Texas	0	7
FRTT : Frio River at Tilden, Texas	0	6
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	4	50
Release from Choke Canyon Reservoir	58	1,036
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	139	2,164
NCAT : Nueces River at Calallen, Texas	0	2
RBP : Rincon Bayou Pipeline	0	87
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	2	55

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit : 0 Effective:	3,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 03/01/2014)	500
Passthru Target: 3,500 Reservoir Inflow: 55 Comment: Current banked total: 8,272 Ac/Ft.	55
Estuary Inflows (NCAT + RBP)	89
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	March 2014	
				Allocation	Remaining
03/18/2014	131	2,350	9,676	3,050	700
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
03/18/2014	41.6	139,562		86.6%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: March 20, 2014**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
03/20/2013	202.0	306,811	44.1%	77.2	40,750	15.8%	347,561	36.5%
03/20/2014	196.8	229,752	33.0%	91.8	218,359	84.9%	448,111	47.0%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
03/19/2014	72	187	0.00	74	305	0.00	492
MTD		2,417	2.42		3,254	1.68	5,671

STREAM FLOWS

Gauging Station	03/19/2014 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	60	1,135
NRTT : Nueces River at Tilden, Texas	0	8
FRTT : Frio River at Tilden, Texas	0	6
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	3	53
Release from Choke Canyon Reservoir	58	1,094
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	143	2,307
NCAT : Nueces River at Calallen, Texas	0	2
RBP : Rincon Bayou Pipeline	0	87
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	2	57

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit : 0 Effective:	3,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 03/01/2014)	500
Passthru Target: 3,500 Reservoir Inflow: 57 Comment: Current banked total: 8,272 Ac/Ft.	57
Estuary Inflows (NCAT + RBP)	89
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	March 2014	
				Allocation	Remaining
03/19/2014	131	2,481	9,806	3,050	569
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
03/19/2014	41.6	139,562		86.6%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: March 21, 2014**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
03/21/2013	202.1	308,930	44.4%	77.1	40,303	15.7%	349,233	36.7%
03/21/2014	196.8	229,619	33.0%	91.8	217,662	84.6%	447,281	47.0%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
03/20/2014	79	179	0.00	77	213	0.00	392
MTD		2,596	2.42		3,467	1.68	6,063

STREAM FLOWS

Gauging Station	03/20/2014 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	60	1,195
NRTT : Nueces River at Tilden, Texas	0	8
FRTT : Frio River at Tilden, Texas	0	6
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	3	56
Release from Choke Canyon Reservoir	58	1,151
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	151	2,457
NCAT : Nueces River at Calallen, Texas	0	2
RBP : Rincon Bayou Pipeline	0	87
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	2	59

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit : 0 Effective:	3,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 03/01/2014)	500
Passthru Target: 3,500 Reservoir Inflow: 59 Comment: Current banked total: 8,272 Ac/Ft.	59
Estuary Inflows (NCAT + RBP)	89
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	March 2014	
				Allocation	Remaining
03/20/2014	130	2,611	9,937	3,050	439
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
03/20/2014	41.6	139,562		86.6%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: March 22, 2014**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
03/22/2013	202.1	308,278	44.3%	77.1	40,303	15.7%	348,581	36.6%
03/22/2014	196.9	230,565	33.2%	91.8	217,488	84.5%	448,053	47.0%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
03/21/2014	80	117	0.00	78	152	0.00	269
MTD		2,713	2.42		3,619	1.68	6,332

STREAM FLOWS

Gauging Station	03/21/2014 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	58	1,253
NRTT : Nueces River at Tilden, Texas	0	8
FRTT : Frio River at Tilden, Texas	0	6
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	3	58
Release from Choke Canyon Reservoir	58	1,209
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	141	2,598
NCAT : Nueces River at Calallen, Texas	0	2
RBP : Rincon Bayou Pipeline	0	87
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	0	59

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit : 0 Effective:	3,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 03/01/2014)	500
Passthru Target: 3,500 Reservoir Inflow: 59 Comment: Current banked total: 8,272 Ac/Ft.	59
Estuary Inflows (NCAT + RBP)	89
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	March 2014	
				Allocation	Remaining
03/21/2014	130	2,742	10,067	3,050	308
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
03/21/2014	41.5	138,700		86.1%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: March 23, 2014**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
03/23/2013	202.1	308,115	44.3%	77.2	40,494	15.7%	348,609	36.6%
03/23/2014	196.8	229,220	33.0%	91.8	217,837	84.7%	447,057	46.9%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
03/22/2014	82	93	0.01	80	122	0.01	215
MTD		2,806	2.43		3,741	1.69	6,547

STREAM FLOWS

Gauging Station	03/22/2014 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	58	1,310
NRIT : Nueces River at Tilden, Texas	0	8
FRIT : Frio River at Tilden, Texas	0	6
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	3	61
Release from Choke Canyon Reservoir	58	1,266
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	141	2,739
NCAT : Nueces River at Calallen, Texas	0	2
RBP : Rincon Bayou Pipeline	0	87
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	0	59

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit : 0 Effective:	3,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 03/01/2014)	500
Passthru Target: 3,500 Reservoir Inflow: 59 Comment: Current banked total: 8,272 Ac/Ft.	59
Estuary Inflows (NCAT + RBP)	89
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	March 2014	
				Allocation	Remaining
03/22/2014	130	2,872	10,197	3,050	178
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
03/22/2014	41.5	138,700		86.1%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: March 24, 2014**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
03/24/2013	202.0	307,463	44.2%	77.2	40,622	15.8%	348,085	36.5%
03/24/2014	196.8	229,087	32.9%	91.8	218,359	84.9%	447,446	47.0%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
03/23/2014	64	101	0.03	67	41	0.28	142
MTD		2,907	2.46		3,782	1.97	6,689

STREAM FLOWS

Gauging Station	03/23/2014 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	58	1,368
NRTT : Nueces River at Tilden, Texas	0	8
FRTT : Frio River at Tilden, Texas	0	7
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	0	61
Release from Choke Canyon Reservoir	58	1,324
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	143	2,882
NCAT : Nueces River at Calallen, Texas	0	2
RBP : Rincon Bayou Pipeline	0	87
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	0	59

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit : 0 Effective:	3,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 03/01/2014)	500
Passthru Target: 3,500 Reservoir Inflow: 59 Comment: Current banked total: 8,272 Ac/Ft.	59
Estuary Inflows (NCAT + RBP)	89
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	March 2014	
				Allocation	Remaining
03/23/2014	131	3,003	10,328	3,050	47
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
03/23/2014	41.5	138,700		86.1%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: March 25, 2014**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
03/25/2013	201.9	305,344	43.9%	77.2	40,686	15.8%	346,030	36.3%
03/25/2014	196.7	228,820	32.9%	91.8	217,488	84.5%	446,308	46.9%

Weather Related Information								
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
03/24/2014	57	47	0.01	56	91	0.11		138
MTD		2,954	2.47		3,873	2.08		6,827

STREAM FLOWS

Gauging Station	03/24/2014 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	58	1,425
NRIT : Nueces River at Tilden, Texas	0	8
FRIT : Frio River at Tilden, Texas	0	7
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	3	64
Release from Choke Canyon Reservoir	58	1,382
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	121	3,003
NCAT : Nueces River at Calallen, Texas	0	2
RBP : Rincon Bayou Pipeline	0	87
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	0	60

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit : 0 Effective:	3,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 03/01/2014)	500
Passthru Target: 3,500 Reservoir Inflow: 60 Comment: Current banked total: 8,272 Ac/Ft.	60
Estuary Inflows (NCAT + RBP)	89
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	March 2014	
				Allocation	Remaining
03/24/2014	128	3,131	10,456	3,050	-81
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
03/24/2014	41.5	138,700		86.1%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: March 26, 2014**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
03/26/2013	201.9	305,507	43.9%	77.1	40,303	15.7%	345,810	36.3%
03/26/2014	196.7	228,687	32.9%	91.7	216,444	84.1%	445,131	46.7%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
03/25/2014	74	179	0.00	72	284	0.13	463
MTD		3,133	2.47		4,157	2.21	7,290

STREAM FLOWS

Gauging Station	03/25/2014 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	60	1,485
NRTT : Nueces River at Tilden, Texas	0	9
FRTT : Frio River at Tilden, Texas	0	7
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	3	67
Release from Choke Canyon Reservoir	58	1,439
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	97	3,101
NCAT : Nueces River at Calallen, Texas	0	3
RBP : Rincon Bayou Pipeline	0	87
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	2	62

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit : 0 Effective:	3,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 03/01/2014)	500
Passthru Target: 3,500 Reservoir Inflow: 62 Comment: Current banked total: 8,272 Ac/Ft.	62
Estuary Inflows (NCAT + RBP)	89
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	March 2014	
				Allocation	Remaining
03/25/2014	132	3,263	10,588	3,050	-213
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
03/25/2014	41.5	138,700		86.1%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: March 27, 2014**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
03/27/2013	201.9	305,018	43.9%	77.1	40,113	15.6%	345,131	36.2%
03/27/2014	196.7	228,687	32.9%	91.7	216,444	84.1%	445,131	46.7%

Weather Related Information								
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
03/26/2014	67	16	0.10	66	71	0.02		87
MTD		3,149	2.57		4,228	2.23		7,377

STREAM FLOWS

Gauging Station	03/26/2014 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	60	1,544
NRIT : Nueces River at Tilden, Texas	0	9
FRIT : Frio River at Tilden, Texas	0	7
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	3	69
Release from Choke Canyon Reservoir	58	1,497
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	95	3,196
NCAT : Nueces River at Calallen, Texas	0	3
RBP : Rincon Bayou Pipeline	0	87
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	2	64

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit : 0 Effective:	3,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 03/01/2014)	500
Passthru Target: 3,500 Reservoir Inflow: 64 Comment: Current banked total: 8,272 Ac/Ft.	64
Estuary Inflows (NCAT + RBP)	89
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	March 2014	
				Allocation	Remaining
03/26/2014	132	3,395	10,720	3,050	-345
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
03/26/2014	41.5	138,700		86.1%	

Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: March 28, 2014

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
03/28/2013	201.7	302,754	43.5%	77.1	39,923	15.5%	342,677	36.0%
03/28/2014	196.8	229,353	33.0%	91.7	216,792	84.3%	446,145	46.8%

Weather Related Information

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
03/27/2014	85	94	0.04	83	101	0.00	195
MTD		3,243	2.61		4,329	2.23	7,572

STREAM FLOWS

Gauging Station	03/27/2014 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	60	1,604
NRTT : Nueces River at Tilden, Texas	0	9
FRTT : Frio River at Tilden, Texas	0	7
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	2	72
Release from Choke Canyon Reservoir	58	1,554
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	97	3,293
NCAT : Nueces River at Calallen, Texas	0	3
RBP : Rincon Bayou Pipeline	0	87
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	2	66

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
 (All values are in AcFt)

Target Passthru		3,500
Monthly Target: 3,500		
Salinity Relief Credit : 0 Effective:		
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)		0
Return Flow Credit (Effective: 03/01/2014)		500
Passthru		66
Target: 3,500	Comment: Current banked total: 8,272 Ac/Ft.	
Reservoir Inflow: 66		
Estuary Inflows (NCAT + RBP)		89
PassThru Surplus / -Deficit:		0

LAKE TEXANA STATISTICS
 (All values are in AcFt)

Date	Daily Intake	MTD	YTD	March 2014	
				Allocation	Remaining
03/27/2014	132	3,527	10,852	3,050	-477
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL		44.0	161,085	100%	
03/27/2014		41.4	137,841	85.6%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: March 29, 2014**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
03/29/2013	201.7	302,754	43.5%	77.0	39,671	15.4%	342,425	35.9%
03/29/2014	196.8	230,294	33.1%	91.8	217,140	84.4%	447,434	47.0%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
03/28/2014	88	234	0.00	90	355	0.00	589
MTD		3,477	2.61		4,684	2.23	8,161

STREAM FLOWS

Gauging Station	03/28/2014 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	60	1,663
NRTT : Nueces River at Tilden, Texas	0	9
FRTT : Frio River at Tilden, Texas	0	8
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	2	74
Release from Choke Canyon Reservoir	58	1,612
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	105	3,398
NCAT : Nueces River at Calallen, Texas	0	3
RBP : Rincon Bayou Pipeline	0	87
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	2	68

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit : 0 Effective:	3,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 03/01/2014)	500
Passthru Target: 3,500 Reservoir Inflow: 68 Comment: Current banked total: 8,272 Ac/Ft.	68
Estuary Inflows (NCAT + RBP)	89
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	March 2014	
				Allocation	Remaining
03/28/2014	132	3,659	10,984	3,050	-609
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
03/28/2014	41.4	137,841		85.6%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: March 30, 2014**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
03/30/2013	201.7	302,107	43.5%	77.0	39,671	15.4%	341,778	35.9%
03/30/2014	196.8	230,294	33.1%	91.7	216,270	84.1%	446,564	46.9%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
03/29/2014	80	266	0.00	78	263	0.00	529
MTD		3,743	2.61		4,947	2.23	8,690

STREAM FLOWS

Gauging Station	03/29/2014 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	56	1,719
NRIT : Nueces River at Tilden, Texas	0	9
FRIT : Frio River at Tilden, Texas	0	8
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	2	76
Release from Choke Canyon Reservoir	58	1,669
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	141	3,539
NCAT : Nueces River at Calallen, Texas	0	3
RBP : Rincon Bayou Pipeline	0	87
Reservoir Inflow		
Computed as: NRIT+FRIT+SMTT+ARWT	2	70

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit : 0 Effective:	3,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 03/01/2014)	500
Passthru Target: 3,500 Reservoir Inflow: 70 Comment: Current banked total: 8,272 Ac/Ft.	70
Estuary Inflows (NCAT + RBP)	89
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	March 2014	
				Allocation	Remaining
03/29/2014	132	3,791	11,116	3,050	-741
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
03/29/2014	41.4	137,841		85.6%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: March 31, 2014**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
03/31/2013	201.7	301,618	43.4%	77.0	39,608	15.4%	341,226	35.8%
03/31/2014	196.7	228,820	32.9%	91.7	215,749	83.9%	444,569	46.7%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
03/30/2014	81	280	0.00	77	304	0.00	584
MTD		4,023	2.61		5,251	2.23	9,274

STREAM FLOWS

Gauging Station	03/30/2014 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	54	1,773
NRTT : Nueces River at Tilden, Texas	0	9
FRTT : Frio River at Tilden, Texas	0	8
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	2	77
Release from Choke Canyon Reservoir	58	1,727
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	151	3,690
NCAT : Nueces River at Calallen, Texas	0	3
RBP : Rincon Bayou Pipeline	0	87
Reservoir Inflow		
Computed as: NRRT+FRTT+SMTT+ARWT	2	72

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit : 0 Effective:	3,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 03/01/2014)	500
Passthru Target: 3,500 Reservoir Inflow: 72 Comment: Current banked total: 8,272 Ac/Ft.	72
Estuary Inflows (NCAT + RBP)	89
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	March 2014	
				Allocation	Remaining
03/30/2014	132	3,923	11,248	3,050	-873
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
03/30/2014	41.3	136,986		85.0%	