

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: April 1, 2014**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
04/01/2013	201.7	302,594	43.5%	77.1	39,797	15.5%	342,391	35.9%
04/01/2014	196.7	228,953	32.9%	91.6	215,228	83.7%	444,181	46.6%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
03/31/2014	87	257	0.00	82	303	0.00	560
MTD		4,280	2.61		5,554	2.23	9,834

STREAM FLOWS

Gauging Station	03/31/2014 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	54	1,826
NRIT : Nueces River at Tilden, Texas	0	9
FRIT : Frio River at Tilden, Texas	0	8
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	1	79
Release from Choke Canyon Reservoir	58	1,785
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	147	3,837
NCAT : Nueces River at Calallen, Texas	0	3
RBP : Rincon Bayou Pipeline	0	87
Reservoir Inflow		
Computed as: NRIT+FRIT+SMTT+ARWT	2	74

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit : 0 Effective:	3,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 03/01/2014)	500
Passthru Target: 3,500 Reservoir Inflow: 74 Comment: Current banked total: 8,272 Ac/Ft.	74
Estuary Inflows (NCAT + RBP)	89
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	March 2014	
				Allocation	Remaining
03/31/2014	132	4,055	11,380	3,050	-1,005
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
03/31/2014	41.3	136,986		85.0%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: April 2, 2014**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
04/02/2013	201.6	301,129	43.3%	77.1	40,049	15.6%	341,178	35.8%
04/02/2014	196.7	228,154	32.8%	91.6	214,881	83.5%	443,035	46.5%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
04/01/2014	86	186	0.00	82	142	0.00	328
MTD		186	0.00		142	0.00	328

STREAM FLOWS

Gauging Station	04/01/2014 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	52	52
NRTT : Nueces River at Tilden, Texas	0	0
FRTT : Frio River at Tilden, Texas	0	0
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	1	1
Release from Choke Canyon Reservoir	58	58
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	143	143
NCAT : Nueces River at Calallen, Texas	0	0
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: NRMT+FRTT+SMTT+ARWT	1	1

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit : 0 Effective:	3,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 04/01/2014)	500
Passthru Target: 3,500 Reservoir Inflow: 1 Comment: Current banked total: 8,183 Ac/Ft.	1
Estuary Inflows (NCAT + RBP)	0
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	April 2014	
				Allocation	Remaining
04/01/2014	132	132	11,512	3,050	2,918
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
04/01/2014	41.2	136,132		84.5%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: April 3, 2014**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
04/03/2013	201.6	300,966	43.3%	77.1	40,113	15.6%	341,079	35.8%
04/03/2014	196.7	228,554	32.9%	91.6	214,014	83.2%	442,568	46.5%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
04/02/2014	94	210	0.00	93	293	0.00	503
MTD		396	0.00		435	0.00	831

STREAM FLOWS

Gauging Station	04/02/2014 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	52	103
NRIT : Nueces River at Tilden, Texas	0	0
FRIT : Frio River at Tilden, Texas	0	0
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	1	2
Release from Choke Canyon Reservoir	58	115
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	147	290
NCAT : Nueces River at Calallen, Texas	0	0
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: NRIT+FRIT+SMTT+ARWT	1	3

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit : 0 Effective:	3,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 04/01/2014)	500
Passthru Target: 3,500 Reservoir Inflow: 3 Comment: Current banked total: 8,183 Ac/Ft.	3
Estuary Inflows (NCAT + RBP)	0
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	April 2014	
				Allocation	Remaining
04/02/2014	132	263	11,643	3,050	2,787
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
04/02/2014	41.2	136,132		84.5%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: April 4, 2014**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
04/04/2013	201.6	300,482	43.2%	77.1	40,049	15.6%	340,531	35.8%
04/04/2014	196.7	228,154	32.8%	91.7	216,270	84.1%	444,424	46.7%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
04/03/2014	87	148	0.00	85	324	0.30	472
MTD		544	0.00		759	0.30	1,303

STREAM FLOWS

Gauging Station	04/03/2014 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	52	155
NRTT : Nueces River at Tilden, Texas	0	0
FRTT : Frio River at Tilden, Texas	0	0
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	1	4
Release from Choke Canyon Reservoir	58	173
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	149	439
NCAT : Nueces River at Calallen, Texas	0	0
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: NRMT+FRTT+SMTT+ARWT	2	4

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit : 0 Effective:	3,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 04/01/2014)	500
Passthru Target: 3,500 Reservoir Inflow: 4 Comment: Current banked total: 8,183 Ac/Ft.	4
Estuary Inflows (NCAT + RBP)	0
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	April 2014	
				Allocation	Remaining
04/03/2014	132	395	11,775	3,050	2,655
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
04/03/2014	41.3	136,986		85.0%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: April 5, 2014**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
04/05/2013	201.6	301,129	43.3%	77.2	40,494	15.7%	341,623	35.9%
04/05/2014	196.7	228,421	32.9%	91.6	214,707	83.5%	443,128	46.5%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
04/04/2014	74	288	0.00	75	435	0.00	723
MTD		832	0.00		1,194	0.30	2,026

STREAM FLOWS

Gauging Station	04/04/2014 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	52	206
NRIT : Nueces River at Tilden, Texas	0	0
FRIT : Frio River at Tilden, Texas	0	1
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	1	5
Release from Choke Canyon Reservoir	58	230
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	139	578
NCAT : Nueces River at Calallen, Texas	0	0
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: NRIT+FRIT+SMTT+ARWT	2	6

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit : 0 Effective:	3,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 04/01/2014)	500
Passthru Target: 3,500 Reservoir Inflow: 6 Comment: Current banked total: 8,183 Ac/Ft.	6
Estuary Inflows (NCAT + RBP)	0
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	April 2014	
				Allocation	Remaining
04/04/2014	131	526	11,906	3,050	2,524
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
04/04/2014	41.2	136,132		84.5%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: April 6, 2014**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
04/06/2013	201.6	300,000	43.1%	77.2	40,430	15.7%	340,430	35.7%
04/06/2014	196.7	228,820	32.9%	91.6	213,840	83.1%	442,660	46.5%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
04/05/2014	65	70	0.04	67	81	0.10	151
MTD		902	0.04		1,275	0.40	2,177

STREAM FLOWS

Gauging Station	04/05/2014 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	52	258
NRTT : Nueces River at Tilden, Texas	0	0
FRTT : Frio River at Tilden, Texas	0	1
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	1	6
Release from Choke Canyon Reservoir	58	288
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	145	723
NCAT : Nueces River at Calallen, Texas	0	0
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: NRRT+FRTT+SMTT+ARWT	1	7

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit : 0 Effective:	3,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 04/01/2014)	500
Passthru Target: 3,500 Reservoir Inflow: 7 Comment: Current banked total: 8,183 Ac/Ft.	7
Estuary Inflows (NCAT + RBP)	0
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	April 2014	
				Allocation	Remaining
04/05/2014	131	658	12,038	3,050	2,392
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
04/05/2014	41.1	135,282		84.0%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: April 7, 2014**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
04/07/2013	201.5	298,715	43.0%	77.2	40,494	15.7%	339,209	35.6%
04/07/2014	196.6	227,487	32.7%	91.6	216,840	84.3%	444,327	46.6%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
04/06/2014	64	47	0.01	67	61	0.00	108
MTD		949	0.05		1,336	0.40	2,285

STREAM FLOWS

Gauging Station	04/06/2014 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	52	310
NRTT : Nueces River at Tilden, Texas	0	1
FRTT : Frio River at Tilden, Texas	0	1
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	1	7
Release from Choke Canyon Reservoir	58	345
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	145	867
NCAT : Nueces River at Calallen, Texas	0	0
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: NRRT+FRTT+SMTT+ARWT	2	9

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit : 0 Effective:	3,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 04/01/2014)	500
Passthru Target: 3,500 Reservoir Inflow: 9 Comment: Current banked total: 8,183 Ac/Ft.	9
Estuary Inflows (NCAT + RBP)	0
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	April 2014	
				Allocation	Remaining
04/06/2014	132	789	12,169	3,050	2,261
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
04/06/2014	41.1	135,282		84.0%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: April 8, 2014**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
04/08/2013	201.4	297,590	42.8%	77.2	40,494	15.7%	338,084	35.5%
04/08/2014	196.7	227,754	32.8%	91.5	213,320	82.9%	441,074	46.3%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
04/07/2014	80	186	0.00	79	161	0.00	347
MTD		1,135	0.05		1,497	0.40	2,632

STREAM FLOWS

Gauging Station	04/07/2014 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	54	363
NRIT : Nueces River at Tilden, Texas	0	1
FRIT : Frio River at Tilden, Texas	0	1
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	2	9
Release from Choke Canyon Reservoir	58	403
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	139	1,006
NCAT : Nueces River at Calallen, Texas	0	0
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: NRIT+FRIT+SMTT+ARWT	2	11

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit : 0 Effective:	3,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 04/01/2014)	500
Passthru Target: 3,500 Reservoir Inflow: 11 Comment: Current banked total: 8,183 Ac/Ft.	11
Estuary Inflows (NCAT + RBP)	0
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	April 2014	
				Allocation	Remaining
04/07/2014	132	921	12,301	3,050	2,129
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
04/07/2014	41.1	135,282		84.0%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: April 9, 2014**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
04/09/2013	201.4	297,108	42.7%	77.2	40,430	15.7%	337,538	35.4%
04/09/2014	196.6	227,487	32.7%	91.5	212,455	82.6%	439,942	46.2%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
04/08/2014	81	271	0.00	79	464	0.00	735
MTD		1,406	0.05		1,961	0.40	3,367

STREAM FLOWS

Gauging Station	04/08/2014 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	54	417
NRIT : Nueces River at Tilden, Texas	0	1
FRIT : Frio River at Tilden, Texas	0	1
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	1	10
Release from Choke Canyon Reservoir	58	461
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	135	1,141
NCAT : Nueces River at Calallen, Texas	0	0
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: NRIT+FRIT+SMTT+ARWT	2	12

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit : 0 Effective:	3,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 04/01/2014)	500
Passthru Target: 3,500 Reservoir Inflow: 12 Comment: Current banked total: 8,183 Ac/Ft.	12
Estuary Inflows (NCAT + RBP)	0
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	April 2014	
				Allocation	Remaining
04/08/2014	131	1,052	12,432	3,050	1,998
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
04/08/2014	41.0	134,434		83.5%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: April 10, 2014**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
04/10/2013	201.4	296,947	42.7%	77.1	40,049	15.6%	336,996	35.4%
04/10/2014	196.6	226,689	32.6%	91.5	211,936	82.4%	438,625	46.0%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
04/09/2014	87	279	0.00	85	383	0.00	662
MTD		1,685	0.05		2,344	0.40	4,029

STREAM FLOWS

Gauging Station	04/09/2014 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	54	470
NRTT : Nueces River at Tilden, Texas	0	1
FRTT : Frio River at Tilden, Texas	0	1
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	1	12
Release from Choke Canyon Reservoir	58	518
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	141	1,282
NCAT : Nueces River at Calallen, Texas	0	0
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: NRRT+FRTT+SMTT+ARWT	1	14

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit : 0 Effective:	3,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 04/01/2014)	500
Passthru Target: 3,500 Reservoir Inflow: 14 Comment: Current banked total: 8,183 Ac/Ft.	14
Estuary Inflows (NCAT + RBP)	0
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	April 2014	
				Allocation	Remaining
04/09/2014	131	1,184	12,563	3,050	1,866
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
04/09/2014	41.0	134,434		83.5%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: April 11, 2014**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
04/11/2013	201.3	296,465	42.6%	77.2	40,814	15.9%	337,279	35.4%
04/11/2014	196.6	227,087	32.7%	91.4	211,590	82.2%	438,677	46.1%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
04/10/2014	89	302	0.00	85	342	0.00	644
MTD		1,987	0.05		2,686	0.40	4,673

STREAM FLOWS

Gauging Station	04/10/2014 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	54	524
NRTT : Nueces River at Tilden, Texas	0	1
FRTT : Frio River at Tilden, Texas	0	1
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	1	13
Release from Choke Canyon Reservoir	58	576
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	159	1,441
NCAT : Nueces River at Calallen, Texas	0	0
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: NRRT+FRTT+SMTT+ARWT	1	15

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit : 0 Effective:	3,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 04/01/2014)	500
Passthru Target: 3,500 Reservoir Inflow: 15 Comment: Current banked total: 8,183 Ac/Ft.	15
Estuary Inflows (NCAT + RBP)	0
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	April 2014	
				Allocation	Remaining
04/10/2014	122	1,306	12,685	3,050	1,744
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
04/10/2014	40.9	133,588		82.9%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: April 12, 2014**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
04/12/2013	201.3	296,465	42.6%	77.2	40,750	15.8%	337,215	35.4%
04/12/2014	196.5	226,158	32.5%	91.4	211,072	82.0%	437,230	45.9%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
04/11/2014	89	255	0.00	85	372	0.00	627
MTD		2,242	0.05		3,058	0.40	5,300

STREAM FLOWS

Gauging Station	04/11/2014 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	54	578
NRIT : Nueces River at Tilden, Texas	0	1
FRIT : Frio River at Tilden, Texas	0	1
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	1	14
Release from Choke Canyon Reservoir	58	633
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	177	1,618
NCAT : Nueces River at Calallen, Texas	0	0
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: NRIT+FRIT+SMTT+ARWT	1	16

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit : 0 Effective:	3,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 04/01/2014)	500
Passthru Target: 3,500 Reservoir Inflow: 16 Comment: Current banked total: 8,183 Ac/Ft.	16
Estuary Inflows (NCAT + RBP)	0
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	April 2014	
				Allocation	Remaining
04/11/2014	132	1,437	12,817	3,050	1,613
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
04/11/2014	40.9	133,588		82.9%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: April 13, 2014**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
04/13/2013	201.3	296,144	42.6%	77.2	40,686	15.8%	336,830	35.4%
04/13/2014	196.5	226,158	32.5%	91.4	210,726	81.9%	436,884	45.9%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
04/12/2014	87	232	0.00	83	292	0.00	524
MTD		2,474	0.05		3,350	0.40	5,824

STREAM FLOWS

Gauging Station	04/12/2014 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	52	629
NRTT : Nueces River at Tilden, Texas	0	1
FRTT : Frio River at Tilden, Texas	0	2
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	1	15
Release from Choke Canyon Reservoir	58	691
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	161	1,779
NCAT : Nueces River at Calallen, Texas	0	0
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: NRRT+FRTT+SMTT+ARWT	1	17

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit : 0 Effective:	3,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 04/01/2014)	500
Passthru Target: 3,500 Reservoir Inflow: 17 Comment: Current banked total: 8,183 Ac/Ft.	17
Estuary Inflows (NCAT + RBP)	0
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	April 2014	
				Allocation	Remaining
04/12/2014	131	1,568	12,948	3,050	1,482
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
04/12/2014	40.8	132,746		82.4%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: April 14, 2014**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
04/14/2013	201.3	295,825	42.5%	77.2	40,686	15.8%	336,511	35.3%
04/14/2014	196.5	226,025	32.5%	91.4	210,554	81.8%	436,579	45.8%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
04/13/2014	93	170	0.00	85	201	0.00	371
MTD		2,644	0.05		3,551	0.40	6,195

STREAM FLOWS

Gauging Station	04/13/2014 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	52	681
NRIT : Nueces River at Tilden, Texas	0	1
FRIT : Frio River at Tilden, Texas	0	2
SMIT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	1	15
Release from Choke Canyon Reservoir	58	748
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	183	1,961
NCAT : Nueces River at Calallen, Texas	0	0
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: NRIT+FRIT+SMIT+ARWT	1	18

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit : 0 Effective:	3,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 04/01/2014)	500
Passthru Target: 3,500 Reservoir Inflow: 18 Comment: Current banked total: 8,183 Ac/Ft.	18
Estuary Inflows (NCAT + RBP)	0
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	April 2014	
				Allocation	Remaining
04/13/2014	131	1,699	13,079	3,050	1,351
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
04/13/2014	40.8	132,746		82.4%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: April 15, 2014**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
04/15/2013	201.2	294,238	42.3%	77.1	39,986	15.5%	334,224	35.1%
04/15/2014	196.5	225,363	32.4%	91.4	211,072	82.0%	436,435	45.8%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
04/14/2014	75	177	0.03	78	191	0.04	368
MTD		2,821	0.08		3,742	0.44	6,563

STREAM FLOWS

Gauging Station	04/14/2014 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	52	732
NRIT : Nueces River at Tilden, Texas	0	1
FRIT : Frio River at Tilden, Texas	0	2
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	1	16
Release from Choke Canyon Reservoir	58	806
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	139	2,100
NCAT : Nueces River at Calallen, Texas	0	0
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: NRIT+FRIT+SMTT+ARWT	1	19

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit : 0 Effective:	3,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 04/01/2014)	500
Passthru Target: 3,500 Reservoir Inflow: 19 Comment: Current banked total: 8,183 Ac/Ft.	19
Estuary Inflows (NCAT + RBP)	0
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	April 2014	
				Allocation	Remaining
04/14/2014	131	1,830	13,210	3,050	1,220
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
04/14/2014	40.8	132,746		82.4%	

Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: April 16, 2014

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
04/16/2013	201.1	293,435	42.2%	77.2	40,494	15.7%	333,929	35.1%
04/16/2014	196.5	226,158	32.5%	91.3	209,519	81.4%	435,677	45.7%

Weather Related Information

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
04/15/2014	67	216	0.00	65	291	0.00	507	
MTD		3,037	0.08		4,033	0.44	7,070	

STREAM FLOWS

Gauging Station	04/15/2014 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	52	784
NRTT : Nueces River at Tilden, Texas	0	1
FRIT : Frio River at Tilden, Texas	0	2
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whittsett, Texas	0	16
Release from Choke Canyon Reservoir	58	863
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	135	2,235
NCAT : Nueces River at Calallen, Texas	1	1
RBP : Rincon Bayou Pipeline	8	8
Reservoir Inflow		
Computed as: NRTT+FRIT+SMTT+ARWT	0	19

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
 (All values are in AcFt)

Target Passthru		3,500
Monthly Target: 3,500		
Salinity Relief Credit : 0 Effective:		
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)		0
Return Flow Credit (Effective: 04/01/2014)		500
Passthru		19
Target: 3,500	Comment: Current banked total: 8,183 Ac/Ft.	
Reservoir Inflow: 19		
Estuary Inflows (NCAT + RBP)		9
PassThru Surplus / -Deficit:		0

LAKE TEXANA STATISTICS
 (All values are in AcFt)

Date	Daily Intake	MTD	YTD	April 2014	
				Allocation	Remaining
04/15/2014	131	1,962	13,341	3,050	1,088
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
04/15/2014	40.9	133,588		82.9%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: April 17, 2014**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
04/17/2013	201.1	292,792	42.1%	77.1	40,303	15.7%	333,095	35.0%
04/17/2014	196.4	224,835	32.3%	91.3	209,174	81.3%	434,009	45.6%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
04/16/2014	74	223	0.00	72	221	0.00	444
MTD		3,260	0.08		4,254	0.44	7,514

STREAM FLOWS

Gauging Station	04/16/2014 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	54	838
NRTT : Nueces River at Tilden, Texas	0	1
FRTT : Frio River at Tilden, Texas	0	2
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	0	16
Release from Choke Canyon Reservoir	58	921
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	121	2,356
NCAT : Nueces River at Calallen, Texas	2	3
RBP : Rincon Bayou Pipeline	0	8
Reservoir Inflow		
Computed as: NRRT+FRTT+SMTT+ARWT	0	19

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit : 0 Effective:	3,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 04/01/2014)	500
Passthru Target: 3,500 Reservoir Inflow: 19 Comment: Current banked total: 8,183 Ac/Ft.	19
Estuary Inflows (NCAT + RBP)	11
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	April 2014	
				Allocation	Remaining
04/16/2014	131	2,093	13,472	3,050	957
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
04/16/2014	40.8	132,746		82.4%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: April 18, 2014**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
04/18/2013	201.1	292,158	42.0%	77.1	40,113	15.6%	332,271	34.9%
04/18/2014	196.5	225,363	32.4%	91.3	209,519	81.4%	434,882	45.7%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
04/17/2014	73	85	0.03	70	120	0.01	205
MTD		3,345	0.11		4,374	0.45	7,719

STREAM FLOWS

Gauging Station	04/17/2014 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	66	903
NRTT : Nueces River at Tilden, Texas	0	1
FRTT : Frio River at Tilden, Texas	0	2
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	0	17
Release from Choke Canyon Reservoir	58	979
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	145	2,501
NCAT : Nueces River at Calallen, Texas	0	3
RBP : Rincon Bayou Pipeline	0	8
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	8	27

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit : 0 Effective:	3,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 04/01/2014)	500
Passthru Target: 3,500 Reservoir Inflow: 27 Comment: Current banked total: 8,183 Ac/Ft.	27
Estuary Inflows (NCAT + RBP)	11
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	April 2014	
				Allocation	Remaining
04/17/2014	131	2,224	13,603	3,050	826
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
04/17/2014	40.7	131,905		81.9%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: April 19, 2014**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
04/19/2013	201.0	291,842	42.0%	77.2	40,558	15.8%	332,400	34.9%
04/19/2014	196.5	225,363	32.4%	91.3	208,830	81.2%	434,193	45.6%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
04/18/2014	82	170	0.00	79	211	0.00	381
MTD		3,515	0.11		4,585	0.45	8,100

STREAM FLOWS

Gauging Station	04/18/2014 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	52	955
NRTT : Nueces River at Tilden, Texas	0	1
FRTT : Frio River at Tilden, Texas	0	2
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	0	17
Release from Choke Canyon Reservoir	58	1,036
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	149	2,650
NCAT : Nueces River at Calallen, Texas	0	3
RBP : Rincon Bayou Pipeline	0	8
Reservoir Inflow		
Computed as: NRRT+FRTT+SMTT+ARWT	0	28

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit : 0 Effective:	3,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 04/01/2014)	500
Passthru Target: 3,500 Reservoir Inflow: 28 Comment: Current banked total: 8,183 Ac/Ft.	28
Estuary Inflows (NCAT + RBP)	11
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	April 2014	
				Allocation	Remaining
04/18/2014	131	2,354	13,734	3,050	696
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
04/18/2014	40.7	131,905		81.9%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: April 20, 2014**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
04/20/2013	201.1	292,634	42.1%	77.2	40,622	15.8%	333,256	35.0%
04/20/2014	196.3	223,647	32.2%	91.2	208,141	80.9%	431,788	45.3%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
04/19/2014	82	246	0.00	78	331	0.00	577
MTD		3,761	0.11		4,916	0.45	8,677

STREAM FLOWS

Gauging Station	04/19/2014 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	52	1,006
NRTT : Nueces River at Tilden, Texas	0	1
FRTT : Frio River at Tilden, Texas	0	2
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	0	17
Release from Choke Canyon Reservoir	58	1,094
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	155	2,805
NCAT : Nueces River at Calallen, Texas	0	3
RBP : Rincon Bayou Pipeline	0	8
Reservoir Inflow		
Computed as: NRRT+FRTT+SMTT+ARWT	0	28

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit : 0 Effective:	3,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 04/01/2014)	500
Passthru Target: 3,500 Reservoir Inflow: 28 Comment: Current banked total: 8,183 Ac/Ft.	28
Estuary Inflows (NCAT + RBP)	11
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	April 2014	
				Allocation	Remaining
04/19/2014	131	2,485	13,865	3,050	565
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
04/19/2014	40.7	131,905		81.9%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: April 21, 2014**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
04/21/2013	201.0	291,525	41.9%	77.2	40,686	15.8%	332,211	34.9%
04/21/2014	196.3	223,647	32.2%	91.2	208,313	81.0%	431,960	45.3%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
04/20/2014	77	146	0.00	79	180	0.00	326
MTD		3,907	0.11		5,096	0.45	9,003

STREAM FLOWS

Gauging Station	04/20/2014 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	50	1,056
NRIT : Nueces River at Tilden, Texas	0	1
FRIT : Frio River at Tilden, Texas	0	3
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	1	18
Release from Choke Canyon Reservoir	58	1,151
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	145	2,950
NCAT : Nueces River at Calallen, Texas	0	3
RBP : Rincon Bayou Pipeline	0	8
Reservoir Inflow		
Computed as: NRIT+FRIT+SMTT+ARWT	1	29

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit : 0 Effective:	3,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 04/01/2014)	500
Passthru Target: 3,500 Reservoir Inflow: 29 Comment: Current banked total: 8,183 Ac/Ft.	29
Estuary Inflows (NCAT + RBP)	11
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	April 2014	
				Allocation	Remaining
04/20/2014	131	2,616	13,996	3,050	434
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
04/20/2014	40.6	131,905		81.9%	

Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: April 22, 2014

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
04/22/2013	201.0	290,258	41.7%	77.2	40,686	15.8%	330,944	34.7%
04/22/2014	196.4	224,702	32.3%	91.2	207,969	80.8%	432,671	45.4%

Weather Related Information

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
04/21/2014	83	123	0.00	81	150	0.00	273
MTD		4,030	0.11		5,246	0.45	9,276

STREAM FLOWS

Gauging Station	04/21/2014 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	50	1,106
NRRT : Nueces River at Tilden, Texas	0	1
FRRT : Frio River at Tilden, Texas	0	3
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	1	19
Release from Choke Canyon Reservoir	58	1,209
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	149	3,099
NCAT : Nueces River at Calallen, Texas	0	3
RBP : Rincon Bayou Pipeline	0	8
Reservoir Inflow		
Computed as: NRRT+FRRT+SMTT+ARWT	1	30

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
 (All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit : 0 Effective:	3,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 04/01/2014)	500
Passthru Target: 3,500 Reservoir Inflow: 30 Comment: Current banked total: 8,183 Ac/Ft.	30
Estuary Inflows (NCAT + RBP)	11
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
 (All values are in AcFt)

Date	Daily Intake	MTD	YTD	April 2014	
				Allocation	Remaining
04/21/2014	131	2,747	14,126	3,050	303
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
04/21/2014	40.6	131,068		81.4%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: April 23, 2014**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
04/23/2013	200.9	289,155	41.6%	77.1	40,303	15.7%	329,458	34.6%
04/23/2014	196.4	224,306	32.3%	91.2	207,109	80.5%	431,415	45.3%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
04/22/2014	91	269	0.00	91	360	0.00	629
MTD		4,299	0.11		5,606	0.45	9,905

STREAM FLOWS

Gauging Station	04/22/2014 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	52	1,157
NRTT : Nueces River at Tilden, Texas	0	1
FRTT : Frio River at Tilden, Texas	0	3
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	1	20
Release from Choke Canyon Reservoir	58	1,266
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	165	3,263
NCAT : Nueces River at Calallen, Texas	0	3
RBP : Rincon Bayou Pipeline	0	8
Reservoir Inflow		
Computed as: NRRT+FRTT+SMTT+ARWT	1	31

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit : 0 Effective:	3,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 04/01/2014)	500
Passthru Target: 3,500 Reservoir Inflow: 31 Comment: Current banked total: 8,183 Ac/Ft.	31
Estuary Inflows (NCAT + RBP)	11
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	April 2014	
				Allocation	Remaining
04/22/2014	130	2,877	14,257	3,050	173
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
04/22/2014	40.6	131,068		81.4%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: April 24, 2014**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
04/24/2013	200.8	288,374	41.5%	77.2	40,430	15.7%	328,804	34.5%
04/24/2014	196.4	224,043	32.2%	91.2	207,453	80.6%	431,496	45.3%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
04/23/2014	88	269	0.00	86	381	0.00	650
MTD		4,568	0.11		5,987	0.45	10,555

STREAM FLOWS

Gauging Station	04/23/2014 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	52	1,209
NRIT : Nueces River at Tilden, Texas	0	1
FRIT : Frio River at Tilden, Texas	0	3
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	1	21
Release from Choke Canyon Reservoir	58	1,324
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	161	3,424
NCAT : Nueces River at Calallen, Texas	0	3
RBP : Rincon Bayou Pipeline	0	8
Reservoir Inflow		
Computed as: NRIT+FRIT+SMTT+ARWT	1	33

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit : 0 Effective:	3,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 04/01/2014)	500
Passthru Target: 3,500 Reservoir Inflow: 33 Comment: Current banked total: 8,183 Ac/Ft.	33
Estuary Inflows (NCAT + RBP)	11
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	April 2014	
				Allocation	Remaining
04/23/2014	130	3,007	14,387	3,050	43
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
04/23/2014	40.5	130,232		80.8%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: April 25, 2014**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
04/25/2013	200.8	287,428	41.3%	77.2	40,622	15.8%	328,050	34.4%
04/25/2014	196.4	224,043	32.2%	91.2	207,109	80.5%	431,152	45.3%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
04/24/2014	86	161	0.00	83	200	0.00	361
MTD		4,729	0.11		6,187	0.45	10,916

STREAM FLOWS

Gauging Station	04/24/2014 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	54	1,262
NRIT : Nueces River at Tilden, Texas	0	1
FRIT : Frio River at Tilden, Texas	0	3
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	1	23
Release from Choke Canyon Reservoir	58	1,382
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	193	3,617
NCAT : Nueces River at Calallen, Texas	0	3
RBP : Rincon Bayou Pipeline	0	8
Reservoir Inflow		
Computed as: NRIT+FRIT+SMTT+ARWT	2	34

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit : 0 Effective:	3,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 04/01/2014)	500
Passthru Target: 3,500 Reservoir Inflow: 34 Comment: Current banked total: 8,183 Ac/Ft.	34
Estuary Inflows (NCAT + RBP)	11
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	April 2014	
				Allocation	Remaining
04/24/2014	130	3,138	14,517	3,050	-88
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
04/24/2014	40.5	130,232		80.8%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: April 26, 2014**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
04/26/2013	200.8	287,270	41.3%	77.2	40,750	15.8%	328,020	34.4%
04/26/2014	196.3	223,120	32.1%	91.1	206,422	80.2%	429,542	45.1%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
04/25/2014	89	184	0.00	85	230	0.00	414
MTD		4,913	0.11		6,417	0.45	11,330

STREAM FLOWS

Gauging Station	04/25/2014 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	54	1,316
NRIT : Nueces River at Tilden, Texas	0	1
FRIT : Frio River at Tilden, Texas	0	3
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	1	24
Release from Choke Canyon Reservoir	58	1,439
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	191	3,807
NCAT : Nueces River at Calallen, Texas	0	3
RBP : Rincon Bayou Pipeline	0	8
Reservoir Inflow		
Computed as: NRIT+FRIT+SMTT+ARWT	2	36

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit : 0 Effective:	3,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 04/01/2014)	500
Passthru Target: 3,500 Reservoir Inflow: 36 Comment: Current banked total: 8,183 Ac/Ft.	36
Estuary Inflows (NCAT + RBP)	11
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	April 2014	
				Allocation	Remaining
04/25/2014	130	3,268	14,648	3,050	-218
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
04/25/2014	40.5	130,232		80.8%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: April 27, 2014**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
04/27/2013	200.7	286,953	41.3%	77.2	40,814	15.9%	327,767	34.4%
04/27/2014	196.3	222,465	32.0%	91.1	205,907	80.0%	428,372	45.0%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
04/26/2014	91	199	0.00	88	350	0.00	549
MTD		5,112	0.11		6,767	0.45	11,879

STREAM FLOWS

Gauging Station	04/26/2014 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	54	1,370
NRTT : Nueces River at Tilden, Texas	0	1
FRTT : Frio River at Tilden, Texas	0	3
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	1	25
Release from Choke Canyon Reservoir	58	1,497
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	169	3,976
NCAT : Nueces River at Calallen, Texas	0	3
RBP : Rincon Bayou Pipeline	0	8
Reservoir Inflow		
Computed as: NRRT+FRTT+SMTT+ARWT	1	37

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit : 0 Effective:	3,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 04/01/2014)	500
Passthru Target: 3,500 Reservoir Inflow: 37 Comment: Current banked total: 8,183 Ac/Ft.	37
Estuary Inflows (NCAT + RBP)	11
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	April 2014	
				Allocation	Remaining
04/26/2014	130	3,398	14,778	3,050	-348
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
04/26/2014	40.4	129,400		80.3%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: April 28, 2014**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
04/28/2013	200.7	286,953	41.3%	77.3	41,135	16.0%	328,088	34.4%
04/28/2014	196.4	223,779	32.2%	91.0	204,365	79.4%	428,144	44.9%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
04/27/2014	98	223	0.00	98	329	0.00	552
MTD		5,335	0.11		7,096	0.45	12,431

STREAM FLOWS

Gauging Station	04/27/2014 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	54	1,423
NRIT : Nueces River at Tilden, Texas	0	1
FRIT : Frio River at Tilden, Texas	0	4
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	1	26
Release from Choke Canyon Reservoir	58	1,554
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	191	4,167
NCAT : Nueces River at Calallen, Texas	0	3
RBP : Rincon Bayou Pipeline	0	8
Reservoir Inflow		
Computed as: NRIT+FRIT+SMTT+ARWT	1	38

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit : 0 Effective:	3,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 04/01/2014)	500
Passthru Target: 3,500 Reservoir Inflow: 38 Comment: Current banked total: 8,183 Ac/Ft.	38
Estuary Inflows (NCAT + RBP)	11
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	April 2014	
				Allocation	Remaining
04/27/2014	130	3,529	14,909	3,050	-479
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
04/27/2014	40.4	129,400		80.3%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: April 29, 2014**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
04/29/2013	200.8	287,587	41.4%	77.3	41,328	16.1%	328,915	34.5%
04/29/2014	196.3	223,647	32.2%	91.1	205,564	79.9%	429,211	45.1%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
04/28/2014	98	338	0.00	95	400	0.00	738
MTD		5,673	0.11		7,496	0.45	13,169

STREAM FLOWS

Gauging Station	04/28/2014 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	52	1,475
NRIT : Nueces River at Tilden, Texas	0	1
FRIT : Frio River at Tilden, Texas	0	4
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	0	27
Release from Choke Canyon Reservoir	58	1,612
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	208	4,375
NCAT : Nueces River at Calallen, Texas	0	3
RBP : Rincon Bayou Pipeline	0	8
Reservoir Inflow		
Computed as: NRIT+FRIT+SMTT+ARWT	0	39

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit : 0 Effective:	3,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 04/01/2014)	500
Passthru Target: 3,500 Reservoir Inflow: 39 Comment: Current banked total: 8,183 Ac/Ft.	39
Estuary Inflows (NCAT + RBP)	11
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	April 2014	
				Allocation	Remaining
04/28/2014	130	3,659	15,039	3,050	-609
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
04/28/2014	40.4	129,400		80.3%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: April 30, 2014**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
04/30/2013	200.8	287,745	41.4%	77.4	41,846	16.3%	329,591	34.6%
04/30/2014	196.2	222,333	32.0%	91.0	204,536	79.5%	426,869	44.8%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
04/29/2014	88	413	0.00	95	539	0.00	952
MTD		6,086	0.11		8,035	0.45	14,121

STREAM FLOWS

Gauging Station	04/29/2014 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	52	1,526
NRIT : Nueces River at Tilden, Texas	0	1
FRIT : Frio River at Tilden, Texas	0	4
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	0	27
Release from Choke Canyon Reservoir	58	1,669
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	212	4,587
NCAT : Nueces River at Calallen, Texas	0	3
RBP : Rincon Bayou Pipeline	0	8
Reservoir Inflow		
Computed as: NRIT+FRIT+SMTT+ARWT	0	39

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit : 0 Effective:	3,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 04/01/2014)	500
Passthru Target: 3,500 Reservoir Inflow: 39 Comment: Current banked total: 8,183 Ac/Ft.	39
Estuary Inflows (NCAT + RBP)	11
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	April 2014	
				Allocation	Remaining
04/29/2014	130	3,789	15,169	3,050	-739
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
04/29/2014	40.4	129,400		80.3%	