

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: May 1, 2014**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
05/01/2013	200.8	287,428	41.3%	77.5	42,367	16.5%	329,795	34.6%
05/01/2014	196.2	222,202	32.0%	91.0	204,023	79.3%	426,225	44.7%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
04/30/2014	80	313	0.00	77	309	0.00	622
MTD		6,399	0.11		8,344	0.45	14,743

STREAM FLOWS

Gauging Station	04/30/2014 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	50	1,576
NRIT : Nueces River at Tilden, Texas	0	1
FRIT : Frio River at Tilden, Texas	0	4
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	0	27
Release from Choke Canyon Reservoir	58	1,727
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	210	4,798
NCAT : Nueces River at Calallen, Texas	0	3
RBP : Rincon Bayou Pipeline	0	8
Reservoir Inflow		
Computed as: NRIT+FRIT+SMTT+ARWT	0	39

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit : 0 Effective:	3,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 04/01/2014)	500
Passthru Target: 3,500 Reservoir Inflow: 39 Comment: Current banked total: 8,183 Ac/Ft.	39
Estuary Inflows (NCAT + RBP)	11
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	April 2014	
				Allocation	Remaining
04/30/2014	130	3,919	15,299	3,050	-869
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
04/30/2014	40.3	128,570		79.8%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: May 2, 2014**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
05/02/2013	200.6	285,541	41.1%	77.5	42,367	16.5%	327,908	34.4%
05/02/2014	196.2	221,285	31.8%	90.9	202,997	78.9%	424,282	44.5%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
05/01/2014	73	152	0.00	71	199	0.01	351
MTD		152	0.00		199	0.01	351

STREAM FLOWS

Gauging Station	05/01/2014 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	48	48
NRTT : Nueces River at Tilden, Texas	0	0
FRTT : Frio River at Tilden, Texas	0	0
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	0	0
Release from Choke Canyon Reservoir	58	58
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	232	232
NCAT : Nueces River at Calallen, Texas	0	0
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: NRMT+FRTT+SMTT+ARWT	0	0

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 23,500 Salinity Relief Credit : 0 Effective:	23,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 05/01/2014)	500
Passthru Target: 23,500 Reservoir Inflow: 0 Comment: Current banked total: 8,172 Ac/Ft.	0
Estuary Inflows (NCAT + RBP)	0
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	May 2014	
				Allocation	Remaining
05/01/2014	130	130	15,429	4,100	3,970
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
05/01/2014	40.2	127,743		79.3%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: May 3, 2014**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
05/03/2013	200.7	285,698	41.1%	77.5	42,498	16.5%	328,196	34.5%
05/03/2014	196.1	220,893	31.8%	90.9	202,484	78.7%	423,377	44.4%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
05/02/2014	78	145	0.00	78	249	0.00	394
MTD		297	0.00		448	0.01	745

STREAM FLOWS

Gauging Station	05/02/2014 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	0	48
NRIT : Nueces River at Tilden, Texas	3	3
FRIT : Frio River at Tilden, Texas	0	0
SMIT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	0	0
Release from Choke Canyon Reservoir	58	115
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	224	457
NCAT : Nueces River at Calallen, Texas	0	0
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: NRIT+FRIT+SMIT+ARWT	3	3

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 23,500 Salinity Relief Credit : 0 Effective:	23,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 05/01/2014)	500
Passthru Target: 23,500 Reservoir Inflow: 3 Comment: Current banked total: 8,172 Ac/Ft.	3
Estuary Inflows (NCAT + RBP)	0
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	May 2014	
				Allocation	Remaining
05/02/2014	130	260	15,559	4,100	3,840
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
05/02/2014	40.2	127,743		79.3%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: May 4, 2014**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
05/04/2013	200.6	284,917	41.0%	77.5	42,498	16.5%	327,415	34.4%
05/04/2014	196.1	220,500	31.7%	90.9	201,631	78.4%	422,131	44.3%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
05/03/2014	91	327	0.00	91	457	0.00	784
MTD		624	0.00		905	0.01	1,529

STREAM FLOWS

Gauging Station	05/03/2014 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	50	97
NRIT : Nueces River at Tilden, Texas	0	3
FRIT : Frio River at Tilden, Texas	0	0
SMIT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	0	0
Release from Choke Canyon Reservoir	58	173
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	197	653
NCAT : Nueces River at Calallen, Texas	0	0
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: NRIT+FRIT+SMIT+ARWT	0	3

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 23,500 Salinity Relief Credit : 0 Effective:	23,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 05/01/2014)	500
Passthru Target: 23,500 Reservoir Inflow: 3 Comment: Current banked total: 8,172 Ac/Ft.	3
Estuary Inflows (NCAT + RBP)	0
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	May 2014	
				Allocation	Remaining
05/03/2014	130	389	15,688	4,100	3,711
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
05/03/2014	40.2	127,743		79.3%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: May 5, 2014**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
05/05/2013	200.6	284,293	40.9%	77.5	42,564	16.5%	326,857	34.3%
05/05/2014	196.1	219,979	31.6%	90.8	201,119	78.2%	421,098	44.2%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
05/04/2014	91	319	0.00	89	487	0.00	806
MTD		943	0.00		1,392	0.01	2,335

STREAM FLOWS

Gauging Station	05/04/2014 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	50	147
NRIT : Nueces River at Tilden, Texas	0	3
FRIT : Frio River at Tilden, Texas	0	0
SMIT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	0	0
Release from Choke Canyon Reservoir	58	230
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	175	828
NCAT : Nueces River at Calallen, Texas	0	0
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: NRIT+FRIT+SMIT+ARWT	0	3

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 23,500 Salinity Relief Credit : 0 Effective:	23,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 05/01/2014)	500
Passthru Target: 23,500 Reservoir Inflow: 3 Comment: Current banked total: 8,172 Ac/Ft.	3
Estuary Inflows (NCAT + RBP)	0
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	May 2014	
				Allocation	Remaining
05/04/2014	129	518	15,817	4,100	3,582
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
05/04/2014	40.1	126,098		78.3%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: May 6, 2014**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
05/06/2013	200.6	285,385	41.0%	77.5	42,498	16.5%	327,883	34.4%
05/06/2014	196.0	219,327	31.5%	90.8	200,608	78.0%	419,935	44.1%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
05/05/2014	90	311	0.00	86	407	0.00	718
MTD		1,254	0.00		1,799	0.01	3,053

STREAM FLOWS

Gauging Station	05/05/2014 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	50	197
NRIT : Nueces River at Tilden, Texas	0	3
FRIT : Frio River at Tilden, Texas	0	0
SMIT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	0	0
Release from Choke Canyon Reservoir	58	288
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	173	1,000
NCAT : Nueces River at Calallen, Texas	0	0
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: NRIT+FRIT+SMIT+ARWT	0	3

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 23,500 Salinity Relief Credit : 0 Effective:	23,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 05/01/2014)	500
Passthru Target: 23,500 Reservoir Inflow: 3 Comment: Current banked total: 8,172 Ac/Ft.	3
Estuary Inflows (NCAT + RBP)	0
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	May 2014	
				Allocation	Remaining
05/05/2014	129	647	15,946	4,100	3,453
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
05/05/2014	40.1	126,098		78.3%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: May 7, 2014**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
05/07/2013	200.6	285,073	41.0%	77.5	42,367	16.5%	327,440	34.4%
05/07/2014	196.0	218,678	31.5%	90.7	199,757	77.6%	418,435	43.9%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
05/06/2014	88	288	0.00	86	287	0.00	575
MTD		1,542	0.00		2,086	0.01	3,628

STREAM FLOWS

Gauging Station	05/06/2014 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	48	244
NRIT : Nueces River at Tilden, Texas	0	3
FRIT : Frio River at Tilden, Texas	0	0
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	0	0
Release from Choke Canyon Reservoir	58	345
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	191	1,191
NCAT : Nueces River at Calallen, Texas	0	0
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: NRIT+FRIT+SMTT+ARWT	0	3

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 23,500 Salinity Relief Credit : 0 Effective:	23,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 05/01/2014)	500
Passthru Target: 23,500 Reservoir Inflow: 3 Comment: Current banked total: 8,172 Ac/Ft.	3
Estuary Inflows (NCAT + RBP)	0
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	May 2014	
				Allocation	Remaining
05/06/2014	129	777	16,076	4,100	3,323
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
05/06/2014	40.0	126,098		78.3%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: May 8, 2014**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
05/08/2013	200.6	284,605	40.9%	77.4	42,041	16.3%	326,646	34.3%
05/08/2014	196.0	218,418	31.4%	90.7	199,587	77.6%	418,005	43.9%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
05/07/2014	87	181	0.00	83	248	0.00	429
MTD		1,723	0.00		2,334	0.01	4,057

STREAM FLOWS

Gauging Station	05/07/2014 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	48	292
NRIT : Nueces River at Tilden, Texas	0	3
FRIT : Frio River at Tilden, Texas	0	0
SMIT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	0	0
Release from Choke Canyon Reservoir	58	403
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	232	1,423
NCAT : Nueces River at Calallen, Texas	0	0
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: NRIT+FRIT+SMIT+ARWT	0	3

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 23,500 Salinity Relief Credit : 0 Effective:	23,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 05/01/2014)	500
Passthru Target: 23,500 Reservoir Inflow: 3 Comment: Current banked total: 8,172 Ac/Ft.	3
Estuary Inflows (NCAT + RBP)	0
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	May 2014	
				Allocation	Remaining
05/07/2014	129	906	16,205	4,100	3,194
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
05/07/2014	40.0	126,098		78.3%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: May 9, 2014**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
05/09/2013	200.5	283,044	40.7%	77.4	41,781	16.2%	324,825	34.1%
05/09/2014	196.1	221,024	31.8%	90.8	199,927	77.7%	420,951	44.2%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
05/08/2014	88	259	0.82	84	198	0.03	457
MTD		1,982	0.84		2,532	0.04	4,514

STREAM FLOWS

Gauging Station	05/08/2014 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	50	341
NRTT : Nueces River at Tilden, Texas	0	3
FRTT : Frio River at Tilden, Texas	1	1
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	0	0
Release from Choke Canyon Reservoir	58	461
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	248	1,671
NCAT : Nueces River at Calallen, Texas	0	0
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: NRRT+FRTT+SMTT+ARWT	1	4

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 23,500 Salinity Relief Credit : 0 Effective:	23,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 05/01/2014)	500
Passthru Target: 23,500 Reservoir Inflow: 4 Comment: Current banked total: 8,172 Ac/Ft.	4
Estuary Inflows (NCAT + RBP)	0
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	May 2014	
				Allocation	Remaining
05/08/2014	130	1,036	16,335	4,100	3,064
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
05/08/2014	40.0	126,098		78.3%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: May 10, 2014**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
05/10/2013	200.5	282,888	40.7%	77.3	41,586	16.2%	324,474	34.1%
05/10/2014	196.3	222,727	32.0%	90.8	200,608	78.0%	423,335	44.4%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
05/09/2014	80	69	1.16	81	456	0.75	525
MTD		2,051	2.00		2,988	0.79	5,039

STREAM FLOWS

Gauging Station	05/09/2014 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	56	397
NRIT : Nueces River at Tilden, Texas	0	3
FRIT : Frio River at Tilden, Texas	7	8
SMIT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	4	4
Release from Choke Canyon Reservoir	58	518
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	224	1,896
NCAT : Nueces River at Calallen, Texas	0	0
RBP : Rincon Bayou Pipeline	122	122
Reservoir Inflow		
Computed as: NRIT+FRIT+SMIT+ARWT	11	15

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 23,500 Salinity Relief Credit : 0 Effective:	23,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 05/01/2014)	500
Passthru Target: 23,500 Reservoir Inflow: 15 Comment: Current banked total: 8,172 Ac/Ft.	15
Estuary Inflows (NCAT + RBP)	122
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	May 2014	
				Allocation	Remaining
05/09/2014	128	1,164	16,463	4,100	2,936
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
05/09/2014	40.0	126,098		78.3%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: May 11, 2014**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
05/11/2013	200.6	284,293	40.9%	77.4	41,976	16.3%	326,269	34.3%
05/11/2014	196.2	221,155	31.8%	90.8	200,097	77.8%	421,252	44.2%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
05/10/2014	88	183	0.00	86	278	0.00	461
MTD		2,234	2.00		3,266	0.79	5,500

STREAM FLOWS

Gauging Station	05/10/2014 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	429	826
NRTT : Nueces River at Tilden, Texas	0	3
FRTT : Frio River at Tilden, Texas	7	15
SMTT : San Miguel Creek at Tilden, Texas	4	5
ARWT : Atascosa River at Whitsett, Texas	4	8
Release from Choke Canyon Reservoir	58	576
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	181	2,076
NCAT : Nueces River at Calallen, Texas	3	3
RBP : Rincon Bayou Pipeline	152	274
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	383	398

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 23,500 Salinity Relief Credit : 0 Effective:	23,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 05/01/2014)	500
Passthru Target: 23,500 Reservoir Inflow: 398 Comment: Current banked total: 8,172 Ac/Ft.	398
Estuary Inflows (NCAT + RBP)	277
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	May 2014	
				Allocation	Remaining
05/10/2014	130	1,294	16,593	4,100	2,806
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
05/10/2014	40.0	126,098		78.3%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: May 12, 2014**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
05/12/2013	200.6	284,293	40.9%	77.4	41,716	16.2%	326,009	34.2%
05/12/2014	196.1	220,762	31.8%	90.7	199,757	77.6%	420,519	44.1%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
05/11/2014	88	228	0.00	86	228	0.00	456
MTD		2,462	2.00		3,494	0.79	5,956

STREAM FLOWS

Gauging Station	05/11/2014 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	375	1,201
NRTT : Nueces River at Tilden, Texas	0	3
FRTT : Frio River at Tilden, Texas	2	17
SMTT : San Miguel Creek at Tilden, Texas	1	5
ARWT : Atascosa River at Whitsett, Texas	157	164
Release from Choke Canyon Reservoir	58	633
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	167	2,243
NCAT : Nueces River at Calallen, Texas	0	3
RBP : Rincon Bayou Pipeline	56	330
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	320	718

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 23,500 Salinity Relief Credit : 0 Effective:	23,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 05/01/2014)	500
Passthru Target: 23,500 Reservoir Inflow: 718 Comment: Current banked total: 8,172 Ac/Ft.	718
Estuary Inflows (NCAT + RBP)	333
PassThru Surplus / -Deficit:	115

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	May 2014	
				Allocation	Remaining
05/11/2014	130	1,425	16,724	4,100	2,675
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
05/11/2014	40.0	126,098		78.3%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: May 13, 2014**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
05/13/2013	200.6	284,449	40.9%	77.4	41,716	16.2%	326,165	34.2%
05/13/2014	196.2	221,285	31.8%	90.9	203,167	79.0%	424,452	44.6%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
05/12/2014	86	160	0.29	85	428	1.40	588
MTD		2,622	2.29		3,922	2.19	6,544

STREAM FLOWS

Gauging Station	05/12/2014 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	258	1,459
NRTT : Nueces River at Tilden, Texas	1	4
FRTT : Frio River at Tilden, Texas	0	17
SMTT : San Miguel Creek at Tilden, Texas	0	5
ARWT : Atascosa River at Whitsett, Texas	153	317
Release from Choke Canyon Reservoir	58	691
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	107	2,350
NCAT : Nueces River at Calallen, Texas	0	4
RBP : Rincon Bayou Pipeline	0	330
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	201	919

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 23,500 Salinity Relief Credit : 0 Effective:	23,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 05/01/2014)	500
Passthru Target: 23,500 Reservoir Inflow: 919 Comment: Current banked total: 8,172 Ac/Ft.	919
Estuary Inflows (NCAT + RBP)	333
PassThru Surplus / -Deficit:	-85

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	May 2014	
				Allocation	Remaining
05/12/2014	130	1,555	16,854	4,100	2,545
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
05/12/2014	40.1	126,098		78.3%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: May 14, 2014**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
05/14/2013	200.5	283,512	40.8%	77.3	41,392	16.1%	324,904	34.1%
05/14/2014	196.2	221,285	31.8%	90.9	202,997	78.9%	424,282	44.5%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
05/13/2014	66	91	0.13	71	408	0.07	499
MTD		2,713	2.42		4,330	2.26	7,043

STREAM FLOWS

Gauging Station	05/13/2014 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	220	1,679
NRTT : Nueces River at Tilden, Texas	6	10
FRTT : Frio River at Tilden, Texas	22	39
SMTT : San Miguel Creek at Tilden, Texas	0	5
ARWT : Atascosa River at Whitsett, Texas	58	375
Release from Choke Canyon Reservoir	58	748
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	200	2,551
NCAT : Nueces River at Calallen, Texas	19	23
RBP : Rincon Bayou Pipeline	92	422
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	185	1,103

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 23,500 Salinity Relief Credit : 0 Effective:	23,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 05/01/2014)	500
Passthru Target: 23,500 Reservoir Inflow: 1,103 Comment: Current banked total: 8,172 Ac/Ft.	1,103
Estuary Inflows (NCAT + RBP)	444
PassThru Surplus / -Deficit:	-159

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	May 2014	
				Allocation	Remaining
05/13/2014	130	1,685	16,984	4,100	2,415
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
05/13/2014	40.4	129,400		80.3%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: May 15, 2014**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
05/15/2013	200.5	283,044	40.7%	77.3	41,328	16.1%	324,372	34.1%
05/15/2014	196.1	220,631	31.7%	90.8	201,290	78.2%	421,921	44.3%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
05/14/2014	76	282	0.00	74	377	0.00	659
MTD		2,995	2.42		4,707	2.26	7,702

STREAM FLOWS

Gauging Station	05/14/2014 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	123	1,802
NRTT : Nueces River at Tilden, Texas	240	250
FRTT : Frio River at Tilden, Texas	69	108
SMTT : San Miguel Creek at Tilden, Texas	0	5
ARWT : Atascosa River at Whitsett, Texas	97	472
Release from Choke Canyon Reservoir	58	806
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	81	2,632
NCAT : Nueces River at Calallen, Texas	0	23
RBP : Rincon Bayou Pipeline	45	467
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	135	1,238

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 23,500 Salinity Relief Credit : 0 Effective:	23,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 05/01/2014)	500
Passthru Target: 23,500 Reservoir Inflow: 1,238 Comment: Current banked total: 8,172 Ac/Ft.	1,238
Estuary Inflows (NCAT + RBP)	490
PassThru Surplus / -Deficit:	-248

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	May 2014	
				Allocation	Remaining
05/14/2014	130	1,815	17,114	4,100	2,285
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
05/14/2014	40.9	133,588		82.9%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: May 16, 2014**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
05/16/2013	200.5	283,200	40.7%	77.2	40,814	15.9%	324,014	34.0%
05/16/2014	196.1	220,109	31.7%	90.8	200,267	77.8%	420,376	44.1%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
05/15/2014	82	251	0.00	81	327	0.00	578
MTD		3,246	2.42		5,034	2.26	8,280

STREAM FLOWS

Gauging Station	05/15/2014 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	314	2,116
NRTT : Nueces River at Tilden, Texas	169	419
FRTT : Frio River at Tilden, Texas	32	140
SMTT : San Miguel Creek at Tilden, Texas	0	5
ARWT : Atascosa River at Whitsett, Texas	875	1,347
Release from Choke Canyon Reservoir	58	863
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	169	2,801
NCAT : Nueces River at Calallen, Texas	0	23
RBP : Rincon Bayou Pipeline	57	524
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	288	1,526

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 23,500 Salinity Relief Credit : 0 Effective:	23,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 05/01/2014)	500
Passthru Target: 23,500 Reservoir Inflow: 1,526 Comment: Current banked total: 8,172 Ac/Ft.	1,526
Estuary Inflows (NCAT + RBP)	547
PassThru Surplus / -Deficit:	-480

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	May 2014	
				Allocation	Remaining
05/15/2014	130	1,945	17,244	4,100	2,155
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
05/15/2014	41.6	139,562		86.6%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: May 17, 2014**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
05/17/2013	200.5	282,732	40.7%	77.2	40,750	15.8%	323,482	34.0%
05/17/2014	196.1	219,849	31.6%	90.8	200,437	77.9%	420,286	44.1%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
05/16/2014	87	319	0.00	84	387	0.00	706
MTD		3,565	2.42		5,421	2.26	8,986

STREAM FLOWS

Gauging Station	05/16/2014 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	915	3,031
NRTT : Nueces River at Tilden, Texas	69	488
FRTT : Frio River at Tilden, Texas	13	153
SMTT : San Miguel Creek at Tilden, Texas	0	5
ARWT : Atascosa River at Whitsett, Texas	574	1,921
Release from Choke Canyon Reservoir	58	921
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	232	3,033
NCAT : Nueces River at Calallen, Texas	0	23
RBP : Rincon Bayou Pipeline	0	524
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	870	2,396

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 23,500 Salinity Relief Credit : 0 Effective:	23,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 05/01/2014)	500
Passthru Target: 23,500 Reservoir Inflow: 2,396 Comment: Current banked total: 8,172 Ac/Ft.	2,396
Estuary Inflows (NCAT + RBP)	547
PassThru Surplus / -Deficit:	-1,350

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	May 2014	
				Allocation	Remaining
05/16/2014	130	2,075	17,374	4,100	2,025
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
05/16/2014	41.8	141,293		87.7%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: May 18, 2014**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
05/18/2013	200.4	282,263	40.6%	77.2	40,430	15.7%	322,693	33.9%
05/18/2014	196.1	220,370	31.7%	90.8	200,608	78.0%	420,978	44.2%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
05/17/2014	86	266	0.00	82	397	0.00	663
MTD		3,831	2.42		5,818	2.26	9,649

STREAM FLOWS

Gauging Station	05/17/2014 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	399	3,430
NRTT : Nueces River at Tilden, Texas	46	534
FRTT : Frio River at Tilden, Texas	7	159
SMTT : San Miguel Creek at Tilden, Texas	0	5
ARWT : Atascosa River at Whitsett, Texas	270	2,191
Release from Choke Canyon Reservoir	58	979
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	248	3,281
NCAT : Nueces River at Calallen, Texas	0	23
RBP : Rincon Bayou Pipeline	68	591
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	348	2,744

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 23,500 Salinity Relief Credit : 0 Effective:	23,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 05/01/2014)	500
Passthru Target: 23,500 Reservoir Inflow: 2,744 Comment: Current banked total: 8,172 Ac/Ft.	2,744
Estuary Inflows (NCAT + RBP)	614
PassThru Surplus / -Deficit:	-1,630

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	May 2014	
				Allocation	Remaining
05/17/2014	130	2,205	17,504	4,100	1,895
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
05/17/2014	41.9	142,163		88.3%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: May 19, 2014**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
05/19/2013	200.4	281,487	40.5%	77.1	39,797	15.5%	321,284	33.7%
05/19/2014	196.0	218,808	31.5%	90.8	200,097	77.8%	418,905	44.0%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
05/18/2014	84	265	0.00	82	317	0.00	582
MTD		4,096	2.42		6,135	2.26	10,231

STREAM FLOWS

Gauging Station	05/18/2014 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	171	3,601
NRTT : Nueces River at Tilden, Texas	32	566
FRTT : Frio River at Tilden, Texas	5	164
SMTT : San Miguel Creek at Tilden, Texas	0	5
ARWT : Atascosa River at Whitsett, Texas	226	2,417
Release from Choke Canyon Reservoir	58	1,036
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	274	3,555
NCAT : Nueces River at Calallen, Texas	0	23
RBP : Rincon Bayou Pipeline	55	647
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	118	2,862

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 23,500 Salinity Relief Credit : 0 Effective:	23,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 05/01/2014)	500
Passthru Target: 23,500 Reservoir Inflow: 2,862 Comment: Current banked total: 8,172 Ac/Ft.	2,862
Estuary Inflows (NCAT + RBP)	670
PassThru Surplus / -Deficit:	-1,693

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	May 2014	
				Allocation	Remaining
05/18/2014	130	2,335	17,634	4,100	1,765
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
05/18/2014	41.9	142,163		88.3%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: May 20, 2014**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
05/20/2013	200.4	281,641	40.5%	77.0	39,545	15.4%	321,186	33.7%
05/20/2014	196.0	218,808	31.5%	90.7	199,587	77.6%	418,395	43.9%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
05/19/2014	86	280	0.00	84	357	0.00	637
MTD		4,376	2.42		6,492	2.26	10,868

STREAM FLOWS

Gauging Station	05/19/2014 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	119	3,720
NRTT : Nueces River at Tilden, Texas	20	586
FRTT : Frio River at Tilden, Texas	3	167
SMTT : San Miguel Creek at Tilden, Texas	0	5
ARWT : Atascosa River at Whitsett, Texas	200	2,618
Release from Choke Canyon Reservoir	58	1,094
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	308	3,863
NCAT : Nueces River at Calallen, Texas	0	23
RBP : Rincon Bayou Pipeline	75	722
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	65	2,927

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 23,500 Salinity Relief Credit : 0 Effective:	23,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 05/01/2014)	500
Passthru Target: 23,500 Reservoir Inflow: 2,927 Comment: Current banked total: 8,172 Ac/Ft.	2,927
Estuary Inflows (NCAT + RBP)	745
PassThru Surplus / -Deficit:	-1,682

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	May 2014	
				Allocation	Remaining
05/19/2014	130	2,465	17,764	4,100	1,635
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
05/19/2014	41.9	142,163		88.3%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: May 21, 2014**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
05/21/2013	200.3	280,718	40.4%	77.0	39,357	15.3%	320,075	33.6%
05/21/2014	195.9	218,418	31.4%	90.7	198,736	77.3%	417,154	43.8%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
05/20/2014	90	272	0.00	86	356	0.00	628
MTD		4,648	2.42		6,848	2.26	11,496

STREAM FLOWS

Gauging Station	05/20/2014 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	97	3,817
NRTT : Nueces River at Tilden, Texas	13	599
FRTT : Frio River at Tilden, Texas	2	169
SMTT : San Miguel Creek at Tilden, Texas	0	5
ARWT : Atascosa River at Whitsett, Texas	42	2,660
Release from Choke Canyon Reservoir	58	1,151
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	316	4,178
NCAT : Nueces River at Calallen, Texas	0	23
RBP : Rincon Bayou Pipeline	108	830
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	41	2,968

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 23,500 Salinity Relief Credit : 0 Effective:	23,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 05/01/2014)	500
Passthru Target: 23,500 Reservoir Inflow: 2,968 Comment: Current banked total: 8,172 Ac/Ft.	2,968
Estuary Inflows (NCAT + RBP)	853
PassThru Surplus / -Deficit:	-1,615

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	May 2014	
				Allocation	Remaining
05/20/2014	130	2,595	17,894	4,100	1,505
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
05/20/2014	41.4	137,841		85.6%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: May 22, 2014**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
05/22/2013	200.4	281,795	40.5%	77.0	39,734	15.4%	321,529	33.8%
05/22/2014	195.9	218,029	31.4%	90.6	198,057	77.0%	416,086	43.7%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
05/21/2014	90	264	0.00	86	336	0.00	600
MTD		4,912	2.42		7,184	2.26	12,096

STREAM FLOWS

Gauging Station	05/21/2014 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	81	3,899
NRTT : Nueces River at Tilden, Texas	7	606
FRTT : Frio River at Tilden, Texas	1	170
SMTT : San Miguel Creek at Tilden, Texas	0	5
ARWT : Atascosa River at Whitsett, Texas	30	2,689
Release from Choke Canyon Reservoir	58	1,209
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	300	4,478
NCAT : Nueces River at Calallen, Texas	0	23
RBP : Rincon Bayou Pipeline	108	938
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	25	2,993

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 23,500 Salinity Relief Credit : 0 Effective:	23,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 05/01/2014)	500
Passthru Target: 23,500 Reservoir Inflow: 2,993 Comment: Current banked total: 8,172 Ac/Ft.	2,993
Estuary Inflows (NCAT + RBP)	961
PassThru Surplus / -Deficit:	-1,532

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	May 2014	
				Allocation	Remaining
05/21/2014	130	2,725	18,024	4,100	1,375
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
05/21/2014	41.2	136,132		84.5%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: May 23, 2014**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
05/23/2013	200.3	280,257	40.3%	77.0	39,545	15.4%	319,802	33.6%
05/23/2014	195.9	218,288	31.4%	90.6	197,548	76.8%	415,836	43.7%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
05/22/2014	89	249	0.00	86	316	0.00	565
MTD		5,161	2.42		7,500	2.26	12,661

STREAM FLOWS

Gauging Station	05/22/2014 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	71	3,970
NRTT : Nueces River at Tilden, Texas	3	609
FRTT : Frio River at Tilden, Texas	1	170
SMTT : San Miguel Creek at Tilden, Texas	0	5
ARWT : Atascosa River at Whitsett, Texas	26	2,715
Release from Choke Canyon Reservoir	58	1,266
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	304	4,782
NCAT : Nueces River at Calallen, Texas	0	23
RBP : Rincon Bayou Pipeline	108	1,046
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	14	3,007

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 23,500 Salinity Relief Credit : 0 Effective:	23,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 05/01/2014)	500
Passthru Target: 23,500 Reservoir Inflow: 3,007 Comment: Current banked total: 8,172 Ac/Ft.	3,007
Estuary Inflows (NCAT + RBP)	1,069
PassThru Surplus / -Deficit:	-1,439

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	May 2014	
				Allocation	Remaining
05/22/2014	130	2,855	18,154	4,100	1,245
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
05/22/2014	41.1	136,132		84.5%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: May 24, 2014**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
05/24/2013	200.2	279,008	40.1%	77.0	39,608	15.4%	318,616	33.4%
05/24/2014	195.9	217,770	31.3%	90.6	197,379	76.7%	415,149	43.6%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
05/23/2014	89	166	0.00	83	247	0.00	413
MTD		5,327	2.42		7,747	2.26	13,074

STREAM FLOWS

Gauging Station	05/23/2014 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	66	4,036
NRTT : Nueces River at Tilden, Texas	1	610
FRTT : Frio River at Tilden, Texas	0	171
SMTT : San Miguel Creek at Tilden, Texas	0	5
ARWT : Atascosa River at Whitsett, Texas	22	2,737
Release from Choke Canyon Reservoir	58	1,324
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	302	5,084
NCAT : Nueces River at Calallen, Texas	0	23
RBP : Rincon Bayou Pipeline	109	1,154
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	8	3,016

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 23,500 Salinity Relief Credit : 0 Effective:	23,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 05/01/2014)	500
Passthru Target: 23,500 Reservoir Inflow: 3,016 Comment: Current banked total: 8,172 Ac/Ft.	3,016
Estuary Inflows (NCAT + RBP)	1,177
PassThru Surplus / -Deficit:	-1,338

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	May 2014	
				Allocation	Remaining
05/23/2014	130	2,985	18,284	4,100	1,115
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
05/23/2014	41.1	136,132		84.5%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: May 25, 2014**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
05/25/2013	200.3	280,257	40.3%	77.1	40,113	15.6%	320,370	33.6%
05/25/2014	195.9	217,381	31.3%	90.6	196,701	76.5%	414,082	43.5%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
05/24/2014	85	181	0.00	86	345	0.00	526
MTD		5,508	2.42		8,092	2.26	13,600

STREAM FLOWS

Gauging Station	05/24/2014 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	64	4,099
NRTT : Nueces River at Tilden, Texas	1	611
FRTT : Frio River at Tilden, Texas	0	171
SMTT : San Miguel Creek at Tilden, Texas	0	5
ARWT : Atascosa River at Whitsett, Texas	18	2,755
Release from Choke Canyon Reservoir	58	1,382
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	294	5,377
NCAT : Nueces River at Calallen, Texas	0	23
RBP : Rincon Bayou Pipeline	108	1,262
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	6	3,022

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 23,500 Salinity Relief Credit : 0 Effective:	23,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 05/01/2014)	500
Passthru Target: 23,500 Reservoir Inflow: 3,022 Comment: Current banked total: 8,172 Ac/Ft.	3,022
Estuary Inflows (NCAT + RBP)	1,285
PassThru Surplus / -Deficit:	-1,237

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	May 2014	
				Allocation	Remaining
05/24/2014	130	3,114	18,413	4,100	986
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
05/24/2014	41.1	136,132		84.5%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: May 26, 2014**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
05/26/2013	200.5	283,512	40.8%	77.2	41,006	15.9%	324,518	34.1%
05/26/2014	195.9	217,252	31.2%	90.5	196,362	76.3%	413,614	43.4%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
05/25/2014	89	226	0.01	86	286	0.00	512
MTD		5,734	2.43		8,378	2.26	14,112

STREAM FLOWS

Gauging Station	05/25/2014 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	58	4,157
NRTT : Nueces River at Tilden, Texas	0	611
FRTT : Frio River at Tilden, Texas	0	171
SMTT : San Miguel Creek at Tilden, Texas	0	5
ARWT : Atascosa River at Whitsett, Texas	15	2,770
Release from Choke Canyon Reservoir	58	1,439
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	308	5,685
NCAT : Nueces River at Calallen, Texas	0	23
RBP : Rincon Bayou Pipeline	108	1,370
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	0	3,022

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 23,500 Salinity Relief Credit : 0 Effective:	23,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 05/01/2014)	500
Passthru Target: 23,500 Reservoir Inflow: 3,022 Comment: Current banked total: 8,172 Ac/Ft.	3,022
Estuary Inflows (NCAT + RBP)	1,393
PassThru Surplus / -Deficit:	-1,129

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	May 2014	
				Allocation	Remaining
05/25/2014	130	3,244	18,543	4,100	856
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
05/25/2014	41.0	134,434		83.5%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: May 27, 2014**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
05/27/2013	200.5	283,824	40.8%	77.8	44,694	17.4%	328,518	34.5%
05/27/2014	195.9	217,770	31.3%	90.6	197,718	76.9%	415,488	43.6%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
05/26/2014	83	60	1.68	85	445	1.20	505
MTD		5,794	4.11		8,823	3.46	14,617

STREAM FLOWS

Gauging Station	05/26/2014 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	60	4,216
NRTT : Nueces River at Tilden, Texas	13	624
FRTT : Frio River at Tilden, Texas	1	172
SMTT : San Miguel Creek at Tilden, Texas	0	5
ARWT : Atascosa River at Whitsett, Texas	15	2,785
Release from Choke Canyon Reservoir	58	1,497
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	322	6,007
NCAT : Nueces River at Calallen, Texas	0	23
RBP : Rincon Bayou Pipeline	108	1,478
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	3	3,024

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 23,500 Salinity Relief Credit : 0 Effective:	23,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 05/01/2014)	500
Passthru Target: 23,500 Reservoir Inflow: 3,024 Comment: Current banked total: 8,172 Ac/Ft.	3,024
Estuary Inflows (NCAT + RBP)	1,501
PassThru Surplus / -Deficit:	-1,023

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	May 2014	
				Allocation	Remaining
05/26/2014	130	3,374	18,673	4,100	726
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
05/26/2014	43.3	154,639		96.0%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: May 28, 2014**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
05/28/2013	200.5	282,732	40.7%	78.9	52,800	20.5%	335,532	35.2%
05/28/2014	196.0	218,808	31.5%	90.8	199,416	77.5%	418,224	43.9%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
05/27/2014	87	144	0.08	86	337	0.58	481
MTD		5,938	4.19		9,160	4.04	15,098

STREAM FLOWS

Gauging Station	05/27/2014 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	113	4,329
NRTT : Nueces River at Tilden, Texas	137	761
FRTT : Frio River at Tilden, Texas	0	172
SMTT : San Miguel Creek at Tilden, Texas	0	5
ARWT : Atascosa River at Whitsett, Texas	903	3,688
Release from Choke Canyon Reservoir	58	1,554
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	331	6,338
NCAT : Nueces River at Calallen, Texas	0	23
RBP : Rincon Bayou Pipeline	162	1,640
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	56	3,080

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 23,500 Salinity Relief Credit : 0 Effective:	23,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 05/01/2014)	500
Passthru Target: 23,500 Reservoir Inflow: 3,080 Comment: Current banked total: 8,172 Ac/Ft.	3,080
Estuary Inflows (NCAT + RBP)	1,663
PassThru Surplus / -Deficit:	-917

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	May 2014	
				Allocation	Remaining
05/27/2014	130	3,504	18,803	4,100	596
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
05/27/2014	43.3	154,639		96.0%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: May 29, 2014**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
05/29/2013	200.5	283,356	40.8%	79.7	58,850	22.9%	342,206	35.9%
05/29/2014	195.9	218,029	31.4%	90.8	200,778	78.0%	418,807	44.0%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
05/28/2014	88	242	0.00	86	278	0.00	520
MTD		6,180	4.19		9,438	4.04	15,618

STREAM FLOWS

Gauging Station	05/28/2014 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	2,144	6,473
NRTT : Nueces River at Tilden, Texas	79	840
FRTT : Frio River at Tilden, Texas	0	172
SMTT : San Miguel Creek at Tilden, Texas	993	998
ARWT : Atascosa River at Whitsett, Texas	4,049	7,737
Release from Choke Canyon Reservoir	58	1,612
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	357	6,695
NCAT : Nueces River at Calallen, Texas	9	32
RBP : Rincon Bayou Pipeline	190	1,830
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	3,079	6,159

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 23,500 Salinity Relief Credit : 0 Effective:	23,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 05/01/2014)	500
Passthru Target: 23,500 Reservoir Inflow: 6,159 Comment: Current banked total: 8,172 Ac/Ft.	6,159
Estuary Inflows (NCAT + RBP)	1,863
PassThru Surplus / -Deficit:	-3,796

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	May 2014	
				Allocation	Remaining
05/28/2014	131	3,635	18,934	4,100	465
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
05/28/2014	44.1	157,385		97.7%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: May 30, 2014**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
05/30/2013	200.4	282,263	40.6%	79.9	60,222	23.4%	342,485	36.0%
05/30/2014	196.0	219,458	31.6%	91.0	204,194	79.4%	423,652	44.5%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
05/29/2014	89	250	0.00	89	319	0.00	569
MTD		6,430	4.19		9,757	4.04	16,187

STREAM FLOWS

Gauging Station	05/29/2014 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	5,082	11,555
NRTT : Nueces River at Tilden, Texas	60	900
FRTT : Frio River at Tilden, Texas	0	172
SMTT : San Miguel Creek at Tilden, Texas	689	1,687
ARWT : Atascosa River at Whitsett, Texas	6,054	13,792
Release from Choke Canyon Reservoir	20	1,632
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	369	7,065
NCAT : Nueces River at Calallen, Texas	1	33
RBP : Rincon Bayou Pipeline	203	2,033
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	5,751	11,909

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 23,500 Salinity Relief Credit : 0 Effective:	23,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 05/01/2014)	500
Passthru Target: 23,500 Reservoir Inflow: 11,909 Comment: Current banked total: 8,172 Ac/Ft.	11,909
Estuary Inflows (NCAT + RBP)	2,066
PassThru Surplus / -Deficit:	-9,344

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	May 2014	
				Allocation	Remaining
05/29/2014	130	3,765	19,064	4,100	335
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
05/29/2014	44.0	157,385		97.7%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: May 31, 2014**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
05/31/2013	200.4	282,263	40.6%	80.0	60,956	23.7%	343,219	36.0%
05/31/2014	196.0	219,067	31.5%	91.3	209,519	81.4%	428,586	45.0%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
05/30/2014	93	258	0.00	91	271	0.00	529
MTD		6,688	4.19		10,028	4.04	16,716

STREAM FLOWS

Gauging Station	05/30/2014 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	6,670	18,224
NRTT : Nueces River at Tilden, Texas	48	947
FRTT : Frio River at Tilden, Texas	0	172
SMTT : San Miguel Creek at Tilden, Texas	109	1,796
ARWT : Atascosa River at Whitsett, Texas	3,037	16,829
Release from Choke Canyon Reservoir	0	1,632
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	427	7,491
NCAT : Nueces River at Calallen, Texas	0	33
RBP : Rincon Bayou Pipeline	201	2,234
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	6,779	18,688

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 23,500 Salinity Relief Credit : 0 Effective:	23,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 05/01/2014)	500
Passthru Target: 23,500 Reservoir Inflow: 18,688 Comment: Current banked total: 8,172 Ac/Ft.	18,688
Estuary Inflows (NCAT + RBP)	2,267
PassThru Surplus / -Deficit:	-15,921

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	May 2014	
				Allocation	Remaining
05/30/2014	130	3,895	19,194	4,100	205
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
05/30/2014	44.2	157,385		97.7%	