

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: June 1, 2014**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
06/01/2013	200.4	282,263	40.6%	79.9	60,303	23.4%	342,566	36.0%
06/01/2014	196.0	218,808	31.5%	91.4	211,417	82.2%	430,225	45.2%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
05/31/2014	95	250	0.00	92	322	0.01	572
MTD		6,938	4.19		10,350	4.05	17,288

STREAM FLOWS

Gauging Station	05/31/2014 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	2,620	20,844
NRTT : Nueces River at Tilden, Texas	30	977
FRTT : Frio River at Tilden, Texas	272	444
SMTT : San Miguel Creek at Tilden, Texas	54	1,849
ARWT : Atascosa River at Whitsett, Texas	1,064	17,893
Release from Choke Canyon Reservoir	38	1,669
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	560	8,051
NCAT : Nueces River at Calallen, Texas	0	33
RBP : Rincon Bayou Pipeline	171	2,405
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	2,908	21,596

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 23,500 Salinity Relief Credit : 0 Effective:	23,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 05/01/2014)	500
Passthru Target: 23,500 Reservoir Inflow: 21,596 Comment: Current banked total: 8,172 Ac/Ft.	21,596
Estuary Inflows (NCAT + RBP)	2,438
PassThru Surplus / -Deficit:	-18,658

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	May 2014	
				Allocation	Remaining
05/31/2014	130	4,025	19,324	4,100	75
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
05/31/2014	44.2	157,385		97.7%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: June 2, 2014**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
06/02/2013	200.5	283,200	40.7%	79.9	60,547	23.5%	343,747	36.1%
06/02/2014	196.0	219,458	31.6%	91.4	210,726	81.9%	430,184	45.2%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
06/01/2014	91	258	0.00	88	372	0.00	630
MTD		258	0.00		372	0.00	630

STREAM FLOWS

Gauging Station	06/01/2014 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	4	4
NRIT : Nueces River at Tilden, Texas	20	20
FRIT : Frio River at Tilden, Texas	1,155	1,155
SMIT : San Miguel Creek at Tilden, Texas	32	32
ARWT : Atascosa River at Whitsett, Texas	957	957
Release from Choke Canyon Reservoir	58	58
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	639	639
NCAT : Nueces River at Calallen, Texas	30	30
RBP : Rincon Bayou Pipeline	103	103
Reservoir Inflow		
Computed as: NRIT+FRIT+SMIT+ARWT	2,164	2,164

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 23,000 Salinity Relief Credit : 0 Effective:	23,000
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	-18,658
Return Flow Credit (Effective:)	0
Passthru Target: 23,000 Reservoir Inflow: 2,164 Comment: Current banked total: 8,172 Ac/Ft.	2,164
Estuary Inflows (NCAT + RBP)	133
PassThru Surplus / -Deficit:	-20,689

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	June 2014	
				Allocation	Remaining
06/01/2014	130	130	19,455	4,100	3,970
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
06/01/2014	44.2	163,121		101.3%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: June 3, 2014**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
06/03/2013	200.5	283,044	40.7%	79.9	60,466	23.5%	343,510	36.1%
06/03/2014	196.1	220,631	31.7%	91.3	210,036	81.6%	430,667	45.2%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
06/02/2014	92	251	0.00	88	362	0.00	613
MTD		509	0.00		734	0.00	1,243

STREAM FLOWS

Gauging Station	06/02/2014 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	234	238
NRTT : Nueces River at Tilden, Texas	12	32
FRTT : Frio River at Tilden, Texas	1,927	3,083
SMTT : San Miguel Creek at Tilden, Texas	22	54
ARWT : Atascosa River at Whitsett, Texas	171	1,127
Release from Choke Canyon Reservoir	58	115
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	725	1,364
NCAT : Nueces River at Calallen, Texas	143	173
RBP : Rincon Bayou Pipeline	169	272
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	2,126	4,290

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 23,000 Salinity Relief Credit : 0 Effective:	23,000
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	-18,658
Return Flow Credit (Effective:)	0
Passthru Target: 23,000 Reservoir Inflow: 4,290 Comment: Current banked total: 8,172 Ac/Ft.	4,290
Estuary Inflows (NCAT + RBP)	445
PassThru Surplus / -Deficit:	-22,503

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	June 2014	
				Allocation	Remaining
06/02/2014	130	260	19,585	4,100	3,840
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
06/02/2014	44.2	163,121		101.3%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: June 4, 2014**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
06/04/2013	200.4	281,951	40.6%	79.9	59,978	23.3%	341,929	35.9%
06/04/2014	196.2	221,678	31.9%	91.3	208,485	81.0%	430,163	45.2%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
06/03/2014	92	267	0.00	88	271	0.00	538
MTD		776	0.00		1,005	0.00	1,781

STREAM FLOWS

Gauging Station	06/03/2014 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	185	422
NRTT : Nueces River at Tilden, Texas	6	38
FRTT : Frio River at Tilden, Texas	1,652	4,734
SMTT : San Miguel Creek at Tilden, Texas	15	68
ARWT : Atascosa River at Whitsett, Texas	137	1,264
Release from Choke Canyon Reservoir	58	173
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	1,376	2,739
NCAT : Nueces River at Calallen, Texas	264	437
RBP : Rincon Bayou Pipeline	58	331
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	1,793	6,083

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 23,000 Salinity Relief Credit : 0 Effective:	23,000
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	-18,658
Return Flow Credit (Effective:)	0
Passthru Target: 23,000 Reservoir Inflow: 6,083 Comment: Current banked total: 8,172 Ac/Ft.	6,083
Estuary Inflows (NCAT + RBP)	767
PassThru Surplus / -Deficit:	-23,974

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	June 2014	
				Allocation	Remaining
06/03/2014	130	390	19,715	4,100	3,710
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
06/03/2014	44.2	163,121		101.3%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: June 5, 2014**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
06/05/2013	200.4	282,263	40.6%	79.8	59,493	23.1%	341,756	35.9%
06/05/2014	196.1	220,893	31.8%	91.2	206,938	80.4%	427,831	44.9%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
06/04/2014	92	266	0.00	89	350	0.00	616
MTD		1,042	0.00		1,355	0.00	2,397

STREAM FLOWS

Gauging Station	06/04/2014 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	155	577
NRTT : Nueces River at Tilden, Texas	3	41
FRTT : Frio River at Tilden, Texas	403	5,137
SMTT : San Miguel Creek at Tilden, Texas	12	80
ARWT : Atascosa River at Whitsett, Texas	127	1,391
Release from Choke Canyon Reservoir	58	230
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	1,755	4,494
NCAT : Nueces River at Calallen, Texas	645	1,082
RBP : Rincon Bayou Pipeline	0	331
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	512	6,595

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 23,000 Salinity Relief Credit : 0 Effective:	23,000
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	-18,658
Return Flow Credit (Effective:)	0
Passthru Target: 23,000 Reservoir Inflow: 6,595 Comment: Current banked total: 8,172 Ac/Ft.	6,595
Estuary Inflows (NCAT + RBP)	1,412
PassThru Surplus / -Deficit:	-23,841

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	June 2014	
				Allocation	Remaining
06/04/2014	130	520	19,844	4,100	3,580
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
06/04/2014	44.2	163,121		101.3%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: June 6, 2014**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
06/06/2013	200.4	281,795	40.5%	79.7	59,091	23.0%	340,886	35.8%
06/06/2014	196.1	220,370	31.7%	91.1	205,221	79.8%	425,591	44.7%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
06/05/2014	93	251	0.00	91	359	0.00	610
MTD		1,293	0.00		1,714	0.00	3,007

STREAM FLOWS

Gauging Station	06/05/2014 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	135	712
NRTT : Nueces River at Tilden, Texas	1	42
FRTT : Frio River at Tilden, Texas	125	5,262
SMTT : San Miguel Creek at Tilden, Texas	8	88
ARWT : Atascosa River at Whitsett, Texas	119	1,511
Release from Choke Canyon Reservoir	58	288
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	1,798	6,292
NCAT : Nueces River at Calallen, Texas	949	2,031
RBP : Rincon Bayou Pipeline	0	331
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	210	6,805

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 23,000 Salinity Relief Credit : 0 Effective:	23,000
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	-18,658
Return Flow Credit (Effective:)	0
Passthru Target: 23,000 Reservoir Inflow: 6,805 Comment: Current banked total: 8,172 Ac/Ft.	6,805
Estuary Inflows (NCAT + RBP)	2,361
PassThru Surplus / -Deficit:	-23,102

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	June 2014	
				Allocation	Remaining
06/05/2014	129	649	19,974	4,100	3,451
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
06/05/2014	44.2	163,121		101.3%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: June 7, 2014**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
06/07/2013	200.3	280,565	40.4%	79.7	58,610	22.8%	339,175	35.6%
06/07/2014	196.1	219,979	31.6%	90.9	203,167	79.0%	423,146	44.4%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
06/06/2014	93	304	0.00	91	378	0.00	682
MTD		1,597	0.00		2,092	0.00	3,689

STREAM FLOWS

Gauging Station	06/06/2014 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	121	833
NRTT : Nueces River at Tilden, Texas	0	42
FRTT : Frio River at Tilden, Texas	71	5,334
SMTT : San Miguel Creek at Tilden, Texas	4	92
ARWT : Atascosa River at Whitsett, Texas	115	1,626
Release from Choke Canyon Reservoir	58	345
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	1,840	8,133
NCAT : Nueces River at Calallen, Texas	1,124	3,154
RBP : Rincon Bayou Pipeline	0	331
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	139	6,944

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 23,000 Salinity Relief Credit : 0 Effective:	23,000
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	-18,658
Return Flow Credit (Effective:)	0
Passthru Target: 23,000 Reservoir Inflow: 6,944 Comment: Current banked total: 8,172 Ac/Ft.	6,944
Estuary Inflows (NCAT + RBP)	3,485
PassThru Surplus / -Deficit:	-22,117

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	June 2014	
				Allocation	Remaining
06/06/2014	129	779	20,103	4,100	3,321
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
06/06/2014	44.2	163,121		101.3%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: June 8, 2014**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
06/08/2013	200.4	281,180	40.4%	79.7	58,530	22.8%	339,710	35.7%
06/08/2014	196.0	219,588	31.6%	90.9	201,801	78.4%	421,389	44.2%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
06/07/2014	94	296	0.00	93	457	0.00	753
MTD		1,893	0.00		2,549	0.00	4,442

STREAM FLOWS

Gauging Station	06/07/2014 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	113	946
NRTT : Nueces River at Tilden, Texas	0	43
FRTT : Frio River at Tilden, Texas	48	5,381
SMTT : San Miguel Creek at Tilden, Texas	2	94
ARWT : Atascosa River at Whitsett, Texas	107	1,733
Release from Choke Canyon Reservoir	58	403
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	1,804	9,937
NCAT : Nueces River at Calallen, Texas	1,147	4,301
RBP : Rincon Bayou Pipeline	0	331
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	105	7,049

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 23,000 Salinity Relief Credit : 0 Effective:	23,000
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	-18,658
Return Flow Credit (Effective:)	0
Passthru Target: 23,000 Reservoir Inflow: 7,049 Comment: Current banked total: 8,172 Ac/Ft.	7,049
Estuary Inflows (NCAT + RBP)	4,632
PassThru Surplus / -Deficit:	-21,075

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	June 2014	
				Allocation	Remaining
06/07/2014	129	908	20,233	4,100	3,192
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
06/07/2014	44.2	163,121		101.3%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: June 9, 2014**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
06/09/2013	200.3	280,411	40.3%	79.6	58,052	22.6%	338,463	35.5%
06/09/2014	196.0	219,458	31.6%	90.7	199,587	77.6%	419,045	44.0%

Weather Related Information								
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
06/08/2014	89	212	0.15	90	367	0.00		579
MTD		2,105	0.15		2,916	0.00		5,021

STREAM FLOWS

Gauging Station	06/08/2014 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	107	1,054
NRTT : Nueces River at Tilden, Texas	0	43
FRTT : Frio River at Tilden, Texas	30	5,411
SMTT : San Miguel Creek at Tilden, Texas	1	94
ARWT : Atascosa River at Whitsett, Texas	105	1,838
Release from Choke Canyon Reservoir	58	461
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	1,725	11,662
NCAT : Nueces River at Calallen, Texas	1,181	5,483
RBP : Rincon Bayou Pipeline	0	331
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	80	7,129

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 23,000 Salinity Relief Credit : 0 Effective:	23,000
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	-18,658
Return Flow Credit (Effective:)	0
Passthru Target: 23,000 Reservoir Inflow: 7,129 Comment: Current banked total: 8,172 Ac/Ft.	7,129
Estuary Inflows (NCAT + RBP)	5,813
PassThru Surplus / -Deficit:	-19,974

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	June 2014	
				Allocation	Remaining
06/08/2014	130	1,038	20,362	4,100	3,062
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
06/08/2014	44.1	163,121		101.3%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: June 10, 2014**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
06/10/2013	200.4	281,180	40.4%	79.6	57,893	22.5%	339,073	35.6%
06/10/2014	196.0	219,588	31.6%	90.7	198,906	77.3%	418,494	43.9%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
06/09/2014	94	228	0.00	94	376	0.00	604
MTD		2,333	0.15		3,292	0.00	5,625

STREAM FLOWS

Gauging Station	06/09/2014 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	103	1,157
NRTT : Nueces River at Tilden, Texas	0	43
FRTT : Frio River at Tilden, Texas	15	5,426
SMTT : San Miguel Creek at Tilden, Texas	0	95
ARWT : Atascosa River at Whitsett, Texas	361	2,199
Release from Choke Canyon Reservoir	58	518
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	643	12,305
NCAT : Nueces River at Calallen, Texas	1,002	6,485
RBP : Rincon Bayou Pipeline	0	331
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	61	7,190

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 23,000 Salinity Relief Credit : 0 Effective:	23,000
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	-18,658
Return Flow Credit (Effective:)	0
Passthru Target: 23,000 Reservoir Inflow: 7,190 Comment: Current banked total: 8,172 Ac/Ft.	7,190
Estuary Inflows (NCAT + RBP)	6,816
PassThru Surplus / -Deficit:	-19,033

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	June 2014	
				Allocation	Remaining
06/09/2014	130	1,168	20,492	4,100	2,932
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
06/09/2014	44.1	162,101		100.6%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: June 11, 2014**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
06/11/2013	200.3	280,872	40.4%	79.6	57,577	22.4%	338,449	35.5%
06/11/2014	196.1	220,370	31.7%	90.6	198,057	77.0%	418,427	43.9%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
06/10/2014	97	342	0.00	97	356	0.00	698
MTD		2,675	0.15		3,648	0.00	6,323

STREAM FLOWS

Gauging Station	06/10/2014 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	157	1,314
NRTT : Nueces River at Tilden, Texas	0	43
FRTT : Frio River at Tilden, Texas	13	5,440
SMTT : San Miguel Creek at Tilden, Texas	0	95
ARWT : Atascosa River at Whitsett, Texas	359	2,559
Release from Choke Canyon Reservoir	58	576
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	798	13,103
NCAT : Nueces River at Calallen, Texas	879	7,364
RBP : Rincon Bayou Pipeline	0	331
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	113	7,303

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 23,000 Salinity Relief Credit : 0 Effective:	23,000
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	-18,658
Return Flow Credit (Effective:)	0
Passthru Target: 23,000 Reservoir Inflow: 7,303 Comment: Current banked total: 8,172 Ac/Ft.	7,303
Estuary Inflows (NCAT + RBP)	7,695
PassThru Surplus / -Deficit:	-18,266

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	June 2014	
				Allocation	Remaining
06/10/2014	131	1,299	20,623	4,100	2,801
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
06/10/2014	44.2	163,121		101.3%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: June 12, 2014**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
06/12/2013	200.3	280,718	40.4%	79.5	57,340	22.3%	338,058	35.5%
06/12/2014	196.0	219,067	31.5%	90.6	196,701	76.5%	415,768	43.6%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
06/11/2014	99	311	0.00	97	424	0.00	735
MTD		2,986	0.15		4,072	0.00	7,058

STREAM FLOWS

Gauging Station	06/11/2014 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	387	1,701
NRTT : Nueces River at Tilden, Texas	0	43
FRTT : Frio River at Tilden, Texas	8	5,448
SMTT : San Miguel Creek at Tilden, Texas	0	95
ARWT : Atascosa River at Whitsett, Texas	212	2,771
Release from Choke Canyon Reservoir	58	633
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	901	14,004
NCAT : Nueces River at Calallen, Texas	605	7,970
RBP : Rincon Bayou Pipeline	0	331
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	338	7,641

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 23,000 Salinity Relief Credit : 0 Effective:	23,000
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	-18,658
Return Flow Credit (Effective:)	0
Passthru Target: 23,000 Reservoir Inflow: 7,641 Comment: Current banked total: 8,172 Ac/Ft.	7,641
Estuary Inflows (NCAT + RBP)	8,300
PassThru Surplus / -Deficit:	-17,998

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	June 2014	
				Allocation	Remaining
06/11/2014	131	1,429	20,754	4,100	2,671
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
06/11/2014	44.2	163,121		101.3%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: June 13, 2014**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
06/13/2013	200.3	280,257	40.3%	79.5	57,103	22.2%	337,360	35.4%
06/13/2014	196.0	218,937	31.5%	90.6	196,531	76.4%	415,468	43.6%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
06/12/2014	101	341	0.03	99	444	0.00	785
MTD		3,327	0.18		4,516	0.00	7,843

STREAM FLOWS

Gauging Station	06/12/2014 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	200	1,901
NRTT : Nueces River at Tilden, Texas	0	43
FRTT : Frio River at Tilden, Texas	5	5,453
SMTT : San Miguel Creek at Tilden, Texas	0	95
ARWT : Atascosa River at Whitsett, Texas	145	2,916
Release from Choke Canyon Reservoir	58	691
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	856	14,860
NCAT : Nueces River at Calallen, Texas	627	8,597
RBP : Rincon Bayou Pipeline	0	331
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	148	7,789

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 23,000 Salinity Relief Credit : 0 Effective:	23,000
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	-18,658
Return Flow Credit (Effective:)	0
Passthru Target: 23,000 Reservoir Inflow: 7,789 Comment: Current banked total: 8,172 Ac/Ft.	7,789
Estuary Inflows (NCAT + RBP)	8,928
PassThru Surplus / -Deficit:	-17,519

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	June 2014	
				Allocation	Remaining
06/12/2014	131	1,560	20,884	4,100	2,540
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
06/12/2014	44.2	163,121		101.3%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: June 14, 2014**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
06/14/2013	200.3	280,565	40.4%	79.5	56,867	22.1%	337,432	35.4%
06/14/2014	196.0	218,548	31.4%	90.5	195,347	75.9%	413,895	43.5%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
06/13/2014	101	356	0.67	95	345	0.00	701
MTD		3,683	0.85		4,861	0.00	8,544

STREAM FLOWS

Gauging Station	06/13/2014 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	149	2,050
NRTT : Nueces River at Tilden, Texas	0	43
FRTT : Frio River at Tilden, Texas	3	5,456
SMTT : San Miguel Creek at Tilden, Texas	0	95
ARWT : Atascosa River at Whitsett, Texas	119	3,035
Release from Choke Canyon Reservoir	58	748
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	836	15,695
NCAT : Nueces River at Calallen, Texas	597	9,195
RBP : Rincon Bayou Pipeline	0	331
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	94	7,883

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 23,000 Salinity Relief Credit : 0 Effective:	23,000
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	-18,658
Return Flow Credit (Effective:)	0
Passthru Target: 23,000 Reservoir Inflow: 7,883 Comment: Current banked total: 8,172 Ac/Ft.	7,883
Estuary Inflows (NCAT + RBP)	9,525
PassThru Surplus / -Deficit:	-17,016

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	June 2014	
				Allocation	Remaining
06/13/2014	130	1,690	21,015	4,100	2,410
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
06/13/2014	44.2	163,121		101.3%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: June 15, 2014**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
06/15/2013	200.3	280,565	40.4%	79.5	56,946	22.1%	337,511	35.4%
06/15/2014	195.9	217,899	31.3%	90.4	194,672	75.7%	412,571	43.3%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
06/14/2014	95	279	0.00	95	443	0.00	722
MTD		3,962	0.85		5,304	0.00	9,266

STREAM FLOWS

Gauging Station	06/14/2014 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	127	2,177
NRTT : Nueces River at Tilden, Texas	0	43
FRTT : Frio River at Tilden, Texas	2	5,457
SMTT : San Miguel Creek at Tilden, Texas	0	95
ARWT : Atascosa River at Whitsett, Texas	141	3,176
Release from Choke Canyon Reservoir	58	806
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	776	16,472
NCAT : Nueces River at Calallen, Texas	582	9,776
RBP : Rincon Bayou Pipeline	0	331
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	71	7,954

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 23,000 Salinity Relief Credit : 0 Effective:	23,000
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	-18,658
Return Flow Credit (Effective:)	0
Passthru Target: 23,000 Reservoir Inflow: 7,954 Comment: Current banked total: 8,172 Ac/Ft.	7,954
Estuary Inflows (NCAT + RBP)	10,107
PassThru Surplus / -Deficit:	-16,505

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	June 2014	
				Allocation	Remaining
06/14/2014	130	1,820	21,145	4,100	2,280
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
06/14/2014	44.2	163,121		101.3%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: June 16, 2014**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
06/16/2013	200.4	281,026	40.4%	79.5	57,182	22.2%	338,208	35.5%
06/16/2014	195.9	217,381	31.3%	90.4	193,491	75.2%	410,872	43.1%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
06/15/2014	95	294	0.00	94	599	0.00	893
MTD		4,256	0.85		5,903	0.00	10,159

STREAM FLOWS

Gauging Station	06/15/2014 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	169	2,346
NRTT : Nueces River at Tilden, Texas	0	43
FRTT : Frio River at Tilden, Texas	1	5,458
SMTT : San Miguel Creek at Tilden, Texas	0	95
ARWT : Atascosa River at Whitsett, Texas	187	3,363
Release from Choke Canyon Reservoir	58	863
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	705	17,176
NCAT : Nueces River at Calallen, Texas	536	10,312
RBP : Rincon Bayou Pipeline	0	331
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	112	8,066

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 23,000 Salinity Relief Credit : 0 Effective:	23,000
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	-18,658
Return Flow Credit (Effective:)	0
Passthru Target: 23,000 Reservoir Inflow: 8,066 Comment: Current banked total: 8,172 Ac/Ft.	8,066
Estuary Inflows (NCAT + RBP)	10,643
PassThru Surplus / -Deficit:	-16,081

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	June 2014	
				Allocation	Remaining
06/15/2014	131	1,951	21,275	4,100	2,149
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
06/15/2014	44.2	163,121		101.3%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: June 17, 2014**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
06/17/2013	200.3	279,633	40.2%	79.5	57,340	22.3%	336,973	35.4%
06/17/2014	195.9	217,252	31.2%	90.3	192,312	74.8%	409,564	43.0%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
06/16/2014	94	317	0.00	92	235	0.00	552
MTD		4,573	0.85		6,138	0.00	10,711

STREAM FLOWS

Gauging Station	06/16/2014 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	171	2,517
NRTT : Nueces River at Tilden, Texas	0	43
FRTT : Frio River at Tilden, Texas	1	5,459
SMTT : San Miguel Creek at Tilden, Texas	0	95
ARWT : Atascosa River at Whitsett, Texas	97	3,460
Release from Choke Canyon Reservoir	58	921
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	663	17,839
NCAT : Nueces River at Calallen, Texas	474	10,786
RBP : Rincon Bayou Pipeline	0	331
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	114	8,180

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 23,000 Salinity Relief Credit : 0 Effective:	23,000
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	-18,658
Return Flow Credit (Effective:)	0
Passthru Target: 23,000 Reservoir Inflow: 8,180 Comment: Current banked total: 8,172 Ac/Ft.	8,180
Estuary Inflows (NCAT + RBP)	11,117
PassThru Surplus / -Deficit:	-15,721

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	June 2014	
				Allocation	Remaining
06/16/2014	131	2,082	21,406	4,100	2,018
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
06/16/2014	44.2	163,121		101.3%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: June 18, 2014**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
06/18/2013	200.3	279,633	40.2%	79.5	57,182	22.2%	336,815	35.4%
06/18/2014	195.8	216,347	31.1%	90.2	191,304	74.4%	407,651	42.8%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
06/17/2014	96	353	0.00	94	479	0.00	832
MTD		4,926	0.85		6,617	0.00	11,543

STREAM FLOWS

Gauging Station	06/17/2014 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	133	2,650
NRTT : Nueces River at Tilden, Texas	0	43
FRTT : Frio River at Tilden, Texas	1	5,460
SMTT : San Miguel Creek at Tilden, Texas	0	95
ARWT : Atascosa River at Whitsett, Texas	75	3,535
Release from Choke Canyon Reservoir	58	979
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	498	18,337
NCAT : Nueces River at Calallen, Texas	445	11,231
RBP : Rincon Bayou Pipeline	0	331
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	77	8,256

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 23,000 Salinity Relief Credit : 0 Effective:	23,000
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	-18,658
Return Flow Credit (Effective:)	0
Passthru Target: 23,000 Reservoir Inflow: 8,256 Comment: Current banked total: 8,172 Ac/Ft.	8,256
Estuary Inflows (NCAT + RBP)	11,562
PassThru Surplus / -Deficit:	-15,353

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	June 2014	
				Allocation	Remaining
06/17/2014	88	2,170	21,495	4,100	1,930
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
06/17/2014	44.2	163,121		101.3%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: June 19, 2014**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
06/19/2013	200.2	278,542	40.1%	79.5	57,103	22.2%	335,645	35.2%
06/19/2014	195.7	215,703	31.0%	90.2	190,465	74.0%	406,168	42.6%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
06/18/2014	97	315	0.00	93	508	0.00	823
MTD		5,241	0.85		7,125	0.00	12,366

STREAM FLOWS

Gauging Station	06/18/2014 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	107	2,757
NRTT : Nueces River at Tilden, Texas	0	43
FRTT : Frio River at Tilden, Texas	1	5,461
SMTT : San Miguel Creek at Tilden, Texas	0	95
ARWT : Atascosa River at Whitsett, Texas	62	3,597
Release from Choke Canyon Reservoir	58	1,036
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	300	18,637
NCAT : Nueces River at Calallen, Texas	357	11,588
RBP : Rincon Bayou Pipeline	0	331
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	51	8,307

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 23,000 Salinity Relief Credit : 0 Effective:	23,000
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	-18,658
Return Flow Credit (Effective:)	0
Passthru Target: 23,000 Reservoir Inflow: 8,307 Comment: Current banked total: 8,172 Ac/Ft.	8,307
Estuary Inflows (NCAT + RBP)	11,919
PassThru Surplus / -Deficit:	-15,046

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	June 2014	
				Allocation	Remaining
06/18/2014	92	2,262	21,587	4,100	1,838
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
06/18/2014	44.2	163,121		101.3%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: June 20, 2014**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
06/20/2013	200.2	278,081	40.0%	79.5	57,182	22.2%	335,263	35.2%
06/20/2014	195.8	216,090	31.1%	90.2	190,297	74.0%	406,387	42.7%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
06/19/2014	90	242	0.00	90	420	0.00	662
MTD		5,483	0.85		7,545	0.00	13,028

STREAM FLOWS

Gauging Station	06/19/2014 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	91	2,848
NRTT : Nueces River at Tilden, Texas	0	43
FRTT : Frio River at Tilden, Texas	1	5,462
SMTT : San Miguel Creek at Tilden, Texas	0	95
ARWT : Atascosa River at Whitsett, Texas	54	3,650
Release from Choke Canyon Reservoir	58	1,094
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	292	18,929
NCAT : Nueces River at Calallen, Texas	191	11,779
RBP : Rincon Bayou Pipeline	0	331
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	34	8,341

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 23,000 Salinity Relief Credit : 0 Effective:	23,000
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	-18,658
Return Flow Credit (Effective:)	0
Passthru Target: 23,000 Reservoir Inflow: 8,341 Comment: Current banked total: 8,172 Ac/Ft.	8,341
Estuary Inflows (NCAT + RBP)	12,110
PassThru Surplus / -Deficit:	-14,890

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	June 2014	
				Allocation	Remaining
06/19/2014	133	2,396	21,720	4,100	1,704
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
06/19/2014	44.2	163,121		101.3%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: June 21, 2014**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
06/21/2013	200.2	278,388	40.0%	79.5	57,419	22.3%	335,807	35.3%
06/21/2014	195.7	215,446	31.0%	90.2	189,794	73.8%	405,240	42.5%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
06/20/2014	95	292	0.00	93	410	0.00	702
MTD		5,775	0.85		7,955	0.00	13,730

STREAM FLOWS

Gauging Station	06/20/2014 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	83	2,931
NRTT : Nueces River at Tilden, Texas	0	43
FRTT : Frio River at Tilden, Texas	0	5,462
SMTT : San Miguel Creek at Tilden, Texas	0	95
ARWT : Atascosa River at Whitsett, Texas	48	3,698
Release from Choke Canyon Reservoir	58	1,151
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	284	19,213
NCAT : Nueces River at Calallen, Texas	127	11,906
RBP : Rincon Bayou Pipeline	0	331
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	26	8,368

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 23,000 Salinity Relief Credit : 0 Effective:	23,000
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	-18,658
Return Flow Credit (Effective:)	0
Passthru Target: 23,000 Reservoir Inflow: 8,368 Comment: Current banked total: 8,172 Ac/Ft.	8,368
Estuary Inflows (NCAT + RBP)	12,237
PassThru Surplus / -Deficit:	-14,789

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	June 2014	
				Allocation	Remaining
06/20/2014	133	2,529	21,854	4,100	1,571
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
06/20/2014	44.1	163,121		101.3%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: June 22, 2014**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
06/22/2013	200.1	277,466	39.9%	79.6	57,735	22.4%	335,201	35.2%
06/22/2014	195.7	214,674	30.9%	90.1	188,456	73.3%	403,130	42.3%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
06/21/2014	96	322	0.00	93	428	0.00	750
MTD		6,097	0.85		8,383	0.00	14,480

STREAM FLOWS

Gauging Station	06/21/2014 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	79	3,011
NRTT : Nueces River at Tilden, Texas	0	43
FRTT : Frio River at Tilden, Texas	0	5,462
SMTT : San Miguel Creek at Tilden, Texas	0	95
ARWT : Atascosa River at Whitsett, Texas	44	3,742
Release from Choke Canyon Reservoir	58	1,209
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	268	19,481
NCAT : Nueces River at Calallen, Texas	95	12,001
RBP : Rincon Bayou Pipeline	0	331
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	22	8,390

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 23,000 Salinity Relief Credit : 0 Effective:	23,000
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	-18,658
Return Flow Credit (Effective:)	0
Passthru Target: 23,000 Reservoir Inflow: 8,390 Comment: Current banked total: 8,172 Ac/Ft.	8,390
Estuary Inflows (NCAT + RBP)	12,332
PassThru Surplus / -Deficit:	-14,716

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	June 2014	
				Allocation	Remaining
06/21/2014	133	2,662	21,987	4,100	1,438
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
06/21/2014	44.1	163,121		101.3%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: June 23, 2014**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
06/23/2013	200.1	277,312	39.9%	79.6	58,052	22.6%	335,364	35.2%
06/23/2014	195.7	214,674	30.9%	90.1	188,288	73.2%	402,962	42.3%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
06/22/2014	92	224	0.00	92	399	0.00	623
MTD		6,321	0.85		8,782	0.00	15,103

STREAM FLOWS

Gauging Station	06/22/2014 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	73	3,084
NRTT : Nueces River at Tilden, Texas	0	43
FRTT : Frio River at Tilden, Texas	0	5,463
SMTT : San Miguel Creek at Tilden, Texas	0	95
ARWT : Atascosa River at Whitsett, Texas	44	3,785
Release from Choke Canyon Reservoir	58	1,266
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	246	19,727
NCAT : Nueces River at Calallen, Texas	101	12,103
RBP : Rincon Bayou Pipeline	0	331
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	16	8,406

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 23,000 Salinity Relief Credit : 0 Effective:	23,000
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	-18,658
Return Flow Credit (Effective:)	0
Passthru Target: 23,000 Reservoir Inflow: 8,406 Comment: Current banked total: 8,172 Ac/Ft.	8,406
Estuary Inflows (NCAT + RBP)	12,433
PassThru Surplus / -Deficit:	-14,631

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	June 2014	
				Allocation	Remaining
06/22/2014	133	2,796	22,120	4,100	1,304
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
06/22/2014	44.0	163,121		101.3%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: June 24, 2014**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
06/24/2013	200.1	276,389	39.8%	79.7	58,530	22.8%	334,919	35.2%
06/24/2014	195.7	215,317	31.0%	90.0	187,954	73.1%	403,271	42.3%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
06/23/2014	97	360	0.00	94	399	0.00	759
MTD		6,681	0.85		9,181	0.00	15,862

STREAM FLOWS

Gauging Station	06/23/2014 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	73	3,158
NRTT : Nueces River at Tilden, Texas	0	43
FRTT : Frio River at Tilden, Texas	0	5,463
SMTT : San Miguel Creek at Tilden, Texas	0	95
ARWT : Atascosa River at Whitsett, Texas	40	3,825
Release from Choke Canyon Reservoir	58	1,324
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	266	19,993
NCAT : Nueces River at Calallen, Texas	91	12,194
RBP : Rincon Bayou Pipeline	60	390
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	16	8,422

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 23,000 Salinity Relief Credit : 0 Effective:	23,000
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	-18,658
Return Flow Credit (Effective:)	0
Passthru Target: 23,000 Reservoir Inflow: 8,422 Comment: Current banked total: 8,172 Ac/Ft.	8,422
Estuary Inflows (NCAT + RBP)	12,584
PassThru Surplus / -Deficit:	-14,496

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	June 2014	
				Allocation	Remaining
06/23/2014	133	2,929	22,254	4,100	1,171
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
06/23/2014	44.0	163,121		101.3%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: June 25, 2014**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
06/25/2013	200.0	275,469	39.6%	79.7	59,091	23.0%	334,560	35.1%
06/25/2014	195.7	215,060	30.9%	90.0	187,620	72.9%	402,680	42.3%

Weather Related Information								
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
06/24/2014	93	247	0.92	91	185	0.16	432	
MTD		6,928	1.77		9,366	0.16	16,294	

STREAM FLOWS

Gauging Station	06/24/2014 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	77	3,235
NRTT : Nueces River at Tilden, Texas	0	43
FRTT : Frio River at Tilden, Texas	0	5,463
SMTT : San Miguel Creek at Tilden, Texas	0	95
ARWT : Atascosa River at Whitsett, Texas	38	3,863
Release from Choke Canyon Reservoir	58	1,382
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	335	20,328
NCAT : Nueces River at Calallen, Texas	0	12,194
RBP : Rincon Bayou Pipeline	108	498
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	20	8,442

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 23,000 Salinity Relief Credit : 0 Effective:	23,000
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	-18,658
Return Flow Credit (Effective:)	0
Passthru Target: 23,000 Reservoir Inflow: 8,442 Comment: Current banked total: 8,172 Ac/Ft.	8,442
Estuary Inflows (NCAT + RBP)	12,692
PassThru Surplus / -Deficit:	-14,408

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	June 2014	
				Allocation	Remaining
06/24/2014	133	3,062	22,387	4,100	1,038
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
06/24/2014	44.0	161,085		100.0%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: June 26, 2014**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
06/26/2013	200.0	275,620	39.6%	79.8	59,332	23.1%	334,952	35.2%
06/26/2014	195.8	216,090	31.1%	90.0	186,453	72.5%	402,543	42.3%

Weather Related Information								
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
06/25/2014	95	212	0.49	97	73	0.10		285
MTD		7,140	2.26		9,439	0.26		16,579

STREAM FLOWS

Gauging Station	06/25/2014 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	103	3,338
NRTT : Nueces River at Tilden, Texas	0	43
FRTT : Frio River at Tilden, Texas	0	5,463
SMTT : San Miguel Creek at Tilden, Texas	0	95
ARWT : Atascosa River at Whitsett, Texas	123	3,986
Release from Choke Canyon Reservoir	58	1,439
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	931	21,259
NCAT : Nueces River at Calallen, Texas	0	12,194
RBP : Rincon Bayou Pipeline	108	607
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	46	8,488

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 23,000 Salinity Relief Credit : 0 Effective:	23,000
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	-18,658
Return Flow Credit (Effective:)	0
Passthru Target: 23,000 Reservoir Inflow: 8,488 Comment: Current banked total: 8,172 Ac/Ft.	8,488
Estuary Inflows (NCAT + RBP)	12,800
PassThru Surplus / -Deficit:	-14,345

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	June 2014	
				Allocation	Remaining
06/25/2014	133	3,196	22,520	4,100	904
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
06/25/2014	44.0	161,085		100.0%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: June 27, 2014**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
06/27/2013	200.0	274,863	39.5%	79.9	60,303	23.4%	335,166	35.2%
06/27/2014	195.7	214,674	30.9%	89.9	185,454	72.1%	400,128	42.0%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
06/26/2014	90	187	0.00	90	358	0.12	545
MTD		7,327	2.26		9,797	0.38	17,124

STREAM FLOWS

Gauging Station	06/26/2014 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	1,493	4,831
NRTT : Nueces River at Tilden, Texas	0	43
FRTT : Frio River at Tilden, Texas	0	5,464
SMTT : San Miguel Creek at Tilden, Texas	0	95
ARWT : Atascosa River at Whitsett, Texas	1,062	5,048
Release from Choke Canyon Reservoir	58	1,497
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	1,969	23,228
NCAT : Nueces River at Calallen, Texas	330	12,523
RBP : Rincon Bayou Pipeline	106	713
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	1,436	9,923

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 23,000 Salinity Relief Credit : 0 Effective:	23,000
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	-18,658
Return Flow Credit (Effective:)	0
Passthru Target: 23,000 Reservoir Inflow: 9,923 Comment: Current banked total: 8,172 Ac/Ft.	9,923
Estuary Inflows (NCAT + RBP)	13,236
PassThru Surplus / -Deficit:	-15,345

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	June 2014	
				Allocation	Remaining
06/26/2014	134	3,329	22,654	4,100	771
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
06/26/2014	44.2	163,121		101.3%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: June 28, 2014**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
06/28/2013	200.0	275,774	39.7%	80.0	60,792	23.6%	336,566	35.3%
06/28/2014	195.6	213,903	30.8%	89.9	184,790	71.8%	398,693	41.9%

Weather Related Information								
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
06/27/2014	92	209	0.00	90	368	0.07		577
MTD		7,536	2.26		10,165	0.45		17,701

STREAM FLOWS

Gauging Station	06/27/2014 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	2,283	7,114
NRTT : Nueces River at Tilden, Texas	0	43
FRTT : Frio River at Tilden, Texas	0	5,464
SMTT : San Miguel Creek at Tilden, Texas	0	95
ARWT : Atascosa River at Whitsett, Texas	1,233	6,281
Release from Choke Canyon Reservoir	58	1,554
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	2,144	25,372
NCAT : Nueces River at Calallen, Texas	1,054	13,577
RBP : Rincon Bayou Pipeline	109	821
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	2,225	12,149

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 23,000 Salinity Relief Credit : 0 Effective:	23,000
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	-18,658
Return Flow Credit (Effective:)	0
Passthru Target: 23,000 Reservoir Inflow: 12,149 Comment: Current banked total: 8,172 Ac/Ft.	12,149
Estuary Inflows (NCAT + RBP)	14,399
PassThru Surplus / -Deficit:	-16,408

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	June 2014	
				Allocation	Remaining
06/27/2014	134	3,463	22,788	4,100	637
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
06/27/2014	44.2	163,121		101.3%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: June 29, 2014**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
06/29/2013	199.9	274,711	39.5%	80.0	61,531	23.9%	336,242	35.3%
06/29/2014	195.6	213,775	30.7%	89.8	183,960	71.5%	397,735	41.8%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
06/28/2014	96	313	0.00	95	435	0.00	748
MTD		7,849	2.26		10,600	0.45	18,449

STREAM FLOWS

Gauging Station	06/28/2014 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	1,489	8,603
NRTT : Nueces River at Tilden, Texas	36	78
FRTT : Frio River at Tilden, Texas	0	5,464
SMTT : San Miguel Creek at Tilden, Texas	0	95
ARWT : Atascosa River at Whitsett, Texas	391	6,672
Release from Choke Canyon Reservoir	58	1,612
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	2,263	27,635
NCAT : Nueces River at Calallen, Texas	1,243	14,820
RBP : Rincon Bayou Pipeline	178	1,000
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	1,431	13,580

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 23,000 Salinity Relief Credit : 0 Effective:	23,000
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	-18,658
Return Flow Credit (Effective:)	0
Passthru Target: 23,000 Reservoir Inflow: 13,580 Comment: Current banked total: 8,172 Ac/Ft.	13,580
Estuary Inflows (NCAT + RBP)	15,820
PassThru Surplus / -Deficit:	-16,419

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	June 2014	
				Allocation	Remaining
06/28/2014	134	3,598	22,922	4,100	502
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
06/28/2014	44.2	163,121		101.3%	

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: June 30, 2014**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
06/30/2013	199.8	273,182	39.3%	80.1	62,277	24.2%	335,459	35.2%
06/30/2014	195.6	213,520	30.7%	89.7	181,973	70.7%	395,493	41.5%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
06/29/2014	96	298	0.00	95	481	0.00	779
MTD		8,147	2.26		11,081	0.45	19,228

STREAM FLOWS

Gauging Station	06/29/2014 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	399	9,002
NRTT : Nueces River at Tilden, Texas	60	138
FRTT : Frio River at Tilden, Texas	0	5,464
SMTT : San Miguel Creek at Tilden, Texas	0	95
ARWT : Atascosa River at Whitsett, Texas	143	6,815
Release from Choke Canyon Reservoir	58	1,669
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	2,203	29,839
NCAT : Nueces River at Calallen, Texas	1,352	16,172
RBP : Rincon Bayou Pipeline	201	1,200
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	342	13,922

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 23,000 Salinity Relief Credit : 0 Effective:	23,000
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	-18,658
Return Flow Credit (Effective:)	0
Passthru Target: 23,000 Reservoir Inflow: 13,922 Comment: Current banked total: 8,172 Ac/Ft.	13,922
Estuary Inflows (NCAT + RBP)	17,372
PassThru Surplus / -Deficit:	-15,208

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	June 2014	
				Allocation	Remaining
06/29/2014	135	3,733	23,057	4,100	367
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
06/29/2014	44.2	163,121		101.3%	